

Index

- 30/360 day count convention 241
 - A-stable numerical methods, concepts 120–5, 180–3
 - absolute error criterion, concepts 113–17
 - Abstract Data Type (ADT)
 - see also* generic programming
 - concepts 304–6
 - Abstract Factory pattern
 - concepts 229, 234–7, 256, 389–94, 489–92, 494–509
 - definition 229, 234–5
 - payoff classes 389–94, 494–509
 - Abstraction PAC component 226–41, 244–79
 - acceptance-rejection methods 75, 581–2, 583–8, 593–9
 - Access Control Systems (ACS), concepts 204–15, 223–41
 - accuracy issues 111–17, 125–6, 167, 172–6, 180–3, 203, 206–15, 219–20, 239–40, 633–5, 682
 - Active Template Library (ATL)
 - architecture 686–93
 - background information 686–93
 - BSTR 688–709
 - concepts 686–709
 - data structures 686–93
 - definition 686
 - HRESULT 687–709
 - interfaces 686–93
 - project structures 688–91, 693–5
 - SAFEARRAY 688–709
 - VARIANT 688–709
 - actual/360 day count convention 241
 - actual/actual day count convention 241
 - ad-hoc polymorphism, concepts 550–2
 - Adams-Bashforth scheme 110, 129
 - Adapter design pattern
 - see also* wrapper...
 - concepts 256, 266, 278, 331–4, 383–94
 - definition 256, 266
 - add 384–94, 404–25, 463–5
 - add-ins, Excel 449–54, 685–709
 - additive noise, stability property of the FDM 180–3
 - AddMenuItem 705–9
 - ADT *see* Abstract Data Type
 - advanced finance models, numerical methods 167–88
 - affine stochastic volatility models
 - see also* stochastic volatility models
 - concepts 427–59
 - agents, PAC 226–9, 244–70
 - aggregation techniques 219–41, 334
 - Amens-Dieter method 586
 - Alexander, Christopher 255
 - algebraic (constructive) fixed point theorems
 - see also* iteration (successive) approximation
 - procedure
 - concepts 59, 62–72
 - algorithm structures, multi-threaded programming 627–8
 - Allocate 454
 - almost sure convergence, concepts 70
 - Altiplano options
 - see also* mountain range options
 - concepts 389–94, 475, 478–87
 - definition 478
 - Amdahl's law, parallel programming concepts 623–5, 634, 644–63
 - American options 91–3, 381–3, 403, 511–29, 607–15
 - see also* early exercise
 - analysis of the method and improvements 521–5
 - C++ 513–29
 - CEV models 91–3
 - concepts 91–3, 511–29, 607–15
 - definition 511
 - dual methods 511–12, 525–9
 - linear least squares regression 511–29, 607–15
 - Longstaff and Schwartz method 511, 516–29, 601–15
 - optimal stopping problem 511–29
 - step-by-step example 520–1
- AmericanOption 513–29

- analytic formula, Brownian Bridge construction 141–3
- analytic solutions, affine stochastic volatility models 455–7
- Anderson's QE method 117, 399–401, 427, 432–4, 435–41, 443–51, 458–9, 481–7, 665–83
- anonymous objects, concepts 560–2
- Antithetic Variate method
see also Variance Reduction Methods
 barrier options 416–18
 concepts 263–5, 395, 400–1, 416–18
- any 364–6, 375, 394
- Any library, Boost C++ library 363–6, 375, 394
- AnyOldThing 308–10
- AnyType 382–94, 402–25, 448–51, 467–87
- APIs *see* application programming interfaces
- append 343–5
- application programming interfaces (APIs) 449–54, 456–7, 459, 617–35, 637–63
- ApplicationPtr 694–5, 700–9
- applications, configuration 229–41, 630–5
- approximating the expectations of the Ito process 109–13
- approximations 9–10, 59, 62, 66–8, 70–1, 107–35, 137–66, 167, 179–83, 245–79, 405, 414–15, 466–9, 642–4, 665–83
see also finite-difference method
- Asian options 405
 barrier options 414–15
 computational results 126
 lookback options 420–1
 optimal stopping problem 519–20
 spread options 466–8, 482
 Taylor schemes 167, 179–83
- Archimedes 38
- architectures
see also domain...
 ATL 686–93
 Monte Carlo method 203–15, 217–41
 multi-threaded programming 629–33
- archive 369–70
- arithmetic averages
see also Asian options
 concepts 160–2, 165–6, 401–12, 422–4, 496–7, 681–2
- arithmetic fixed point problems, concepts 67–8
- arr 324–31
- array 366–7, 375
- arrays
see also matrices; vectors
 Boost C++ library 366–7, 374–5, 543, 562–4
 bounds exceptions 320–3, 324, 327–8
 concepts 14–23, 221, 299–301, 319–23, 324–31, 338–9, 342–3, 366–7, 374–5, 543, 562–4, 638–44
 FDM 322–3
 uses 319–23, 324–31, 342–3, 563–4
- arrival rates
 concepts 79–80, 168–71
 definition 79–80
- ASCII 373, 632
- Asian options 126, 160–2, 165–6, 279, 305, 375–6, 389–94, 395, 400, 401–12, 424, 496–509, 674–83
see also exotic...
 approximation formulae 405
 concepts 160–2, 165–6, 389–94, 395, 400, 401–12, 424, 496–509, 674–83
 Control Variates 406–11
 definition 160–1, 401–2
 the Greeks 501–9
 mapping onto the framework 402–5
 payoffs 389–94, 401–12, 424, 674–83
 stochastic volatility 165–6, 674–83
 types 401–2
- AsianOption 402–12
- Assembly-Parts category, Whole-Part decomposition 223–41, 245–79
- asset-or-nothing options 278
- assignment operator, strings 340–1
- associative matrices
 concepts 93–6, 290, 320–3
 definition 93
- AssocMatrix 94–6
- assumptions, Black-Scholes model 1–2, 168
- asymptotic behaviour, concepts 49–50, 131–2
- at-the-money options 522
- ATL *see* Active Template Library
- Atlas options
see also mountain range options
 concepts 475, 480–7
 definition 480
- ATL_NO_VTABLE 690–709
- auto-callable products, concepts 413
- Automation add-ins
 concepts 241, 685–6, 695–709
 test case 701–6
- auto_ptr 354, 566–8
- average strike Asian options 402–12
- backward difference estimator, definition 490–1
- backward induction, concepts 511–29
- ball-and-socket UML notation 218–20, 630–1
- Banach Fixed Point Theorem
 concepts 58–9, 62–72
 definition 58–9
 proof 69–71
 uses 64, 65–6, 69, 72
- Banach spaces
see also functional analysis; norms
 concepts 53, 57, 62–72, 167, 172–6, 609–15
 definition 57
 SDEs 62, 63–4
- band matrices 299–301, 371
- Barone-Adesi & Whaley formula 528–9
- barrier 645–51

- barrier options 26–7, 88–93, 126, 160–2, 164, 382–94, 395, 411–19, 424–5, 681–2
see also down. . . ; up. . .
 Antithetic Variate method 416–18
 approximation formulae 414–15
 concepts 160–2, 164, 395, 411–19, 424–5, 681–2
 definition 411–13
 Importance Sampling 415–18, 425
 mapping onto the framework 413–14
 numerical results 417–19
 payoffs 389–94, 411–18, 681–2
 types 160, 411–12
 BarrierOption 382–94, 413–18
 barriers, thread synchronisation 629, 644–53, 660–3
 barrierType 414–18
 Base 312–14, 359–61
 base classes
 concepts 304–18, 357–61, 379–94
 payoffs 388–91
 basic data types, concepts 452–3
 basic_string 340–5
 basis functions
 concepts 516–29
 selection issues 522–5
 basket options
see also mountain range. . . ; multi-asset. . .
 concept 145, 386–94, 461, 462–6, 469–87
 definition 469–70
 distributions 472–4
 payoffs 386–94, 461, 462–6, 469–87
 Bates stochastic volatility model
 cliquet options 448–9
 concepts 427, 432, 441–59, 591, 609, 610–15, 682
 distributions 442
 implementation issues 443–6, 455–7, 610–15, 682
 paths 442
 BBMediator 657–60
 Beckett, Samuel 665
 begin 331, 385–94
 Behavioural patterns
see also Chain. . . ; Command. . . ; Interpreter. . . ;
 Iterator. . . ; Mediator. . . ; Observer. . . ; State. . . ;
 Strategy. . . ; Template Method. . . ; Visitor. . .
 concepts 256–7, 270–6, 367–8, 400–1, 657–63
 definition 256–7, 270–1
 types 256–7, 270–6
 Beppo Levi theorem *see* Monotone Convergence
 Theorem
 Bermudan options
 concepts 511–29, 615
 definition 511
 optimal stopping problem 511–29
 upper bounds 525–9
 Bernoulli distribution
 concepts 35–7
 definition 35
 Bessel processes
 CEV 74, 86–93
 concepts 73–4, 86–7, 102–3, 441, 532–3
 definition 73–4
 Beta 76–9, 439, 482, 533–9, 562, 671–83
 beta distribution
 C++ 76–9, 99–102
 concepts 74, 75–9, 99–102
 definition 75
 betaCEV 88–93
 bias free simulation scheme, Heston stochastic
 volatility model 441
 bill-of-materials, concepts 225–6
 binary (digital) options
 concepts 278–9, 389, 427–9, 446–51, 507–8,
 672–83
 implied volatility skew/smile 427–9
 Bind library, Boost C++ library 367, 374
 binomial distribution, concepts 35, 598
 Bisection method 70, 135
 bivariate normal/Gaussian rv, concepts 38
 Bjersund & Stensland formula 528
 black boxes, concepts 204, 222–41, 334, 391, 633–4
 Black-Scholes model
 assumptions 1–2, 168, 442
 concepts 1–2, 26, 81–93, 153, 164–5, 179,
 244–79, 395–425, 429–41, 442–51, 461–87,
 493–509, 529, 549–52, 611, 708
 definition 245–55
 Excel 708
 multi-asset options 461–87
 parameters 245–55, 396
 Blackboard system pattern 206–15, 309–10, 657–63
 BlackScholes. . . 246–79, 467–9
 block-banded matrices 299–301, 641–2
 BLOCK_SIZE 641–4
 blueprints, software design issues 203–15, 217–41
 bonds 241, 379–94
 Boolean relationships between sets 332
 boost 36–7, 353–76, 563–6
 Boost C++ library 36–7, 73, 74, 75, 77, 87, 95–6,
 97–105, 115, 128, 239, 241, 287, 294–5, 298,
 313, 319–20, 323, 339, 344, 353–76, 385, 394,
 441, 459, 543, 562–8, 574, 583, 587, 634
 Any library 363–6, 375, 394
 Array library 366–7, 374–5, 543, 562–4
 Bind library 367, 374
 concepts 353–76, 385, 441, 459, 543, 562–8,
 583, 587, 634
 Date and Time library 372
 discriminated unions 362–3
 Excel 459
 Filesystem library 370–1
 Function library 374
 homogeneous/heterogeneous data modelling
 361–7, 375, 387
 Interval arithmetic library 374
 introduction 353–76
 Lambda library 367, 374

- Boost C++ library (*cont.*)
 performance issues 543, 562–8
 pointers 270, 313, 353–61, 543, 563
 property maps 365–6, 563
 Random Number Library 294–5, 543, 562–6,
 574, 583, 587, 597–8
 Regex library 344, 373
 scoped pointers 354–7, 361
 Serialisation (archives) library 368–70
 shared pointers 313, 354, 357–61,
 566–8
 Signals library 367–8
 smart pointers 270, 353–61, 543, 563, 566–8
 Spirit library 373
 statistical distributions 97–102
 strings 344, 373
 Thread library 374
 Tokenizer library 373
 Tuples 361–2, 374–5
 uBLAS (linear algebra) library 371, 376
 variants 362–3, 375
 XLW framework 459
- boundary options 91–3
- Bounded Convergence theorem
 concepts 43, 195–6
 definition 43
- bounds exceptions, arrays 320–3, 324,
 327–8
- Box-Muller random number generator
 concepts 1, 5–8, 17–19, 20–3, 25, 108, 146,
 206–15, 233–4, 238–9, 272–6, 321–3, 376,
 583, 643–4
 critique 25
- BoxMuller 7–8, 17–19, 20–3, 146, 275–6, 321–3
- Bridge design pattern 243, 256, 258–65, 279,
 305–6, 612–15
 concepts 243, 256, 258–65, 279, 305–6, 612–15
 critique 265
 definition 256, 258–65
 run-time version 262–5
 template version 258–62
- Broker system pattern 206–15
- Brouwer's fixed point theorem, concepts 58
- Brownian Bridges
 concepts 140–3, 162, 425
 FDM 142–3
- Brownian Interpolation, concepts 424–5
- Brownian motion 3–4, 10–19, 39, 53–72, 73–4,
 80–1, 84, 85–93, 139–43, 147–66, 168–71,
 207–15, 304–6, 328–31, 399–425, 430–41,
 461–87, 518–19, 529, 531–9, 588–99, 667–83
see also diffusion term; random walks; Wiener
 process
- BSPde 244–65
- BSTR 688–709
- Build 237–9
- Builder pattern
see also Manufacturing Systems
 C++ 237–9, 360–1, 557, 657–63, 708–9
 concepts 10–23, 208–15, 229, 237–41, 243, 256,
 267, 270, 279, 308, 314, 360–1, 375–6, 557,
 629–35, 657–63, 708–9
 critique 270
 definition 229, 237–9, 270
 building blocks 79, 326–31, 379–94
 BuildPart 237–9
 Bulirsch-Stoer method, concepts 122–5
 Bullspread 346–8
 bump functions, concepts 167, 176–7
 business conventions, date classes 339
 business days, date classes 339
- C++ 217–41, 243–79, 281–318, 319–51, 353–76,
 379–94, 395–425, 489–509, 543–70, 601–15,
 637–63, 685–709
see also Boost...; matrices; template...
 Abstract Factory pattern 229, 234–7, 256,
 389–94, 489–92, 494–509
 adapters for STL containers 331–4
 advanced templates 286–94
 American options 513–29, 607–15
 ATL 686–709
 beta distribution 76–9, 99–102
 Builder pattern 237–9, 360–1, 557, 657–63,
 708–9
 CEV models 88–93, 188
 Chi-squared distribution 79, 99–102
 CIR model 229–34, 240, 267
 data structures in MC 319–51
 date and time classes 289, 308–10, 319, 334–9,
 348, 372
 delta 91–3, 157–9, 219, 268–70, 533–9
 Excel 10, 18–19, 93–6, 132, 135, 211–15, 240,
 244–5, 254–79, 319, 376, 430–2, 449–54,
 455–7, 459, 612–15, 632–5, 679, 685–709
 exception handling 18–19, 385, 391–4, 543,
 557–8, 615, 694–5, 709
 exponential distribution 74–5, 99–102
 Factory Method pattern 229–34, 248–55,
 267–70, 380–94
 function modelling 543–52
 gamma 78–9, 91–3, 268–70
 geometric distribution 80
 GOF class-level design patterns 243–79, 281–318
 the Greeks 489–509
 Heston stochastic volatility model 153–9, 166,
 267, 305–10, 356–7, 369–70, 397–401, 480–7,
 610–15, 665–83
 implementation issues 125–6, 137–66, 203–15,
 219–41, 262–5, 281–318, 376, 383–94, 432–4,
 437–41, 443–6, 455–7, 461–87, 494–7
 interest-rate modelling 229–41
 LCGs 294–301, 316–18, 571, 572–4, 593–4, 597
 mathematical/numerical tools 138–43, 601–15,
 697
 memory leaks 270, 353–61
 Merton interest-rate model 229–34, 240,
 397–401, 591–3

- Monte Carlo application 1–27, 88–93, 137–66, 637–63, 665–83, 685–709
- multi-threaded programming 617–35, 637–63
- NIG 532–9
- Normal Mean Variance Mixture models 532–9
- optimisation issues 26–7, 125–6, 152–3, 163–4, 206–15, 220, 243–79, 290, 324, 334, 543–70, 637–44
- performance issues 10, 21–3, 26–7, 125–6, 163–4, 187, 206–15, 220, 239–40, 277, 290, 306, 324, 334, 543–70, 637–44
- pointers 270, 313, 353–61, 544–52
- Poisson distribution 80, 99–102, 579, 587–93
- PWM 494–7
- random number generators 5–8, 10–19, 20–3, 25, 158–9, 167, 177–9, 186–7, 191, 206–15, 221–2, 233–4, 238–9, 272–6, 294–301, 314–18, 320–3, 396–425, 464–5, 543, 562–6, 571–99, 643–4, 669–83
- SDE/C++ mapping 328–31
- semi-analytical prices 611–15, 680–1
- software design issues 125–6, 137–66, 203–15
- Student's t-distribution 79, 100–2
- temporary objects 560–2
- theta 91–3, 157–9, 231–41, 262, 369–70
- C# 241
- C 167, 449–54, 456–7, 459, 637, 685–709
 - ANSI function rand 167
 - Excel API 449–54, 456–7, 459, 685–709
- cache
 - see also* memory
 - concepts 618–19, 638–44, 651
- CAD *see* computer-aided design
- cadlag functions, definition 171
- calcST... 400–11, 533–9
- calculateDiffusion 231–4, 330–1, 643–4
- calculateDrift 231–4, 330–1, 643–4
- calcVPath 438–41
- calendars 319, 339
- calibrations, Heston model parameters 679
- call options 2, 9, 22–7, 86–93, 126, 146–66, 167, 245–79, 346–8, 381–94, 396–425, 427–59, 469–87, 495–509, 527–9, 611–15, 658–63, 666–83, 708–9
- call-by-value mechanism, performance issues 554–7
- callbacks 367–8
- CallBuy 347–8
- calling sequences 660
- callOption 22–3, 26–7
- CallWrite 347–8
- canonical class 260–2
- caps 241, 422–4, 448–51, 667–83
- Cartesian systems 569–70
- case studies
 - Excel 697–709
 - numerical schemes for the Heston model 665–83
- cash flows, future values 241
- casting features, performance issues 543, 554
- catch, concepts 392, 557–8, 694–5, 709
- Cauchy sequences
 - concepts 48–9, 56–7, 69–71, 74, 79, 167, 170–1
 - definition 48–9, 56–7
- Cauchy-Euler scheme, definition 170–1
- CAUTO999Module 701–9
- CComp999 703–9
- CCP 591
- cdf *see* cumulative distribution function
- central difference estimator
 - see also* finite-difference...
 - definition 490–1
- Central Limit Theorem
 - concepts 113–17, 189, 191–9
 - confidence intervals calculations 193–4
 - definitions 192–3
- centred-difference approximations, concepts 9–10
- CEV *see* Constant Elasticity of Variance
- CGM *see* Conjugate Gradient Method
- Chain of Responsibility design pattern, concepts 257
- ChangingElement 453–4
- char 339–45
- characteristic boundary 82–4
- characteristic equation of a difference scheme
 - concepts 127–8
 - definition 127
- characteristic function, concepts 427, 430–41, 610–15
- characteristic polynomials, concepts 127–8
- Cheng's method, concepts 77–8
- Cheyette Model, concepts 54–5
- Chi-squared distribution
 - C++ 79, 99–102, 104–5
 - concepts 74, 79–80, 86–7, 99–102, 104–5
 - definition 79
- ChiSquared 79
- Cholesky 145–6, 595–6, 601–15
- Cholesky decomposition
 - see also* covariance...
 - concepts 140, 144–6, 214–15, 376, 485–7, 518, 595–6, 601–15, 637–44
 - definition 144–5, 601–2
 - test programs 605
- CholeskyDecomposition 602–15
- CIR *see* Cox-Ingersoll-Ross interest-rate model
- CIRFactory 230, 235–41
- CIRSde 230–4, 235–41
- CIRSdeFactory 232–4
- class diagrams 11, 213, 220–41
- Class and Interface Discovery phase 219–20
- classes 10–19, 22–3, 75–9, 163–4, 187–8, 207–15, 220–41, 319–51
 - hierarchies 10–19, 22–3, 187–8, 209–15, 229–41, 305–18, 345–8, 379–94, 402–5
 - MC data structures 319–51
 - Sobol numbers 578–80
 - strings 339–45
 - traits classes 76–9, 281, 286–7, 294–306, 314–16

- Clear 292, 333–4
- clients
 - see also* servers
 - concepts 10–19, 237–9, 282–318, 329–31, 375–6, 632–5, 695–6
 - simple one-factor MC framework 10–19, 632–5
- cliquet options
 - Bates stochastic volatility model 448–9
 - C++ implementation 423, 674–83
 - concepts 383–4, 395, 422–4, 427–9, 446, 448–51, 457, 674–83
 - definition 395, 422–3
 - implied volatility skew/smile 427–9
 - numerical results 424, 675–83
 - payoffs 422–4, 446, 448–51, 674–83
 - types 395, 422, 449
- clone 413–14, 584–5, 594–6
- closed-form solutions 61–2, 139
 - see also* Black-Scholes...
- CMOS 618–19
- CMyATLComp 699–709
- CMyATLProjModule 697–709
- Cobol 361
- coercion 551
- cohesion concepts 278
- coin-tossing experiments 31–4, 50–1
- CoInitialize 694–709
- Collection 293–4
- Collection-Members category, Whole-Part decomposition 223–41
- collective communications, multi-threaded programming 629–35
- colon syntax, performance issues 554–7
- column-major order arrays 638–44
- COM interface 449, 685–709
- ComAddinUtils 689–709
- Combiners, definition 368
- COM_INTERFACE_ENTRY... 690–1
- Command design pattern, concepts 256, 257, 314, 349
- CommandBarButtonPtr 694–709
- commonValue 358–9
- compare 342–3
- compensation/compounding, Poisson processes 590–3
- CompHestonIntegratedJK 612–15
- compile-time factors 282–94, 319, 324–31, 400–1, 558–9, 621–2, 637–63
 - error messages 290–4, 320–4, 327–8, 355–7
 - matrices 327–31
 - pragmas 621–2, 644–63, 698–704
 - templates/inheritance considerations 282–6, 558–9, 569
 - vectors 324–31
- complementary functions, concepts 119–25
- complete metric spaces, definition 57
- Complex 560–2, 566–8, 606–7, 638–44
- complex coefficients, SDEs 185–6
- complex numbers 55–7, 560–2
- complex objects, building 229–41, 270
- component design system patterns
 - see also* POSA
 - concepts 203–15, 217–41
- component diagrams 283–318
- components
 - see also* policy-based designs
 - definition 301–2
- Composite design pattern 96, 221, 229–41, 243, 256, 257, 270, 305–6, 310–14, 345–8
- CompositeClass 312–14
- CompositeProperty 332–4, 346–8
- composition techniques 257–79, 283–318, 331–4
 - see also* object-oriented programming
- compound options, concepts 393
- compound Poisson processes, concepts 55, 169–71, 590–3
- computational finance, FDM design and implementation issues 137–66, 203–15, 219–41, 281–316
- computational tools, concepts 69–71, 107, 126, 138–43
- Computer-Aided Design (CAD) 204, 224–5, 255–6
- concatenation operator, strings 341
- concave functions, definition 46
- ConcreteBuilder 238–9
- concurrent programming
 - see also* multi-threaded...
 - concepts 374, 619–35
 - definition 622
- confidence intervals
 - for absolute error 113–17
 - calculations 193–4
- configuration, applications 229–41, 630–5
- congruential random number generators
 - see also* random...
 - concepts 294–301, 316–18, 571, 572–4, 593–4, 597
- Conjugate Gradient Method (CGM) 562
- connection points, concepts 687–709
- conservative systems, Lyapunov exponents 123–5
- consistency issues 109–13, 128–9, 173–6, 618–19, 651
- ConsoleFactory 235–41
- ConsoleInstrumentFactory 248–79, 382–94
- consolidation algorithms 211–15
- const cast 554
- Constant Elasticity of Variance (CEV)
 - American options 91–3
 - Bessel processes 74, 86–93
 - C++ 88–93, 188
 - concepts 74, 84, 85–93, 103–5, 188, 279, 428–9
 - hedging 91–3
 - Monte Carlo method 87–93, 188
 - solutions 86–93
 - tests 92–3, 188
 - volatility smiles 428–9

- constant-coefficient scalar SDEs 139–40
- constructors 150–3, 209–15, 251–79, 311–14, 332–5, 340–1, 355–6, 382–94, 400–1, 554–7, 567–8, 658–63
- Container... 291–4, 360–1
- Container-Contents category, Whole-Part decomposition 223–41
- continuity, definitions 57–8
- continuous averaging process, definition 161
- continuous case Gronwall's inequality, definition 45–6
- continuous random variables
 - concepts 34–7
 - definition 34
- continuous sample spaces
 - concepts 31–4, 63–4
 - definition 31
- continuous-parameter (time) processes, definition 59
- continuous-state random processes, definition 59
- continuously-defined quantities, discretisation tools 8–9, 10–19, 22–4, 25–6
- contraction
 - see also* Lipschitz continuous functions
 - concepts 58, 170–1
 - definition 58
- Contraction Mapping Theorem, concepts 53
- Control PAC component 226–41, 244–79
- Control Variates 395, 401, 406–11
 - see also* Variance Reduction Methods
 - Asian options 406–11
 - concepts 406–11
 - definition 406–7
- ControlComposite 310–14
- convection-diffusion equations, concepts 81–4, 214–15, 245–79, 655–6
- convergence in distribution, definition 50
- convergence with probability one, definition 50
- convergence property of the FDM 111–17, 128–9, 175–6
- convergence of a sequence of functions, concepts 48–9, 56–7, 66–8
- convergence theorems, concepts 43–5, 48–9, 56–7, 66–8, 167, 172–6, 492–509
- Conversion agent 244–5, 251–79
- convertDateArray 338–9
- convex functions
 - see also* Jensen's Inequality
 - concepts 46, 52
 - definition 46
- convolution, concepts 177
- Copy 313–14
- copyin 650–1
- copyin clause 650–1
- CopyValue 555–7
- core process of systems, concepts 220–41
- corr 464–5
- corrector drift function, definition 24, 118
- CorrelatedNormalMatrix 322–3
- correlation 38, 51, 144–6, 154–66, 322–3, 440–1, 455–7, 462–5, 480–7, 595–9, 601–15, 666–83
 - definition 51
- cost-of-carry 165
- countable sets
 - concepts 31–4, 143–4, 171–2
 - definition 31
- cov 407–11
- covariance
 - see also* Cholesky decomposition
 - concepts 51, 140–3, 144–6, 406–11, 485–6, 531–9, 601–2
 - definition 51, 145–6, 407
- CovarianceMatrix 145–6
- Cox-Ingersoll-Ross interest-rate model (CIR) C++ 229–34, 240, 267, 538–9
 - concepts 83–4, 229–34, 240, 267, 538–9
 - Feller condition 84
- cpp files 398, 455–7, 670, 694, 697–9, 704
- CPUs 10, 618–35, 646
- crack spread options 147–53, 466–9
- Crank Nicolson implicit finite-difference method 13, 121, 279
- CreateInstance 694–709
- CreateMertonSde 235–8
- CreateOption 382–94
- CreateOptionData 248–79
- Creational Patterns
 - see also* Abstract Factory...; Builder...; Factory...; Prototype...; Singleton...
 - concepts 229–41, 243–4, 256, 266–70, 302–6, 307–10, 389–94, 556–7
 - definition 229–41, 256, 266–7
 - performance issues 556–7
- critical sections, concepts 648–51
- cross gammas
 - concepts 491–509
 - definition 491
- CSV files 241
- cubic splines 707
- cumulative distribution function (cdf)
 - see also* random variables
 - concepts 34–8, 51, 77–8, 87, 100–5, 430–2, 582–8
 - definition 34
- CumulativeNormal 415, 469, 482
- currSet 337–9
- custom deleters 360–1
- d 403–25, 666–83
 - see also* dividend yields
- dangling pointers 353
- data decomposition, concepts 220–41, 627–35, 637–63
- data dependency graphs 634–5
- data flow aspects, Builder pattern 237–9
- Data Repository pattern 309

- data structures 10–13, 20–3, 93–6, 138, 205–15, 220–41, 247–55, 259–60, 266, 281–318, 319–51, 543–52, 627–35, 686–93
 - see also* arrays; matrices; vectors
 - ATL 686–93
 - concepts 220–41, 266, 281–318, 319–51, 543–52, 627–35, 686–93
 - finance application examples 221
 - Monte Carlo method 319–51
 - types 220–1
- Datasm Excel 10, 18–19
- DatasmClock 464–5, 551–2
- DatasmDate 289, 308–10, 335–9, 348, 375
- DatasmException 18–19, 392, 557–8
- date classes
 - basic functionality 335
 - Boost C++ library 372
 - calendars/business-days/business-conventions 319, 339
 - concepts 289, 308–10, 319, 334–9, 348, 372, 381–94
 - mesh points 338–9
 - sets 335–9
- DateCollection 336–9, 348
- DateOffsetUnit 336–9, 348
- Dates 381–94
- Date_time 372
- day count conventions 210–15, 241
- DCT *see* Dominated Convergence Theorem
- De Morgan’s laws, definition 52
- debugging 164
- decision-support systems 211–15, 631–5
- Decode 579–80
- Decomp 595–6
- decomposition of systems 206–13, 217–41, 627–35, 637–63
 - see also* Whole-Part...
- Decorator design pattern 96, 187–8, 208–15, 256, 305–6
 - concepts 256, 305–6
- default constructors 554–7
- default values for template parameters 286–7
- degrees of freedom, concepts 79, 86–7, 101–2
- delegation mechanisms 243–79, 284–5, 367–8
- delete 353–61, 552, 641
- delta
 - see also* gamma; Greeks
 - C++ 91–3, 157–9, 219, 268–70, 533–9
 - concepts 9–10, 26, 91–3, 157–9, 211–15, 219, 268–70, 493–509, 533–9, 663, 667–83
 - definition 9–10
- denumerable sets 171–2
- dependence of the absolute error on step size, concepts 113, 115–17
- Derivative-Free finite-difference scheme, concepts 13, 17–19, 22–3, 90, 182–3, 187
- derivatives *see* instruments
- Derived 359–61, 551–2
- derived classes, concepts 5–8, 239, 284–318, 359–61, 551–2, 571
- design patterns
 - see also* Behavioural...; Creational...; GOF...; Structural...
 - concepts 10–19, 126, 138, 159, 187–8, 203–15, 219–20, 239–40, 243–79, 281–314, 357–61, 367–8, 380–94, 489–509, 627–35
 - critique 257
 - generic programming 306–10, 314, 634
 - historical background 255–6
 - instrument hierarchy 380–94
 - OOP 306–10, 634
 - overview 255–66
 - performance issues 552, 556–7
 - template classes 306–10
- Destroyer 307–10
- destructive testing, definition 50
- destructors 209–15, 311–14, 359–60
- Detailed Design phase, concepts 203, 220–41, 243–79
- deterministic integral equations, definition 59
- Dewdney K 501
- diagonal matrices 299–301
- difference estimators
 - see also* finite-difference...
 - concepts 489–509
- Differential evolution algorithm 679
- diffusion 89–93, 150–3, 305–6, 588–96, 708–9
- diffusion term
 - see also* Brownian motion; jump...; stochastic...
 - concepts 3–4, 12–19, 22–4, 53–72, 80–4, 89–93, 150–3, 154–9, 179, 184–5, 208–15, 230–4, 246–79, 305–6, 323, 329–31, 545–52, 588–9, 630–5, 643–4, 655–6, 708–9
 - definition 3
- digital options *see* binary (digital) options
- Dirac measure 198, 436, 592, 671–83
- direction numbers, concepts 576–80
- Director object, Builder pattern 237–9
- Dirichlet boundary 214–15, 245–55
- DiscountFactors 515–29
- discounting 2, 19–23, 89–93
- discrepancy, concepts 195–9
- discrete averaging process, definition 161
- discrete case Gronwall’s inequality, definition 46
- discrete Fredholm equation, definition 63
- discrete random variables
 - concepts 34–7
 - definition 34
- discrete sample spaces
 - concepts 31–4
 - definition 31
- discrete variate generation
 - see also* geometric...; Poisson...
 - concepts 79–80
- discrete-parameter (time) processes, definition 59
- discrete-state (chain) random processes, definition 59

- discrete-time simulation
 - see also* finite-difference method
 - concepts 107–35
 - ODEs 109–13
 - SDEs 113–17
- DiscreteBC 655–6
- discretisation tools 8–9, 10–19, 22–4, 107–35, 245–79, 427, 436–41, 463–87, 503–9, 642–4, 665–83
 - see also* approximations; predictor-corrector
 - finite-difference scheme
- discriminated unions, Boost C++ library 362–3
- DispEventAdvise 691–3, 700–9
- DispEventUnadvise 691–3, 700–9
- DISPID 695–6
- dispinterface 695–6
- Display agent 244–5, 254–79
- dissipative systems, Lyapunov exponents 123–5
- distance function
 - see also* metric spaces
 - concepts 53–72
- distributed memory models, concepts 617–19, 629
- distribution 36–7, 582–3, 584–8, 595–9
- distribution function *see* cumulative distribution function
- distributions
 - basket options 472–4
 - Bates stochastic volatility model 442, 591
 - Heston stochastic volatility model 430–2, 442
 - random number generators 571–2, 579–99
- Divide 557–8
- dividend 398–425, 433–41, 455–7, 462–87
- dividends 8–9, 84–93, 148–66, 396–425, 433–41, 455–7, 461–87, 533–9, 666–83
- dJ 588–93
- dll files 452, 457, 685–709
- DllCancelUnloadNow 698–709
- DllGetClassObject 698–709
- DllMain 698–709
- DllRegisterServer 689–91, 698–709
- DllUnregisterServer 689–91, 698–709
- do-while loops 152–3
- domain architectures
 - see also* design patterns; software design issues; system patterns
 - advantages 204–6
 - concepts 203–15, 217–41, 243–79, 633–5
 - definition 223–4
 - subsystems 205–15, 218–41, 244–79, 633–5
 - Whole-Part decomposition 205–15, 222–41, 244–79, 307, 310–14, 334, 345–8, 361, 633–5, 651–3, 657–63
- Dominated Convergence Theorem (DCT), definition 44–5
- double dispatch polymorphism 552
- double exponential distribution *see* Laplace distribution
- down-and-in barrier options 160–2, 413–18
 - concepts 160–2, 413–18
 - definition 160, 413
- down-and-out barrier options
 - concepts 26–7, 88–93, 160–2, 164–5, 413–19
 - definition 160, 413
- downcasting 554
- DRAM 618–19
- draws
 - see also* simulations
 - concepts 2, 9
- drift 89–93, 150–3, 305–6, 398–425, 433–41, 462–87
- drift term
 - concepts 3–4, 12–19, 22–4, 53–72, 80–1, 89–93, 130, 150–3, 154–66, 179, 208–15, 230–4, 246–79, 305–6, 323, 328–31, 398–425, 433–41, 462–87, 533–9, 545–52, 630–5, 643–4
 - definition 3
- dual methods, concepts 511–12, 525–9
- duo-core processors, concepts 618–21, 646
- dW 658–63
- dynamic casting 543, 554
- dynamic programming relations, concepts 513
- dynamic schedule, OpenMP 656–7
- dynamic sparse matrices 288–9, 320–3, 371
- early exercise 1, 91–3, 211–15, 511–29, 607–15
 - see also* American options; Bermudan options
 - analysis of the method and improvements 521–5
 - concepts 511–29, 607–15
 - dual methods 511–12, 525–9
 - linear least squares regression 511–29, 607–15
 - Longstaff and Schwartz method 511, 516–29, 601–15
 - optimal stopping problem 511–29
 - step-by-step example 520–1
- EDA *see* electronic design automation
- EE 667–83
- EETransform 669–83
- effective dimension, concepts 196
- efficiency issues 10, 21–3, 26–7, 125–6, 163–4, 187, 206–15, 220, 228–9, 239–40, 277, 306, 324, 394, 543–70, 621–35, 637–63
 - see also* performance. . .
 - parallel programming 624–5, 644–63
- eigenvalues/eigenvectors, concepts 601–15, 697
- electronic design automation (EDA) 654–6
- Element 453–4
- elementary events *see* sample points
- elliptic PDEs 81–4
- embarrassingly parallel applications 652
- Empty 333–4
- empty loops 661
- encapsulation 220, 222, 262–5, 294–306, 345–8
 - see also* traits. . .
- end 331, 385–94

- ensemble
 - see also* paths
 - definition 59
- enumeration 336–9
- epsilon 157, 262, 309–10, 369–70, 667–83
- equities 379–94, 666–83
- Equity 381–94
- equity interest rate hybrids, concepts 482–7
- Erlang distribution 99–102
- ERRNO 557–8
- error codes 557–8
- error estimates 68, 98–9, 113–17, 133, 167
- error messages 18–19, 290–4, 320–4, 327–8, 355–7, 392, 557–8
 - see also* exception handling
 - compile-time factors 290–4, 320–4, 327–8, 355–7
- Euclidean space 37–8, 53, 54–72, 176–7, 221–2, 310
- Euler 399–401
- Euler method
 - see also* finite-difference method
 - concepts 10, 13, 14–19, 22–3, 80–1, 89–93, 102–3, 105, 108–35, 142–3, 146–66, 170–2, 181–3, 233–41, 245–79, 323, 399–401, 427, 432–7, 444–51, 492–4, 643–4, 665–83
 - fully truncated Euler scheme 434–5, 444–51, 668–83
 - Heston stochastic volatility model 143–9, 432–7, 665–83
- Euler-Maruyama scheme 108–9, 117–18
 - see also* Milstein...
- European options 1–27, 86–93, 147–66, 381–94, 403–25, 427–59, 468–87, 499–509, 528–9, 609–15, 666–83
 - CEV models 86–93
- EvaluationType 381–94, 403–25
- evenlonger 578–80
- event handler 694–5
- event ordering, multi-threaded programming 628–35
- event-based coordination 628–35
- Exact 399–401
- ExactSDE 12–19
- Excel 10, 18–19, 93–6, 132, 135, 211–15, 240, 244–5, 254–79, 319, 376, 430–2, 449–54, 455–7, 459, 612–15, 632–5, 679, 685–709
 - add-ins 449–54, 685–709
 - ATL 686–709
 - Automation add-ins 241, 685–6, 695–709
 - Boost C++ library 459
 - C API 449–54, 456–7, 459, 685–709
 - case studies 697–709
 - COM interface 449, 685–709
 - concepts 449–54, 456–7, 459, 685–709
 - Function Wizard 452, 455–7, 693–5
 - mathematical utilities 697
 - Monte Carlo method 685–709
 - registry 685, 688–95, 697–709
 - solvers 697
 - STL integration 697, 708
 - test cases 697–709
 - useful utilities 696–7, 704–6
 - uses 449–54, 685–6, 696–7, 707
 - utilities 696–7, 699–706
 - versions 685–6
 - worksheets 685–709
 - XLW framework 452–4, 456–7, 459, 685–709
- Excel Visualiser 104–5, 132, 135, 211–15, 254–79
- EXCEL_BEGIN 456–7
- ExcelDriver 244–79
- EXCEL_END 457
- EXCEL_EXPORT 456–7
- ExcelImports 694–709
- ExcelRangeTo... 706
- ExcelUtils 699–709
- exception handling
 - see also* error...
 - concepts 18–19, 385, 391–4, 543, 557–8, 615, 694–5, 709
 - performance issues 543, 557–8
- excess kurtosis
 - see also* kurtosis
 - concepts 84–93, 101–2
- exercise boundaries 522–9
- ExerciseSchedule 514–29
- ExerciseType 381–94, 403–25
- exotic options 388–94, 457, 666–83
 - see also* Asian...; barrier...; lookback...
 - payoffs 388–94, 666–83
- exp 75
- expected 583
- expected continuation value, concepts 512–39
- expected values *see* mean values
- experiments
 - concepts 31–4
 - definition 31
- expiry data 244–79
- explicit Euler method
 - see also* finite-difference method
 - concepts 13, 14–19, 22–3, 80–1, 89–93, 102–3, 105, 108–35, 151–3, 154–9, 172, 210–15, 233–41, 245–79, 323, 643–4, 665–83
 - Heston stochastic volatility model 155–9, 665–83
- explicit strong Taylor approximations, concepts 182–3
- ExplicitEuler 13, 14–19, 210–15, 323
- exponential 75
- exponential distribution
 - C++ 74–5, 99–102
 - concepts 74–9, 99–102
 - definition 74
 - uses 75
- exponential function 569, 642–4
- exponential rvs, definition 51
- exponentially fitted schemes, concepts 119–25
- expression templates, concepts 371–2, 561–2
- extended data types, concepts 452–3

- extensions, Heston model parameters 679
- Extensions patterns
 - see also* Behavioural . . .
 - concepts 257
- extern 456–7
- Extrapolation 669–83
- extrapolation techniques 117, 131–2, 172–6
- Extreme 419–22

- F distribution 99–102
- Facade design pattern 243, 256, 258–66
 - concepts 243, 256, 258–66
 - definition 256, 258
- Factory 244–79, 302–6
- Factory Method pattern
 - C++ 229–34, 248–55, 267–70, 302–6, 375–6, 380–94, 631–5
 - concepts 229–34, 240–1, 248–55, 256, 267–70, 302–6, 375–6, 380–94
 - definition 229, 267–8
- far field boundaries 91–3, 249–55
- Fast Fourier Transform (FFT) 615
- fast transient, concepts 119–25
- fat tails
 - see also* kurtosis; skewness
 - concepts 84–93
- Fatou’s Lemma, definition 43
- FDM *see* finite-difference method
- FDM 244–5, 251–79, 375–6, 657–63
- FDMDirector 244–5, 251–79
- FDMTypeDBuilder 22–3, 657–63, 708–9
- FDMVisitor 13–19, 20–3, 209–15, 323, 657–63
- Feedback Shift Register (FSR) 574–6
- Feller condition
 - concepts 73, 81–4, 666–83
 - definition 84
- Feller-Levy Central Limit Theorem, concepts 192–3
- FFT *see* Fast Fourier Transform
- Fibonacci 290–1, 565–6
- Fibonacci numbers 8, 56–7, 71, 108, 128, 206–15, 290–1, 565–6, 597–8
- Fichera function
 - concepts 73, 81–4, 103–4
 - definition 82–4
 - uses 81–2
- filesystem 370–1
- Filesystem library, Boost C++ library 370–1
- filtered probability spaces, definition 190
- filtration, definition 189–90
- final conditions 81
- FinalConstruct 699–709
- FinalRelease 700–9
- financial instruments *see* instruments
- find 394
- finite subcovers, concepts 57
- finite-difference method (FDM)
 - see also* Euler method; Numerical Simulator Systems
 - absolute error criterion 113–17
 - accuracy issues 167, 172–6, 180–3, 203, 206–15, 219–20, 682
 - Brownian Bridges 142–3, 162
 - case study of numerical schemes for the Heston model 665–83
 - CEV models 87–93, 188
 - characteristic equation 127–8
 - computational results 126, 675–83
 - concepts 9–23, 56, 73, 87–93, 102–3, 107–35, 137–66, 167, 206–15, 217–41, 245–79, 318, 322–3, 338–9, 375–6, 432–4, 489–92, 500–9, 549–52, 629–35, 642–4, 654–6, 665–83
 - confidence intervals for absolute error 113–17
 - consistency property 109–13, 128–9, 173–6
 - convergence property 111–17, 128–9, 175–6
 - Crank Nicolson implicit method 13, 279
 - dates 338–9
 - dependence of the absolute error on step size 113, 115–17
 - the Greeks 489–92, 500–9
 - hedging 91–3
 - Heston stochastic volatility model 143–9, 153–9, 432–7, 665–83
 - implementation issues 125–6, 137–66, 203–15, 217–41
 - jump-diffusion models 169–71, 184–5, 588–93
 - LRM 503–9
 - notation 107–9
 - ODEs 109–13, 119–25, 127–35
 - payoff functions 19–23, 278–9, 672–83
 - SDEs 107–9, 113–35, 137–66, 175–6, 322–3, 642–4
 - spread options 151–66
 - stability property 109–13, 128–9, 180–3
 - stiff systems 119–25, 183
 - uses 107, 489–92, 504–9
 - Whole-Part decomposition 245–79, 657–63
- First-order Runga Kutta with Ito coefficient (FRKI), concepts 13, 17–19, 22–3, 183, 187, 683
- firstprivate 649–51, 658–63
- Fischer kurtosis formula 84–93
- Fishman’s method, concepts 77–9
- fixed point theorems
 - see also* algebraic . . .; Banach . . .; topological . . .
 - concepts 58–72
 - numerical methods 69–71
 - types 59, 62
- fixed strike lookback options, definition 161
- fixes, negative values 90–3
- Flavell 241
- floating strike lookback options, definition 161
- floors 241, 422–4, 448–51, 667–83
- flush construct, concepts 619, 629, 651
- Flyweight design pattern
 - see also* shared pointers
 - concepts 256, 357–61, 556–7
- Fokker-Planck equation *see* Kolmogorov forward equation

- foreign exchange markets 666–83
- foresight bias, definition 522
- fork calls, threads 625–6, 645–6
- Fork/Join program structure pattern 628–35, 645–6
- Fortran 563, 637–9
- forward difference estimator, definition 490–1
- forward start options
 - see also* cliquet. . .
 - concepts 395
- forward volatility surface 427–59
- forwards 68
- foundations of the Monte Carlo method 189–99
- Fourier transform, concepts 143–4, 427, 437, 596, 608–15, 680–1
- frameworks, Monte Carlo method 203–15
- Fredholm SIEs
 - concepts 39, 62–3, 70
 - definition 39, 62–3
- free boundary, smooth pasting conditions 92–3
- FreeMemory 457
- friend 333–4, 364–6
- FRKI *see* First-order Runge Kutta with Ito coefficient
- FSR *see* Feedback Shift Register
- FTCS scheme 245–79
- Fubini’ Theorem, definition 45
- FullArray 299–301
- FullMatrix 299–301
- fully truncated Euler scheme 434–5, 444–51, 668–83
- func1 546–7
- func22 546–7
- Function library, Boost C++ library 374
- function objects, concepts 290, 349, 374, 544–52, 561–2, 570
- function pointers, concepts 544–52, 570
- function signature, concepts 543–4
- function spaces
 - see also* functional analysis
 - concepts 38, 54–72, 544–52, 608–15
 - random variables 38, 608–15
- function templates 281–318
- Function Wizard, Excel 452, 455–7, 693–5
- functional analysis
 - see also* Fourier. . .; function spaces; Hilbert. . .
 - concepts 24–5, 374, 601, 608–15, 635
 - definition 608
- FunctionClassThing 547–52
- functions
 - concepts 24–5, 37–8, 54–72, 281–318, 329–31, 349, 374, 515–29, 544–52, 601, 608–15, 635
 - performance issues 543–59
 - template functions 94, 281, 286–94, 544–52
- FunctionWrapper 305–6, 328–31, 544–52
- futures 241
- Galois fields 574–6
- Gamma 78–9, 584–8
- gamma
 - see also* delta; Greeks
 - C++ 78–9, 91–3, 268–70
 - concepts 9–10, 91–3, 211–15, 268–70, 491–509, 663, 669–83
 - definition 9–10
 - gamma distribution
 - concepts 74, 75–9, 99–102, 441, 579, 581–2, 583–8, 594–9
 - definition 77
 - random number generators 579, 581–2, 583–8, 594–9
 - Gamma, Eric 255
 - gamma function
 - concepts 44–5, 75–9, 87, 97–8, 642–4
 - definition 75, 97
 - Gamma patterns *see* GOF class-level design patterns
 - Gamma processes, concepts 74
 - Gang Of Four patterns *see* GOF. . .
 - GaussLegendreRule 612–15
 - GaussLobAdaptRule 612–15
 - GaussLobattoRule 612–15
 - Gaxpy operations 562, 642–4, 656
 - GBM *see* Geometric Brownian Motion
 - GBM.randomWalk 18–19, 139–40, 642–4
 - General Convergence Principle, concepts 173–6
 - Generalised Feedback Shift Register (GFSR) 574–6
 - GenerateCorrelationGaussian 463–5, 595–9
 - GenerateGammaVariates 594–9
 - GenerateGaussianVector 443–4, 534–9, 594–9
 - GenerateIGVariates 594–9
 - GeneratePoissonianVector 443–4, 594–9
 - generateUniformNumber 682
 - GenerateUniformsMatrix 594–9
 - GenerateUniformsVector 594–9
 - GenerateVariatesMatrix 594–9
 - GenerateVariatesVector 532–9, 589–99
 - generating polynomials 110–13, 277–8, 577–80, 615
 - generic composite structures
 - applications 314
 - concepts 310–14, 345–8
 - hierarchical data structures 345–8
 - generic duo-core processors, concepts 618–19, 646
 - generic functions
 - see also* scalar. . .; vector. . .
 - concepts 544–52
 - generic programming 220, 257, 281–318, 345–8, 634
 - see also* parametric polymorphism; template. . .
 - concepts 281–318, 634
 - definition 304–6
 - design patterns 306–10, 314, 634
 - OOP 281–6, 304–6, 634
 - Singleton pattern 307–10, 391
 - GenericC. . . 285–6, 311–14, 318, 346–8
 - GenericFunction 547–52

- Geometric 80
- geometric averages
 - see also* Asian options
 - concepts 160–2, 165–6, 401–12, 422–4, 681–2
- Geometric Brownian Motion (GBM)
 - concepts 18–19, 54–5, 84, 90–3, 139–40, 147–66, 168–71, 207–15, 304–6, 399–425, 464–87, 518–19, 529, 535–9, 642–4, 667–83
 - critique 54–5
- Geometric Decomposition pattern, concepts 221–2, 627–35
- geometric distribution
 - C++ 80
 - concepts 79–80
 - definition 79–80
- geometric interpretation, uniform distributions 196–8
- German DAX index 427–41
- get... 362, 398, 533–9, 706
- GetDates 381–94
- GetFactory 303–6
- GetFDM 659–63
- GetIDOfNames 696
- GetInstrumentFactory 250–5
- GetNoOfU 583–5
- getNormal 6–8, 17–19, 21–3, 273–6, 643–4
- GetProduct 237–9
- GetRandomNumber 573–4, 575–6, 595–9, 670–83
- GetSpotValues 381–94
- GetTypeInfo... 696
- getUniform 5–8, 273–6
- GFSR *see* Generalised Feedback Shift Register
- GKMI method 586–7
- GOF class-level design patterns
 - see also* Behavioural...; Creational...; Structural...
 - C++ 243–79, 281–318
 - concepts 126, 138, 205–15, 217, 219–20, 223, 227–9, 237, 239, 241, 243–79, 281–318, 367–8, 380–94, 552, 556–7, 627–35
 - critique 257
 - historical background 255–6
 - instrument hierarchy 380–94
 - OOP 306–10, 634
 - overview 255–66
 - performance issues 552, 556–7
 - POSA evolution 257
 - selection issues 244–55
 - template classes 306–10
 - types 243–79
- the Golden ratio 57, 566
- Gragg's formula, concepts 122–3
- Gray Code 577–8
- the Greeks 9–10, 26, 91–3, 157–9, 211–15, 375–6, 489–509, 663
 - see also* delta; gamma; rho; sensitivities; theta; vega
 - Asian options 501–9
 - concepts 9–10, 489–509, 663
 - FDM 489, 500–9
 - LRM 489, 497–509
 - Monte Carlo method 489–509
 - multi-asset options 500–9
 - OpenMP 663
 - path-dependent options 500–9
 - PWM 489, 492–7, 500–9
 - Gregorian 372
 - Gronwall's inequality
 - concepts 45–6
 - definitions 45–6
 - GSL 320
 - GUI controls 310–14, 368
 - guided schedule, OpenMP 656–7
 - Gustafson-Barsis law, parallel programming
 - concepts 623–5
 - h files 455–7, 492, 699, 701, 704–5
 - Haken applications 267–8
 - Halton sequence, concepts 197–9, 576, 579
 - hazard functions 100–2, 104–5
 - heap 145, 270, 301–6, 350, 353–61, 625–35, 632–44
 - see also* Builder pattern
 - HeapFactory 302–6
 - heap.sort 350–1
 - hedge sensitivities *see* sensitivities
 - hedging 91–3, 207–15, 379, 402, 462–87
 - CEV models 91–3
 - FDM 91–3
 - Hermite polynomials, concepts 134–5, 371, 516, 609–10
 - Heston... 455–7, 611–15, 668–83
 - Heston model with jumps (HSVJ) *see* Bates stochastic volatility model
 - Heston PDE 84, 680–1
 - Heston SDE 117, 153–9, 258–62, 267, 305–10, 356–7, 369–70, 399–401, 427, 432–4, 435–41, 665–83
 - Heston stochastic volatility model 54, 84, 102–3, 117, 126, 132, 137–8, 145, 153–9, 166, 258–62, 267, 305–10, 356–7, 369–70, 397–401, 427, 429–41, 443–51, 455–7, 480–7, 503, 609–15, 665–83
 - bias free simulation scheme 441
 - C++ 153–9, 166, 267, 305–10, 356–7, 369–70, 397–401, 480–7, 610–15, 665–83
 - case study of schemes for the Heston model 665–83
 - concepts 153–9, 258–62, 305–10, 356–7, 369–70, 427, 429–41, 443–51, 455–7, 480–7, 503, 610–15, 665–83
 - critique 665–83
 - discretisation of spot price process 436–7, 666–83
 - discretisation of variance process 436–7, 666–83
 - distributions 430–2, 442

- Heston stochastic volatility model (*cont.*)
 - Euler method 143–9, 432–7, 665–83
 - FDM 143–9, 153–9, 432–7, 665–83
 - implementation issues 432–4, 437–41, 455–7, 610–15, 665–83
 - lessons learned 678–9
 - Monte Carlo method 432–41, 665–83
 - multi-asset options 480–7
 - parameters 679
 - paths 432, 435
 - performance issues 665–83
 - QE scheme 117, 399–401, 427, 432–4, 435–41, 443–51, 458–9, 481–7, 665–83
 - results 675–83
 - SDE 153–9, 258–62, 267, 305–10, 356–7, 369–70, 429–41, 665–83
 - test scenarios 665–83
- HestonNamespace 157–9
- HestonSDE 259–62
- HestonStruct 259–62, 309–10, 356–7, 369–70
- heterogeneous data modelling 361–7, 375, 386–94, 465–87
 - Boost C++ library 361–7, 375, 387
- Heun finite-difference scheme, concepts 16–19
- hierarchy of classes 10–19, 22–3, 187–8, 209–15, 229–41, 305–18, 345–8, 379–94, 402–5
- high peaks
 - see also* kurtosis; skewness
 - concepts 84–93, 168–71
- Hilbert spaces
 - concepts 608–15
 - definition 609
- Himalaya options
 - see also* mountain range options
 - concepts 475, 480–7
 - definition 480
- hit-or-miss Monte Carlo method, concepts 221–2, 263–5
- HitOrMissMonteCarlo 264–5
- Hölder's Inequality, definition 47
- homogeneous/heterogeneous data modelling, Boost C++ library 361–7, 375, 387
- hook functions, concepts 272–6
- Horner's method 278
- hot spots 214–15
- Householder algorithm, concepts 606–7
- hpp files 398, 690, 694, 697–9, 704–6
- hqr2 606–7
- HRESULT 687–709
- Hull-White interest-rate model 229–34, 240
- human error 166
- HWSde 230
- hybrids, equity interest rate hybrids 482–7
- hyperbolic PDEs 81–4

- IBM 360 295
- icdf 583–5, 587–8
- IDerivative 219–20
- IDispatch 686–709

- IDTExensibility 686–709
- implicit Euler method 117, 121–2, 129, 132, 142–3, 154–9, 174–6, 246, 665–83
 - see also* finite-difference method
- implicit Milstein finite-difference scheme
 - see also* Milstein...
 - concepts 118, 154–9, 183, 187, 665–83
 - definition 118
 - Heston stochastic volatility model 154, 156–9, 665–83
- implicit strong Taylor approximations, concepts 183
- ImplicitMilstein 669–83
- implied volatility
 - see also* volatility smiles
 - concepts 84–93, 427–59, 496–509
- Importance Sampling
 - see also* Variance Reduction Methods
 - barrier options 415–18, 425
 - concepts 395, 415–18, 425
- improper Riemann integral, concepts 48
- in-the-money options (ITM) 522–5
- inclusion polymorphism *see* subtype (inclusion) polymorphism
- incremental parallelism, concepts 646
- independent events
 - concepts 32–4
 - definition 32
- index sets, concepts 59
- indicator functions, definition 41–2
- induction 57
- inequalities between functions, concepts 45–6
- Information Hiding principle, concepts 222–41, 334, 391
- inheritance techniques 219–41, 243–79, 281–318, 331–4, 380–94, 539, 543, 558–9, 569
 - see also* object-oriented programming
 - performance issues 558–9, 569
 - template classes 282–6, 558–9, 569
- inhomogeneous forcing term, concepts 2–3
- initial value problems (IVPs) 2–3, 25–6, 71, 109–13, 122–5, 128–9, 174–6
- initialiseData 357
- InitSeed 296–301, 316–18
- Initv 579–80
- inline 454, 553–4, 594–5
- inlining processes 454, 553–4
- inner classes, nested templates 287–9
- Insert 333–4, 337, 343–5
- Instance 457
- Instrument 380–94
- InstrumentData 248–55
- InstrumentFactory 248–55, 380–94
- instruments
 - see also* futures; option...; swaps
 - concepts 379–94, 395–425, 665–83
 - hierarchy 379–83, 402–5
 - types 380, 666–7
- Instrument_type 381–94
- integrated series variant of the DCT, definition 44–5

- integration
 - concepts 38–45
 - historical background 38–9
- IntegratorImp 613–15
- Inter Process Communication (IPC), concepts 228–9, 625–35
- interest rates 8–9, 26, 84–93, 129–30, 153–66, 207, 244–79, 379, 430–41, 455–7, 483–7, 657–63
 - see also* rho
 - risk-free rates 84–93, 396–425, 433–41, 461–5, 666–83
 - stochastic interest rates 482–7
- interest-rate futures 241
- interest-rate modelling 24, 54–5, 83–4, 207, 220, 229–41, 379, 483–7, 667
 - C++ 229–41
 - CIR 83–4, 229–34, 240, 267, 538–9
 - Hull-White interest-rate model 229–34, 240
 - LMM 24, 220
 - Merton interest-rate model 229–34, 240, 397–401, 432, 591–3
 - Vasicek interest-rate model 229–34, 240, 486, 487
- interest-rate options 241
- Interface Generator 452–4
- interfaces
 - ATL 686–93
 - Automation add-ins 241, 685–6, 695–709
 - concepts 301–18, 686–93
- interpolation schemes, concepts 132–3, 241, 707
- Interpreter design pattern, concepts 239, 257
- Intersects 333–4
- Interval arithmetic library, Boost C++ library 374
- invasive approach, STL algorithms 331
- inverse transform method
 - concepts 74–5, 581–2
 - random number generators 581–2
- InverseCumulativeNormal 671–83
- Invert 520–9, 607–8
- Invoke 695–6
- iostream 369–71, 373, 565–6
- IPC *see* Inter Process Communication
- IPersist... 686–709
- IrSde 230–41
- IrSdeAbstractFactory 235–41
- IrSdeFactory 230–41
- Isoefficiency metric, parallel programming concepts 623–5
- iterated integrals, concepts 45
- iteration (successive) approximation procedure
 - see also* algebraic (constructive) fixed point theorems
 - concepts 59, 62, 66–8, 70–1
- Iterator design pattern, concepts 256
- ITM *see* in-the-money options
- Ito Formula
 - concepts 59, 64–6, 68–9, 72, 139–40
 - definition 68
 - Ito stochastic integral
 - see also* stochastic . . .
 - concepts 4, 22–3, 31, 38–9, 41–2, 45, 54–5, 59, 68–9, 109, 113
 - definition 38–9, 41–2
 - historical background 38–9
- Ito-Doobs SIEs, concepts 64–6
- Ito-isometry 485–6
- Ito-Taylor scheme, concepts 182–3, 187
- IUnknown 686–709
- IVPs *see* initial value problems
- Jacobian matrix 121, 516
- Jensen's Inequality
 - see also* convex functions
 - concepts 46
 - definition 46
- Jöhnk's method, concepts 75, 77–9
- joint cdf, concepts 37–8
- joint pdf, concepts 37–8
- Joshi, Mark 452–3
- jump measures, concepts 592–3
- jump-diffusion models
 - see also* Brownian . . . ; Poisson . . .
 - concepts 84, 167, 168–71, 184–5, 588–93, 598
 - FDM 169–71, 588–93
 - stimulations 593
- jumps
 - see also* Bates stochastic volatility model; Poisson . . .
 - concepts 51, 55, 75, 167, 168–71, 184–5, 277, 427, 533–9, 588–93
- k-step method, concepts 109–13
- Kakutani's fixed point theorem, concepts 58
- kappa *see* vega
- Karhunen-Loève expansion, concepts 143–4, 209, 631–5
- Karp-Flatt metric, parallel programming concepts 623–5
- Kirk approximation formula 466–8
- Kloeden, P.E. 53–4, 109, 113, 118, 125, 126, 129–30, 139–43, 167, 181–6, 294–5
- knock-in options 160, 413–18
 - see also* barrier . . .
- knock-out options 160, 413–18
 - see also* barrier . . .
- KnownExpectation 407–11
- Koksma-Hwłaka inequality
 - concepts 195–9
 - definition 195
- Kolmogorov backward equation, definition 81
- Kolmogorov forward equation 40–1, 59, 80–1
 - concepts 80–1
- Kronecker delta, concepts 134–5, 503, 609–10
- kurtosis
 - see also* fat tails; high peaks; skewness
 - concepts 84–93, 101–2, 104–5
 - definition 84–5

- L2-basis 609
- lagged Fibonacci random number generators 8, 108, 565–6, 597–8
- Laguerre polynomials 609–10, 615
- lambda 104–5, 367, 374, 414–15, 589–90, 655–6
- Lambda library, Boost C++ library 367, 374
- Lampson, Butler 281
- Langevin SDE, concepts 80–1
- Laplace distribution, concepts 85
- Last In First Out data structures (LIFO), concepts 266
- lastprivate 649–51
- law of large numbers
 - concepts 189, 190–9
 - definition 190–1
- Lax Equivalence Theorem, concepts 174–5
- Layers pattern, concepts 258, 266–7
- LCGClient 296–301
- LCGs *see* linear congruential pseudo-random number generators
- LCG_traits 295–301, 316–18
- LCM *see* Lifetime Systems and Models
- leapfrog finite-difference scheme 110, 129
- least squares regression 511–29, 607–15
- Lebesgue integral
 - applications 43–5
 - concepts 4, 38–9, 41–2, 43–5, 46–7, 48, 54–5, 492–3
 - convergence theorems 43–5, 492–3
- Legendre polynomials, concepts 134–5, 455–7, 516–17, 609–10, 612–15
- leptokurtic distributions, concepts 85–93, 168–71
- Levy stochastic processes
 - concepts 55, 74, 171–2, 207–15, 304–6, 504, 531–9
 - definition 171–2
- LFBGS 679
- Libor Market Model (LMM), concepts 24, 220
- libraries 36–7, 214–15, 254, 266, 294, 298, 320, 562–8, 617, 637–63
 - see also* Boost...; Excel Visualiser; OpenMP; Standard Template...
- Lifetime Systems and Models (LCM), concepts 204
- LIFO *see* Last In First Out data structures
- Likelihood Ratio Method (LRM)
 - concepts 489, 497–509
 - critique 506
 - definition 497–8
 - FDM 503–9
 - the Greeks 489, 497–509
 - Proxy Simulation Scheme 503–9
- limits 298–301, 316, 492
- Lindberg-Feller Central Limit Theorem, concepts 192–3
- linear congruential pseudo-random number generators (LCGs), concepts 294–301, 316–18, 571, 572–4, 593–4, 597
- linear least squares regression 511–29, 607–15
 - basis functions 516–29
 - concepts 516–21, 607–15
 - errors 521–5
- Lipschitz continuous functions
 - see also* contraction
 - concepts 57–60, 71, 170–1
 - definition 58
 - list 364–5, 558–9
- LMM *see* Libor Market Model
- load imbalance, concepts 652–3
- Lobatto Quadrature 612–15
- LocalCap 423–4, 674–83
- LocalFloor 423–4, 674–83
- locality of data, concepts 618–19
- log 414–15, 671–83
- logarithmic returns, critique 427–9, 498
- Logical Design, concepts 218–41
- lognormal distributions
 - concepts 74, 79, 84–93, 427–9, 591–3
 - types 74
- Longstaff and Schwartz method 511, 516–29, 601–15
- lookback options
 - approximation formulae 420–1
 - concepts 160–2, 395, 411–12, 418–22
 - definition 161, 411–12, 418–19
 - numerical results 421–2
 - payoffs 418–22
 - types 161, 411–12, 418–19
- LookbackOption 420–2
- lookup tables 93–6
- Loop parallelism program structure pattern 628–35, 646–63
- loop-level optimisation, concepts 621–2, 637–63
- loops
 - concepts 148–53, 159, 552, 621–35, 637–63
 - empty loops 661
 - fission/fusion techniques 639–40
 - interchange technique 638–9
 - Monte Carlo method 642–4
 - nested loop optimisation 654–6
 - OpenMP 646–63
 - performance issues 552, 615, 621–35, 637–63
 - scheduling in OpenMP 656–7
 - tiling/blocking techniques 641–2, 654–6
 - unrolling/unwinding techniques 640–1
- low discrepancy numbers, Quasi Monte Carlo simulation 195–9
- lower-case/upper-case conversions, strings 345, 349
- lower-diagonal matrices 299–301
- LPDISPATCH 691–5, 700–9
- LPSTR 688–709
- LPXLOPER 456–7
- LRM *see* Likelihood Ratio Method
- Lyapunov exponents
 - concepts 123–5
 - definition 123–5

- m-dimensional Bessel process, definition 73–4
 magic numbers 248, 294–5, 561–2
 main 244–79, 288–91, 303–6, 335, 337–8, 344–5, 355, 362–73, 381–3, 463–5, 514–16, 551–2, 556–8, 565–8, 620–1, 708–9
 maintainability issues in software design 125–6, 211–12, 220, 277, 334, 634
 make_tuple 362, 375
 Malliavin calculus 497, 503, 511
 see also Likelihood Ratio...
 MANAGED 698–709
 Management Information Systems (MIS), concepts 204–15, 223–41, 629–35
 Manufacturing Systems (MAN)
 see also Builder pattern
 concepts 204–15, 223–41, 629–35
 map 289, 320–3, 331–4, 345–8, 383–94, 697–709
 mapping patterns 53, 63–4, 281–318, 402–5
 marginal cdf, concepts 37–8
 Market Model Systems
 see also stochastic differential equations
 concepts 207–15, 630–5
 Markov processes
 see also Brownian motion
 concepts 4, 54–5, 75
 martcorrection 398–425, 433–41
 Martingale 520, 527
 martingale correction, definition 535–6
 martingales 190–9, 398–425, 433–41, 443–4, 459, 462–87, 518–20, 525–9, 533–9, 682
 concepts 190–9
 definition 190
 Master/Worker program structure pattern 628–35
 math 36–7, 130
 Mathematica 87
 mathematics
 concepts 31–52, 53–72, 107, 138–43, 189–99, 601–15, 697
 SDEs 53, 55–72, 107
 tools 69–71, 107, 126, 138–43, 601–15, 697
 Matlab 87
 matrices 93–6, 121, 145–6, 221, 274–6, 288–9, 290, 299–301, 317–18, 319–23, 324–31, 389–94, 400–1, 452–4, 462–87, 514–29, 554, 561–2, 579, 595–9, 601–15, 637–44, 654–63, 697–709
 see also vectors
 Cholesky decomposition 140, 144–6, 214–15, 376, 485–7, 518, 595–6, 601–15, 637–44
 compile-time factors 327–31
 concepts 93–6, 145–6, 221, 288–9, 290, 299–301, 317–18, 319–23, 324–31, 371, 400–1, 554, 561–2, 601–15, 637–44, 654–63, 697–709
 definition 327–31
 eigenvalues/eigenvectors 601–15, 697
 inversion 517–18, 601–15
 mathematical background 601–15
 multiplication code 327–8, 517–18, 561–2, 601–15, 662–3
 performance issues 638–44
 SDE/C++ mapping 328–31
 singular value decomposition 601, 607–15
 spectral decomposition 140, 601, 603–15
 uBLAS (linear algebra) library 371, 376
 uses 319–23, 324–31, 400–1, 561–2
 Matrix 299–301, 327–31, 371, 601–15
 matrix algebra 299–301, 317–18, 517–18, 601–15, 642–4
 matrix-valued functions, concepts 37–8, 329–31, 544–52
 MatrixMultiplication 562
 MatrixVectorSpace 327–31
 maturity 398–425, 433–41
 maxbit numbers 576–80
 MaxIndex, concepts 320–3, 325–31, 339, 417–18, 435–41, 463–5, 479–80, 591–3, 643–4, 656–63
 MC *see* Monte Carlo...
 MCBlackScholes 397–425
 MCBlackScholesMulti 397–425, 462–5
 MCEngine 237–9, 375–6, 631–3, 635
 MCEulerFull 434–5
 MCExactGeoBrownian 399–425
 MCExactGeoBrownianMulti 464–87
 MCHeston 337–401, 433–41
 MCJumps 443–4
 MCMediator 19–23
 MCMerton 397–401
 MCModel 396–425
 MCMonteCarlo 396–425
 mc_myset.asian... 404–12
 mc_myset.multi 463–87
 MCNigScheme 533–9
 MCNumberGen 595–9
 mcprice... 400–1, 404–25
 mcprice2... 400–1, 404–25
 MCQE 437–41
 MCSampleScheme 396–425
 MCSim 658–63
 MCT *see* Monotone Convergence Theorem
 mean
 concepts 35–8, 49–50, 71–2, 77–9, 84–93, 101–2, 114–17, 221–2, 263–5
 definition 35, 49–50
 mean error, definition 116–17
 mean reversion 147–53, 154–66, 455–7, 666–83
 mean-square convergence
 concepts 50, 170–1, 180–3, 185
 definition 50
 MeanMixture 399–401
 MeanVarianceMixtureModels 539
 measurable functions, concepts 39–41, 49–50
 measurable spaces, concepts 39–41
 measure theory, concepts 31, 32–4, 38–41, 63–4
 median 104–5
 Mediator design pattern 10–11, 19–23, 206–15, 222–41, 257, 279, 657–63, 708–9
 concepts 257, 279, 657–63
 OpenMP 657–63
 Memento design pattern, concepts 257

- memory 270, 319, 353–61, 617–35, 646–63
see also heap; multi-threaded programming;
 stack
 cache 618–19, 638–44, 651
 consistency problems 618–19, 651
 distributed memory models 617–19, 629
 errors 270, 353–61
 leaks 270, 353–61
 page tables 618–35
 shared memory models 617–19, 629–35,
 637–63
 utilisation issues 646
 virtual memory 618–35
- memory fence, concepts 629
- merge_sort 350–1
- merging algorithms 211–15
- Mersenne-Twister random number generator,
 concepts 8, 25, 108, 191, 206–15, 238–9,
 272–6, 297, 376, 400–12, 464–5, 565–6,
 574–6, 579–80, 589–96, 672–83
- MersenneTwister 575–6, 589–93, 672–83
- Merton interest-rate model 229–34, 240, 397–401,
 432, 591–3
- Merton, Robert 168
see also jump-diffusion models
- MertonFactory 230
- MertonSde 230, 235–41
- MertonSdeFactory 234
- mesh 642–4
- mesh points
 concepts 9, 14–19, 67–8, 105, 107–35, 139–66,
 174–6, 180–3, 210–15, 238–9, 252–79, 318,
 322–3, 338–9, 630–5, 642–4
 date classes 338–9
 definition 107–8
- mesokurtic distributions, concepts 85–93
- Message Passing Interface (MPI), concepts 256–7,
 617–19, 629–35
- metamodels
see also domain architectures
 concepts 204–15, 223–4
- metric spaces
see also distance function
 concepts 47, 53–72, 608–15
 definitions 55, 57
- Microsoft IDE 693–5
- Microsoft random number generator rand_s
 186–7, 316–18
- Milstein 668–83
- Milstein finite-difference scheme
see also Euler...
 concepts 13, 16–19, 22–3, 90, 117–18, 131,
 132–3, 154–9, 181–3, 187, 240, 665–83
 Heston stochastic volatility model 154–9, 665–83
- min/max options
see also multi-asset options
 concepts 462, 466, 471–87
 definition 471–2
 payoffs 471–87
- MinIndex, concepts 320–3, 325–31, 339, 417–18,
 435–41, 463–5, 479–80, 591–3, 643–4,
 656–63
- Minkowski's Inequality, definition 47–8
- MIS *see* Management Information Systems
- mode 101–2, 104–5
- model problems 110–11, 119–20, 126
- Model-View-Control pattern (MVC), concepts
 227–41
- modular systems 138, 220
- mollifiers, concepts 167, 176–7, 185–6, 507–8
- moment-matched Euler scheme 459
- moneyneess issues 428–34, 522
- Monotone Convergence Theorem (MCT), definition
 43, 45
- Monte Carlo application, one-factor problems 1–25,
 107, 209–15, 219–20, 245–79, 323, 388–94,
 397–425, 437–41, 629–35, 642–4, 657–63,
 708–9
- Monte Carlo estimator, concepts 189–99
- Monte Carlo method
see also Pricing, Hedge and Risk Systems
 architectures 203–15, 217–41
 CEV models 87–93, 188
 class diagrams 11, 237–9
 concepts 1–27, 56, 73–96, 126, 137–66, 167–88,
 189–99, 203–15, 217–41, 245–79, 308–18,
 319–51, 379–94, 395–425, 432–41, 459,
 489–509, 524–9, 532–9, 629–35, 637–8,
 657–63, 685–709
 critique 24–5, 177–9
 data structures 319–51
 definition 2, 8–9, 189
 essence 2, 8–9, 189
 Excel 685–709
 foundations 189–99
 frameworks 203–15
 the Greeks 489–509
 Heston stochastic volatility model 432–41,
 665–83
 hierarchy of classes 10–19, 22–3, 187–8, 209–15,
 229–41, 379–94, 402–5
 hit-or-miss Monte Carlo method 221–2, 263–5
 instruments and payoffs 379–94
 introduction 1–27
 loop optimisation 642–4, 654–6
 Market Model Systems 207–15, 630–5
 mathematical concepts 31–52, 189–99, 697
 multi-asset options 461–87
 multi-threaded programming 629–35, 637–8,
 657–63
 Numerical Simulator Systems 207, 209–15,
 630–5
 OpenMP 637–8, 657–63
 options pricing calculations 1–2, 8–9, 19–23,
 137–66, 167–88, 207–15, 219–41, 395–425,
 657–63
 overview 1–2, 8–11
 PAC model 278–9

- path-dependent options 160–2, 395–425, 478–87, 500–9, 672–83
- paths for the one-factor option example 10–19, 22–3, 187–8, 209–15, 388–94, 397–425, 437–41, 629–35, 642–4, 657–63, 708–9
- Pricing, Hedge and Risk Systems 207, 211–15
- problems 24–5, 177–9
- Quasi Monte Carlo simulation 189, 194–9
- sample mean Monte Carlo 221–2, 263–5
- simple version 1–2, 8–9, 396–401
- smart pointers 361
- software architectures 207–15, 217–41
- steps for pricing one-factor options 1–2, 8–9, 396–401, 657–63
- tips for improving performance 568–9
- weighted Monte Carlo method 263–5
- MonteCarloPath.Pricing 514–29
- MonteCarloPath.Regression 514–29
- motivating random (stochastic) processes 59
- mountain range options
see also Altiplano...; Atlas...; Himalaya...
 concepts 466, 475–87
 definition 475
 payoffs 475–87
 types 475, 478–80
- MPI *see* Message Passing Interface
- MSSecureRandGenerator 17–19, 20–3
- MT *see* Mersenne-Twister random number generator
- multi-asset options
see also basket...; min/max...; mountain range...; quanto...; spread...
 Black-Scholes model 461–87
 concepts 461–87, 500–9
 definition 461
 the Greeks 500–9
 Heston stochastic volatility model 430–7
 implementation issues 461–87
 modelling 461–5
 Monte Carlo method 461–87
 payoffs 383, 388–9, 461–87
 types 466–80
- multi-dimensional NIG 536–8
- multi-dimensional VG 536–8
- multi-factor models 1, 53–72, 107–35, 137–66, 304–6, 328–31, 388–94, 397–425, 461–87
- multi-threaded programming
see also parallel programming; threads
 algorithm structures 627–8
 application lifecycles 627–9
 C++ 617–35, 637–63
 collective communications 629–35
 concepts 374, 376, 559, 562, 617–35, 637–63
 decomposition issues 627–35, 637–63
 definition 617
 examples 621–2
 implementation mechanisms 628–9, 637–63
 model architectures 629–33
 Monte Carlo methods 629–35, 637–8, 657–63
- OpenMP 241, 376, 617–35, 637–63
- performance issues 559, 562, 617–35, 644–63
- shared memory models 617–19, 629–35, 637–63
- speedup factors 623–5, 634, 644–63
- suitable applications 626–7, 644–63
- supporting structures/models/patterns 628
- units of execution 626, 628–35
- uses 617, 637–63
- multi_array 563–4
- MultiFactorNonPathDependent 389–94
- MultiFactorPathDependent 389–94
- multimap 349
- multiple random variables, concepts 37–8
- multiplication code, matrices 327–8, 517–18, 561–2, 601–15, 662–3
- multiplicative and additive noise, stability property of the FDM 180–3
- multistep scheme 112–13
- multivariate transform method, concepts 75
- mutually exclusive events, concepts 32–4, 626, 629–35
- MVC *see* Model-View-Control pattern
- MyClass 551–2
- myclock 465, 551–2
- MyCollection... 291–4
- MyContainers 453–4
- MyRandom 565–6
- myset 385–94, 404–25, 561–2
- n-factor SDEs 54–72, 140–66, 179, 304–6, 328–31, 462–5, 642–4
- n-variate normal distribution, concepts 38
- name-value pairs, concepts 365–6
- namespace uses 88–93, 126, 157–9, 187–8, 246–55, 269–70, 335–9, 344–5, 455–7, 562, 563–4, 651
- near boundaries 91–3
- Neave effect, random number generators 25, 146, 198
- negative values, fixes 90–3
- Nelder-Mead-Powell method 679
- nested loop optimisation, OpenMP 654–6
- nested templates, concepts 287–9
- neutron transport problem 222
- new 353–61
- Newton-Raphson method, concepts 23, 70, 118, 183, 665–83
- NFactorModel 397–401, 462–5
- NIG *see* Normal Inverse Gaussian dynamic
- nigsubordinator 533–9
- NIG 532–9
- no-arbitrage theory, concepts 189–90
- non-anticipating processes, concepts 190
- non-uniform mesh, definition 107
- noncentral Chi-squared distribution 86–7, 104–5
- noninvasive approach, STL algorithms 331
- nonlinear solvers 23–4, 61–2, 69–72, 117–26

- NoOfBatches 404–12, 465
- NoOfPaths 404–12, 465
- normal (Gaussian) distributions
 - concepts 38, 84–93, 99–102, 115–17, 168–71, 416–18, 427–9, 435–41, 443–4, 455–7, 485, 531–9, 579, 583, 594–9, 670–83
 - random number generators 579, 583, 594–9, 643–4, 670–83
- Normal Inverse Gaussian dynamic (NIG)
 - concepts 379, 397–401, 531–9
 - multi-dimensional case 536–8
- Normal Mean Variance Mixture models
 - see also* Normal Inverse Gaussian. . . ; Variance Gamma. . .
 - C++ 532–9
 - concepts 531–9
 - multi-dimensional cases 536–8
- normal random number generators, concepts 4–8, 17–19, 20–3, 26, 233–4, 237–9, 272–7, 643–4
- NormalD 593
- NormalGenerator 6–8, 17–19, 20–3, 233–4, 274–6, 375–6, 643–4
- norms
 - see also* Banach spaces
 - concepts 47, 49, 57, 64, 608–15
 - definition 47, 49
- Notifications patterns
 - see also* Behavioural. . .
 - concepts 257
- nowait 653
- nowait clause, OpenMP 653
- npos 344–5
- NSIM 20–3, 113–17, 126, 132, 148–53, 159, 166, 179, 321–3, 517–18, 551–2, 564, 658–60, 671–83, 708–9
- NumberOfAssets 514–29
- NumberOfDates 514–29
- NumberOfDimensions 580
- NumberOfExerciseDates 514–29
- NumberOfPaths 514–29
- NumberOfPricingPaths 514–29
- NumberOfRegPaths 514–29
- NumberOfRegressors 513–29
- NumberOfUniforms 584–8
- numerical methods
 - see also* finite-difference. . . ; Monte Carlo. . .
 - advanced finance models 167–88
 - case study of schemes for the Heston model 665–83
 - CEV 86–7, 188
 - concepts 9–10, 24–5, 66–8, 69–71, 86–7, 107–35, 138–66, 167–88, 262–5, 665–83
 - fixed point theorems 69–71
 - lessons learned 678–9
 - SDE failures 167
 - SIE approximations 66–8
- numerical quadrature method, concepts 66–8, 134, 262–5, 455–7, 612–15
- Numerical Simulator Systems
 - see also* finite-difference method
 - concepts 207, 209–15, 630–5
- numeric_limits 298–301, 316, 492
- NumericMatrix 274–6, 320–3, 389–94, 452–4, 462–87, 514–29, 561–2, 579, 595–9, 601–15, 662–3, 705–9
- NumIntegrator 263–5, 613–15
- object construction, performance issues 554–7
- object design patterns
 - see also* design patterns; GOF. . .
 - concepts 203–15, 219–20, 239–40, 243–79
- object lifecycle, concepts 255–6, 266–7, 375–6
- object-oriented programming (OOP) 126, 138, 147–8, 159, 188, 217, 220, 257, 262–5, 281–318, 375–6, 379–94, 558–9, 634, 679
 - see also* abstraction. . . ; composition. . . ; encapsulation. . . ; inheritance. . . ; polymorphism. . .
 - concepts 281–318, 358–9, 634, 679
 - definition 304–6
 - design patterns 306–10, 634
 - generic programming models 281–6, 304–6, 634
- ObjectManager 302–6
- Observer design pattern, concepts 257, 367–8
- ODE: *see* ordinary differential equations
- omp 621–2, 645–6, 647–63
- omp.set.num.threads 648–51
- OnAddInsUpdate 691–709
- OnBeginShutdown 701–9
- OnConnection 691–5, 700–9
- OnDisconnection 691–709
- one-dimensional Brownian motion 73–4
- one-dimensional Ito Formula, definition 68
- one-dimensional random processes, concepts 59–62
- one-factor problems 1–25, 53–5, 68, 107, 117–26, 179–83, 219–20, 245–79, 323, 388–94, 397–425, 437–41, 629–35, 642–4, 657–63, 708–9
- one-step marching schemes
 - concepts 117–26, 154–9, 181–3
 - definition 117
- OneFactorModel 397–425, 437–41, 532–9
- OneFactorNonPathDependent 389–94
- OneFactorPathDependent 389–94
- OneFactorSDE 11–19, 20–3, 209–15, 323, 657–63
- OneFactorSDEVisitor 11–19, 209–15
- OnStartupComplete 691–709
- open cover, definition 57
- OpenMP
 - concepts 241, 376, 617–35, 637–63
 - copyin clause 650–1
 - critical sections 648–51
 - definition 637, 644
 - the Greeks 663
 - loop-level parallelism 646–63
 - main features 644

- Monte Carlo method 637–8, 657–63
- nested loop optimisation 654–6
- nowait clause 653
- overview 644
- parallel regions 644, 651–3
- performance benefits 637–63
- pragmas 621–2, 644–63, 698–704
- reduction operations 649–51
- scheduling 656–7, 660–3
- section constructs 652–3, 663
- sequential (serial) programming 644–6
- shared memory models 646–63
- threadprivate directive 650–1
- threads 644–63
- work-sharing constructs 651–7
- operator 325–31, 333–4, 393–4, 413–18, 423, 496–509
- operator mappings, definition 63–4
- operator overloading, concepts 325–31, 342–3, 371–2, 548–52, 560–2, 565–6
- optimal stopping problem
 - see also* early exercise
 - approximations 519–20
 - concepts 511–29
- optimisation issues 26–7, 125–6, 152–3, 163–4, 206–15, 220, 243–79, 290, 324, 334, 543–70, 621–35, 637–44
 - see also* performance...
- Option 380–94, 402–25
- OptionData 19–23, 26, 88–93, 164–5, 246–79, 663
- OptionPrice_Lower 514–29
- OptionPrice_Upper 514–29
- options 1–27, 73–105, 126, 137–66, 207–15, 241, 245–79, 305–18, 379–94, 395–425, 429–41, 461–87, 511–29, 601–15
 - see also* American...; Asian...; barrier...; call...; cliquet...; European...; lookback...; multi-asset...; path-dependent...; put...; spread...; swing...
 - running max/min 411–12, 425, 462
 - underlyings 1–27, 73–105, 126, 137–66, 379–94, 395–425, 461–87, 535–9
- options pricing 137–66, 167–88, 207–15, 219–41, 245–79, 305–18, 379–94, 395–425, 429–41, 511–29, 539, 601–15, 642–4, 657–63
 - concepts 395–425, 511–29
 - Fourier transform methods 608–15, 680–1
- Option_Strike 385–94
- OptionType 381–3, 403–25
- OptionValue 672–83
- OptStopRule 519–20
- OptValues_Current 527–9
- order of accuracy, concepts 111–17
- ordered fields, concepts 56–7
- ordinary differential equations (ODEs)
 - concepts 2–3, 24–5, 70–1, 109–13, 174–5, 326
 - definition 2–3
 - discrete-time approximation foundations 109–13
 - FDM 109–13, 119–25, 127–35
 - solution 109–13
 - stiff ODEs 119–25
- Ornstein-Uhlenbeck process, concepts 86
- orthes 606–7
- orthogonal polynomials 127–8, 134, 516–29, 609–10, 615
- Oseledets' Multiplicative Ergodic Theorem 125
- ostream 621–2, 648–51
- outcomes of experiments, concepts 31–4
- outer classes, nested templates 287–9
- overloaded classes 325–31, 342–3, 371–2, 550–2, 561–2, 565–6
- overloaded functions 100–2, 548–52, 565–6
- PAC *see* Presentation-Abstraction-Control models
- Padé approximants 569
- page tables, concepts 618–35
- pair 361–2
- Par 440–1
- parabolic PDEs 81–4, 246–79
 - see also* Kolmogorov...
- ParabolicPde 246–65
- ParadFunction 529, 612–15
- parallel 645–63
- parallel programming 10, 559, 562, 617, 619–35, 657–63
 - see also* multi-threaded...
 - concepts 559, 562, 617, 619–35, 637–63
 - definition 622
 - efficiency issues 624–5, 644–63
 - embarrassingly parallel applications 652
 - OpenMP 241, 376, 617–35, 637–63
 - performance issues 559, 562, 623–5, 644–63
 - SPMD 628–35, 651–3
 - suitable applications 626–7, 644–63
 - tests 646
- parallel regions, concepts 644, 651–3
- parameters
 - Heston stochastic volatility model 679
 - sets 59
- parametric polymorphism 281, 304–18, 543, 550–2
 - see also* generic programming
- Park-Miller random generator 672
- partial differential equations (PDEs)
 - see also* Black-Scholes...; Kolmogorov...
 - concepts 73, 80–4, 172–6, 221, 244–79, 326, 489, 654–6, 680–1
 - SDEs 81–4
- partial template specialisation, concepts 290–1
- partial_sort 350–1
- particular integrals, concepts 119–25
- path-dependent options 1, 26–7, 126, 160–2, 209–15, 383, 386, 388–94, 395–425, 448–9, 478–87, 500–9, 672–83
 - see also* Asian...; barrier...; lookback...
 - the Greeks 500–9
 - Monte Carlo method 160–2, 395–425, 478–87, 500–9, 672–83

- path-dependent options (*cont.*)
 - payoffs 383, 386, 388–94, 395–425, 448–9, 478–87, 500–9, 672–83
 - types 160–1
 - path-generation algorithm, concepts 8–9, 17–19, 139–40, 630–5
 - paths
 - see also* ensemble; sample function
 - Bates stochastic volatility model 442
 - definition 59
 - Heston stochastic volatility model 432, 435
 - paths for the one-factor option example, Monte Carlo method 10–19, 22–3, 187–8, 209–15, 388–94, 397–425, 629–35, 657–63, 708–9
 - pathwise approximations, concepts 109–13, 489, 492–7, 504–9
 - Pathwise Method (PWM)
 - C++ 494–7
 - concepts 489, 492–7, 500–9
 - critique 506
 - definition 492–3
 - the Greeks 489, 492–7, 500–9
 - pattern languages, concepts 271
 - PayOff 385–94, 396–425, 440–1, 448–51, 464–87, 495–509, 657–63
 - payoff classes 362, 383–94, 395–425, 465–6, 486, 657–63
 - PayOff_Altiplano 389–94, 478–87
 - PayOff_Asian 389–94
 - PayOff_Atlas 486
 - PayOff_Barrier 389–94, 413–18
 - PayOff_Basket 389–94, 470–87
 - PayOff_Call 389–94
 - PayOffCliquet 423–4
 - PayOffConstructor 390–4, 468, 494–509
 - payoff_cv 407–11
 - PayOff_Digital 389–94, 442–51
 - PayOffFactory 390–4, 404–25, 464–5
 - PayOffFunction... 672–83
 - PayOff_Himalaya 486
 - PayOffOption.Properties 385–94
 - PayOffPtr 400–12
 - payoffs
 - Abstract Factory pattern 389–94, 494–509
 - Asian options 389–94, 401–12, 424, 674–83
 - barrier options 389–94, 411–18, 681–2
 - base classes 388–91
 - basket options 386–94, 461, 462–6, 469–87
 - C++ modelling 383–94, 395–425
 - cliquet options 422–4, 446, 448–51, 674–83
 - concept 19–23, 278–9, 375–6, 379–94, 395–425, 440–1, 489–509, 665–83
 - exotic options 388–94, 666–83
 - extensions 386
 - lookback options 418–22
 - min/max options 471–87
 - mountain range options 475–87
 - multi-asset options 383, 388–94, 461–87
 - non path-dependent options 388–94, 672–83
 - path-dependent options 383, 386, 388–94, 395–425, 448–9, 478–87, 500–9, 672–83
 - quanto options 468–9
 - spread options 389–94, 461, 466–9
 - stochastic volatility models 383, 665–83
 - PayOff_Spread 389–94, 467–9, 471–87
 - PayOff_Value 413–18, 495–509
 - PayPathDependent 389–94
 - PBDs *see* policy-based designs
 - PCS *see* Process Control Systems
 - PDEs *see* partial differential equations
 - pdf *see* probability density function
 - Pearson kurtosis formula 84–93
 - pentagonal band matrices 299–301
 - performance issues 10, 21–3, 26–7, 125–6, 163–4, 187, 206–15, 220, 239–40, 277, 290, 306, 324, 334, 394, 543–70, 621–35, 637–44
 - Boost C++ library 543, 562–8
 - bottlenecks 552–9, 562
 - case study of numerical schemes for the Heston model 665–83
 - casting features 543, 554
 - concepts 543–70, 637–44
 - Creation! Patterns 556–7
 - design patterns 552, 556–7
 - exception handling 543, 557–8
 - functions 543–59
 - Heston stochastic volatility model 665–83
 - inheritance techniques 558–9, 569
 - inlining processes 553–4
 - load imbalance 652–3
 - loops 15, 552, 621–35, 637–63
 - multi-threaded programming 559, 562, 617–35, 644–63
 - object construction 554–7
 - OpenMP benefits 637–63
 - parallel programming 559, 562, 623–5, 644–63
 - polymorphism 550–2
 - precomputed constants values 559
 - STL uses 559, 560–1, 566–8
 - template classes 558–9
 - temporary objects 560–2
 - tips for improving MC performance 568–9, 637–46
 - virtual functions 550–2
- permanent bindings 265
- permanent/historical databases 211–15
- persistent data, concepts 368–70, 686–709
- phases, software design issues 218–20
- pimpl 355–7, 360–1
- Pipes and Filters pattern 628–35
- Platen, E. 53–4, 109, 113, 118, 125, 129–30, 141–3, 167, 181–6, 294–5
- platykurtic distributions, concepts 85–93, 168–71
- pmf *see* probability mass function
- Point 354–61, 363–7
- pointers 270, 313, 353–61, 543, 544–52, 563, 638–44
- Boost C++ library 270, 313, 353–61, 543, 563

- concepts 353–61, 400–25, 543, 544–52, 563, 638–44
- scoped pointers 354–7, 361
- shared pointers 313, 354, 357–61, 556–7, 566–8
- smart pointers 270, 353–61, 543, 563, 566–8
- types 353–61, 544–5
- Poisson 80, 579, 587–93
- Poisson distribution
 - C++ 80, 99–102, 579, 587–99
 - concepts 79–80, 99–102, 587–99
 - definition 79–80, 587–8
 - random number generators 579, 587–99
- Poisson processes
 - see also* jump. . .
 - compensation/compounding 55, 169–71, 590–3
 - concepts 51, 55, 169–71, 184–5, 207–15, 304–6, 441–59, 579, 587–99
 - definition 51
 - random measures 591–3
 - simple generalisations 590
 - simulations 589–90
- PoissonDist 589–93
- Polar Marsaglia random number generator
 - concepts 1, 4–8, 25, 108, 146, 238–9, 272–6, 321–3, 583
 - critique 25
- PolarMarsaglia 321–3
- policies
 - see also* servers
 - concepts 100–2, 286–7, 294, 301–6
 - definition 294
- policy-based designs (PBDs)
 - concepts 219–20, 286–7, 294, 301–6
 - definition 294, 301–2
- Pólya, Georg 243
- polymorphism
 - see also* parametric. . .; subtypes. . .
 - concepts 233–4, 257–79, 281, 304–18, 319, 550–2
 - definition 550–1
 - performance issues 550–2
 - types 281, 304, 550–2
- polynomials
 - concepts 110–13, 127–8, 134–5, 173–6, 277–8, 516–29, 569, 574–5, 577–80, 609–10, 615
 - multiplication methods 277–8, 517–18
- portfolios 93–6, 225–6
- POSA system patterns
 - see also* Presentation-Abstraction-Control. . .; system patterns; Whole-Part. . .
 - concepts 203, 205–15, 217–41, 257–8, 309, 353, 367–8, 627–35
 - GOF evolution 257
- postfix operators, concepts 560–2
- power reverse duals 665–83
 - see also* swaps
- power set, concepts 33–4, 51
- pragma 621–2, 645–63, 698–704
- pragmas 621–2, 644–63, 698–704
- precompiled headers 695
- predictor-corrector finite-difference scheme
 - see also* discretisation tools
 - concepts 23–4, 117, 118, 121, 131, 132–3, 151–3, 154–9, 163–4, 437, 463–5, 665–83
 - definition 23–4, 118
 - Heston stochastic volatility model 154, 156–9, 437, 665–83
- PredictorCorrector 669–83
- prefix operators, concepts 560–2
- Preprocessor agent 244–79
- Presentation-Abstraction-Control models (PAC)
 - advantages 227–9
 - agents 226–9, 244–70
 - components 226–9
 - concepts 205–15, 222, 226–41, 244–58, 270, 278–9, 361
 - critique 227–9
 - disadvantages 228–9
 - Monte Carlo method 278–9
- price 20–3, 448–9, 513–16, 658–63
- Pricing, Hedge and Risk Systems, concepts 207, 211–15, 630–5
- primitive polynomials 277, 574–5, 577–80, 615
- Principle of Substitutability, concepts 304–6
- print functions, Visitor design pattern 351
- private memory, shared memory models 646–51
- probability density function (pdf) 4–8, 34–8, 74–5, 85–93, 100–5, 430–2, 582–3
 - concepts 34–8, 74–5, 85–93, 100–2, 430–2
 - definition 34
- probability mass function (pmf)
 - concepts 34–7, 51, 79–80
 - definition 34–5
- probability measure theory, concepts 31, 32–4, 40–1, 49–50, 63–4
- probability spaces
 - see also* stochastic processes
 - concepts 31, 40–3, 189–99
 - definition 40–1
 - stochastic processes 40–3, 189–99
- probability theory, concepts 31, 40–1, 189–99
- Process Control Systems (PCS), concepts 204–15, 223–41
- processes
 - see also* heap; stack
 - concepts 625–35
 - definition 625
- Product, Builder pattern 237–9
- product families 234–7
- ProgID 689–91
- Property 331–4, 345–8, 365–6, 384–94
- property class, concepts 365–6
- property maps, concepts 365–6, 563
- Property pattern, concepts 331–4, 345–8, 376
- Property Sets 331–4, 345–8, 351, 365–6, 379–94, 463–87, 494–509
- PropertySet 463–87, 494–509
- PropertyThing 332–4, 346–8, 383–94

- Prop.Strike 385–94
 Prototype pattern 208–15, 240, 249–55, 256, 302–6,
 556–7, 634
 PrototypeFactory 302–6
 PrototypeInstrumentFactory 249–55
 provides-requires metaphor 282–318, 633–4
 Proxy design pattern, concepts 256, 314, 503–9
 Proxy Simulation Scheme, concepts 503–9
 pseudo random number generation
 see also random. . .
 concepts 571–6, 579, 589–93
 definition 571–2
 PseudoRandGen 589–93
 Psi 570–83
 Pthreads library 628, 644–6
 Publisher-Subscriber pattern, concepts 257, 367–8
 pure virtual functions, concepts 5–8, 284–6,
 304–18, 358–61, 380–94
 pure-diffusion SDEs, definition 179
 pure.Poisson 589–90
 put options 26–7, 86–93, 126, 245–79, 381–94,
 402–25, 455–7, 527–9, 611–15, 672–83, 708–9
 put-call parity, concepts 26, 126, 167
 PW_Greeks_ArithAsian_Vega 496–7
 PW_Greeks_Call_Delta 495–7
 PWM *see* Pathwise Method

 QE *see* Quadratic Exponential scheme
 QE 669–83
 QL algorithm 606–7
 Quadratic Exponential scheme (QE), concepts 117,
 399–401, 427, 432–4, 435–41, 443–51, 458–9,
 481–7, 665–83
 QuadraticExponential 399–401
 quantile 193–4
 quantiles 100–2, 193–4
 quantitative finance 189–99, 214–15, 221, 601, 685
 quanto options
 see also multi-asset. . .
 concepts 461, 468–9
 definition 468–9
 payoffs 468–9
 Quasi Monte Carlo simulation
 concepts 189, 194–9
 definition 195
 quasi random number generation
 see also random. . .
 concepts 571–2, 576–8
 definition 571–2

 r 403–25, 461–5, 547–52, 666–83
 see also risk-free rates
 race condition
 concepts 626, 629–35, 645–8
 definition 626
 Radom measure 592
 Ran2 572–4, 593–4, 596–9
 rand 6–8, 20–3, 25, 167, 177–9, 186–7, 273–6,
 297–301, 316–18, 320–3, 679–83

 RandGen 399–411, 434–41, 443–4, 464–87,
 533–9, 594–6
 random experiments
 concepts 31–4
 definition 31
 random number generators
 see also Box. . .; Mersenne-Twister. . .
 normal. . .; Polar Marsaglia. . .; uniform. . .
 acceptance-rejection methods 581–2, 583–8,
 593–9
 C++ 5–8, 10–19, 20–3, 158–9, 167, 177–9,
 186–7, 191, 206–15, 221–2, 233–4, 238–9,
 272–6, 294–301, 314–18, 320–3, 396–425,
 464–5, 543, 562–6, 571–99, 643–4, 669–83
 concepts 1, 4–8, 10–19, 20–3, 25, 36, 108–9,
 146, 158–9, 167, 177–9, 186–7, 191, 206–15,
 217–41, 272–6, 294–301, 314–18, 320–3,
 396–425, 436, 464–5, 543, 562–6, 571–99,
 630–5, 643–4, 669–83
 congruential random number generators
 294–301, 316–18, 571, 572–4, 593–4, 597
 critique 25, 177–9, 186–7, 273–6, 297, 316–18
 distributions 571–2, 579–99
 gamma distribution 579, 581–2, 583–8, 594–9
 inverse transform method 581–2
 LCGs 294–301, 316–18, 571, 572–4, 593–4, 597
 leave effect 25, 146, 198
 normal (Gaussian) distributions 579, 583, 594–9,
 643–4, 670–83
 Poisson distribution 579, 587–99
 problems 25, 146, 167, 177–9, 186–7, 273–6,
 297, 316–18
 pseudo random number generation 571–6, 579,
 589–93
 quasi random number generation 571–2, 576–8
 random variables 581–8
 ratio of uniforms method 582, 584, 593–9
 shift register random generators 571, 574–6,
 593–6
 Sobol numbers 195–9, 277–8, 576–81, 598
 spectral test 596
 templates classes 593–6
 tests 596–7
 X2 test 596
 Random Number Library, Boost C++ library 294–5,
 543, 562–6, 574, 583, 587, 597–8
 random processes
 see also stochastic processes
 concepts 53–72
 motivating 59
 one-dimensional random processes 59–62
 random variables
 see also cumulative distribution function;
 stochastic processes
 categories 34–7
 concepts 31, 32–8, 41–3, 51, 189–99, 531–9,
 581–8, 601–15
 definitions 31, 32–4, 51, 189–90
 function spaces 38, 608–15

- multiple random variables 37–8
- random number generators 581–8
- random variate generation
 - see also* statistical distributions
 - concepts 74–80
- random walks 18–19, 139–43, 215
 - see also* Brownian motion
- RandomNumberGen 11–19
- RandomNumberTemplate 396–425
- rand_s 186–7, 316–18
- Range 305–6, 317–18, 329–31, 545–52, 583, 595–9, 708–9
- RanGen 399–411, 434–41, 443–4, 464–87, 533–9, 594–6
- RAT *see* Resource Allocation and Tracking Systems
- ratio of uniforms method, random number generators 582, 584, 593–9
- rational functions 569
- raw materials
 - concepts 204, 237–9
 - MAN 204–15, 223–41
- realised continuation value, concepts 512–39
- recurrence relationships 57, 577–80, 615
- recursive data structures, concepts 221, 224–41, 270, 296–301, 310–14, 345–8, 627–35, 705
- recursive decomposition, concepts 217–41, 270, 296–301, 310–14, 345–8, 627–35
- reduction 645–6, 649–51
- reduction operations, OpenMP 649–51
- refactoring pattern 243–79
 - see also* Template Method pattern
- reference counts, concepts 357–61, 567–8
- references 711–17
- Reg... 518–29
- RegCoeff 519–29
- RegCoeffLater 519–29
- Regex library, Boost C++ library 374, 373
- regions of absolute stability, concepts 120–5
- RegisterCOMAddin 689–91, 698–709
- RegisterPayoff 390–4
- RegisterSpread 468
- registry, Excel 685, 688–95, 697–709
- Regress 513–29
- regression, American options 511–29, 607–15
- regression later, definition 518–19
- regularisation *see* mollifiers
- RegValuesLater 519–20
- reinterpret cast 554
- Relation 331–2, 349
- relational databases 241
- relative frequency, concepts 32–4
- Remove... 311–14, 333–4, 384–94, 701–9
- Replace 333–4
- reproductive property 77–9
- Resource Allocation and Tracking Systems (RAT), concepts 204–15, 223–41, 629–35
- result 417, 621–2, 645–6, 659–83
- result_anti 417
- return value optimisation, concepts 560–2
- Reuters Powerplus 241
- reverse cliquet options
 - see also* cliquet...
 - concepts 395, 422–4, 449
- reverse engineering 185
- rfind 344
- rg 532–9
- rho
 - see also* interest rates
 - concepts 26, 262, 309–10, 356–7, 369–70, 434–41, 455–7, 467–9, 668–83
 - definition 26
- Richardson extrapolation techniques 117, 131–2, 665–83
- Riemann integral, concepts 38, 40, 42, 48, 170–1
- Riesz-Fischer Theorem, definition 48–9
- risk management 207, 461–87, 631–5
- risk-free rates 84–93, 396–425, 433–41, 461–5, 666–83
- robust models 161–2, 187–8, 206–15
- robust schemes for stiff systems 121–5
- Rodrigues formula 134
- Rolle's theorem, concepts 133
- root composite objects, deletions 313–14
- Root Condition Theorem, definition 111–12
- round-off errors, concepts 115–17, 126
- row-major order arrays 638–44, 654–63
- RTTI *see* run-time type information
- run-time factors 262–4, 282–6, 319, 364–5, 385–94, 466–87, 543, 554, 557–9, 569, 638–44
- run-time type information (RTTI) 364–5, 385, 388, 466–87, 543, 554, 557–8
- run-time version, Bridge design pattern 262–5
- running max/min, options 411–12, 425, 462
- runtime schedule, OpenMP 656–7
- rvs *see* random variables
- SABR model 132
- SAFEARRAY 688–709
- sample function
 - see also* paths
 - definition 59
- sample mean
 - concepts 114–17, 221–2, 263–5
 - Monte Carlo method 221–2, 263–5
- sample points
 - concepts 31–4, 39, 143–4
 - definition 31
- sample spaces
 - concepts 31–8, 59
 - definition 31
- sample variance, concepts 114–17
- Saxpy operations 562, 642–4
- scalability of parallel systems, concepts 624–5
- scalar functions 515–29, 544–52
- ScalarFunction 515–29
- scale 88–93
- scale models, concepts 206–15, 544–52, 562
- ScaleFactor 515–29

- Schauder's fixed point theorem, concepts 58
- scheduling in OpenMP 656–7, 660–3
- Schrage's method 314–18
- Schwarz's Inequality, definition 47
- scoped pointers
 - concepts 354–7, 361
 - definition 354–5
 - usage guidelines 357, 361
- scoped_ptr 354–7
- score functions
 - see also* Likelihood Ratio...
 - concepts 497–509
- SD 659–63, 672–83
- SDE 207–15, 305–6, 323, 329–31, 375–6, 396, 545–52, 643–4, 657–63, 708–9
- SDEControl 267
- SDEData 267
- SDEDefinition 89–93
- SDEInput 267
- SDEs *see* stochastic differential equations
- SdeThing 305–6, 328–31
- SDEVisitor 328–31
- SE 659–63, 672–83
- Secant method 70
- section constructs, OpenMP 652–3, 663
- security issues 206–15, 239–40
- Seed... 573–6
- semantically neutral transformations 646
- semi-analytical prices, C++ 611–15, 680–1
- semi-implicit Euler finite-difference scheme
 - concepts 16–19, 22–3, 154–9, 210–15, 665–83
 - Heston stochastic volatility model 154, 155–9, 665–83
- sensitivities
 - see also* Greeks
 - concepts 9–10, 26, 91–3, 157–9, 211–15, 375–6, 489–509, 663
- sequential equivalence, parallelism concepts 646, 654–6
- sequential (serial) programming
 - concepts 619–22, 644–6
 - OpenMP 644–6
- serial fractions 623–5, 644–63
- Serialisation (archives) library, Boost C++ library 368–70
- serialize 369–70
- servers
 - see also* clients; policies
 - concepts 10–19, 282–318, 632–5, 688–9, 695–6
 - simple one-factor MC framework 10–19
- Set... 331–6, 384–94, 454, 561, 697, 706
- SetCell... 706
- SetDates 381–94
- setDiffusionComponent 329–31, 545–52
- SetDiscountFactors 513–29
- setDriftComponent 329–31, 545–52
- SetExerciseSchedule 513–29
- setpath 404–25
- SetPricingPaths 516–29
- SetRandomArray 14–23, 659–63
- SetRegressionPaths 513–29
- SetRegressors 513–29
- sets
 - concepts 31, 32–4, 39–40, 331–4, 345–8
 - date classes 335–9
- SetSeed 573–4, 579–80, 594–6, 658–63, 672–83
- SetSpotValues 381–94
- setsubordinator 533–9
- setValueColumnOrder 639–44
- setValueRowOrder 638–44
- SFEM *see* Stochastic Finite Element Method
- shadow path, definition 417
- Shape 310–14
- ShapeComposite 310–14
- shared 647–63
- Shared data program structure pattern 628–35
- shared memory models
 - see also* multi-threaded programming; OpenMP
 - concepts 617–19, 629–35, 637–63
 - OpenMP 646–63
 - private memory 646–51
- shared pointers 313, 354, 357–61, 556–7, 566–8
 - see also* Flyweight design pattern
 - concepts 357–61, 556–7, 566–8
 - definition 357–8
 - usage guidelines 360–1
- shared_ptr 358–61, 566–8
- shares *see* equities
- shift register random generators
 - see also* Mersenne...; random...
 - concepts 571, 574–6, 593–6
- short rates 27, 667
- shout options 278
- SIDE *see* stochastic integrodifferential equations
- SIEs *see* stochastic integral equations
- SIETransform 669–83
- sig 88–93
- sigma 403–25, 463–9
 - see also* volatility
- sigma algebras, concepts 31, 39–46, 49–52, 189–90, 231–41, 268–70
- signals 367–8
- Signals library, Boost C++ library 367–8
- silent corruption of data 292
- SimplePropertySet 332–4, 345–8, 382–94, 402–25, 448–51, 467–87
- SimpleVector 286–7, 289–90
- Simulated Annealing 679
- simulations
 - see also* draws
 - concepts 2, 9, 22–3
- Single Responsibility Principle (SRP) 241, 258, 278
- Singleton 307–10
- Singleton pattern
 - concepts 256, 257, 279, 307–10, 391, 556–7

- generic programming 307–10, 391
- template classes 307–10
- thread-safety issue 310
- singular value decomposition (SVD)
 - concepts 601, 607–15
 - definition 607–8
- sink maps 690–1
- Size 333–4
- skewness
 - see also* kurtosis; volatility smiles
- Skorohod integral 497
- slow transient, concepts 119–25
- small sampling theory 114–17
- small software options pricing framework 161–2
- smart pointers
 - see also* scoped...; shared...
 - Boost C++ library 270, 353–61, 543, 563, 566–8
 - concepts 270, 353–61, 543, 550–2, 563, 566–8
 - Monte Carlo method 361
- Smart_ptr 354
- smooth pasting conditions, free boundary 92–3
- smoothing payoff functions, mollifiers 167, 176–7, 185–6, 507–8
- Sobol 578–80, 598
- Sobol numbers
 - classes 578–80
 - concepts 195–9, 277–8, 576–81, 598
 - definition 195, 576
- SobolNumbers 579–80, 598
- software design issues
 - see also* domain architectures
 - blueprints 203–15, 217–41
 - compile-time factors 282–94, 312, 324–31, 400–1, 558–9, 621–2, 637–63
 - concepts 125–6, 137–66, 187–8, 203–15, 217–41, 243–79, 281–318, 375–6, 543–70, 617–35
 - critique 217
 - generic programming 220, 257, 281–318, 345–8, 634
 - large software systems 633–4
 - lifecycle 206, 220–41, 255–6, 266–7, 375–6
 - main requirements 125–6, 205–15, 219–20, 239–40, 243–79, 281–318, 324, 334, 375–6, 543–70, 633–4
 - major components 125–6, 138
 - Market Model Systems 207–15, 630–5
 - multi-threaded programming 374, 376, 559, 562, 617–35, 637–63
 - Numerical Simulator Systems 207, 209–15
 - OOP 126, 138, 147–8, 159, 188, 217, 220, 257, 262–5, 281–318, 375–6, 558–9, 634, 679
 - optimisation issues 26–7, 125–6, 152–3, 163–4, 206–15, 220, 243–79, 290, 324, 334, 543–70, 637–44
 - PBDs 219–20, 286–7, 294, 301–6
 - performance issues 10, 21–3, 26–7, 125–6, 163–4, 187, 206–15, 220, 239–40, 277, 290, 306, 324, 334, 394, 543–70, 637–44
 - phases 218–20
 - policy-based designs 219–20, 286–7, 294, 301–6
 - Pricing, Hedge and Risk Systems 207, 211–15, 630–5
 - sequential (serial) programming 619–22, 644–6
 - small software options pricing framework 161–2
 - stakeholders 211–12, 225–6
 - steps of analysis and design 633–4
 - traits classes 76–9, 281, 286–7, 294–306, 314–16
- software processes, selection issues 125–6
- software volatility, concepts 243–4
- solve 251–79
- solvers, Excel 697
- sort 350–1
- sorting algorithm, concepts 349–51
- sparse matrices 288–9, 299–301, 320–3, 371
- Spec 605–15
- Spec.Decomp 605–15
- specialisation issues, template classes 290–1, 307
- spectral decomposition
 - concepts 140, 601, 603–15
 - definition 603–4
 - test programs 605
- spectral test, random number generators 596
- speedup factors, parallel programming concepts 623–5, 634, 644–63
- Spirit library, Boost C++ library 373
- SPMD 628–35, 651–3
- Spot 381–94, 398–425, 433–41, 448–51, 455–7, 462–87, 495–509
- spot prices 381–94, 396–425, 436–41, 444–51, 455–7, 461–87, 533–9, 666–83
- spotvalues 381–94
- spread options
 - see also* multi-asset...
 - approximation formulae 466–8, 482
 - concepts 54–5, 137–8, 145–66, 305, 346–8, 376, 389–94, 422–3, 461, 466–9, 482–3, 486–7, 497
 - definition 146–7, 466
 - numerical results 468, 482–3
 - payoffs 389–94, 461, 466–9, 482
- spread spread options 147–53
- SQP 679
- square-integrable functions, concepts 47–8, 55–6, 63–4
- square-root process, concepts 86, 147–53
- SRAM 618–19
- SRP *see* Single Responsibility Principle
- ST 417, 435–41, 462–87, 534–9
- stability property of the FDM 109–13, 128–9, 180–3
- stable_sort 350–1
- stack 145, 266, 625–35
- stakeholders, software design issues 211–12, 225–6

- standard deviations 84–93, 101–2, 149–53, 194, 289, 659–63, 672–83
- standard error 289, 408–11, 419–20, 445–51, 476–7, 483, 517–18, 659–63, 672–83
- Standard Template Library (STL) 266, 287–8, 298, 310–18, 319–51, 357–62, 368–9, 374, 383–94, 448–9, 548–52, 559, 560–1, 566–8, 634, 645–6, 697, 708
- adapters 331–4
- Excel utilities 697, 708
- function objects 549–52
- performance issues 559, 560–1, 566–8
- State design pattern, concepts 256, 271
- state space of the random process, concepts 59, 511
- static casting 543, 554
- static schedule, OpenMP 656–7
- statistical distributions
- see also* discrete variate generation; random variate generation
 - Boost C++ library 97–102
 - concepts 74–80, 85–93
 - St_Constants 438–41
 - STDAPI 689–709
 - STDAPICALLTYPE 689–91
 - STDMETHOD. . . 691–5, 700–9
 - std::pair 361–2
- steady-state solutions component of stiff systems, concepts 119–25
- Steffensen's method 23
- step functions, definition 41–2
- step sizes, dependence of the absolute error on step size 113, 115–17
- stiff ODEs, concepts 119–25
- stiff SDEs, concepts 119, 123–5, 183
- STL *see* Standard Template Library
- stochastic analysis, concepts 46–50
- stochastic backward equations 511
- Stochastic Clocks 538–9
- stochastic differential equations (SDEs)
- see also* Ito. . . ; Market Model Systems
 - alternative SDEs 73, 84–105, 305–6
 - Banach spaces 62, 63–4
 - CEV 428–9
 - common schemes 117–26
 - complex coefficients 185–6
 - concepts 1–27, 31, 38–9, 53–72, 73–105, 137–66, 175–6, 204–15, 217–41, 267–70, 304–6, 326, 375–6, 396–425, 428–41, 480–7, 492–3, 544–52, 588–99, 629–35, 642–4
 - critique 24–5, 665–83
 - definition 3–4, 8
 - discrete-time approximation foundations 113–17
 - examples 3–4, 10–23, 305–6
 - FDM 107–9, 113–35, 137–66, 175–6, 322–3, 642–4, 665–83
 - Heston stochastic volatility model 153–9, 258–62, 267, 305–10, 356–7, 369–70, 429–41, 480–7, 665–83
 - integral types 38–9
 - literature survey 53–5
 - mathematics 53, 55–72, 107
 - multi-asset options 461–87
 - multi-factor models 1, 53–72, 107–35, 137–66, 304–6, 328–31, 388–94, 397–425, 461–87
 - n-factor SDEs 54–72, 140–66, 179, 304–6, 328–31, 462–5, 642–4
 - numerical methods that fail 167
 - one-dimensional random processes 59–62
 - one-factor problems 1–25, 53–5, 107, 117–26, 179–83, 209–15, 219–20, 267–70, 323, 397–425, 437–41, 642–4, 657–63, 708–9
 - PDEs 81–4
 - pure-diffusion SDEs 179
 - solution 3–4, 69, 107, 109, 129–30, 212
 - spread options 145–66, 305, 482
 - stiff SDEs 119, 123–5, 183
 - swing options 267–70
 - transformation into the Ito Formula 68
 - two-factor SDEs 137–66, 268–70
- Stochastic Finite Element Method (SFEM) 209
- stochastic integral equations (SIEs)
- see also* Ito. . .
 - classes 62–3
 - concepts 39, 53–4, 60, 62–3, 64–72, 159, 170–1
 - definition 39, 54
 - numerical approximations 66–8
 - solution 62–6, 69–71
 - uniqueness results 63–4
- stochastic integrodifferential equations (SIDE)
- concepts 63–4
 - definition 63
 - solution 63–4
 - uniqueness results 63–4
- stochastic interest rates 482–7
- stochastic mesh methods 511
- stochastic processes
- see also* martingales; random variables
 - alternative stochastic processes 84–105
 - concepts 3–4, 40–3, 53–72, 81–105, 189–99
 - definition 41, 62–3, 189
 - motivating 59
 - probability spaces 40–3, 189–99
- stochastic volatility with jumps (SVJ)
- see also* Bates stochastic volatility model
 - concepts 427
- stochastic volatility models 54–5, 84, 102–3, 117, 126, 132, 137–8, 145–66, 258–62, 267, 305–10, 346–8, 356–7, 369–70, 376, 379–94, 397–401, 427–59, 480–7, 536–9, 601–15, 665–83
- see also* Bates. . . ; Heston. . .
 - analytic solutions 455–7
 - Asian options 165–6, 674–83
 - binary options results 446–51, 672–83
 - cliquet options results 446–51, 674–83
 - concepts 54–5, 137–8, 145–66, 258–62, 305–10, 346–8, 356–7, 369–70, 376, 379–94, 427–59, 480–7, 601–15

- European options results 444–6
numerical results 444–9, 675–83
payoffs 383, 665–83
QE scheme 117, 399–401, 427, 432–4, 435–41,
443–51, 458–9, 481–7, 665–83
spread options with stochastic volatility *s* 54–5,
137–8, 145–66, 305, 346–8, 376, 466–9, 482,
486–7, 497
StochasticVolatilityLibrary 455–7
Strategy pattern
concepts 243, 256, 271–6, 277, 290, 301–6, 314,
376, 400–1
definition 256, 271–2
stratified sampling method, concepts 221–2
Stratonovich integral 42, 118, 124–5
Stratonovich SDEs 124–5, 268–70
Strike 385–94, 448–51, 455–7, 468–87, 495–509
strike prices 244–79, 385–94, 412–25, 444–51,
455–7
string 340–5, 365–6, 385, 386–94, 410–25,
463–5, 495–509
strings
assignment operator 340–1
Boost C++ library 344, 373
comparisons 342–3, 345
concatenation operator 341
concepts 339–45, 365–6, 373, 688–709
constructors 340–1
conversions 344–5, 348–9
extracted characters/substrings 342–3
lower-case/upper-case conversions 345,
349
modifications 343–5
searches 343–4
stringstream 344–5, 348–9
strong convergence, definition 50
strong Taylor approximations, concepts
179–83
strong/weak convergence, concepts 116–17, 125–6,
154–9, 175–6, 209
struct uses 88–93, 247–55, 259–60, 284–6,
290–1, 295–301, 355–6, 364–5
Structural patterns
see also Adapter...; Bridge...; Composite...;
Decorator...; Facade...; Flyweight...;
Proxy...; Whole-Part...
concepts 256, 257–66, 310–14, 331–4, 345–8,
612–15
definition 256, 257–8
types 256, 257–66
Student 79
Student's *t*-distribution
C++ 79, 100–2
concepts 74, 79, 100–2, 113–17, 132
definition 79
subcontractor factories 239
subordinated Brownian motion, concepts 74
subordinator 534–9
SubordinatorDist 532–9
subscribers, Publisher-Subscriber pattern 257,
367–8
Subset 333–4
subsystems, domain architectures 205–15, 218–41,
244–79, 633–5
subtype (inclusion) polymorphism 281, 304–18,
543, 550–2
see also object-oriented programming
successive approximation procedure *see* iteration
(successive)...
SUD *see* system under discussion
SumCallValue... 659–63
SumOptionValue... 672–83
super-share options 278–9
Superset 334
SVD 607–8
SVJ *see* stochastic volatility with jumps
swaps 241, 466–9, 666–83
swing cliquet options
see also cliquet...
concepts 267–70, 395, 422–4
Swing2DFactories 268–70
SwingsSDE 269–70
switch statements, concepts 414–15, 612, 695–6
symmetric matrices 299–301, 371
synchronisation/scheduling issues, threads 626,
628–35, 644–63
system patterns
see also POA...;
Presentation-Abstraction-Control...;
Whole-Part...
concepts 203–15, 217–41, 309–10, 367–8,
627–35, 657–63
system under discussion (SUD) 205–15, 218–41,
630–5
TAlloc 293–4
Tanh-rule 614–15
TARNs 667–83
task decomposition
concepts 220–41, 627–35, 637–63
definition 220–2, 627
Taylor schemes
see also Ito...
concepts 167, 179–83, 187
Tchebycheff polynomials, concepts 128, 134, 198
template 285–7, 290–4, 298–9, 302–18, 321–31,
332–4, 344–8, 356–7, 363, 365–6, 369–70,
381–94, 400–1, 407–11, 417–18, 443–4,
513–16, 533–9, 544–52, 560–2, 582–8, 595–9,
601–15, 661–3
template baggage classes, concepts 294–301
template classes 75–9, 163–4, 207–15, 258–62,
281–318, 321–34, 344–8, 356–7, 363, 365–6,
369–70, 381–94, 400–1, 407–11, 513–16,
533–9, 544–52, 558–9, 560–2, 569, 582–8,
593–9, 601–15
see also generic...
advanced C++ templates 286–94

- template classes (*cont.*)
 - concepts 76–9, 281–318, 345–8, 400–1, 513–16, 544–52, 558–9, 569, 593–6
 - default values for parameters 286–7
 - design patterns 306–10
 - implementation issues 281–3, 306–10, 383–94
 - inheritance considerations 282–6, 558–9, 569
 - nested templates 287–9
 - OOP 283–318, 634
 - partial template specialisation 290–1
 - performance issues 558–9
 - random number generators 593–6
 - Singleton pattern 307–10
 - specialisation issues 290–1, 307
 - template template parameters 291–4, 307–14
 - traits classes 76–9, 281, 286–7, 294–306
- template functions
 - advanced C++ templates 286–94
 - concepts 94, 281, 283–318, 326–31, 332–4, 362, 369–70, 400–1, 544–52
- template member functions
 - concepts 283–318, 326–31, 332–4, 362, 369–70, 400–1
 - definition 283, 289–90
- Template Method pattern
 - concepts 5–6, 206–15, 243, 256, 271–6, 279, 376
 - definition 256, 271–2
- template template parameters, concepts 291–4, 307–14
- temporary objects, performance issues 560–2
- tensors 319, 326, 564
- terminal value problem (TVP), concepts 2–3
- TerminalValue 20–3, 658–63
- TerribleRandGenerator 6–8, 20–3, 233–4, 273–6
- test functions 50
- TestAmerican 516
- tests 50, 92–3, 187–8, 596–7, 665–83
 - case study of numerical schemes for the Heston model 665–83
 - CEV models 92–3, 188
 - Cholesky decomposition 605
 - Excel test case 697–709
 - parallel programming 646
 - random number generators 596–7
 - spectral decomposition 605
- TGFSR *see* Twisted Generalised Feedback Register Generators
- TheoreticalPrice 393, 403–25
- theta
 - see also* Greeks; time horizons
 - C++ 91–3, 157–9, 231–41, 262, 369–70
 - concepts 26, 91–3, 157–9, 211–15, 231–41, 262, 369–70, 663, 667–83
 - definition 26
- theta method, concepts 119–25
- Thread library, Boost C++ library 374
- thread-safety issue, Singleton pattern 310
- threadprivate 650–1
- threadprivate directive, concepts 650–1
- threads
 - see also* multi-threaded programming
 - barriers 629, 644–53, 660–3
 - communications 626, 628–35, 660
 - concepts 617–35, 644–63
 - definition 617, 625–6
 - fork calls 625–6, 645–6
 - lifecycles 625–6, 627–9
 - OpenMP 644–63
 - synchronisation/scheduling issues 626, 628–35, 644–63
- throw, concepts 18–19, 392, 557–8, 694–5, 709
- time classes
 - Boost C++ library 372
 - concepts 334–9, 372
- time horizons 26, 91–3, 430–41, 455–7, 462–87, 533–9
 - see also* theta
- time to maturity 26, 91–3, 430–41, 455–7, 462–87, 533–9, 666–83
- time variable, stochastic process definition 41, 62
- Timesteps 404–12, 465
- ‘tiny matrices’ 145–6
- TLB *see* Translation-Lookaside Buffer
- Tocher 272
- tokenizer 373
- Tokenizer library, Boost C++ library 373
- Top-Level agent 244–5, 254–79
- topological fixed point theorems, concepts 59
- toupper 345, 349
- traits classes
 - see also* encapsulation. . .
 - concepts 76–9, 281, 286–7, 294–306, 314–18
 - definition 294–5
 - matrix algebra 299–301, 317–18
 - tips 297–8
- Translation-Lookaside Buffer (TLB), concepts 618–19
- transformed explicit Euler method, Heston stochastic volatility model 154, 156–9, 665–83
- transformed semi-implicit Euler finite-difference scheme, Heston stochastic volatility model 154, 155–9, 665–83
- transient solutions component of stiff systems, concepts 119–25
- Transpose 520–9
- TransposeNoTilingOpenMP 654–6
- trapezoidal rule 16, 23–4, 66–8, 110–13, 118, 129
- tred2 606–7
- triangle inequality, concepts 47–8
- tridiagonal band matrices 299–301
- trigger events, barrier options 411–18
- truncated Euler scheme 434–5, 444–51, 668–83
- try, concepts 392, 457, 557–8, 694–5, 709
- tuple 362
- Tuples, concepts 361–2, 374–5
- Turnball-Wakeman approximation, concepts 405

- TVP *see* terminal value problem
 Twisted Generalised Feedback Register Generators (TGFSR) 574–6
 two-factor SDEs 137–66, 268–70
 TypeRegistry 453–4
- ublas 371
 uBLAS (linear algebra) library, Boost C++ library 371, 376
 UCM 322–3
 UI 244–5, 250–79
 UML *see* Unified Modeling Language
 uncountable sets, concepts 143–4, 171–2
 underlying 381–94, 403–25
 underlyings 1–27, 73–105, 126, 137–66, 379–94, 395–425, 461–87, 511–29, 535–9, 630–5
 concepts 380–94, 511–29, 535–9, 630–5
 multi-asset options 461–87
 Unicode 340
 Unified Modeling Language (UML) 10–12, 22–3, 126, 203–15, 218–41, 244–79, 283–314, 332, 347, 375–6, 380, 384, 389–90, 396–9, 494, 612–15, 630–5, 687
 ball-and-socket notation 218–20
 concepts 203–15, 218–41, 244–5, 332
 uniform distributions
 concepts 35–7, 100–2, 196–9
 definition 35
 geometric interpretation 196–8
 uniform mesh
 concepts 107–35
 definition 107
 uniform random number generators, concepts 4–8, 238–9, 272–7, 571–99, 643–4, 669–83
 UniformGenerator 5–8, 20–3, 272–6, 375–6
 uniformly continuous functions, definition 58
 units of execution
 concepts 626, 628–35
 definition 626
 universal polymorphism
 see also inclusion...; parametric...
 concepts 550–2
 UNIX 625
 UnRegisterCOMAddin 689–91, 698–709
 up-and-in barrier options
 concepts 412–18
 definition 413
 up-and-out barrier options
 concepts 413–18
 definition 413
 upcasting 554
 upper bounds, Bermudan options 525–9
 upper-diagonal matrices 299–301
 use_count 358–61
 UV1 438–9
 UV2 438–9
- valarray 319–20
 valueLater 527–9
 van den Bergh, Thijs 569
 vanna
 see also delta
 concepts 491–509
 variables, concepts 31, 32–8, 41–3, 51, 189–99, 531–9, 581–8, 601–15
 variance
 CEV 74, 84, 85–93, 103–5, 188, 279, 428–9
 concepts 35–8, 77–9, 101–2, 104–5, 147–66, 436–41, 455–7, 583, 666–83
 definition 35
 volatility of variance 147–66, 434–41, 455–7, 462–87, 666–83
 variance gamma processes (VG)
 concepts 304–6, 531–9, 588–9
 multi-dimensional case 536–8
 Variance Reduction Methods, concepts 194, 222, 263–5, 395, 400–1, 406–11, 415–18
 variant 363, 375, 688–709
 variants, Boost C++ library 362–3, 375
 Variations patterns
 see also Behavioral...
 concepts 256–7
 Vasicek interest-rate model 229–34, 240, 486, 487
 VasicekSde 230
 VBA 685, 708
 vector 319–23, 330–1, 338–9, 360–1, 376, 386–94, 399–425, 435–41, 443–4, 452–4, 461–87, 511–29, 533–9, 545–52, 559, 583, 586–7, 589–90, 593–9, 606–15, 642–4, 647–63, 697
 vector SDEs, concepts 54–72
 vector spaces 305–6, 324–31
 vector-valued functions, concepts 37–8, 329–31, 544–52
 VectorCollection 95–6
 VectorFunction 548–52
 vectors
 see also matrices
 compile-time factors 324–31
 concepts 37–8, 54–72, 286–7, 289–90, 305–6, 319–23, 324–31, 338–9, 359–60, 371, 376, 386–94, 400–1, 461–87, 559–62, 601–15, 637–44, 645–6, 647–63, 697–709
 definition 324–31
 function input arguments 326
 performance issues 638–44
 SDE/C++ mapping 328–31
 uBLAS (linear algebra) library 371, 376
 uses 319–23, 324–31, 400–1, 561–2
 VectorsAndMatrices 705–9
 VectorSpace 305–6, 324–31, 366–7, 376, 545–52, 657, 667–83
 vega
 see also Greeks; volatility; volga
 concepts 26, 157–9, 231–41, 262, 356–7, 369–70, 455–7, 496–509, 663, 667–83
 definition 26

- VG *see* variance gamma processes
views, concepts 225–6
virtual 284–6, 311–14, 358–61, 380–94, 543,
550–2, 558–9, 693
virtual functions
 see also subtype (inclusion) polymorphism
 concepts 5–8, 284–6, 304–18, 358–61, 380–94,
 543, 550–2, 558–9
 definition 551–2
 performance issues 550–2
virtual memory, concepts 618–35
Visitor design pattern 13–19, 131–2, 206–15, 243,
257, 271–6, 277, 301–6, 314, 328–31, 351,
362–3, 376, 552, 657–63
 concepts 257, 271–6, 277, 301, 305–6, 314,
 328–31, 351, 362–3, 552, 657–63
 definition 257, 271
 print functions 351
Visual Studio 685, 694–5
VNew 670–83
vo1 398–425, 433–41
volatility 8–9, 26, 85–93, 147–66, 244–79,
396–425, 427–59, 461–87, 533–9,
667–83
 see also implied. . . ; vega
volatility smiles
 see also implied volatility
 CEV 428–9
 concepts 84–93, 427–34, 447–51,
 667–83
 definition 427–9
 moneyness issues 428–34
volatility smirks, concepts 84–93
volatility surfaces 93–6
volatility of variance 147–66, 434–41, 455–7,
462–87, 666–83
Vold 670–83
volga
 see also vega
 concepts 491–509
Volterra integral equation of the second
 kind
 see also stochastic integral equations
 concepts 3, 39, 54, 62–3, 70–1
Volterra SIEs
 concepts 62–3
 definition 62
Volterra-Fredholm SIEs, concepts 62–3
vomma *see* volga
von Neumann, John 571, 581–2
Vt 438–9, 481–2
vtable 690–1, 695–709
Vt_Constants 438–41
wchar_t 340–5
weak/strong convergence, concepts 50, 116–17,
125–6, 154–9, 175–6, 209
Weibull distribution 100–3
weighted Monte Carlo method 263–5
WeightedSpot 470–87
weights 465–87
white noise process 588, 591–2
Whole-Part decomposition
 see also Assembly-Parts. . . ;
 Collection-Members. . . ;
 Container-Contents. . . ; Structural. . .
 concepts 205–15, 222–41, 244–57, 270, 307,
 310–14, 334, 345–8, 361, 627–35, 651–3,
 657–63
 FDM 245–79, 657–63
 OpenMP 657–63
 processes 223–6, 240
WI. . . 668–83
Wiener, Norbert 39
Wiener process
 see also Brownian motion
 concepts 3–4, 8–9, 10–19, 39, 53–72, 85–93,
 108–9, 114–17, 124–5, 141–3, 147–53,
 154–66, 168–72, 175–6, 181–3, 329–31, 642–4
Wilde, Oscar 427–9, 531
WINAPI 698–709
work-sharing constructs, OpenMP 651–7
Workbook. . . 694–5
Worksheet. . . 694–5, 706
worksheets 685–709
Wrapper 386–94, 403–25, 463–5, 469–87
wrapper classes
 see also Adapter design pattern
 concepts 266, 305–6, 328–34, 344–8, 383–94,
 403–25, 453–4, 463–5, 469–87, 544–52
wstring 340–5

X2 test, random number generators 596
XlfExcel 457
XlfOper 453–4, 456–7
XLFunctionRegistrationHelper 455–7
XLL 449–54, 685–709
xll files 452–4, 685–709
XLRegistration 455–7
XLW framework 452–4, 456–7, 459, 685–709
XML 239, 241, 271, 276–7, 368–9, 632
XOR operator 577

yield curves 241

zero divide situations 557–8
zero-coupon bonds 83–4, 484–7