

Index

A

- Acceptance event, 174–175
- Acceptance/rejection method, 174–175
- Akaike information criterion (AIC), 240
 - log-likelihood values, contrast, 242
- Algorithms, usage, 257–259
- Alias method, 172
- Alpha-algebra, generation, 311
- Alpha-quantile, 34–35
- Alpha-stable, generation, 180
- Alpha-stable densities, illustration, 60f
- Alpha-stable distribution, 58–65
 - characteristic function, 127
 - fitting, 126–131
 - flexibility/suitability, 59
 - incorporation, 57
 - Lévy measure, 78
 - simulation, 181
- Alpha-stable motions, 170
- Alpha-stable Paretian distribution, 5
- Alpha-stable processes, 93, 192–193
 - Lévy measure, 93
- Alpha-stable random measure, 193
- Alpha-stable random variable
 - convergence, 62
 - definition, 58–61
 - parameters, 93
 - properties, 61–62
 - sum, 7
 - tails, tempering/truncating, 8–9
- Alpha-stable sub-Gaussian distributions, radial symmetry, 226
- Alpha-stable subordinator, 100
- American option, 141
 - European option, contrast, 357
 - holding/exercising decision, 359
 - price, obtaining, 359
- American option pricing
 - discrete time, 358–359
 - empirical illustration, 365–371
 - Monte Carlo methods, usage, 357
- Anderson-Darling statistic (AD-statistic), 277, 296, 343
 - usage, 127, 129
 - values, 135
- Annualized estimated spot variance, 321
- Annualized volatilities, estimation, 301t
- Annual σ_t process, 345f
- Antithetic sampling, 211
- Arbitrage opportunity, 111
 - illustration, 147t
- Archimedean copulas, 50
- Arithmetic Brownian motion, 99
 - Lévy process, 105
 - usage, 100
- Arithmetic sampling, 211–212
- Asian Financial Crisis (1997), 1
- Asset prices
 - financial modeling, improvement, 1–4
 - log-normality assumption, 204
 - modeling, geometric Brownian motion (usage), 10
- Asset-pricing theory, involvement, 39
- Asset-return behavior, assessment, 237
- Asset return distributions, conditionally leptokurtic characteristic, 309

- Asset returns
 - empirical distribution,
 - skewed/fat-tailed properties, 57
 - financial time series, 2
 - multivariate non-normal
 - distributions, modeling, 225
 - unconditional multivariate
 - distribution, estimation, 237
- Asymmetric alpha-stable distribution, 292
- Asymmetric GJR model, 274
 - consideration, 342
- Asymmetric NGARCH stock price
 - model, forecasting properties, 291
- Asymmetry, 31
 - measure, 30
- Atlantic options, 142
- At-the-money options
 - pricing error, 352
 - volatilities, 152
- Autoregressive moving average
 - (ARMA), 259
 - dynamics, 261, 263
 - parameters, 265
- Average absolute error (AAE), 155, 302, 348, 370
- Average prediction error (APE), 155, 370
- Average relative pricing error (ARPE), 155, 302, 348, 370
- Average value-at-risk (AVaR), 253–255
 - closed-form formula, computation, 254
 - computation, 266
 - defining, 254
 - evaluation, conversion, 257
 - usage, 256
- B**
- Backward induction, usage, 358–359
- Backward iteration, 359
- Barndorff-Nielsen model, 165
- Barrier option, 142
- Bayes formula, 40
- Bell curve, 1–2
- Benoulli-distributed random variable, 21
- Bermuda options, 142
- Bernoulli distribution, 21
- Big jumps, tempering (absence), 196
- Bilateral gamma (BG) distribution, 206
- Bilateral gamma (BG) random variable, 328
- Binomial-distributed random variable, 21
- Binomial distribution, 21–22
- Bivariate scatterplot, 239f, 243f
- Black-Scholes call option price,
 - obtaining, 148
- Black-Scholes formula, failure, 4
- Black-Scholes framework, limitations, 309
- Black-Scholes model, 9, 350
 - benchmark, 370
 - overcoming, 9–10
 - risk-neutral parameters, calibration, 153, 155
 - usage, 148–149
- BMW, bivariate scatterplot, 239f, 243f
- Borel measure, 77
- Boundary conditions, tightening, 142–143
- Box-Muller algorithm, variant, 178
- Box plots, usage, 236f, 262f, 263f
- Brown, Robert, 87
- Brownian motion, 95–104, 203–209
 - paths, possibility, 96f
 - popularity, 3
 - variance level, 185
- Brownian subordination, 204
- Business time, 204
- C**
- X^2 test, p -value, 263f
- Call option, 141, 142
 - arbitrage-free price, 314–315
 - prices
 - calculation, 150
 - condition, 152t

- value, 144
- worth, 143
- Cash flow, 360t
 - generation, payoff function (usage), 359–360
- Cauchy distribution, 6–7
- CBK
 - bivariate scatterplot, 243f
 - returns, 242
- Center, 77
- Central Limit Theorem, 7, 178
 - application, absence, 62
 - distribution, 99
 - statement, 27
- Central location, μ measure, 5
- Central value, 31
- Change of measures, 107, 111–121, 319
 - impact, 120t
 - usage, 113–121
- Characteristic exponent, 37–38
- Characteristic function, 35–39
 - calculation, 126, 324
 - example, 36t
 - exponential part, 37
 - expression, 59
 - fitting, 126
 - form, 70
 - formula, 76
 - method, 176
 - modification, 177
 - n th derivative, 37
 - properties, 37
 - second derivative, 176–177
 - usage, 176–177
- Chicago Board Options Exchange (CBOE), options trading, 11
- Chi-square statistic (X^2 -statistic), usage, 127, 128
- Clark model, usage, 165
- Classical tempered stable (CTS)
 - distribution, 8, 65–68, 365
 - characteristic function, 68
 - convergence, 67
 - extension, KRTS distribution, 73
 - Lévy measure, 78, 79
 - P/Q equivalence, 119t
 - probability density, 66f, 68f, 74f
 - sample, simulation, 200f
- Classical tempered stable GARCH model (CTS-GARCH model), 316–317
 - in-sample option pricing results, 349f
 - out-of-sample option pricing results, 374f
- Classical tempered stable GARCH option pricing model (CTS-GARCH option pricing model), 367
- Classical tempered stable (CTS) Lévy measure, 118
- Classical tempered stable (CTS) model, 310, 315–317
- Classical tempered stable (CTS) process, 198–199
 - description, 205–206
 - jumps, 206
 - parameters, 118
 - process X, 94
 - simulation, 187f, 207f
 - time-changing Brownian motion, usage, 206
- Classical tempered stable (CTS) random number generator, usage, 216–217
- obtaining, 205
- Clayton copula, 50
- Closed-form analytical solutions, unavailability, 210
- Closed-form solution, absence, 58–59
- Collateralized debt obligations (CDOs), pricing, 12
- Completion of $(\Omega, \mathcal{F}, \mathbb{P})$, 108
- Compounded Poisson distribution, approximation, 13–14
- Compounded Poisson process, 89
- Compound Poisson process, 183
 - drift, presence, 184
- Concentration in tails, 30, 32
- Conditional expectation, 107, 109–111

- Conditional log-likelihood function, 293
- Conditional probability, 39–40
computation, 40
properties, usage, 101
- Conditional variance, 326
assumption, 274, 289
definition, 275
evaluation, 315
form, 278, 290
process, 273
recursive collection, 293
updating, 276
- Confluent hypergeometric function, 75, 82–84
- Continue to hold, 361t, 363t
- Continuous nonuniform distributions, 172–177
- Continuous probability distributions, 22–30
understanding, 24
- Continuous random variable, 22–23
density level, 37
- Continuous time modeling, 312–313
- Continuous-time models, advantage, 11
- Continuous-time processes, change of measure, 113–117
- Continuous-time stochastic processes, 87
- Continuous-time stochastic volatility, 169
- Control variates, usage, 210
- Convergence speed, determination, 190
- Converge result, 189–190
- Copula, 251
density, consideration, 53
usage, 48
advantage, 48–49
- Copula functions, 47–54
connection, 49
consideration, 247
usage, 51
- Correlation
covariance, relationship, 43
drawback, 47–48
matrix, diagonalization, 227–228
- Counting measure, 219
- Covariance
correlation, relationship, 42–43
denotation, 43
matrix, 51, 238
estimation, 265
- Cox-Ingersoll-Ross (CIR) process, 165
subordinator process, 166
time integral, 10
- Cross-sectional regression, usage, 359
- Cumulative distribution, 24
- Cumulative distribution function (c.d.f.), 23–26, 40, 149
form, 28
inversion, 175
numerical approximation, 135–139
- Cumulative probability functions, 24
- Cutting points, stable parameters (influence), 64f
- D**
- Daily log-returns, definition, 131
- DamilerChrysler, bivariate scatterplot, 239f, 243f
- DAX
ML estimates, 245t
multi-tail t model check, 242–244
- DAX 30 Index, 225
behavior, 266f
composition, 260
- DAX index
composition, 259, 260t
expected return, 264
- DBK
bivariate scatterplot, 243f
returns, 242
- d -dimensional hypercube, probability distribution function, 251
- Decomposition, 220
- Deep in-the-money options (DITM options), 339, 351
volatilities, 152
- Deep in-the-money put option (DITM put option price), exercise payoff (relationship), 358

- Deep out-of-the-money options
 - (DOTM options), 339, 351
 - prices, explanation, 353
 - volatilities, 152
- Default, annualized probability, 21
- Default event, 21
- Density function
 - behavior, 8
 - denotation, 23–24
 - discrete evaluation, 341
 - example, 316f
 - expression, 44
 - form, 28
 - numerical approximation
 - derivation, 126
 - maximum likelihood estimation, usage, 127
 - obtaining, 183
- Density generator, 47
- Density-generator ML-approach, usage, 233–235
- Density process, 313–314
- Dependence
 - local structure, 53, 251
 - structure, 247
 - modeling, 259
- Dependency, modeling, 48
- Derivative
 - instruments, infinite price, 63
 - position, calculation, 272
- Deterministic methods, 170
- Differentiation, involvement, 24
- Dirichlet distribution, 179
- Discounted cash flows, 360, 361t, 362t
- Discounted simulated process, 214
- Discount stock price process, 314
- Discrete distributions, 172
 - AVaR, 254–255
- Discrete Fourier-transform, usage, 176
- Discrete numerical integration, 139
- Discrete probability distributions, 20–22
 - formula, 33
- Discrete random variable, 20–21
 - i.i.d. sequence, 198
 - impact, 20
- Discrete-time autoregressive
 - conditionally heteroscedastic (discrete-time ARCH) model, 10
- Discrete-time Black-Scholes log normal model, constant volatility, 290
- Discrete-time GARCH models, 169
 - usage, 10
- Discrete-time model, 326–327
- Disjoint sets, 218
- Dispersion matrix, 231
 - eigenvector-eigenvalue pairs, denotation, 228
 - estimation, 233
 - normalized version, estimation, 233
 - usage, 232
- Dispersion measure, 30
- Dispersion parameter, estimation, 244
- Distributions
 - density, closed-form, 35–36
 - function, characteristic function, 36
 - parameters, 27
 - simulation, 177–182
 - symmetry, 26
 - tails, 2
 - theory, foundation, 12–13
- Dividend return, continuously compounded risk-free rate, 289
- Domain of attraction, 27
- Dot-com bubble (2000), 1
- Dow Jones Industrial Average (DJIA)
 - index, 131
 - significance level, 134
 - parameter fit, 133t
- Drift, 77
- Driving process, tempered stable parameters, 131
- E**
- Efficient market hypothesis, 110
- Eigenvector-eigenvalue pairs, denotation, 228
- Eigenvectors, portfolio representation, 228
- Elliptical copulas, 49
- Empirical distributions, skew, 236

- Empirical Martingale simulation, 213–214
- Equivalent martingale measure (EMM), 9, 147, 166
 - determination, 148, 366
 - set, possibilities, 313
 - usage, 210, 312
- Equivalent probability measure, 111–113
- Equivalent random variable (obtaining), Esscher transform (usage), 325
- Error estimates, risk-neutral parameters (relationship), 162t–163t
- Error estimators, 158t–159t
 - OEX put option, 370t
- Esscher transform, 328, 332–334
 - consideration, 324
 - exponential tilting, 216
 - tilting, relationship, 213, 333
- Estimator accuracy, 236
- European call options, 143
 - consideration, 278
 - fair value, determination, 281–282
 - implied volatility, 152, 350f, 354f
 - price, calculation, 145
 - pricing performances, 351t
 - trading, consideration, 339
 - value, 164
- European options, 141
 - American options, contrast, 357
 - closed-form solution, 210
 - no-arbitrage price, 147
 - prices, closed-form solution (availability), 11
 - pricing
 - exponential tempered stable models, usage, 149–163
 - formula, 152
- European put option, 143–144
- European put option computation
 - Fourier transform method, usage, 216t
 - Monte Carlo simulation, usage, 216f
- Events, 19–20, 107–108
 - asymptotic independence, 252
 - capture, 215
 - joint probability, 40
- Ex-ante perspective, 338
- Excess kurtosis, 28, 33
 - incorporation, 215
- Excess skewness, incorporation, 215
- Exercise/continue to hold, 361t, 363t
- Exercise payoff, DITM put option price (relationship), 358
- Exercise price, 142
- Expected value, 32
- Expiration date, 141
- Explicit copulas, 252
- Exponential alpha-stable model, 124
- Exponential Brownian motion, 4
 - model, 123
- Exponential distribution, 28
- Exponential KRTS model, 124
- Exponential Lévy models, 122–125
 - option pricing, 141
 - proposal, 9–10
- Exponential moments, 80–82, 311
 - absence, 80
- Exponential process, 92
- Exponential random variable, 174
- Exponential tempered stable models, 125t
 - exponential Lévy model, relationship, 124
 - usage, 149–163
- Exponential tilting, 207–208
 - density transformation, 213
 - Esscher transform, relationship, 216
- Ex-post perspective, 338
- Extended Girsanov's theorem, usage, 113
- Extreme returns, probabilities (computation), 5
- Extreme values, probability, 2
- F**
- Factors, 248–249
- Fast Box-Muller algorithm, 178

- Fast Fourier transform (FFT), 127
 - procedure, 341
 - usage, 139
- Fat tails (heavy tails), 2, 292
 - effects, 204
 - property, 343, 345
- Filtering historical probability (FHS)
 - approach, 214
 - risk-neutral GARCH parameters, consideration, 353
- Filtering historical probability GARCH (FHS-GARCH) model, 310, 341–342, 346–348
 - risk-neutral estimated parameters, 348
- Filtration, 107–108
 - generation, 114
- Filtration generated by X, 108
- Financial derivatives pricing, Monte Carlo methods (usage), 212–213
- Financial instruments, pricing, 271
- Financial models, failure, 1–2
- Financial time series, log returns, 351
- Finite activity, 91
- Finite discrete process, consideration, 111
- Finite measure space, 186
- Finite variance random variables, sum (consideration), 178
- Finite variation, 88
- First principal factor, scatter plots, 261f
- First quartile, 35
- Fisher's kurtosis, 33
- Fisher's skewness, 32–33
- Fitted stdCTS residuals, 263f
- fmincon (function), 280–281
- Fourier-inversion formula, 127
- Fourier transform, 135–136
 - numerical method, 139
- Fourth central moment, 32
- Frank copula, 50
- Fundamental approach
 - consideration, 338
 - trader approach, contrast, 282
- Fundamental framework, 339
- G**
 - Gamma distribution, 28–29, 179–180
 - consideration, 92
 - Gamma fields, 107–108
 - Gamma function
 - definition, 29
 - denotation, 29
 - integral representation, 29
 - Gamma process, 92
 - Gamma variables, 328
 - Gamma variates, generation, 179
 - GAMS (optimization software), 257
 - Gaussian copula, 49, 252
 - Gaussian distribution, 1–2, 26
 - Gaussian one-factor copula model, failure, 12
 - Generalized autoregressive conditional heteroscedasticity (GARCH), 271
 - components, importance, 292–293
 - dynamics, 12, 261, 263
 - normal innovation, 272–275
 - market estimation, 275–277
 - methodology, usefulness, 11
 - option pricing model, LSM method (usage), 364–365
 - parameters, 264
 - estimation, 284
 - set, estimation, 280–281
 - stock price models, 288–289
 - structures, 210
 - Generalized autoregressive conditional heteroscedasticity (GARCH) models
 - explicit-form solutions, 13
 - fitting, 11–12
 - TS/TID innovations, combination, 170
 - Generalized classical tempered stable (GTS) distribution, 68–69, 138
 - Generalized classical tempered stable (GTS) process, P/Q equivalence, 119t
 - Generalized CTS distribution, 68–69

- Generalized elliptical random vector,
location parameter
(computation), 238–239
- Generalized hyperbolic (GH) density,
238
- Generalized hyperbolic (GH)
distribution, 237
- Generalized hyperbolic (GH)
framework, 227
- Generalized NGARCH option pricing
model, 288–291
- Generalized tempered stable (GTS)
model, 317–319
- Generalized tempered stable (GTS)
process, 94, 110
- Geometric Brownian motion, 99–100
model, 123
stock price process, relationship,
124
- German Treasury bill rate, market
value, 265
- Girsanov theorem, 148
usage, 113–114
- Glosten-Jagannathan-Runkle GARCH
model (GJR-GARCH model),
279, 353
in-sample option pricing results, 280f
- Glosten-Jagannathan-Runkle (GJR)
model, 274
- Goodness of fit
assessment, 127–131
consideration, 338
statistics, 277t, 343t
calculation, 277
test, 369t
statistic, formulas (computation),
130t
- Gumbel copula, 50
- H**
- Heavier-tailed distribution, 62
- Heavy-tailed elliptical distributions,
226
- Heavy-tailed innovations, 337–338
- Heavy tails (fat tails), 2, 292
- Heston model, obtaining, 165
- Heston-Nandi form, 278
- Heston-Nandi GARCH model,
in-sample option pricing results,
280f
- High-yield bond portfolio defaults, 28
- HN-GRACH, 282
- Hypergeometric function, 69, 75, 82,
83
- I**
- ID-GARCH paths, simulation, 332
- Implicit copulas, 251
- Implicit skewed t copula distribution
function, derivation, 252–253
- Implied volatility, 9
curve, 370
correspondence, 348, 350
illustration, 152–153
surface, 153
example, 174f
usage, 350f
variation, 4
- Importance measure, 212
- Importance sampling, 212–213
- Independence, meaning, 21
- Independent and identically distributed
(i.i.d.) random variables, 58
finite sequences, 366–367
sum, 62, 99, 105
usage, 76, 89
- Independent and identically distributed
(i.i.d.) real random variables,
365–366
- Independent and identically distributed
(i.i.d.) sequence, 188, 194
- Independent and identically distributed
(i.i.d.) uniform distributions,
170–171
sequence, 170
- Independent and identically distributed
(i.i.d.) uniform variables, 173
- Independent exponential random
variable, 89
- Independent increments, 88

- Independently distributed random variables, 42
- Independent random variables, 49
- Infinite activity, 91
- Infinitely divisible (ID) asymmetric distributions, fat tails (presence), 310–311
- Infinitely divisible (ID) distributed i.i.d. real random variables, 312
- Infinitely divisible (ID) distributions, 76–82, 310
 - characteristic function, 76
 - illustration, 77t
 - simulation, 189
- Infinitely divisible GARCH model (ID-GARCH model), 309, 312, 318
 - consideration, 322–323
 - risk-neutral dynamic, 312–315
 - risk-neutral parameters, 348
 - simulation, 331–332
 - stock price dynamic, 311–312
- Infinitely divisible GARCH paths (ID-GARCH paths), simulation, 332
- Infinitely divisible (ID) random variable, 80, 287
- Infinite variation, 88
- Innovation
 - defining, 324
 - density function, 341
 - distribution, 368
 - skewness, admission, 296
 - marginal distribution, 290
 - process
 - estimation, 345f
 - usage, 344f
- In-sample analysis, 346–354, 368
- In-sample European call option pricing
 - pricing errors, 281t, 302t
 - results, 349t
- In-sample option pricing results, 280f, 304f, 349f
- Integral calculus, 24
- Inter arrival times, 28
- Interest rate
 - analysis, 338–339
 - representation, 273
- In-the-money European call option (ITM European call option), 357
- In-the-money options (ITM options), 339, 351
 - implied volatility, 4
- In-the-money stock prices, 361t, 362t
- Intrinsic time process, 100
- Inverse Gaussian (IG) distribution
- Inverse Gaussian GARCH model (IG-GARCH model), 325–326
- Inverse Gaussian (IG) innovations, 12
- Inverse Gaussian (IG) model, 165, 310, 324–326
- Inverse Gaussian (IG) process, 92, 102
 - parameters, 209
- Inverse Gaussian (IG) time-changed Brownian motion, 329
- Inverse transform algorithm, 172–174
- Ivy DB (Option Metrics), 11
- J**
 - Jölnk's method, 179
 - Joint characteristic function, 38
 - Joint multivariate distribution, modeling, 12–13
 - Joint probability, 41
 - Joint probability distributions, 39–44
 - definition, 40–41
 - Jumps
 - acceptance, 208
 - consideration, 195–196
 - counting measure, 218–219
 - processes, 91
 - Jump sizes
 - discrete subset, 90
 - set, extension, 90
- K**
 - Kim-Rachev (KR) distribution, definition, 196
 - Kim-Rachev (KR) model, 319–321

- Kim-Rachev (KR) process, 196–198
 - parameters, 197
- Kim-Rachev tempered stable (KRTS)
 - distribution, 73–74, 138
 - characteristic function, 73
 - CTS distribution extension, 73
 - cumulants, 73–74
 - Lévy measure, 78
- Kim-Rachev tempered stable (KRTS)
 - process, 94, 110
 - P/Q, equivalence, 119t
- Kolmogorov-Smirnov distance statistic
 - (KS-statistic), 277, 296, 343
 - p*-values, 368–369
 - usage, 127–129, 131, 134
- Kolmogorov-Smirnov GARCH
 - (KR-GARCH) model, 319
- Kurtosis
 - approximation, 343
 - obtaining, 38
 - value, 5
- L
- Laplace distributions, 47
- Laplace transform, shape, 300f
- Least squares Monte Carlo (LSM)
 - method, 359–364
 - usage, 364–365
- Lehman Brothers, bankruptcy, 1, 283
- Leverage effect, 274
- Lévy-based models, deficiency,
 - overcoming, 10
- Lévy distribution, 6–7
 - probability mass, concentration, 6
- Lévy-Ito decomposition, 188, 218–220
 - impact, 204
- Lévy-Khinchine formula, 77, 325,
 - 332–334
 - usage, 79
- Lévy measures, 77, 78t, 90
 - assumption, 103
 - inversion, 183
 - representation, 190–191
 - spherical coordinates, 190
 - usage, 79
- Lévy process, 87, 104–105
 - consideration, 182
 - construction, 65
 - generation, 191–192
 - jump counting measure, 218–219
 - jumps, 218
 - Lévy triplet, inclusion, 117–118
 - series representation, 183
 - simulation, 14
 - techniques, usage, 182–193
 - subordination, 204
 - supposition, 114
- Lévy stable distribution, 2–3
- Lévy subordinator, usage, 10
- Lévy triplet, 77
 - process supposition, 116–117
 - usage, 114, 333
- Likelihood ratio test, 240
- Limited exercise options, 142
- Linear dependence structure, 226
- Linear interpolation, usage, 97
- Linear regression, estimated parameters
 - (box plots), 262f
- Locally risk-neutral valuation
 - relationship (LNVR), 291
- Local semimartingale, 203
- Location, 31
 - measure, 30
 - parameter, 26, 59
- Location-scale invariance, 26–27
- Log characteristic function, 37–38
- Logistic distributions, 47
- Log-Laplace model, obtaining, 165
- Log-Laplace transform, 81, 311, 328
 - function, 289
- Log-likelihood, analytic form, 340
- Log-likelihood function
 - analytic form, 276
 - maximization, 275
 - obtaining, 234
- Log-likelihood values, AIC (contrast),
 - 242
- Log-normality assumption, 204
- Log-return, 47–48, 289
 - series, denotation, 293

- Log-Student- t model, 166
- London Interbank Offered Rate (LIBOR), percentage (change), 19
- Long-term maturity, pricing, 350
- Loss function, impact, 304, 306
- Loss tail, 351
- Lower-tail AD-statistic (AD_{down}), 129–130
- M**
- Marginal distribution, 40–41
 - collection, 48
- Marginal probability distributions, 40–41
- Market-based approach, 282
- Market estimation, 275–277, 339–346
- Market measure, 297
- Market option prices
 - implied volatilities, 160f
 - simulated options prices, square-root error (minimization), 321
- Market parameters, 149
 - calibration, risk-neutral parameter calibration (combination), 161–163
 - estimation, MLE approach (usage), 277t
- Market price dynamic, modeling, 365–366
- Market put option prices, implied volatilities, 371f
- Market returns, empirical evidence, 8
- Market volatility curve, matching, 159
- Markov process, 110
 - usage, 364
- Markov properties, 107
- Markowitz mean-variance analysis, 264
 - portfolio, scaling, 265
 - problem, 256
- Markowitz portfolio theory, assumptions, 39
- Marsaglia method, 179
- Martingale measure, no-arbitrage pricing (equivalence), 145–147
- Martingale process, 110
 - absence, 114
- Martingale properties, 107
- Mathematical function,
 - differentiation/integration, 24
- Maturity calibration, 161
- Maturity date, 141
- Maximum likelihood estimation (MLE), 127, 297, 337
 - approach, usage, 277t
 - method, usage, 337
 - methodology, 288
 - MLE/fitted methodology, 288, 297–298
 - out-of-sample performance, 306
 - procedure, usage, 275
 - usage, 259
- Maximum likelihood method,
 - application, 232
- Mean absolute deviation, 31
- Mean-AVaR portfolios
 - behavior, 266f, 267f
 - weights, box plots, 265f
- Mean measure, 219
- Mean-variance analysis, 255–256
- Mean-variance optimization, 249
- Mean-variance portfolios
 - behavior, 266f, 267f
 - problem, 249–250
 - weights, box plots, 265f
- Measure, change, 107, 111–121
- ML-ratio test, p -value, 242
- Model dependencies, 12–13
- Modeling dependencies, 251–253
- Modified Bessel function (of the second kind), 30
- Modified Bessel function (of the third kind), 252–253
- Modified tempered stable (MTS)
 - distributed random variable, denotation, 69–70

- Modified tempered stable (MTS)
distribution, 8, 69–70, 138, 365
characteristic function, 69
exponential tilting, 329
Lévy measure, 78
parameters, role, 70
- Modified tempered stable (MTS)
process, 110, 202–203
parameters, 94
P/Q, equivalence, 119t
simulation, 202–203
- Moments, 32
sample, 35
- Moments of arbitrary order, 64–65
- Money market account, risk-free return
rate, 145
- Moneyness, defining, 155, 278
- Monotonicity, 212
- Monte Carlo integration methods,
13–14, 169
- Monte Carlo integration procedure,
usage, 299
- Monte Carlo methods, 209–217
example, 216–217
simulation, relationship, 209–210
usage, 13, 337, 357
- Monte Carlo prices, obtaining, 215
- Monte Carlo procedure, 346–347
antithetic sampling, 211
- Monte Carlo simulation, 213, 279–280
basis, 256
risk-neutral scenarios, usage, 272
usage, 259
- Monte Carlo variance, reduction,
213
- Monty Python method, 178
- Multidimensional random variable,
local dependence structure,
53–54
- Multifactor linear model, 248–250
usage, 258
- Multifactor model, consideration,
258
- Multi-tail distribution estimation,
procedure, 232
- Multi-tail generalized elliptical
distribution, 225
dispersion matrix, 231
empirical investigation, 237
tail function, 228
- Multi-tail generalized elliptical model,
comparison, 237–238
- Multi-tail generalized elliptical random
vector, 228
dispersion matrix, 233
- Multi-tail t distribution
density generator ML-approach,
application, 235
- Multi-tail t -distribution, 225
empirical results, 237–244
parameters, estimation, 232–236
- Multi-tail t distribution, density, 231
- Multi-tail t model check, 242–244
- Multi-tail t random variable, density,
231
- Multi-tail t random vector, 231
density, usage, 233–234
- Multivariate alpha-stable distributions,
225–226
- Multivariate asset returns, modeling,
225–226
- Multivariate distribution, 39
consideration, 225
dependence structure, 247
- Multivariate generalized hyperbolic
(GH) distribution, 237
- Multivariate non-normal distributions,
modeling, 225
- Multivariate normal distribution,
43–46
density, 237
- Multivariate probability distribution
function, 49
- Multivariate random variable, 40
- Multivariate skewed Student's
 t -distribution, skewed t copula,
252
- Multivariate stable distributions,
47
- Multivariate t -distributions, 47

- N
n-dimensional hypercube, 48–49
n-dimensional random vector, 46
Negatively skewed distribution, density graphs, 32f
Negative skewness, 31
Newton-Raphson method, 174
NGARCH model, 274
 form, 279
 in-sample option pricing results, 280f
NGARCH stock price model, 290
 conditional log-likelihood function, 293
No-arbitrage pricing, martingale measure (equivalence), 145–147
No-arbitrage structure, 146
Non compound Lévy process, non zero Lévy measure, 183
Non-decreasing process, 88
Non dividend-paying stock, American call options, 357
Non-Gaussian GARCH models, 11–12
Non-Gaussian innovations, 12
Non-Gaussian portfolio allocation, 247
 algorithm, usage, 257–259
 empirical test, 259–268
 modeling dependencies, 251–253
Nonlinear asymmetric GARCH (NGARCH) dynamic, enhancement, 228
Nonlinear asymmetric GARCH (NGARCH) stock price model, 288
Nonlinear dependencies, 268
 allowance, 250
Nonlinear least squares (NLS), 298
 approach, 299
 methodology, 288
 parameters, determination, 304, 306
 usage, 155, 346–347
Non-Markovian GARCH models, results, 364–365
Non-normal distributions, usage, 345
Non-normal GARCH model, 292
 Non-normal ID distributed innovations, 310–311
 Non-normal infinitely divisible GARCH, 315–331
 Non-normal models, 4
 Nonparametric FHS-GARCH model, 310, 341–342
 in-sample option pricing results, 349f
 out-of-sample option pricing results, 354f
 Nonparametric Monte Carlo method, 214–216
 Nonsymmetric distribution, 2
 Non zero Lévy measure, 183
Normal-based models, 296
Normal distribution, 26–28, 177–178
 exponential moment, 80
 parameters, selection, 63
 usage, 27
 yield, 6–7
Normal GARCH models, 271–273, 343, 345, 366
 in-sample option pricing results, 280f, 349f
 out-of-sample option pricing results, 354f
Normal-GARCH parameters (determination), MLE (usage), 342–343
Normal innovation, Monte Carlo simulations, 279–280
Normal inverse Gaussian (NIG) distribution, 72, 138
 obtaining, 329–330
 sample, simulation, 209f
Normal inverse Gaussian (NIG) model, 165, 310, 329–331
Normal inverse Gaussian (NIG) process, 102
 process X, 94
 usage, 208–209
Normality assumption, 3
Normalized dispersion matrix, denotation, 231
Normal model, 1

- Normal-NGARCH model
 - in-sample option pricing results, 304f
 - out-of-sample option pricing results, 305f
- Normal tempered stable (NTS)
 - distributed random variable, 71
- Normal tempered stable (NTS)
 - distribution, 70–73, 138
 - definition, substitution, 72
 - Lévy measure, 78
 - probability density, 72f
- Normal tempered stable (NTS) process,
 - 103–104, 110
 - collection, 207–208
 - Lévy measure, 116
 - obtaining, 104
 - parameters, 94
 - symmetric MTS process,
 - relationship, 115–116
- Nth central moment, definition, 33
- Nth cumulant, 38
- nth derivative, usage, 65
- Nth raw moments, 33
- Null hypothesis
 - definition, 134
 - rejection, 134
- O**
- Objective probability measure, results, 292–296
- OEX put option
 - error estimators, 370t
 - model prices, 371f
- One-dimensional infinitely divisible
 - distribution, 77
- One-dimensional time-series process, 13
- One-period ahead conditional variance, 311–312
- One-sided $\alpha/2$ -stable subordinator, 205
- Open-source software, usage, 170
- Optimal portfolios, 255–257
- Optimization, 155, 232, 234, 347
 - inequality, 256
- Option prices, 141
 - boundary conditions, 142–144
 - computation, GARCH processes
 - (usage), 210
 - convergence, obtaining, 215
 - generation, NGARCH model
 - (usage), 298
 - obtaining, backward induction
 - (usage), 358–359
- Option pricing
 - Black-Scholes model, usage, 148–149
 - data set, 338–346
 - market estimation, 339–346
 - models, 290
 - in-sample analysis, 346–352
 - out-of-sample analysis, 352–354
 - performance, 346–354
 - Monte Carlo methods, usage, 337
 - volatility clustering, usage, 9–12
- Options
 - absolute valuation errors, 302, 304
 - arbitrage pricing, martingale basis, 9
 - cash flows, change, 361
 - conditional expectation, current value, 360
 - contract, 141–142
 - market, pricing/hedging theories, 4
 - premium, 141
- Ordinary least squares (OLS) method, usage, 258, 261
- Ornstein-Uhlenbeck process, 10
- Outcome, 19–20
 - concentration, 32
 - limitation, discrete random variable
 - (usage), 20
- Out-of-sample analysis, 352–354
 - formula, 369
 - spot variances, 321–322
- Out-of-sample European call option pricing
 - errors, 284t, 303t
 - results, 352t
- Out-of-sample option pricing results, 306f, 354f

- Out-of-sample performance, 282–285
- Out-of-the-money options (OTM options), 339, 351
 - implied volatility, 4
- Over-the-counter (OTC) options, valuation, 337
- P**
- Parameter probability distribution family, formation, 30
- Parameters
 - estimation, 232–236
 - goodness of fit test, 369t
 - illustration, 131–135, 369t
 - fit, 132t–133t
 - formula, 33t
 - role, 65
- Parameter set (Θ), estimation, 233–236
- Parametrization, insertion, 102
- Pareto power-type decay, 2
- Path-dependent options, pricing, 13
- Payoff function, 211
 - usage, 359–360
- Pearson's kurtosis, 32–33
- Pearson's skewness, 32–33
- Percentiles, 35
- Physical measure, 147
- Plain vanilla derivatives, pricing, 272
- Pochhammer symbol, 83
- Poisson-distributed random variable, 22, 88
 - probability distribution, 22
- Poisson distribution, 22
 - description, 28
- Poisson point process, 194
- Poisson process, 88–89
 - arrival times sequence, 193
- Poisson random measure, 218–220
- Portfolios
 - expected return, 250
 - no-arbitrage structure, 146
 - payoff example, 143t
 - rebalancing, 259
 - sensitivity, 250
 - value, 144
 - calculation, 264
 - variance, 227–228
 - calculation, 250
- Portfolio selection theory, involvement, 39
- Positively skewed distribution, density graphs, 32f
- Positive skewness, 31
- Power tail decay property, 61
- Price-driving process,
 - skewness/heavy-tail properties, 9
- Principal component analysis (PCA), 227–231, 258
- Principal component tail function (pc-tail function), 228–230
- Probabilities
 - calculation, 23
 - computation, 23–24
- Probability density functions, 113
 - Fourier transform, 135–136
 - numerical approximation, 135–139
- Probability density function, 23–26
 - illustration, 25f
 - knowledge, 5
 - mathematical connection, 24–25
- Probability distribution, 19, 173
 - concepts, 19–20
 - function, 23–26
- Probability Integral Transformation formula, 130
- Probability measure
 - equivalence, 111–113
 - random variable, usage, 112
- Probability space, 219
 - sequence, 311
- Pseudorandom, term (usage), 170
- Pure fundamental framework, 339
- Pure jump process, 89–95
 - Lévy process, 105
 - path behavior, 91
 - Poisson process, relationship, 91
 - process Z , 91
 - properties, change, 115

- Purely non-Gaussian distribution, 78
 - characteristic functions, 78
 - GTS distribution, comparison, 79
- Purely non-Gaussian infinitely divisible distribution, 91
- Purely non-Gaussian infinitely divisible random variable, obtaining, 92
- Put-call parity, 144
- Put option, 141, 142
 - prices, 148
 - calculation, 150
 - condition, 152t
- p*-value, 128, 134, 263f

- Q**
- Q-martingale, 147
 - usage, 314
- Quantile-quantile plots (QQ-plots), 137f, 343
 - innovation process, usage, 344f
 - usage, 127, 128
- Quantiles
 - asymmetry, 31
 - dispersion, 31
 - estimation, 235t
 - location, 31
 - measure, 30
 - statistical moments, 32–34
 - tails, concentration, 32
 - usage, 30, 34–35
- Quasi-random numbers, usage, 210

- R**
- Radial symmetry, 226
- Radon-Nikodym derivative, 111
 - calculation, 115, 117
 - defining, 212
 - usage, 313–314
- rand* function (Matlab), usage, 171f
- Random number
 - approximation, 176
 - generation, 172
 - importance, 13–14
 - problem, 174–175
- generators, 170–182
- Random variables, 19
 - cumulative distribution function, 41
 - density function, denotation, 23–24
 - dependence, 41–42
 - distribution, 311
 - expectation, 109
 - exponential moment, 80
 - infinite division, 76
 - example, 138
 - multivariate distribution, 251
 - outcome, 19–20
 - probability distribution, 41
 - provision, 49
 - probability measure, 212
 - values, implication, 41–42
 - weak convergence, 7
- Random variates
 - generation, 317
 - simulation, 323
- Random vector, density function, 44
- Rapidly decreasing tempered stable (RDTS) distribution, 75–76, 138, 365
 - Lévy measure, 78
 - sample, simulation, 202f
- Rapidly decreasing tempered stable (RDTS) model, 310, 322–323
- RDTS-GARCH model
 - in-sample option pricing results, 349f
 - out-of-sample option pricing results, 354f
- Rapidly decreasing tempered stable (RDTS) process, 110, 201–202
 - parameters, 94
 - P/Q, equivalence, 119t
 - simulation, 201
- Rapidly decreasing tempered stable (RDTS) random variable, 322
- Raw moments, 61
- Raw moments of order, 33
- Real random numbers, preference, 170

- Reflected Lévy distribution, 7
Relative errors, correspondence, 235t
Replicating portfolio, 147
Return
 continuously compounded risk-free rate, 289
 dynamic, form, 324
Reward-to-risk measure, 264
Reward-to-risk problem, solution, 255–256
Risk
 factors, modeling, 251
 market price, 148
 measure, 253
 calculation, 272
Risk-free asset, 266
Risk-neutral dynamic, 312–315
 form, 278
Risk-neutral estimates, obtaining, 279
Risk-neutral estimation, 278–285
Risk-neutral measure, 9, 147–149, 288
 asymmetry parameter, 321–322
 driving process, distribution, 150
 form, 297
Risk-neutral parameter calibration
 illustration, 153–161
 market parameter calibration, combination, 161–163
 results, 156t–157t
Risk-neutral parameters
 determination, change of measure (usage), 319
 error estimates, relationship, 162t–163t
 estimation, 281t, 283, 3091t
 errors, minimization, 272
Risk-neutral paths, simulation, 369
Risk-neutral probability measure, 213
Risk-neutral scenarios, usage, 272
Risk-neutral valuation relationship (RNVR), 291
Root mean-square error (RMSE), 155, 302, 348, 370
Rosiński rejection method, 191–192, 205
 application, 206, 208
Russell global indexes, usage, 268

S
Sample moments, 35
 calculation, 36t
Sample path, 88
Sample space, 19–20
 Brownian motion, function, 113–114
 subsets, partitioning, 20
Scale, σ measure, 5
Scale parameter, 26, 59, 65, 233
 estimation, 232, 240, 244
Scaling parameter, assumption, 234–235
Scenario-based portfolio optimization, 255
Scenario matrix
 generation, Monte Carlo simulation (usage), 259
 Monte Carlo simulation basis, 256
Second central moment, 32
Second quartile, 35
Series representation, 13–14, 217
 example, 200f
 framework, 186–191
Shape parameter, 26, 59
Sharpe ratio (SR), 266
 annualized value, 268t
 selection, 264
Short-term maturity, pricing, 350
Shot noise representation, 217
 usage, 199
Sigma field (σ -field), 108, 111
 adapted process, 110
Sigma field (σ -field) by X, 108
Sigma field (σ -field) generated by G, 108
Simulated option prices/market option prices, square-root error (minimization), 321

- Simulation, 169
 - techniques, usage, 182–193
- Skewed distributions, allowance, 5
- Skewed t copula, 252
- Skewed variance gamma (SVG) distribution
 - parameters, selection, 327
 - sample, simulation, 208f
 - innovation, 12, 348
 - model, 310, 326–329
 - process, 206–207
- Skewed variance gamma GARCH model (SVG-GARCH model), 329
- Skew-elliptical distributions, 226
- Skewness
 - approximation, 343
 - obtaining, 38
 - parameter, 59
- Skorokhod embedding problem, 203–204
- Small jumps
 - Brownian approximation, 185
 - Brownian motion, 186
 - intensity, 185
 - truncation, 183–186
 - example, 200f
- Smoothly truncated stable (STS) distribution, 63–65
 - assumption, 64
 - density function, 63
 - log Laplace transform, shape, 300f
 - parameters, 298
- Smoothly truncated stable GARCH (STS-GARCH) models, 287
 - empirical analysis, 291–306
 - models, consideration, 294t
 - pricing process, risk-neutral version, 290
- Smoothly truncated stable GARCH (STS-GARCH) option pricing model, pricing performance, 296–297
- Smoothly truncated stable (STS) innovations, 12
- Smoothly truncated stable NGARCH (STS-NGARCH) model
 - estimation results, 321
 - in-sample option pricing results, 304f
 - out-of-sample option pricing results, 305f
- Smoothly truncated stable NGARCH (STS-NGARCH) option pricing model, absolute performance, 302
- Smoothly truncated stable (STS) random variable, 287
 - simulation, 299
- Spectral estimator, 233
- Spherically distributed random vector, 46–47
- Square integrable martingale, 220
- Stability index, 59, 62
- Stability property, 7
 - usefulness, 62
- Stable density, 6f
- Stable distribution, 5, 57, 180–182
 - alternative representation, 217–218
 - density function
 - behavior, 8
 - numerical approximation, derivation, 126
 - family, 5–9
 - parameterization, 5–7
 - properties, 7
 - representation, 217
 - skew, 6
 - types, 6–7
 - usage, considerations, 8–9
- Stable parameters, influence, 64f
- Stable Paretian distribution, 2
 - reference, 5
- Stable processes, values (differences), 192f
- Stable tail-adjusted return ratio (STARR), 266–267
 - annualized value, 268t

- Standard Brownian motion, 114
 - Lévy process, 105
 - paths, possibility, 96f
 - properties, 96
- Standard CTS distribution, 67
- Standard CTS process, 94
- Standard deviation, 27
 - collection, 31
- Standard GTS distribution, 69, 81
- Standard GTS process, 94
- Standardized STS distribution, tail
 - probabilities (comparison), 64f
- Standard KRTS distributed variable, 74
- Standard KRTS process, 94
- Standard MTS distribution, 70, 81
- Standard MTS process, 94
- Standard NIG distribution, 73, 82
- Standard normal distribution, 26
 - cumulative distribution function, 149
 - density functions, 316f, 318f, 321f, 323f, 327f, 330f
- Standard normal innovation process, estimation, 345f
- Standard normal STS distribution
 - log Laplace transform, shape, 300f
 - tail probabilities, comparison, 64t
- Standard NTS distribution, 71, 81
- Standard NTS process, 94
- Standard Poisson process, arrival times
 - sequence, 193
- Standard & Poor's 100 index (OEX)
 - option, 11, 368
- Standard & Poor's 500 (S&P500)
 - analysis, 268
 - market parameters (estimation), MLE approach (usage), 277t, 342t
 - market performance, market models (comparison), 295t
 - monthly return, fluctuation, 27
 - option prices, explanation, 296–306
 - returns, empirical density (bar plots), 136f
- Standard & Poor's 500 (S&P500)
 - index (SPX), 131
 - European call options, implied volatility, 350f, 354f
 - index, return, 20
 - log returns, 310f
 - calculation, 275
 - market parameters, 161
 - parameter fit, 132t
 - significance level, 134
 - study, 291
 - values, 300f
- Standard RDTS distribution, 75, 82
- Standard TS processes, change of
 - measures, 120t
- Stationary distribution, parameters, 237
- Stationary increments, definition, 88
- Statistical analysis, 234–236
- Statistical moments, 32–34
 - illustration, 34t
- Statistic moments
 - asymmetry, 31
 - dispersion, 31
 - location, 31
 - usage, 30–35
- stdCTS, 75, 316
 - density function, 316f
 - noise, 259, 263
- stdGTS
 - density function, 318f
 - distribution, defining, 317–318
- stdID, distribution, 313
- stdKR
 - density, 320
 - function, 321f
 - distribution, 320
- stdNIG, 330–331
 - density function, 330f
- stdRDTS, 75
 - density function, 323f
 - distribution, 322
- stdSVG
 - density functions, 327f
 - random variable, parameters, 329

- Stochastic model, 10
Stochastic process
 change, 114
 continuous time, 87
 terms, 88
 definition, 88
 description, 14
Stochastic volatility Lévy process
 model, 166
Stock log returns, definition, 273
Stock market returns, 255
 empirical findings, 226
 modeling, 248–249
Stock price
 dynamics, representation, 314
 log returns, 274
 form, assumption, 273
 process, 123
Stock prices
 dynamic, 311–312
 sample path, 360t
Strike prices, 142, 153
Student- t distribution, 179
Sub-additivity property, 253
Subordinated stock price model,
 164–166
 defining, 164
Subordinator, 100
 definition, 203–204
 Lévy measure, 205
 models, 204
 process, 166
Subprime mortgage crisis (2007), 1
Summation stability, 27
Symmetric alpha-stable distribution,
 292
Symmetric CTS distribution,
 probability density, 67f
Symmetric distribution, 2
Symmetric MTS distribution
 characteristic function, 70
 exponential tilting, 207–208,
 329
 parameters, roles, 71
Symmetric MTS process, NTS process
 (relationship), 115–116
- T
Tail
 concentration, 32
 measure, 30
 dependence, 226
 dependencies, capture, 261
 function, 240
 parameters, 229–230, 234–235
 interval, 228
 weights, 67
Tail-adjusted return ratio, 266
 t -copula, 50
 t -distributions, 226
Tempered infinitely divisible (TID)
 distributed innovation, 322
Tempered infinitely divisible (TID)
 distribution, 170
 obtaining, 180
 simulation, shot noise representation
 (usage), 199
Tempered infinitely divisible (TID)
 processes, 199–203
Tempered stable (TS) distribution, 8–9,
 57, 65–76
 exponential moment, existence
 region, 138
 fitting, 126–131
 introduction (Rosiński), 315
 log-Laplace transform, 82
 obtaining, 180, 287
 parameter estimation, example,
 131–135
 reference, 79
Tempered stable GARCH models
 (TS-GARCH models)
 innovation distribution, 368t
 option pricing model, 366
Tempered stable (TS) model
 prices, implied volatilities, 160f
Tempered stable (TS) option pricing
 models, 151t
Tempered stable (TS) process, 94–95,
 193–199
 change of measure, 149
 impact, 120t
 usage, 117–121

- characteristic exponents, 95t
- Lévy measure, 95
- series representation, 200
- Tempered stable (TS) subordinator, 103
 - generation, 208
 - parameters, 104
- Tempering functions, 79t
 - generalization, 79
 - multiplication, 78–79
- t -GARCH model, defining, 292
- Third central moment, 32
- Third quartile, 35
- Tilting procedure, Esscher transform (relationship), 333
- Time-changed Brownian motion, 100–104, 203–209
 - consideration, 216–217
 - expression, 203–204
 - framework, 205
 - procedure, 205
 - usage, 70
- Time-changing Brownian motion, description, 207f
- Time-continuity models, 11
- Time horizon, 314
- Time series, goodness of fit statistics, 277t, 343t
- Trader approach, 169
 - consideration, 338
 - fundamental approach, contrast, 282
- Truncated Lévy flight, obtaining, 68–69
- Truncated stable distributions, usage, 63
- Truncation function, 332
- Two-dimensional analysis, 238–242
- Two-dimensional density function, plot, 45
- Two-dimensional ML estimates, 241t
- Two-dimensional normal distribution
 - copula density, 51, 52f
 - contour lines, 52f
 - covariance matrix, inclusion, 44–45
 - plot, level lines, 46f
 - probability density function, 25f, 45f
- Two-step MLE method, usage, 337
- U**
 - Uncorrelated random variables, 43
 - Underlying asset, price, 145
 - Uniform distributions, 170–172
 - Uniform random variable, 173
 - i.i.d. sequence, 194
 - Uniform variates (generation), *rand* function (usage), 171f
 - Unit hypercube, 51–52
 - Unit interval, presentation (restriction), 97
 - Univariate distribution, 39
 - Upper-tail AD-statistic (AD_{up}), 129–130
 - Upper tail dependence, 226
 - U.S. Treasury bill index (IRX), 155, 161, 368
 - U.S. Treasury bill rates, 283f
 - time window, 275
- V**
 - Value-at-risk (VaR)
 - deficiencies, 253
 - measure, adoption, 253
 - Vanilla call option, 142
 - Vanilla put option, 142
 - Variance-covariance matrix, diagonalization, 227–228
 - Variance gamma (VG) distribution, 29–30
 - parameters, determination, 29
 - Variance gamma (VG) path, 206
 - Variance gamma (VG) process, 92–93, 101–102
 - presentation, 166
 - usage, 206–207
 - Variance reduction
 - presence, 211
 - techniques, 210–214
 - Variance-reduction techniques, 210
 - Volatility, 204
 - definition, 9
 - dynamic, 273
 - parameters, estimation, 215
 - effects, 247
 - filtering, 298

Volatility (*Continued*)

GARCH structure, 346

skew, 4

smile, 4, 350

surface, fit, 10

Volatility clustering, 2, 345

behavior, 2

one-dimensional time-series process,
13

usage, 9–12

W

Weighting functions, usage, 229

Weron's algorithm, 181

Wiener, Norbert, 87

Z

Zero Lévy measure, 187

Zero truncation function, usage, 184

Ziggurat method, 178

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>