

Index

- AAA server, 971. *See also*
Authentication, authorization, and
accounting (AAA)
in enterprise security architecture,
960, 961
- Aalmuhammed v. Spike Lee*, 783
- ABCRetail, 434–435
- Abductive reasoning, 323
- Abercrombie & Fitch Co. v. Hunting
World, Inc.*, 824
- Absolute novelty requirement, 818
- Abstraction, in complexity
management, 361
- Abstraction-filtration-comparison test,
780
- Abstract service interfaces, 213
- Acceptability, in selecting electronic
signature system, 1001
- Access alternatives, 23
- Access cards
in authentication systems, 999
for electronic signatures, 1002
- Access codes, as security measure,
1015–1016
- Access control
in enterprise security
architecture, 958
with IPsec, 968
- Access control servers (ACSs), 686
in enterprise security
architecture, 961
- Access Control Subsystem,
SNMPv3, 213
- AccessData vendor, 928
- Accessibility
in comprehensive security planning,
1017
of outsourced Web hosting, 630
in security awareness
programs, 986
- Access networks, 510
- Access points (APs, NAPs), 7, 8, 19, 395,
519, 522, 544
handoffs between, 122
- Access policy, VACM, 216
- Access-requests, with RADIUS protocol,
964
- Access security, 17
- Access technologies, 513
- Accountability
with anonymous credentials, 903
in identity user control, 899, 900
implementing, 604
- Account deletion, 268
- Accountholder authentication value
(AAV), 687
- Accounting, in enterprise security
architecture, 962, 971. *See also*
Authentication, authorization, and
accounting (AAA)
- Accounting management, 208–209, 221
- Accounting standards, 742
- Accuracy, 608
basic security safeguards and, 1012
of CSIRT response, 1004
- Ace Hardware PIN, 491
- Achievement Standards Network
(ASN), 584–585, 591
- Acquired distinctiveness, 840
- Acquirer, 463
- Action potential, 331
- Activation level, 332, 343
- Activation pattern, 332
- Active inducement to infringe, 817
- Active messages, 166
- Active nanostructures, 375
- Active response, 771
- “Active” Web sites, 710
- ActiveX-based systems, 282
- ActiveX spyware, 676
- Actual damages, 789
- Actuators, 318
in robots, 309–310
- Adaptability, in information security
management, 953–954
- Adapters, 41
- Adaptive learning, 344
- Adaptive learning rules, 335
- Adaptive Linear Neurons (ADALINE),
334–335
- Adaptive management, 380
of nanotechnology, 377
- Adaptive Neuro-Fuzzy Inference
System (ANFIS), 301
- Adaptive resonance ANNs, 339
- Adaptive stranger policy, 181
- Adaptive strategic planning framework,
504
- Adaptive strategic planning
system, 499
- Adaptive Web sites, 649, 661, 669
- AdaptNet, 515
- Add-drop multiplexer (ADM), 23
- Address resolution protocol (ARP), 11
- Ad hoc networks, 7
- Ad hoc P2P, 200. *See also* Peer-to-
peer entries
- Adiabatic quantum computation, 390
- Adjacency set construction, 200–201
- Adjudication, of cybercrime
cases, 695
- Administrators, in identity
management, 909, 912
- Ad placement methods, 474–475
- Advanced eBook Processor
(AEBPR), 804
- Advanced encryption standard
(AES), 684
- Advanced encryption standard block
cipher, 12
- Advanced e-signatures, 1002
legal environment for, 1001
- “Advanced fee fraud” mail scams, 857
- Advanced gateway options, 60
- Advanced media access technology,
512–513
- Advanced micro devices (AMD), 170
- Advanced Mobile Phone System
(AMPS), 96–97, 102, 105
- Advanced Research Projects Agency
Network (ARPANET), 395,
406, 439
- Advanced robotic technologies, 316–317
- Advanced searches, 480
- Advanced sensing systems, 316
- Advanced technology attachment (ATA),
162–163
- Advertising, as a revenue source
for m-commerce, 551–552
- ADvertising Communication Approach
Design (ADCAD) expert system,
327
- Advertising design, 327
- Advertising model, 419, 420
- Adware, 676
- AdWords contract, 850–851
- Affiliate model, 419–422
- Affiliation, competitive advantage
via, 530
- Affinity analysis, 655
- Affirmative defenses, 696, 701
- Agent architecture, 370
- Agent-based software, development
methodologies for, 364
- Agent Communication Language, 368,
371
- Agent execution environment
(AEE), 86
- Agent-group-role (AGR) model, 364
- Agent-oriented (AO) methodologies
characterization of, 364–365
most popular, 365
- Agent-oriented engineering
key attributes of, 361–362
- Agent-oriented programming, 371
- Agent platform, 366–367
- Agentrics, 491
- Agents, 370, 669
attributes of intelligent, 360
- Aggregation, 231, 233
- Agreements
creation of, 931
in Open Digital Rights
Language, 935

- Agriculture, GIS and, 284
- Aharonov-Bohm effect, 391
- AI languages, 326
- Air Force Office of Special Investigations (AFOSI), 700
- Alert Protocol, SSL.TLS and, 970
- Algebraic query, 248
- Algorithms, for ranking web pages, 663–664
- AllInOneNews search engine, 475, 479
- Allocation model, 248
- Allocative efficiency, 623
- All pay auction, 614
- Alpha testing, in security awareness programs, 987
- ALPS system, 358
- AltaVista search engine, 471
- Alternative dispute resolution techniques (ADRs), 712
- Alternative facilities, for backup and recovery, 1027, 1031
- Altruistic sharing, 174
- Amazon, 418, 530, 532
- Amazon 1-click digital technology, 765
- Amazon “Associate” program, 707
- Amazon All Business Center, 444
- Amazon.com, 485–486, 526
multi-tier architecture of, 628
- Amazon Elastic Compute Cloud (EC2), 631
- America, approach to jurisdiction in, 723. *See also* United States entries
- American Express, 452
- American National Standards Institute (ANSI), 744. *See also* ANSI entries
essential due process requirements of, 745
X3T9.5 standards committee, 6
- American Standards Committee X12 (ASC X12), 439
- America Online, Inc., et al. v. Chih-Hsien Huang, et al.*, 710. *See also* AOL (America Online)
- Ameritrade, 486
- AMF, Inc. v. Sleekcraft Boats*, 830
- Amplitude modulation (AM) mobile communication systems, 96
- AMPS parameters, 102
- Amsan LLC v. Prophet 21 Inc.*, 708
- Analogies, security awareness programs and, 985
- Analysis, 1009
after security attacks, 1009
- Analytics team, in information security management, 945
- Anchor text, 470
- Angel investors, 413, 414
- ANN algorithms. *See also* Artificial neural networks (ANNs)
introduction to, 333–340
as nonlinear optimization algorithms, 339
as statistical pattern recognition machines, 339–340
- ANN analysis and design tools, 339–340
- ANN computer aided process planning, 341
- ANN direct marketing, 341
- ANN electronic commerce, 341–342
- ANN financial applications, 340
- ANN foreign exchange rate prediction, 340
- ANN learning rules, 334, 339
- ANN management applications, 340
- ANN maps, self-organizing, 338–339
- ANN modeling concepts, generic, 331–332
- ANN modeling methodology, 340
- ANN operations management, 340–341
- ANN research, in the late nineteenth century, 333
- ANN stock market prediction, 340
- ANN systems, assumptions of, 332–333
- ANN technology
basis of, 343
methods of, 343
- ANN technology development, guidelines for, 342–343
- Annual policy reading sign-offs, as security awareness tool, 989
- Anomaly detection, in enterprise security architecture, 963
- Anonymity, 903
in identity user control, 899, 900
- Anonymizers, 903
- Anonymous credentials, identity management with, 902–904
- Anonymous electronic cash, 457
- Anonymous identity, 906
in federation of identities, 913
- ANSI due process requirements, 751. *See also* American National Standards Institute (ANSI)
- ANSI X-12 standard, 489
- Antecedent, 329
- Anti-abortion Web sites, 757
- Anticipatory governance, 377, 380
expert elicitation for facilitating, 380
- Anticipatory standards, 745, 746, 751
- Anticircumvention rule making, under the Digital Millennium Copyright Act, 802–803
- Anticybersquatting Consumer Protection Act (ACPA), 713, 833
- Anti-phishing techniques, 869–870
- Anti-Phishing Working Group, 677
- Antispam legislation, 705
- Antispyware, 18
software for, 879
- Antitrust, 751
- Anti-UCITA “bomb shelter” legislation, 852
- Antivirus software, 18, 636
- AOL (America Online), 466. *See also* *America Online, Inc., et al. v. Chih-Hsien Huang, et al.*
- Apache Muse, 151, 155
- Appeals, as a due process requirement, 745
- Apple FairPlay, 934
- Apple software agreement, 853
- Apple v. Microsoft & HP*, 781
- Applicants
for electronic signatures, 994, 1002
in threat model, 995
- Application architecture, 501
- Application developers, in an m-commerce value chain, 553
- Application development, 167–168
- Application firewalls, in enterprise security architecture, 960–961
- Application implementation time, shortening, 569–570
- Application integration, for identity management, 913–915
- Application layer, 138
- Application requirements, 229–232
for network management, 32
- Applications, 575
- Application servers, 134
- Application service providers (ASPs), 562–577, 631, 636. *See also* ASP entries
assessment of, 572–573
IT outsourcing phases and, 567
management of, 573–574
outsourcing to, 568–570
risks associated with, 570
- Application services, 130
- Application sharing, 258
- Application software
implementation, 569
- Arbitrary trademarks, 824, 840
- Arbitration, 736
under the TRIPS Agreement, 735
- Archaeology, GIS and, 284–285
- Architecture
for digital rights management, 932–933
for identity management, 909, 911–913, 917–918
- “Architecture of participation,” 418
- Ariba, 490
- Ariba Supplier Network (ASN), 440
- arpspoof, 880
- ARTEnterprise, 325
- Arthur Anderson case, 925
- Artificial intelligence (AI), 273, 316, 321, 329, 335
- Artificial language, 348
- Artificial neural networks (ANNs), 300–301, 303, 331–346. *See also* ANN entries
marketing applications for, 341–342
nonlinear autoassociative, 335–336
as nonlinear dynamical systems, 339
security applications of, 342
technology management applications of, 340–343

- Artificial neural network technology
 (1890s–1960s), 333–335
 (1970s), 335
 (1980s–1990s), 335–339
- ASCII text files, importing and
 exporting, 358
- Asia
 B2B e-commerce in, 444
 mobile wireless in, 115
- Ask search engine, 466
- ASP applications, renting, 569.
See also Application service
 providers (ASPs)
- ASP models, 565, 566, 567
- ASP outsourcing, 563
- ASP software, factors related
 to, 572
- ASR Data vendor, 928
- Assent/consent, 853
- Assessment
 of outsourcing, 570–572
 security-related, 876
- Asset protection, in information
 security management, 942
- Assets
 digital rights management and, 931
 in Open Digital Rights
 Language, 935
 security awareness programs
 and, 975
- Assignments, requirements for writing,
 843–844
- Association analysis, 655
- Association rules, 655, 669
 to discover browsing patterns, 658
- Asymmetric-key cipher, in
 authentication, 962
- Asynchronous collaboration,
 259, 269
- Asynchronous transfer [transmission]
 mode (ATM), 25, 81, 164, 170
- Asynchronous transfer mode network,
 144
- Asynchronous update algorithm, 336
- Asynchronous wakeup, 201
- AT&T (American Telephone and
 Telegraph), 552
- Atari Games Corporation v. Nintendo of
 America, Inc.*, 780–781
- ATM technology, 81. *See also*
 Asynchronous transfer
 [transmission] mode (ATM)
- Atomically precise productive
 nanosystems (APPNs), 375
- Atomic commitment, 251
- Atomic domains, 232
- Attack containment, CSIRTs during,
 1007–1008
- Attack discovery, CSIRTs during, 1007.
See also Discovery
- Attacker in the middle
 electronic signatures and, 1002
 in threat model, 995
- Attack escalation, CSIRTs during, 1007.
See also Escalation
- Attack recovery, CSIRTs during, 1008
- Attack repair, CSIRTs during, 1008
- Attacks
 CSIRTs during, 1007–1008
 protection against subsequent, 1008
 Web hosting, 636
- Attenuation, 19
- Attorneys general, 694
- Attribute affinity matrix, 248
- Attribute privacy
 with anonymous credentials, 903
 with certified digital identity
 representations, 901–902
 in identity user control,
 899, 901
 with online issued tokens, 902
- Attributes, 288
 identity, 897
 in identity management, 910–911,
 911–912
- Attribute security
 with anonymous credentials, 903
 with certified digital identity
 representations, 901
 in identity user control, 899, 901
 with online issued tokens, 902
- Attribute services, 919
 in identity management, 913, 915
- Attribution license, with Creative
 Commons, 936
- Attribution, No Derivatives license, with
 Creative Commons, 936
- Attribution, Non-Commercial license,
 with Creative Commons, 936
- Attribution, Non-Commercial, No
 Derivatives license, with Creative
 Commons, 936
- Attribution, Non-Commercial, Share
 Alike license, with Creative
 Commons, 936
- Attribution, Share Alike license, with
 Creative Commons, 936
- Attributive identifiers, in biometric
 identity, 904
- “@” trick, 866
- Auction-based mechanisms, P2P, 178
- Auction-based P2P approaches,
 183–184
- Auction design, computational
 complexity issues in, 621–622
- Auction mechanisms, design space for,
 620–621
- Auctions
 cheating in, 622
 classification of, 613–614
 design issues related to, 618–622
 desirable properties of, 619–620
 in electronic commerce, 612–625
 for electronic procurement, 616–617
 examples of, 614
 in FCC spectrum allocation, 615–616
 online, 527
 problems in, 622–623
 sponsored search, 617–618
 types of, 613–615
- Auctions technology, applications of,
 615–618
- Audiences, for credible security
 policy, 981
- Audio conferencing, 258, 260
- Audiovisual works, DMCA exemptions
 for, 803
- Auditing, AAA server with, 961
- Audit logs, 18
- Audits
 in information security management,
 947
 as security awareness tool, 991
- Audit standards, 742
- Audit trail, 463
 tampering with, 450
- Augmented transition networks (ATNs),
 355–356
- AUML diagrams, 365
- Austria, approach to jurisdiction, 723
- Authenticated sessions, 999
- Authentication, 391, 425, 449,
 906, 919
 of digital evidence, 923
 with digital signatures, 996–997
 with electronic signatures, 994
 of electronic transactions, 1016
 in enterprise security architecture,
 958, 961–962, 971
 in GeoDRM Reference Model, 936
 in identity management, 910–911,
 911–912, 912–913, 913–914
 with RADIUS protocol, 963–964
 in selecting electronic signature
 system, 1000
 with SSL.TLS, 969
 in SSO sessions, 915
 strengthening, 916
 in wireless Internet, 512
 USM, 215
- Authentication, authorization,
 accounting, and auditing
 (AAAA), 961
- Authentication, authorization, and
 accounting (AAA), 522, 971.
See also AAA server
 in enterprise security architecture,
 960
- Authentication data, electronic
 signatures and, 1002
- Authentication Header (AH), with
 IPsec, 965–967
- Authentication models, 518
- Authentication privacy principles, in
 identity management, 911
- Authentication protocol, with Secure
 Shell, 970–971
- Authentication server, in enterprise
 security architecture, 961
- Authentication standards, in enterprise
 security architecture, 961
- Authentication systems, 999–1000
- Authoritative SNMP engine, 215
- Authoritative web pages,
 identifying, 663

- Authorities, 480, 663, 669. *See also* Authority
 Authority, required for information security manager, 943–944
- Authorization. *See also* Authentication, authorization, and accounting (AAA)
 authentication and, 961
 in enterprise security architecture, 962, 971
 in GeoDRM Reference Model, 936
 in identity management, 909–910
 in payment systems, 449
 in wireless Internet, 512
- Authorship
 copyright and, 783–784
 under the European Software Directive, 791
- Autoassociative ANNs, 335–336, 343. *See also* Artificial neural networks (ANNs)
- Autoassociative networks, nonlinear, 335
- Automated auction technology, 616
- Automated clearing house (ACH), 463
- Automated clearing house system, 455, 456
- Automated credit card fraud, 685
- Automated diagnostic systems, 317
- Automated planning and scheduling, 316
- Automated publishing systems, 631–632
- Automated vote-counting technology, 773
- Automatic bid requests, 440
- Automatic Mapping System (AUTOMAP), 272
- Automatic repeat request (ARQ), 515
- Automatic replenishment, 440
- Automatic [automated] teller machines (ATMs), 455, 463
 credit card number theft and, 684–685
- Automatons, 306
- Autonomy, as a system attribute, 361–362
- Availability
 in enterprise security architecture, 958
 in information security management, 954
- Awareness, 260
 in credible security policy, 980
 in security awareness programs, 977, 978–979
- Awareness campaigns. *See also* Security awareness entries
 impact of, 880
 in information security management, 953
- Awareness materials, security awareness programs and, 975–976, 984
- Axon, 331
- B2B activities, 438. *See also* Business to business entries
- B2B business models, 440
- B2B e-commerce models, 442
- B2B functionality, expansion of, 443
- B2B portals, 444
- B3G systems, 109–110, 522
- Backbones, 395
- Backdoors, 677, 688
- Back-end systems
 basic security safeguards and, 1012
- Backhauls, 112
- Backlinks, 472, 473
- Backpropagation algorithm, 343
- Backpropagation networks, 336
- Backpropagation with momentum, 339
- Backsourcing, 575
- Backups, 16, 17, 1021, 1031
 in disaster planning, 1018
 fundamentals of, 1026–1027
 as security measure, 1013–1014
 storage technologies for, 1027–1029
 strategies for, 1026–1027
- Backup tapes, in security attack recovery, 1008
- Backward chaining, 323, 329
- Badges, forgery of, 865
- Bad security behaviors, 978–979
- Baker v. Selden*, 779
- Balanced scorecards, 499, 502, 507
- Baltimore fire standardization, 739–740
- Band interleaved by line (BIL), 288
- Band interleaved by pixel (BIP), 288
- Band sequential (BSQ), 288
- Bandwidth, 113, 170, 174
- Banking, Internet applications for, 404
- Bank loans, 413
- Barnes & Noble Express Lane technology, 765
- Basel Committee on Banking Supervision (BASEL), 1030
 in information security management, 943
- Baselines, in credible security policy, 982
- Basic service set (BSS), 519, 522
- Basic standards, 744
- Basili, Victor, 983
- Batch learning, 335, 344
- Batch processing, 463
- Battle of currents, 750
- Bayesian game model, 195
- Bayesian inference, 324
- Bayesian Nash equilibrium, 619
- Bayesian Nash implementation, 619
- Bayes poison, 677
- BBBOnline, 600
- BDI model, 368–369
- Beauregard claims, 816
- BeFound, 862
- BeFound Pro, 862
- Behavior, in security awareness programs, 978–979, 982
- Behavioral standards, 743
- Belief-desire-intention (BDI) model, 363
- Bell System monopolies, 739
- Bench trial, 701
- Beowulf cluster, 159, 161, 170
- Berne Convention for the Protection of Literary and Artistic Works, 727, 728, 729, 892
- “Berne-plus” instrument, 728
- Bernz’s Social Engineering Tips, 864
- Best mode, 815
 patentability and, 814
- Beta testing, in security awareness programs, 987
- Beyond a reasonable doubt standard, 701
- Beyond Budgeting Round Table (BBRT) model, 499–500
- Bias, 333
- Bidders Edge, 707
- Bidding rings/cartels, 623
- Bid-phrases, 474
- Bids, descending order of, 617
- Bid structure, in auction
 classification, 614
- Binary schema integration, 252
- Binding, of anonymous credentials, 903
- Biological neurons, 331
- Biometric authentication, electronic signatures and, 1002
- Biometric data, in identity management, 899
- Biometric identity, 904–905
- Biometric keys, in biometric identity, 904–905
- Biometrics, electronic signatures and, 999–1000
- Biometric security measures, 1013, 1014
- Biometric verification, 898
- Bitstream copy, 929
- BitTorrent, 173, 174, 175
- BlackBag Technologies, 928
- BlackBerry [mobile] email service, 173, 557
- Blackburst, 73
- Blakey v. Continental Airlines*, 708–709
- Blogging, 399, 631, 662–663. *See also* Blogs; Weblogs (blogs)
- Blogging architecture functionality, 631
- Blog IQ principles, 605
- Blogs, 608, 636, 862. *See also* Weblogs (blogs)
 business use of, 264
- Blue Cross and Blue Shield (BCBS), 490
- Blue Origin, 632
- Bluetooth, 12, 42, 463, 538–539
- Bluetooth-based payment systems, 462
- Blurring, trademark dilution by, 831
- Body language, computer interpretation of, 352
- Bolts, as security measure, 1015

- Boltzmann Machine stochastic asynchronous recurrent ANN networks, 336
- Bomb threats, 926
- Bookmarking, 264–265
- Boolean retrieval model, 468
- Bootlegging, 886, 892, 894
- Boot-sector viruses, 675
- Bootstrap simulation methodologies, 342
- Borda Count, 478–479
- Bordered Internet, 724
- Border gateway protocol (BGP), 27
- Border measures, under the TRIPS Agreement, 734
- Botnets, 445
- Bots, 707
- Bottom-up assembly processes, 374
- Bottom-up DDBMS design, 245
- Bottom-up parsing, 355
- Bowers v. Baystate Technologies Inc.*, 845–846
- Boyce-Codd Normal Form (BCNF), 233, 236
- Brain, security awareness programs and, 983–984, 985–986
- “Brain-State-in-a-Box” (BSB) neural model, 336
- Brand certification authority, 454
- Branding challenges, of click-and-brick companies, 432
- Brands’s scheme, with anonymous credentials, 903
- Breach, 1009
in security awareness programs, 991–992
- “Break-the-glass” principle with GeoDRM Reference Model, 937
- Brick-and-click, 532
- Brick-and-click businesses, 525
- Bricks-and-click companies, 484, 526
- Brick-only companies, 430
- Brick-only retailer, 432
- Bridges, 9–10, 19
- Briefings for executives, as security awareness tool, 991
- British Horseracing Board Ltd and Others v. William Hill Organization Ltd.*, 793
- British Standard on Business Continuity Management (BCM), 1031
- Brittle expert system, 322
- Broadband wireless access (BWA), 126, 461
- Broadband wireless access systems, 116–118
- Broadband wireless Internet, IEEE standards toward, 519–521
- Brochures, as security awareness tool, 989
- Brochureware, 525
- Brokerage firms, Internet applications for, 404
- Broker [age] model, 419, 420, 527–528
- Browser helper object (BHO), 676
- Browsers
digital signatures and, 997
in identity management, 914–915
- Browser-server interaction, 645
- Browsewrap license, 853
- Browsing Behaviour* dimension, 661
- Browsing behavior, studying, 653
- Browsing patterns, association rules to discover, 658
- Browsing sequence, studying, 655
- Brussels Convention, 722
- Brussels I Regulation, 722
jurisdictional rules in, 723
- Brussels Regulation, 853
- Budget balance, in auctions, 619–620
- Budgets, for information security management, 949–950
- Buffer overflow, 678–679
- Bulk data transfer capability, 212
- Bullwhip effect, 303
- Business
digital evidence and, 922
disaster paradigm shifts within, 1021
enterprise security architecture and, 957
fuzzy logic for, 303
GIS and, 286
information security policies and, 927
insiders in, 925–926
in security awareness programs, 976–977
selecting electronic signature system for, 1000–1001
understanding, 1023–1024
Web, 641
- Business activity monitoring (BAM), 498
- Business angel, 414. *See also* Angel investors
- Business applications, location-based services for, 556–557
- Business architecture, 501
- Business continuity (BC), 1020–1021
current scenario for, 1021–1022
laws and regulations in, 1029–1031
management practices and, 1022
risk management and, 1025–1026
risks to, 1022
- Business Continuity Institute, 1023
- Business continuity management (BCM), 1023, 1031
- Business Continuity Management — Good Practice Guidelines*, 1023
- Business continuity plan, 1031
- Business Continuity Rules, 1031
- Business-critical technologies, downtime losses and, 1024
- Business decision-making process, reengineering, 506
- Business ecosystem, 507
- Business idea, 410
robust, 411
- Business impact analysis (BIA), 1021
in business continuity management, 1024, 1031
- Business management, collaborative commerce trends and, 494–500
- Business management and administrative support team, in information security management, 945
- Business methods, patentable, 813
- Business models, 265, 414, 482–483, 492, 532, 558
Business-to-consumer, 525–533
defined, 547
- Business networking [Web] sites, 860–862, 881
- Business operators, licensing and, 934
- Business plans, 414
considerations for developing, 409–410
content of, 410
e-commerce, 410–412
for electronic commerce projects, 407–414
types of, 410
- Business process ecosystems, dissemination of, 506
- Business processes
in information security management, 947
re-engineering, 607
- Business process management, 590
- Business process outsourcing (BPO), 565
- Business process reengineering (BPR), 590
- Business resources, mobile connection with, 558
- Business services, failures of, 1023–1025
- Business Software Alliance (BSA) studies, 888–889
methodology of, 890
- Business-to-business (B2B) activities, 416. *See also* B2B entries
- Business-to-business (B2B)/business-to-employee (B2E) business model, 547
- Business-to-business electronic commerce, 438–447
benefits of, 438–439
challenges in, 445–446
collaborative, 443
components of, 440–442
customer relationship management in, 443
defined, 438–439
foundations of, 439–440
innovations and trends in, 442–445
international trends in, 444
small-business, 444–445
XML-enabled EDI and, 444
- Business-to-business information quality problems, 596
- Business-to-business marketplaces, 488–491
characteristics of, 489
- Business-to-consumer (B2C) activities, 416

- Business-to-consumer business model, 547
- Business-to-consumer information quality problems, 595–596
- Business-to-consumer marketplace, 482–488
- Business-to-consumer Web business models, 525–533
 - broker model, 527–528
 - content provider model, 528
 - market creator model, 527
 - online community model, 528–529
 - retail model, 526–527
 - service provider model, 528
- Business-to-employee (B2E) activities, 416
- Business-to-everyone (B2E) electronic commerce, 443–444
- Business-to-government (B2G) electronic commerce, 443
- Bus network, 3, 19
- Bus topology, 3
- Buyer benefits, in click-and-brick electronic commerce, 429–430
- Buyer-seller interactions, in click-and-brick e-commerce, 428
- Buyout auctions, 614
- Cable shielding, as security measure, 1015
- Cache memory, 648, 669
- Caching, 628, 637
- Cadmus Adaptive Risk Assessment Decision Framework, 379
- Calder v. Jones*, 711
- Calendars, incredible security policy, 982
- California Air Resources Board (CARB), 749
- Callback modems, 1014
- Call control function (CCF), 79
- Call market, 614
- Camenisch-Lysyanskaya scheme, with anonymous credentials, 903
- Campbell v. Acuff*, 787
- Campus area networks (CANs), 1
- Canadian Charter, 754, 765, 772
- Canadian Human Rights Act, 757
- Candidate key, 232
- Candle auction, 614
- Cannibalization, 433
- CAN-SPAM Act of 2003, 705
- Captcha, 906
- Card, 463
- Cardholder certification authority, 454
- Cardholder Information Security Program, 688
- Cardholder Wallet, 453
- Cardspace, in identity management, 917, 918
- Care-of-address concept, 541
- CARFAX, 600
- Carnegie-Mellon University, 1004, 1016
 - computer crime and, 922
 - on information security management, 947–948
- Carrier agents (CAs), 89–90
- Carrier sense multiple access with collision avoidance (CSMA/CA), 43, 519, 522
- Carrier sense multiple access with collision detection (CSMA/CD) access method, 4
- Case-based reasoning (CBR), 323–324, 329
- Case grammar, 354
- Case logical neuron level, 355
- Cash card, 463
- Casino Web sites, crimes against, 922
- Cassiopeia, 365
- CAT5 patch cable, 7. *See also* Category entries
- CAT6 twisted-pair cable, 6, 7
- Catalog distribution infrastructure, 435
- Catalog merchants, 484
- Catalog stores, 526
- Category 1 (CAT1) cable, 6. *See also* CAT entries
- Category 7 (CAT7) cable, 6–7
- Cause-and-effect diagrams, 594
- CAVEcomm, 144
- Cavity viruses, 675
- CBC-DES Symmetric Encryption Protocol, 215
- C-commerce gap analysis, 501. *See also* Collaborative commerce (c-commerce)
- C-commerce model, 496
- C-commerce operations, strategic planning for managing, 503–506
- C-commerce pilot projects, implementation roadmap for, 502–503
- C-commerce solutions, strategic planning for creating, 500–503
- C-commerce strategic planning, methodology of, 500–502
- C-commerce visioning process, 500
- CDMA-2000, 126. *See also* Code division multiple access (CDMA)
- cdma2000 1xEV technology, 108
- CDMA-based 3G standards, 107
- CDMA-based standards, 103–104
- CDMA cellular system, 122
- cdmaOne system, 105
- CDMA standards, 108
- CDMA systems, 98–99, 105
- CDMA technology, 107
- CD-ROMs, as security awareness tool, 990
- CDs (compact discs), social engineering using, 870. *See also* Compact disc
- Cell cluster, 98
- Cell of origin (COO), 540
- Cell sectoring, 98
- Cellular communications, 98
- Cellular network integration, with wireless LAN, 516–519
- Cellular networks, 96–111, 122–123, 218, 536
 - first-generation (1G), 101–103
 - fundamentals of, 97–101
 - location management for, 218–219
 - mobility management in, 99–101
 - second-and-a-half generation (2.5G), 105–106
 - second-generation (2G), 103–105
 - standards for, 101
 - third-generation (3G), 106–108
- Cellular providers, 115–116
- Cellular systems, evolution of, 513
- Cellular technologies, 114
- Cellular to VoIP, 60
- Cellular world, recent advances in, 109–110
- Censorship
 - governmental, 424
 - of sexually explicit content, 755–756
- Censorship issues, 707
- Center for Biological and Environmental Nanotechnology (CBEN), 378
- Center for Democracy and Technology, on identity management, 911
- Center for Natural Language Processing (CNLP), 584
- Centers for the Environmental Implications of Nanotechnology (CEIN), 378
- Central Desktop, 503
- Central hub, 506
- Centralized P2P architecture, 175
- Centralized systems, in identity management, 912
- Century 21 Real Estate Corp. v. Sandlin*, 835
- Ceremony of commitment, 1002
 - in selecting electronic signature system, 1001
- CERN, 640, 641. *See also* European Organization for Nuclear Research (CERN)
- CERT/Coordination Center, 1004
- Certificate, 463, 906
- Certificate authorities (CAs), 195, 1002
 - digital signatures and, 997
- Certificate revocation lists (CRLs), 997, 1002
- Certificates, 897
- Certification authorities (CAs), 453, 866
- Certification marks, 825
- Certification Practice Statement (CPS), digital signatures and, 997
- Certification trademark, 840
- Certified computing professional (CIP), in security awareness programs, 977
- Certified digital identity representations, 901–904
- Certified identity attributes, 897

- Certified Information Systems Security Professionals (CISSPs), 942
 in security awareness programs, 977
- CERT Program, on information security management, 947–948
- Chainsaw, 175
- Challenge-Handshake Authentication Protocol (CHAP), with RADIUS protocol, 964
- Challenge-response authentication
 in enterprise security architecture, 961–962
 with RADIUS protocol, 964
- Chamberlain v. Skylink*, 806
- ChangeCipherSpec Protocol, SSL/TLS and, 970
- Channel conflict, 435
- Channel requests, with Secure Shell connection protocol, 971
- Channels, 432, 435
 exploiting, 531
 with Secure Shell connection protocol, 971
- Channel service unit/data service unit (CSU/DSU), 11
- Character-based browsers, 397–398
- Charge cards, 452, 463
- Charter
 in credible security policy, 981
 in CSIRT formation, 1006
- Charter of Fundamental Rights of the European Union, 754
- Check, 463
- Check card, 463
- CheckFree, 452
- Check guarantee system, 463
- Chemical Markup Language (CML), 583
- Chief executive officer (CEO), business continuity and, 1022
- Chief information officer (CIO)
 business continuity and, 1022
 in security awareness programs, 977
- Chief information security officer (CISO), 940
 in security awareness programs, 977
- Chief operating officer (COO), business continuity and, 1022
- Child exploitation, 926
- Child Online Protection Act (COPA), 756
- Child pornography, 699, 926
 Trojan horse defense in, 700
- Children, Web pornography and, 755–756
- Children's Internet Protection Act (CIPA), 424, 759
- Children's Online Protection Act (COPA), 424
- China, VoIP in, 57–58
- China Research and Development Environment Over a Wide-Area Network (CROWN), 152, 155, 156
- Chip card, 463
- Chip-level multiprocessing (CMP), 162
- C-TNL language, 190
- Choice-of-evils justification defense, 696–697
- Choice of law, 724
 varying approaches to, 723–724
- Chunkspread, 175
- Cialdini, Robert, on security awareness programs, 985
- Circuit, 35
- Circuit model, 390
- Circuit switching, 35
- Circumvention, 808
- Circumvention violations, under the Digital Millennium Copyright Act, 797
- Cisco TelePresence, 261
- Civil Contingencies Act of 2004, 1030
- Civil copyright infringement, 789–790
- Civil justice system, criminal justice system versus, 693
- Client/server environments, 139
- Claim limitation, 820
- Clark & Freeman Corp. v. Heartland Company Ltd.*, 839
- Clark, Ruth Colvin, on security awareness programs, 984
- Classification, 655, 669
 of Web pages, 656
- Class importance vector, 472
- Classroom training, as security awareness tool, 989–990
- Clearing process, 463
- Clear to send (CTS) control frame, 520
- Click agreements, 999, 1002
- Click-and-brick business decisions, 428–429
- Click-and-brick business model, 435.
See also Click-and-brick model costs associated with, 430
- Click-and-brick companies, 416, 427, 428
 integration decisions in, 431–433
 market expansion of, 430
 successful, 435
- Click-and-brick corporate travel agency, 434
- Click-and-brick department store, 434–435
- Click-and-brick electronic commerce, 427–437
 back-end implementation challenges of, 431–433
 benefits of, 429–430
 examples of, 433–435
 front-end implementation challenges of, 431
- Click-and-brick electronic commerce understanding, 428–429
- Click-and-brick grocery retailer, 433–434
- Click-and-brick model, benefits of, 434.
See also Click-and-brick business model
- Click-and-brick services, 429
- Click-and-mortar, 532
- “Click” contracts, 705
- Click e-agreements, 706
- Click fraud, 425, 847
- Clickstream quality analysis, 603, 607–608
- Click-through agreements, 842
 best practice for, 850–851
- Clickwrap contracts, 713
- Clickwrap licenses, 708, 853
- Client, in digital rights management, 938
- Client authentication, 686
 with SSL/TLS, 969
- Client-based architecture, 131
- ClientHello message, with SSL/TLS, 969
- Client process, 140
- Client requests, with Secure Shell connection protocol, 971
- Client/server architecture
 n-tier, 131–132
 three-tier, 131
 two-tier, 131
- Client-server based architectures, for DDBMSs, 244
- Client/server computing, practical motivations of, 129
- Client/server model, with RADIUS protocol, 963–964
- Client/server networks, 2
- Client/server paradigm, 645
- Client/server software classifications, 129–134
- Client/server software architecture, 128, 139, 140
- Client/server system architecture, 139
- Client/server tier, 140
- Client/server tier-based classification method, 130–132
- Client-side biometric identification, 904–905
- Client-side e-commerce vulnerabilities, 675–678
- Client-side e-wallet, 459
- Client-side password insertion, in identity management, 913–914
- Client-side software, Web 2.0, 634
- Client-side validation, bypassing, 682
- Client-vendor arrangements, 564
- Cliffs Notes, Inc. v. Bantam Doubleday Dell Pub. Group, Inc.*, 837
- Clipper computer chip, 769
- Closed-lock symbol, 866
- Closed loop credit card systems, 452
- Closed markets, 489
- Closed standards, 741
- Cluetrain Manifesto, The* (Levine, Locke, Searls, and Weinberger), 265, 268
- Cluster architectures, 160–162
- Cluster components/technologies, 162–167

- Cluster computing, 159–172
 - advanced topics in, 168–170
 - emerging trends in, 168–169
- Clustering, 655, 656–657, 669
 - fuzzy, 300
- Clustering approaches, 656
- Cluster interconnects, 163, 169
- Cluster management tools, 166
- Cluster nodes, 162
- Cluster state quantum computation, 390
- Cluster technologies, 160
- CMI (Chartered Management Institute)
 - survey, 1021, 1022
- CMIP over TCP/IP (CMOT), 211
- Coaxial cable, 6
- Coaxial cable systems, 23–24
- Co-channel cells, 98
- CODASYL network model, 226
- Code, as speech, 807–808
- Co-decision-making functionality
 - group decision support systems, 262–263
 - groupware, 258–259
- Code division multiple access (CDMA), 97, 126, 463, 544. *See also* CDMA entries
- Code of ethics, e-commerce, 599–600
- Code of Federal Regulations (CFR), 1030
- COders/DEcoders (CODECs), 64–65, 75
- Coding distortion, 66
- Cognitive science, security awareness
 - programs and, 983–984
- Cohorts, 251
- Collaboration, 507
 - as a critical success factor, 505
- Collaboration functionality, groupware, 258
- Collaboration practices, 503
- Collaboration processes, 507
- Collaborative business practices, 495, 497
- Collaborative commerce
 - (c-commerce), 416, 425, 494–509. *See also* C-commerce entries;
 - Collaborative e-commerce
 - critical success factors in, 496–498
 - future trends in, 499–500
 - incentives for adopting, 507
 - perspective on, 494–496
- Collaborative commerce trends, 494–500
- Collaborative e-commerce, 443
- Collaborative marketing campaigns,
 - developing an architecture for, 504–506
- Collaborative planning, forecasting, and replenishment (CPFR), 491, 497, 507
- Collaborative product commerce (CPC), 508
- Collaborative product commerce
 - models, 497
- Collaborative strategies, 499
- Collaborative Web sites, 662–663
- Collaborative working environments (CWEs), 261–262
- Collection frequency, 476
- Collection Retrieval Inference Network (CORI Net), 476–477
- Collections of Information Antipiracy Act, 782
- Collective intelligence, 266
- Collective marks, 825
- Collective trademark, 840
- Collision, 8
- Collision domain, 19
- Collocation, 637
- Collocation models, 630
- Columbia University Department of Computer Science CSIP, 70
- Combinatorial auctions, 617
 - surveys on, 623
- Combinatorial bidding, 615–616
- Comb v. PayPal, Inc.*, 849
- Command generator, SNMPv3, 214
- Command responder, SNMPv3, 214
- Commerce
 - GIS and, 286
 - use of common law rights in, 827–828
- Commerce clause, 698
- Commercial data, security of, 957
- Commercial leased facilities, for backup
 - and recovery, 1027
- Commercial off-the-shelf products (COTS), in CSIP organization, 1005–1006
- Commercial practice, copyright in, 777–779
- Commercial/proprietary GIS software, 280–281
- Commercial software piracy, 886
- Commercial speech, 837
- Commissioned work, 783
- Commit protocols, 251
- Committee of Sponsoring Organizations (COSO), on security awareness programs, 976, 992
- Commodity off-the-shelf (COTS), 170
- Commodity off-the-shelf hardware, 159
- Common access routes, sequence
 - patterns to discover, 658
- Common gateway interface (CGI), 132–134, 637
- Common gateway interface scripts, 143, 628
- Common information model (CIM), 48
- Common knowledge, in security awareness programs, 978–979
- Common law, 736
- Common law rights
 - limits on, 828
 - use in commerce, 827–828
- Common Management Information Protocol (CMIP), 31, 206, 207, 221
- Common Management Information Service (CMIS) specification, 31
- Common model, 48
- Common morality, 754
- Common object request broker
 - architecture (CORBA), 82–83, 93, 136, 156, 581
 - introducing to intelligent networks, 83–85
- Common sense
 - in credible security policy, 980
 - in security awareness programs, 978–979
- Common value auctions, 622
- Common-value model, 618
- Communication. *See also*
 - Communications
 - within CSIRTs, 1007
 - extranets and, 402
 - Internet, 408–409
 - inter-robot, 317
 - via groupware and social software, 268
- Communication complexity, in auction
 - design, 621
- Communication devices, costs of, 38
- Communication functionality, 257–258
- Communication integrity, in enterprise security architecture, 958
- Communication Model, in OSI network management, 207
- Communication protocols, 166–167
- Communications
 - in contract management, 573
 - two-dimensional, 513
 - Web, 641
- Communications approach, to credible security policy, 981–082
- Communications Decency Act of 1996 (CDA), 707, 713, 756
- Communication servers, 2
- Communication services, 144
- Communications expertise, incredible security policy, 980
- Community, defined, 201
- Community for Creative Non-Violence et al. v. Reid*, 783
- Community Framework for Electronic Signatures, 1001
- Community model, 421, 422
- Compact disc, DMCA exemptions for, 803. *See also* CDs (compact discs)
- Companies, web strategy of, 529–531
- Company standards, 744
- Comparative advertising, 837
- Comparison shopping sites, 528
- Compatibility, of intelligent agents, 361–362
- Compensatory damages, under the TRIPS Agreement, 734
- Competition, downtime losses and, 1025
- Competition models, 422
- Competitive advantage
 - of the click-and-brick model, 430
 - on the Web, 529–530

- “Compilation,” under the TRIPS Agreement, 728–729
- Compilations, 794, 795
 - copyrights on, 782–783
- Complement of a fuzzy set, 293
- Completeness rule, 246
- Complexity management, 361
- Compliance, security awareness programs and, 975–976
- Compliance statements, as security awareness tool, 989
- Component-based middleware, 135–137
- Component database, 254
- Component environment, 140
- Component model, 140
- Component Object Model (COM), 136, 581
- Components, 140
- Compositional rule of inference (CRI), 295
- Compression, 75
 - with Secure Shell transport layer protocol, 970
- Compression viruses, 675
- Compromise, 1009
- Compulsory licenses, 736
 - scope of, 733
 - to use patented inventions, 732–733
- Computational autonomy, 371
- Computational grid, 142
- Computational intelligence (CI), 303
- Computational objects (COs), 84
- Computational resource broker (CRB), 144
- Computer-aided design-based (CAD) systems, 287
- Computer aided process planning, ANN, 341
- Computer Associates v. Altai*, 780
- Computer-based information systems (CBIS), 347
- Computer crime. *See also* Crimes; Cybercrime entries
 - business and, 922
 - described, 922
 - digital evidence and, 921–922
 - information security policies and, 927
- Computer Crime and Fraud Act, 770
- Computer Crime and Security Survey*, 872, 877
- Computer criminals, basic security safeguards against, 1012
- Computer Emergency Response Team/Coordination Center, security incident data collection by, 1004
- Computer Emergency Response Teams (CERTs), 1004, 1009
 - services of, 1016
- Computer Incident Advisory Capability (CIAC), 1016
- Computer Incident Response Teams (CIRTs), 1004, 1009
- Computer information, misuse of, 700
- Computer intrusions, 770–771, 926
 - information security management and, 941
- Computer invasion of privacy, 699
- Computer languages, 347
- Computer programs, 795
 - copyright limitations regarding, 786–787
 - copyright of, 780–781
 - as derivative works, 785
 - DMCA exemptions for, 803
 - exploitation rights and exceptions related to, 791–792
- Computer-related inventions, 816
- Computers
 - crimes against, 922
 - crimes using, 922
 - networking, 1–2
- Computer security, 769–771
 - legal protection of, 770
- Computer Security Act of 1987, 987
- Computer [Corporate] Security Incident Response Teams (CSIRTs), 1004–1010
 - communication within, 1007
 - described, 1004
 - formation of, 1006
 - in information security management, 952
 - justifications for, 1004–1005
 - organization of, 1005–1006
 - in prosecutions, 1007
 - after security attacks, 1008–1009
 - during security attacks, 1007–1008
 - technology related to, 1006
- Computer Security Institute (CSI), 877
 - computer crime and, 922
 - information security management and, 941
 - security incident data collection by, 1004
- Computer security rights, moral legitimacy of, 770
- Computer Security Technology Center (CSTC), 1016
- Computer Software Rental Amendments Act, 886
- Computer supported cooperative work (CSCW), 269
- Computer systems, 224
- Computer theft, 699
- Computer viruses, 701. *See also* Viruses; Worms
- Computer vision, 316
- Computer worm, 688. *See also* Worms
- Computing network, 37
- Conceptual dependencies theory, 355, 357
- Conceptual design, 229–233
- Conditional Access for Europe (CAFE), 457
- Conditional anonymity, in identity user control, 900
- Conditional release
 - with anonymous credentials, 903
 - with certified digital identity representations, 901–902
 - with online issued tokens, 902
- Conditions
 - in digital rights information model, 933
 - in Open Digital Rights Language, 935
- Condorcet voting-based method, 479
- Conference on Database Systems Languages (CODASYL), 225
- Conferences, as security awareness tool, 991
- Confidence factors, 324–325, 329
- Confidential information, protecting, 450
- Confidentiality, 677
 - basic security safeguards and, 1012
 - with certified digital identity representations, 901
 - of data, 17
 - of digital signatures, 996
 - of e-commerce, 600
 - of electronic transactions, 1016
 - enterprise security architecture and, 957–958, 971
 - in identity user control, 899, 900
 - in information security management, 954
 - with IPsec, 968
 - with online issued tokens, 902
- Confidentiality, integrity, and availability (CIA) security components, 674
- Configuration list, 16
- Configuration management, 208, 221
- Conflict of laws, 729
- Confluence, 264
- Conformity assessment, 740, 744, 751
- Confusion factors, in trademark infringement, 830
- Connection programs, 475
- Connectionless integrity, with IPsec, 968
- Connectionless network services (CLNS), 26
- Connection protocol, with Secure Shell, 971
- Connection setup, with Secure Shell transport layer protocol, 970
- Connection technologies, 40
- Connection weight, 332, 343
- Consensus, as a due process requirement, 745
- Consent, ethical significance of, 767–768
- Consequent, 329
- Consequentialism, 774
- Consequentialist theories, 753
 - on privacy rights, 766
- Conservation, GIS and, 285–286

- Consideration, as a due process requirement, 745
- Consistency, social engineering and, 859
- Consolidator payment system, 451
- Consortia standards, 740, 741
- Consortium, 751
- Constant interaction, 246
- Constitution. *See* U.S. Constitution
- Constraints
 - in digital rights information model, 933
 - in digital rights management, 938
 - in Open Digital Rights Language, 935
- Constraint terms, in OMA DRM specification, 935
- Consultants, in information security management, 942
- Consumer demand, 39
- Consumer information
 - business dissemination of, 766
 - value of, 768
- Consumers, in digital rights management architecture, 933
- Consumer Sentinel, 898
- Consumer-to-consumer (C2C) activities, 416
- Consumer welfare, 751
- Contactless payment, 461
- Containment, 1009
 - CSIRTs during, 1007–1008
- Content, in digital rights management architecture, 933
- Content-encryption algorithms, with S/MIME, 966
- Content issuers, in OMA DRM specification, 935
- Content-line, 478
- Content management, in digital rights management, 938
- Content objects, in OMA DRM specification, 935
- Content provider business model, 531
- Content provider model, 528
- Content providers, 486–488, 492
 - in digital rights management architecture, 932–933
- Content scramble system (CSS), 803–804, 808
- Content tracking, rights enforcement and, 932
- Contests, as security awareness tool, 990–991
- Context-bound transactions, with anonymous credentials, 903
- Contexts, SNMP, 216
- Contextual advertising, 475
- Contextualized searches, 480
- Continuation-in-part (CIP), 815
- Continued operations, security attack repair and, 1008
- Continuity of Government (COG), 1030
- Continuity of operations (COOP), 1030
 - in information security management, 952–953
- Continuous data protection (CDP), 1026–1027
- Continuous double auction (CDA), 614
- Continuously changing data objects (CCDOs), 238–240
- Continuous training, 879
- Contractarianism, 774
- Contractarian theories, 754
 - free speech rights and, 755
- Contract law, on the Internet, 705
- Contract management, 573
- Contract purchasing, 489
- Contracts, 853. *See also* International contracts; Online technology contracts
 - amended terms in, 848–849
 - under e-commerce law, 843–844
 - under intellectual property law, 843
 - in network management, 33
 - online, 842
 - with unconscionable terms, 849
 - unenforceable for unconscionability, 849–850
- Contracts for the international sale of goods (CISG), 711
- Contractualism, 754
- Contributory infringement, 763–764, 789, 817
- Control. *See also* Control's
 - in enterprise security architecture, 958
 - in federation of identities, 913
 - in identity management, 911, 915
- Control families, in information security management, 948, 949
- Controlled channel access (HCCA), 75
- Controllers, 318
 - in robots, 309
- Controlling the Assault of Non-Solicited Pornography and Marketing (CAN-SPAM) Act, 758
- Control objectives for IT (COBIT), in security awareness programs, 976, 992
- Controls
 - defined, 948
 - in information security management, 943–944, 948–949
- Conventional fuzzy control system, 296
- Convention on Cybercrime, 701
- Convergent technology trading zone, 376–377
- Conversation
 - with customers and suppliers, 265–266
 - security awareness programs and, 985–986
- Conversational advisory systems, natural language interfaces to, 357
- Cookies, 648, 683, 774
 - corporate use of, 767–768
 - in identity management, 914–915
- Coolstreaming, 175
- Cooper, Alan, on security awareness programs, 985
- Cooperative search engines, 477
- Coordination, extranets and, 402
- Coordination functionality, groupware, 258
- Coordination problem, 751
- Copies, right to distribute, 785
- Copper wire, 6–7
- Copying
 - of digital evidence, 923
 - illicit, 763–764
 - versus stealing, 700
- Copy protection, technical means of enforcing, 894
- Copy protection mechanisms, for software, 887–888, 891
- Copyright(s), 424, 701, 736, 774, 853
 - alternative perspectives on, 635
 - in commercial practice, 777–779
 - relationship with contract, 846
 - software, 892
 - subject matter of, 780–783
 - under the TRIPS Agreement, 728–729
- Copyright Act. *See* United States Copyright Act
- Copyright Act
- Copyright fear, 778
- Copyright holders
 - limitations on exclusive rights of, 786
 - rights and limitations of, 784
- Copyright infringement, 762, 786, 789–790, 794–795, 799
 - as criminal offense, 790
 - types of, 789
- Copyright law, 635, 699, 760, 777–796
- Copyright notice, 780
- Copyright ownership, transfer of, 784, 795
- Copyright piracy, 926
- Copyright preemption, 846
- Copyright protection
 - conditions for, 779–780
 - under the European Database Directive, 792–794
 - under the European Software Directive, 790
 - of software, 885–886
- Copyright regime, exclusive rights under, 792–793
- Copyright registration, 780
- Copyright term, 788–789
- Copyright tools, 777
- Copyright Treaty, 932
- Coral Consortium, 934
- Core competencies, outsourcing and, 568
- Core model, 48
- Core of a fuzzy set, 293
- Core platform services, 498

- Core topics, in security awareness programs, 976
- Corner bolts, as security measure, 1015
- Corporate domain registration, 627
- Corporate location-based services, 536
- Corporate networks, basic security safeguards and, 1012
- Corporate software piracy, 892
- Corporations
- data kept by, 768
 - digital evidence and, 925
 - intellectual property rights of, 761
 - use of personal information, 767–768
- Corrective maintenance, 608
- Correctness, rules of, 246
- CORVID shell, 325
- Cosine function, 468
- Cost(s)
- of application service providers, 569
 - of outsourced Web hosting, 629
- Cost minimization, in auctions, 620
- Cost-per-download fee, 487
- Cost reduction, extranets and, 402
- Cost savings, outsourcing and, 568
- COTS-based clusters, 170
- Council of Europe Convention on Cybercrime, 701
- Counterfeiting, 926
- Counterfeit software, purchasing, 885
- Counter-mode/CBC-mac protocol (CCMP), 544
- Countries/cultures, segmentation of, 548–549
- Country code domains, 627
- Country code top-level domains (ccTLDs), 627, 635, 637
- Coupled simulations, 156
- Coupling, 522
- Court of Appeals for the Federal Circuit (CAFC), 815, 817
- Covisint, 490
- CPFR solutions, 507
- Crack, 894
- Cracker attacks, liability for, 709
- Crackers, 856, 887
- Cracking, 699
- Craigslist, 529
- Crawlers, 669. *See also* Web crawlers
- Creations of the mind, 783
- Creative Commons (CC) Initiative, 779, 938
- digital rights management specifications of, 936
- Creative Commons licenses, 635
- types of, 936
- Credibility
- of e-commerce, 599
 - measures of, 189–190
 - in security awareness programs, 986
- Credit-card-based payment systems, 452–454
- Credit card company, 464
- Credit card fraud, 525, 684–685
- Credit card numbers, one-time-use, 687
- Credit card payments, 684–686
- protecting, 686–688
- Credit card processing, steps in, 452–453
- Credit cards, 450, 463–464
- advantages and disadvantages of, 453
- Credit card theft, 709
- Crime Prevention Through Environmental Design (CPTED), 876
- Crimes, digital evidence and, 921–922. *See also* Computer crime; Cybercrime entries
- Crimes against humanity, 719
- Crime scenes, digital evidence and, 921
- Criminal juries, 695
- Criminal justice system(s), 693–703
- cybercrime and, 699–701
 - institutional structure of, 693–698
 - state and federal, 698–699
 - versus civil justice system, 693
- Criminal Resource Manual (Department of Justice), 802
- Crisp-Old* set, 292
- Crisp sets, 292
- Critical mass, 741
- CRM application software, 499
- CrossfireX, 162
- Cross-layer architecture, 515
- “Cross-layer” P2F design, 201
- Cross-retaliation, 736
- Cross-site request forgery (XSRF), 679–680
- Cross-site scripting (XSS), 679
- “Crowdsourcing,” 422, 425
- Crown architecture, 153
- CROWN Designer, 152
- CROWN Portal, 152
- CROWN Workflow, 152
- Cryptographic algorithms, 457
- in authentication, 962
 - for S/MIME, 965, 966
- Cryptographic keys, in biometric identity, 904
- Cryptographic primitives, in identity management, 802–904
- Cryptographic protocols, 388, 450
- Cryptographic technology, 143
- Cryptography, 666, 906
- in comprehensive security planning, 1017
 - in identity management, 912–913
- CT Motion, 556
- Culture specificity, in security awareness programs, 986
- Currency (being current), in security awareness programs, 986
- Currency counterfeiting, 926
- Current events, security awareness programs and, 987
- Curriculum Alignment Tool (CAT), 584–585, 591
- Customary international cyberlaw, 718
- Customary international law, 720
- Customary law, 724
- Customer account number, 455
- Customer-centric e-commerce value circle, 597–599
- Customer contacts, 599
- Customer expectations, understanding, 597
- Customer focus, 594, 597
- Customer information control system (CICS), 135
- Customer inquiries, 599
- Customer proprietary network information (CPNI), 544
- Customer quality requirements, understanding, 607–608
- Customer questions/complaints, 599
- Customer relationship management (CRM; e-CRM), 418, 446, 495
- Customer relationship management software, 442–443
- Customers. *See also* E-customers
- conversation with, 265–266
 - Internet, 596
- Customer satisfaction, 597, 599
- extranets and, 402
 - with information quality, 600
- Customer service quality, in click-and-brick companies, 431–432
- Customer services, 412
- in the e-commerce business plan, 412
- Customized application services, 565
- cXML, 490
- Cybercrime, 693–703. *See also* Computer crime; Crimes
- criminal justice system and, 699
 - defenses against, 700
 - defenses for, 695–697
 - electronic signatures and, 1002
 - internationally effective response to, 700–701
 - preventative measures against, 445
- Cybercrime cases, evidentiary issues in, 697–698
- Cybercrime Convention, 718–719
- Additional Protocol to, 719
- Cybercrime investigations, 693–694
- Cybercrime law(s), 693. *See also* Cyberlaw
- federal, 699
 - state, 699–700
- CyberKnife system, 307
- Cyberlaw, 704–716, 724. *See also* Cybercrime law(s); Cyberlaws; Cybertort law; E-commerce law; International cyberlaw
- as private international law, 721–724
 - employment and, 704–705
- Cyberlaw actions, increase in, 713
- Cyberlaw dispute resolution, 712
- Cyberlaws, conflict among, 710–712
- Cybermediators, 712
- Cyberpirates, 713, 833

- Cybersecurity standards, 742, 743
- Cybersecurity Work Programme, 701
- Cybersettle.com, 712
- Cyberslacking, 769
- Cyberspace
 - intellectual property laws and, 762
 - sovereignty in, 718
- Cybersquatting, 627, 637, 731, 736
 - judicial responses to, 832–834
- Cyberstalking, 699, 701
- Cyberterrorism, 774
- Cybertort law, harmonization of, 718
- Dail security tips, as security awareness tool, 989
- Damages
 - for copyright infringement, 789
 - under the TRIPS Agreement, 734
- DAML-OIL, 667
- DARPA agent markup language (DAML), 667. *See also* Defense Advanced Research Projects Agency (DARPA)
- Data, 669
 - backup and recovery of, 1026–1027
 - defined, 644
 - high-speed circuit-switched, 106
 - security of, 957
 - sharing, 1
 - signed and enveloped, 964–965, 966
- Database and Collections of Information Misappropriation Act, 782
- Data-base application programs, 225
- Database applications, 224
- Database design
 - logical version of, 234
 - three-step approach to, 229–236
- Database-driven search engines, 466
- Database engines, 449
- Database instance, 232
- Database instance manipulation, 237
- Database integration process, 252
- Database Investment and Intellectual Antipiracy Act, 782
- Database key (DBK), 226
- Database law, European perspective on, 792–794
- Database management system (DBMS), 225, 224, 240, 242, 271
 - GIS and, 279–280
- Database models, 225–229, 240
 - types of, 280
- Database normalization, 233–236
- Database optimization, 238
- Database query, 237–238
- Database representatives, constructing, 477
- Database requirements, for electronic payment systems, 449
- Databases (DBs), 224–241, 795. *See also* Distributed databases
 - of biometric information, 904
 - as compilations, 782–783
 - defined, 224, 792
 - European sui generis right for, 794
 - natural language interfaces to, 357
 - selection of, 480
 - term of protection for, 794
- Database schema, 232
 - manipulation of, 237
- Database Security Breach Notification Act, 710
- Database selection problem, 475
- Database selection techniques, 476
- Database selector, 475
- Database support, for new applications, 238–240
- Database systems, 224
 - defined, 225
 - design of, 280
- Database technology, 224
- Database transaction, 238
- Database trigger, 238
- Database “views,” 237–238
- Data Center Physical Security Checklist, 881
- Data-classification policy, 877
- Data collection, concerning security incidents, 1004–1005
- Data confidentiality, 17, 686
- Data consumers, in identity management, 917
- Data content management, in information security management, 950–951
- Data content types, with S/MIME, 966
- Data control, by outsourced Web hosting, 629–650
- Data convergence: quality of service for, 74
- Data coupling diagrams, 365–366
- Data dictionary
 - with MPEG-21 standard, 935
 - in Open Digital Rights Language, 935
- Data-directed reasoning, 323, 329
- Data encryption, as security measure, 1016
- Data encryption standard (DES), 117
- Data exfiltration, in information security management, 951
- Data files, in security attack
 - recovery, 1008
- Dataflows, in identity management, 911–912, 914
- Dataglove, 352
- Data handling categories, in credible security policy, 981
- Data inconsistency, 225
- Data integrity, 677, 686
 - with Secure Shell transport layer protocol, 970
- Data link layer, 138
- Data localization, 249
- Data Management Forum (DMF),
 - backups and recovery and, 1026
- Data minimization, in identity user control, 901
- Data mirroring, 1031
- Data objects, continuously changing, 238–240
- Data origin authentication, with IPsec, 968
- Data over cable service interface specification (DOCSIS) standard, 23
- Data ownership, loss of, 916
- Data privacy, 648–649
 - in information security management, 950
- Data processing power, 173
- Data protection
 - continuous, 1026–1027
 - in identity management, 916
- Data protection and security, 224
- Data reasonability tests, implementing, 604
- Data redundancy, 225
- Data security, 17
 - ensuring, 570
- Data Security Standard, 881
- Data services, 130
- Data sharing, 224
- Data staging area, 653
- Data standards, 744
- Data warehouses, 649–653, 669
 - architecture of, 659
- Data Web houses, 651–653, 669
 - KDD process and, 659
- Date of grant, 736
 - of a patent, 732
- Davidson v. Internet Gateway*, 801
- da Vinci system, 307, 308
- DDBMS architectures, 243–245.
 - See also* Distributed database management system (DDBMS) comparison of, 244–245
- DDBMS design, 245
- DDBMS query optimizers, 250
- Dead-reckoning technique, 314, 315
- Debit card, 464
- Debit-card-based payment systems, 454–455
- Debuggers, 168
- Decentralized P2P architecture, 175
- Deceptive relationships, social engineering and, 858
- Decision support system (DSS), 508
- Decision trees, 658
 - fuzzy, 301–302
- Declaratory judgment suit, 805
- “Decoherence-free subspace” approaches, 390
- Decomposition, in complexity management, 361
- Decryption
 - in biometric identity, 904
 - rights enforcement and, 932
- DeCSS system, 803–804, 808
- Dedicated server models, 630
- Dedicated sites, for backup and recovery, 1027
- Deductive reasoning, 323
- Deep linking, 706, 707, 763

- Deep Web, 466, 467, 480
- De facto* standards, 740, 741, 744, 745, 751
- Defamation, 713
- Defense Advanced Research Projects Agency (DARPA), 667, 1016
- Defense and security robotics sector, 307
- Defense attorneys, 694–695
- Defense of property theory, 696
- Defuzzification methods, 296
- Defuzzification step, 297
- Degrees of certainty, 324, 329
- De jure* standardization, 744–745
 - of government agencies, 746
- De jure* standards, 740–741, 751
- Delayed debit card, 464
- Delay jitter, 66
- Delegated IDP functions, with online issued tokens, 902
- Deliberative architectures, 363
- Dell Computer, 440
- Dell patent infringement cases, 749
- Delphi, 490
- Delta-bar-delta learning, 339
- Demand chain, 508
- Demand chain integration, 497
- Demilitarized zone (DMZ), 18, 132–133, 140
 - as enterprise network security zone, 958, 959–960
 - in enterprise security architecture, 971–972
- “Democratic computing environment,” 173
- Denavit-Hartenberg parameters, 310, 311
- Dendral expert system, 321, 329
- Dendrites, 331
- Denial of service (DoS) attack, 139, 681–682
- Dense coding, 387
- Density based clustering, 655–656
- Deontological theories, 753–754
 - free speech rights and, 754–755
 - on privacy rights, 766
- Deontology, 774
- Department of Environment, Food, and Rural Affairs (DEFRA), 379
- Department of Justice Criminal Resource Manual, 802
- Department organization, in information security management, 945
- Department store, click-and-brick, 434–435
- Dependent claim, 820
- Dependent patents, 733
- Derivative works, 795
 - right to prepare, 785
- Derived horizontal fragmentation, 248
- Descriptive trademark, 840
- Design, physical security and, 876
- Design for Six Sigma (DFSS), 601
- Design patents, 812
- Design standards, 744
- Desktop exercises, 1009
 - in CSIRT formation, 1006
- Desktop GIS, 272, 273–280, 282, 283.
 - See also* Geographic information systems (GISs)
 - components of, 273
 - versus Internet or Intranet GIS, 282
 - versus server GIS, 280
- Destination marketing organization (DMO), 504–506
 - key roles of, 505
- Deterministic Iterated Conditional Modes algorithm, 341
- Deterministic parsing, 355
- Deutsch-Jozsa algorithm, 384
- Development tools, 366
- Device access specification (DAS), 45
- Devices, in OMA DRM specification, 935
- Device suppliers, in an m-commerce value chain, 552
- Dewayne Hubbert v. Dell Corp.*, 847–848
- Diagnostics, advanced, 317
- Diamond v. Chakrabarty*, 813
- Dictatorial social choice function, 620
- Diffie-Hellman protocol, 387
- DigiCash, 457
- Digital Advanced Mobile Phone Service (D-AMPS), 104, 105
- Digital audio broadcasting (DAB), 522
- Digital audio transmission, right to perform by means of, 786
- Digital Business Ecosystem (DBE) initiative, 499
- Digital certificates, 446, 997, 1002
 - electronic signatures and, 1002
- Digital contents, 486–487
- Digital Copyright Act, 712
- Digital device manual (DDM), 48, 49
- Digital entertainment providers, 487
- Digital evidence, 921–930
 - authenticating and copying, 923
 - business and, 922
 - computer crime and, 921–922
 - computer crime reporting and, 926–927
 - defined, 929
 - described, 921
 - digital forensic examiners and, 923–925
 - due care, due diligence and, 925
 - examples of, 921
 - forensic examination process and, 922–923
 - forensic tools and, 928
 - information security policies and, 927
 - in-house digital forensics and, 927–928
 - insiders and, 925–926
 - law enforcement and, 926
 - managers and, 921–922
 - vendor training and, 928
- Digital forensic examination, computer crime and, 922–923
- Digital forensic examiners (DFEs), digital evidence and, 923–925
- Digital forensics
 - defined, 929
 - digital evidence in, 921
 - in-house, 927–928
- Digital forensics software, digital forensic examiners and, 924–925
- Digital forensics software development companies, 928
- Digital forensic tools, 928
- Digital identity, 896–908. *See also* Identity management (IdM)
 - basic concepts of, 896–898
 - broadening and distributing, 910
 - certified representations for, 901–904
 - concept of, 896
 - defined, 906
 - emerging types of, 904–905
 - federation of, 913
 - management of, 896
 - protection of, 896
 - traceability and persistence of, 913
- Digital IEEE-1394 network, 45
- Digital information, as digital evidence, 921
- Digital information products, 8S1
- Digital Intelligence vendor, 928
- Digital line graph (DLG), 272, 288
- Digital media, digital forensic examiners and, 923–924
- Digital Media Project (DMP), 934
- Digital Millennium Copyright Act (DMCA), 424, 713, 719, 761, 797–810, 847, 894, 932
 - avoiding prosecution under, 808
 - criminal provisions of, 802
 - critical provisions of, 797–800
 - exemption process under, 802–803
 - major cases related to, 803–806
 - major exempt10ns under, 800–802
 - MediaMax CD3 controversy and, 806–808
- Digital music, 487
- Digital Performance Right in Sound Recordings Act, 786
- Digital phone sets to VoIP, 60
- Digital raster graphics (DRG), 288
- Digital rights management (DRM), 492, 778
 - defined, 938
 - interoperability standards in, 934–937
 - law and, 932
 - rights enforcement and, 931–932
 - technologies in, 931–939
 - technology framework for, 932–934
- Digital rights management frameworks, 487
- Digital rights management systems, 424
- Digital signature(s), 387–388, 404, 446, 844, 906, 994, 995–997, 1002

- Digital signature(s) (*continued*)
 benefits of, 996–997
 creating, 995, 996
 encryption of, 995, 996
 issues related to, 996, 997
 key pairs for, 995
 message authentication codes versus, 997–998
 in threat model, 995
 transmitting, 995, 996
 verifying, 995, 996
- Digital subscriber line (DSL), 11, 23
- Digital transmission, 22–23
- Digital Video Ad Serving Template (VAST), 507
- Digital video broadcasting (DVB), 522
- Dihedral hidden subgroup problem, 389
- “Dilution,” 730, 736
- Direct attached storage (DAS), 1028
- Direct deposit, 455
- Direct goods, 489
- DirectHit search engine, 474
- Direct infringement, 789, 816–817
- Directive 1999/93/EC, 1001, 1002
- Direct marketing, ANN, 341
- Directories, 398, 406
 organization by, 643
- Directory services, 485
- Direct payment system, 451
- Direct revelation mechanism, 619
- Direct-sequence spread spectrum (DSSS), 544
- Disaster recovery (DR), 1018–1019, 1020–1021, 1031. *See also* Recovery
 in business continuity management, 1023
- Disaster recovery management, in information security management, 952–953
- Disaster recovery plan, 1019
- Disasters, 1031
 identification of, 1012–1013
 paradigm shifts related to, 1021
 preparing for, 1018
 types of, 1012
 what to do during, 1018–1019
- Discipline, of information security manager, 944
- Disclaimer-of-liability provisions, 705–706
- Disclaimers, 600
- Disconnected IdP functions, with online issued tokens, 902
- Discover Bank v. Superior Court*, 850
- Discover Card, 452
- Discover Deskshop, 687
- Discovery, 1010. *See also* Attack discovery
- Discussion forum, 258
- Discussion groups, 398
- Disjointness rule, 247
- Disk images, in security attack recovery, 1008
- Dispatcher, SNMPv3, 213
- Display posters, as security awareness tool, 989
- Dispute resolution
 cyberlaw, 712
 under the TRIPS Agreement, 735
- Distributed application logic, 130
- Distributed associative learning processes, 332–333
- Distributed authentication mechanisms, in identity management, 912–913
- Distributed broadband IN, reference architecture for, 85–86. *See also* Distributed intelligent broadband network (DIBN); Intelligent networks (INs)
- Distributed computing environment (DCE), 135, 156
- Distributed Coordination Function (DCF), 72, 519
- Distributed data analysis, 156
- Distributed database management system (DDBMS). *See also* DDBMS entries
 benefits and rules related to, 242
 challenges associated with, 243
 reliability of, 250–252
- Distributed databases, 242–255
 interoperability of, 252–253
- Distributed database systems (DDBSs), 242, 282
- Distributed database technology, 254
- Distributed data services, 130
- Distributed denial of service (DDoS) attacks, 676, 682, 713, 922
- Distributed GIS, 281–283
- Distributed hash table (DHT) systems, 180–181
- Distributed IN, 91. *See also* Distributed intelligent networks (DINs); Intelligent networks (INs)
- Distributed IN architecture, role of Parlay in, 88. *See also* Intelligent networks (INs)
- Distributed intelligent networks (DINs), 78–95
- Distributed intelligent broadband network (DIBN), 78, 87–88
- Distributed management task force (DMTF), 48
- Distributed presentation, 130
- Distributed processing environment (DPE), 84
- Distributed processing technologies, 82
- Distributed query processing, 248–250
- Distributed reliability protocols, 251–252
- Distributed representation coding scheme, 332
- Distributed systems, in identity management, 912
- Distributed systems middleware, 367
- Distributed topology control, 199
 network-coding-based, 199
- Distribution, of digital identity, 910
- Distribution rights, under the European Software Directive, 791
- Diversity
 management of, 449
 online success and, 531
 in security awareness programs, 986
- Divide-and-conquer algorithms, 579
- Divisional application, 819
- DMCA 1201(a)(1), 808. *See also* Digital Millennium Copyright Act (DMCA)
- DMCA 1201(a)(2), 808
- DMCA 1201(b)(2), 808
- DMO community members, 505.
See also Destination marketing organization (DMO)
- DoCoMo. *See* NTT DoCoMo
- Doctrine of claim differentiation, 816, 820
- Doctrine of equivalents, 817, 820
- Document-at-a-time strategy, 469
- Documentation, after security attacks, 1009
- Document-driven search engines, 466
- Document frequency, 468, 476, 477
- Document management value circle, 603
- Document modeling, 444
- Document-query matching, 467, 468–469
- Document representation, 468
- Document-term matrix, 469
- Document Type Definition (DTD), 583, 591
- Document understanding systems, 352, 358–359
- Dogpile search engine, 475
- Domain+content outsourced hosting, 630
- Domain experts, 321, 326–327, 329
- Domain forwarding, 630, 637
- Domain-level cookies, in identity management, 914
- Domain masking, 630, 637
- Domain names, 412, 774
 conflicts over, 762–763
 suing, 833–834
- Domain name servers, in enterprise security architecture, 959–960
- Domain name service server, 134
- Domain name systems (DNSs), 396–397, 406, 627, 637, 834, 832
 in enterprise security architecture, 960
- Domains, 637
 in digital rights management, 938
 in OMA DRM specification, 935
- Domestic service robots, 308
- Dominant strategy implementation, 619
- Dongles, 893
- Door opener, as security measure, 1015
- DOSTALK, 336–357
- Dot-com, 446, 532

- Dot-com bubble burst, 409, 482
- Dot-com era, 440
- Dot product function, 468
- Double auctions, 614–615, 623
- “Double-blind bid” procedure, 712
- DoubleClick, 529
- Double data rate (DDR) SDRAM, 162
- Double jeopardy, 701
- Double jeopardy prohibition, 695
- Dow Jones v. Gutnick*, 711, 721–722
- Downstream rights, digital rights management and, 931
- Downtime, 1021
 - in business services, 1023
 - remote mirroring and, 1027
- Downtime losses, evaluating impacts of, 1024–1025
- DRAM industry, 749–750
- DRM agents, in OMA DRM specification, 935. *See also* Digital rights management (DRM)
- Dropped packets, over WLANs, 74
- DSA digital signatures, with certified digital identity representations, 901, 902
- DSA encryption, of digital signatures, 996
- DSL access multiplexer (DSLAM), 23
- Dsniff package, 864, 880
- Dual in-line memory modules (DIMMs), 162, 170
- Due care, with digital evidence, 925
- Due diligence, with digital evidence, 925
- Due process, 751
- Dumpster diving, 865, 882
- Duplicating media, 923
- DuPont corporation, information security breach in, 941
- Dutch auction, 613, 624
- DVD Copy Plus program, 805
- DVDs (digital video discs), as security awareness tool, 990
- DVD-X COPY program, 805
- Dynamic ATM connections, 82
- Dynamic code deployment, 85
- Dynamic handwriting recognition, 351
- Dynamic host configuration protocol (DHCP), 519
- Dynamic host configuration protocol server, 134
- Dynamic IMS, 283. *See also* Information management system (IMS)
- Dynamic location update scheme, 219
- Dynamic machine vision system, 352
- Dynamic packet filtering, 218
- Dynamic pages, 649
- Dynamic programming algorithm, 249
- Eager replication, 246
- E-auctions, 446
- Eavesdropping, 863–864
- Eavesdropping techniques, advanced, 864
- eBay, 527, 532
- eBay business model, 531
- eBay.com, 486
- eBay Inc. v. MercExchange, L.L.C.*, 835
- Ebay v. MercExchange*, 820
- eBooks case, 804–805
- E-business, 407, 414, 415–416, 425, 446
 - information quality applied to, 593–595
 - key components of, 608
 - quality management processes for, 601–602
- E-business information
 - quality principles applied to, 596–597
 - quality problems unique to, 596
 - quality processes for, 595
- E-business interactive standards, 507
- E-business model, 411
- E-business supply-chain management, quality principles in, 607
- E-business vision, 500
- e-cash system, 457. *See also* Electronic cash (e-cash)
- EC business models, 419–425. *See also* Electronic commerce (e-commerce)
 - based on EC types and strategies, 422
 - based on source of revenue, 419–422
- EC Convention on the Law Applicable to Contractual Obligations*, 853
- EC development, threats to, 423
- EC Directive. *See* Directive 1999/93/EC
- ECDSA encryption, of digital signatures, 996
- eCheck, 460
- Eclipse Foundation, in identity management, 918
- E-commerce applications, security of, 688. *See also* EC entries; Electronic commerce (e-commerce)
- E-commerce business plans, 410–412
 - developing, 412–413
 - issues related to, 411–412
- E-commerce information
 - quality principles applied to, 596
 - quality problems unique to, 595–596
 - quality processes for, 595
- E-commerce law, 705–706
 - contracts under, 843–844
- E-commerce projects
 - evaluating and monitoring, 411
 - financing, 413–414
- E-commerce revenue, 483
- E-commerce value circle, customer-centric, 597–599
- E-commerce value system, 599–600
- E-commerce vulnerabilities, 674–689
 - client-side, 675–678
 - server-side, 678–682
- E-commerce Web sites, 418
- Economic espionage, information security management and, 941
- EC phase I (pre-Netscape), 417
- EC phase II (Web1.0), 417–418
- EC phase III (Web 2.0), 418–419
- EC security, 425
- EC surveillance, 423
- EC technological advancement, 415
- EC technologies, 416–419
- E-customer expectations, about personal information, 606
- E-customer quality requirements, understanding, 607–608
- E-customers, 609
 - appropriate contact with, 607
 - understanding, 599
- E-customer success, focus on, 608
- E-distributors, 422, 489, 492
- eDonkey2000, 173
- Education
 - GIS and, 285
 - Internet applications for, 403
 - in security awareness programs, 977
- Educational standard alignment, XML-based Web service for, 584
- EDVAC computer, 334
- “Effectively controls access” standard, 808
 - under the Digital Millennium Copyright Act, 798
- Effectiveness, of information security manager, 945
- Effectiveness measures, in text retrieval, 469–470
- “Effects”-based approach, 711
- Efficiency
 - of auctions, 619
 - maximizing, 34–35
 - of outsourced Web hosting, 629
- Efficient algorithms, 386
- Efficient query evaluation, 469
- EigenTrust, 187–189
- EigenTrust algorithms, 188–189
- 802.11a standard, 119, 123, 538.11a standard. *See also* IEEE 802.11 entries
- 802.11a/b standards, 12
- 802.11 access points, 123
- 802.11b standard, 119, 538, 544
- 802.11-based networks, 125
- 802.11b/g standards, 123
- 802.11e standard, 119
- 802.11g standard, 12, 119, 538
- 802.11i standard, 119, 538, 684
- 802.11n draft, 120
- 802.11 networks, 7
 - handoff process for, 124
- 802.11n standard, 12, 538
- 802.11p draft, 120
- 802.11 revisions, deployment scenarios of, 121–122
- 802.11r standard, 119
- 802.11s draft, 120
- 802.11w draft, 120

- 802.11x, 684
 802.11y standard, 119–120
 802.16 standard, 125
 802.16–2004 standard, 117
 EIP deployment, 498
 EIU (*Economist Intelligence Unit*)
 survey, 1021, 1022, 1023
 Ekert's entanglement-based
 scheme, 387
 Elastic Compute Cloud (EC2), 631
 E-learning courses, as security
 awareness tool, 988
 Electrical topology, 19
 Electricity standards, 750
 Electronic bill presentment/payment
 systems, 451–452
 Electronic cash (e-cash), 456–457
 Electronic check conversion, 456
 Electronic checks, 459–460
 Electronic civil disobedience, 771
 Electronic commerce (e-commerce),
 414, 415–426, 446. *See also* Click-
 and-brick electronic commerce; EC
 entries; E-commerce entries
 advantages and disadvantages of,
 525, 674–675
 ANN, 341–342
 auctions in, 612–625
 business transformation and, 409
 choice of applicable law for, 852–853
 context for, 408–409
 defined, 407–408, 415–416
 ethical issues related to, 424
 evolution of, 416–419
 growth of, 489
 impacts of, 415
 Internet services and, 398–399
 pre-Netscape phase of, 417
 regulatory threats to, 423–424
 types of, 416
 value chain in, 553
 Web 1.0 phase of, 417–418
 Web 2.0 phase of, 418–419
 Electronic commerce projects, business
 plans for, 407–414
 Electronic Communications Privacy Act
 of 1986, 697–698
 Electronic contracts
 authentication and integrity of, 843
 formation of, 843–845
 Electronic customer relationship
 management (e-CRM),
 442–443, 446
 Electronic data interchange (EDI), 401,
 417, 446, 439
 basic security safeguards and, 1012
 XML-enabled, 444
 Electronic data interchange
 standards, in information security
 management, 943
 Electronic document interchange
 (EDI), 425, 489, 490, 491, 492
 Electronic document management,
 quality principles for, 603–604
 Electronic evidence, 698
 Electronic forms, designing quality
 into, 606
 Electronic Frontier Foundation
 (EFF), 803
 Electronic funds transfer (EFT), 417,
 439, 446, 490
 Electronic fund transfer systems,
 455–456, 464
 Electronic Industries Alliance (EIA),
 104–105
 Electronic mail (e-mail), 257–258, 398.
 See also E-mail entries
 as security awareness tool, 988
 unsolicited, 705
 Electronic payments
 secure cryptographic protocols
 for, 685
 sufficient evidence for, 450
 Electronic Payment Schemes Web
 page, 463
 Electronic payment systems,
 448–465
 major, 451–462
 mobility of, 460–462
 payer and payee privacy in, 450
 requirements for, 448–451
 user anonymity and, 450
 Electronic procurement, auctions
 for, 616
 Electronic purse, 458, 464
 Electronic records, as digital
 evidence, 925
 Electronic signatures, 845,
 994–1003
 applicant, verifier, and true party
 with, 994
 defined, 1002
 described, 994
 digital signatures, 994, 995–997
 documents forbidden from having,
 1001
 key-based authentication with, 994
 legal/regulatory environment for,
 1001–1002
 message authentication codes, 994,
 997–999
 other technologies with, 999–1000
 selecting method for, 1000–1001
 threat model with, 995
 Electronic Signatures in Global and
 National Commerce Act
 (E-SIGN), 843, 845, 1001–1002
 Electronic solicitations, 705
 Electronic supply chain management
 (e-SCM), 446
 Electronic tape vaulting, 1027
 Electronic/Telecommunications
 Industry Associations (EIA/TIA)
 Interim Standard 41 (IS-41), 99
 Electronic trackers, as security
 measure, 1015
 Electronic transactions, laws governing,
 845
 Electronic transactions security, 1016
 Electronic trespass, 771
 Electronic wallets (e-wallets),
 459, 464
 Element, 820
 ELIZA, 354
 Elliptic curve cryptography
 (ECC), 543
 E-logistics, 441, 446
 E-mail-based person-to-person
 payment, 456. *See also* Electronic
 mail (e-mail)
 E-mail phishing attack, 869
 E-mail protocols, 863
 Email security, in enterprise security
 architecture, 964–965
 E-mail server, 134
 E-mail spoofing, 678
 E-mail vulnerabilities, 677–678
 E-marketplaces, 482–493, 492, 508. *See*
 also Business-to-business (B2B)
 marketplaces
 categories of, 482
 Emergency 911 systems, GIS
 and, 285
 Emerging technological systems, 373
 societal impacts of, 375
 E-money mini FAQ page, 463
 Employed inventor laws, 819
Employee's Guide to Security
 Responsibilities, 865
 Employee activities, monitoring, 769
 Employee privacy issues, 704
 Employee punishment, after security
 attacks, 1008–1009
 Employees. *See also* Personnel; Staff
 in comprehensive security planning,
 1017
 in credible security policy, 979
 in disaster planning, 1018
 information security policies
 and, 927
 liability creation by, 708–709
 in security awareness programs, 978
 training, 16
 Employee termination, social
 engineering and, 880
 Employment
 Internet and, 704–705
 Internet applications for, 404
 Employment sites, 527
 Empty fuzzy set, 293
 Enabling technologies, 129,
 134–139, 140
 Encapsulating Security Payload (ESP),
 with IPsec, 967, 968
 Encarta, 528
 EnCase software, 928
 Encrypted viruses, 675
 Encryption, 774
 with anonymous credentials, 903
 in biometric identity, 904
 of digital signatures, 995, 996
 in GeoDRM Reference Model, 936
 in identity management, 912–913
 for message authentication
 codes, 997

- restrictions on, 769
- rights enforcement and, 932
- with Secure Shell transport layer protocol, 970
- as security measure, 1016
- USM, 215–216
- weak, 683
- Encryption algorithms, with S/MIME, 966
- Encryption programs, 769
- Encryption research, under the Digital Millennium Copyright Act, 801–802
- Encryption systems, payment systems and, 450
- Encryption technology, 801
- End systems, data protection within, 916
- End-to-end VoIP packet delay, 66
- End-user devices, 125–126
- End user license agreement (EULA), 846
- End users, in Open Digital Rights Language, 935
- End-user software piracy, 886–886
- Energy efficient distributed topology control, 199–201
- Energy-efficient protocols, 200
- Energy function, 336, 339
- Enforcement, 1013–1016
 - in GeoDRM Reference Model, 936
- Engineering, intelligent agent perspective on, 361–362
- English auction, 613, 616, 624
- Enhanced data rates for GSM evolution (EDGE), 97, 106
- Enhanced distributed channel access (EDCA), 75
- Enhanced GPRS (EGPRS), 106. *See also* General packet radio services (GPRS)
- Enhanced IDE (EIDE), 163
- Enhanced observed time difference (E-OTD), 540
- Enrollment, in identity management, 898–899
- Entangled quantum systems, 387
- Entangled states, 385
- Entanglement, 391
- Enterprise application integration (EAI), 443, 446
- Enterprise firewalls, in enterprise security architecture, 960–961
- Enterprise information portals (EIP), 495, 508
- Enterprise Java Beans (EJB), 136
- Enterprise networks, security zones in, 958–960
- Enterprise perspective, 500
- Enterprise resource planning (ERP), 443, 446, 508
- Enterprise security architecture, 957–973
 - components of, 960–963
 - described, 957, 971
 - IPsec in, 965–968
 - Secure Shell in, 970–971
 - Secure Sockets Layer in, 968–970
 - security policies and requirements in, 957–958
 - security protocols for, 963–968
 - security zones in, 958–960
 - Transport Layer Security in, 958–970
- Enterprise social software, 263, 269
- Entertainment
 - mobile, 550
 - online, 531
- Entertainment network, 38
- Entertainment services, mobile, 555–556
- Entity, 906
 - in identity management, 911–912
- Entity composition, 231
- Entity-relationship diagram, 228
- Entity-relationship (ER) model, 227–228, 229, 231
- Entity set, 229
- Enveloped data, in enterprise security architecture, 964–965, 966
- Environmental controls, in comprehensive security planning, 1017–1018
- Environmental management, GIS and, 285–286
- Environmental Protection Agency (EPA), 285
- Environmental Systems Research Institute (ESRI), 272
- Environmental threats, in information security management, 947
- E-procurement, 422, 439, 440–441, 446
- E-procurement platforms, 489–490, 492
- E-purse, 463
- Equipment Inventory Form, 14
- Equipment selection, 13–14
- Equipment suppliers, in an m-commerce value chain, 552
- Error correction Hebbian learning, 343
- Error-correction Hebbian learning rule, 334
- Error ellipse, 240
- Error-proofing techniques, for B2B and B2C processes, 601–602
- Error rates, with biometrics, 1000
- Escalation, 1010. *See also* Attack escalation
- e-SCM software, 443
- E-shoptlifting, 682–683, 688
- E-signature. *See* Electronic signatures
- ESPRIT program, 463
- ESTEEM, 325
- “Estoppel by laches,” 838
- E-support activities, 441
- E-surfers, 598–599
- E-tailers, 483–485, 492, 526
- Ethernet, 4–5, 19, 25–26, 163, 170
 - iSCSI protocol and, 1029
 - Ethernet II, 4
 - Ethernet MANs, 25–26
 - Ethernet standard, 4
 - Ethical issues, in expert systems, 328–329
 - Ethics, e-commerce, 599–600
 - E*Trade Financial, 486, 528
 - EU data protection acts, 600. *See also* European Union (EU)
 - EuroDOCSIS, 23
 - Europe
 - hate speech legislation in, 757
 - laws concerning electronic signatures in, 1001
 - spam legislation in, 758
 - European Charter of Fundamental Rights, 772
 - European Convention on Cybercrime, 770
 - European Copyright Directive, 892
 - European Database Directive (EDD), 777, 782–783, 792–794
 - European Data Protection Directive 95/46/EC, 901
 - European-funded Enabling Grids for E-sciencE (EGEE), 143, 148–149, 156
 - European Network and Information Security Agency (ENISA), 940
 - credible security policy and, 983
 - in information security management, 943
 - on security awareness programs, 976, 989–990
 - European Organization for Nuclear Research (CERN), 626. *See also* CERN; Large Hadron Collider Computing Grid (LCG)
 - European Patent Convention, 818
 - European Software Directive (ESD), 777, 790–792, 794
 - objective of, 791
 - European sui generis right for databases, 794
 - European Telecommunications Standards (ETS), 78
 - European Telecommunications Standards Institute (ETSI), 97, 104, 126, 537
 - European Total Access Communications (ETAC) System (ETACS), 96, 102–103
 - European Union (EU). *See also* EU data protection acts
 - harmonized regional rules in, 724
 - information security management in, 943
 - laws concerning electronic signatures in, 1001
 - laws regulating SANs in, 1029
 - European Union Charter of Fundamental Rights, 765
 - European Union Electronic Signature Directive, 844

- Event data recorders (EDRs), 929
 digital forensic examiners and, 923–924
- Events, as security awareness tool, 991
- Evidence
 defined, 929
 electronic, 698
 obtaining from abroad, 700–701
- Evidence collection technology, for CSIRTs, 1006
- Evidence preservation, after security attacks, 1009
- Evidentiary issues, in cybercrime cases, 697–698
- Evolutionary fuzzy systems, 301
- E-voting, 771–774
 ethical arguments against, 773
 ethical arguments for, 772
 moral legitimacy of, 772
 voter turnout and, 772–773
- E-voting technologies
 accuracy of, 772
 discriminatory effects on the poor, 773
 security concerns related to, 773–774
 unreliability of, 773
- eWallet, 459. *See also* Electronic wallets (e-wallets)
- Ex ante* analysis, 751
- Exceptions to rights, under the TRIPS Agreement, 729
- Excessive variety, 751
- Exchange-based mechanisms, P2P, 178
- Exchange-based P2P systems, 184–185
- Exchanges, 490–491
- Exchange-to-exchange (E2E) activities, 416
- Excite, Inc., 398
- Excite PAL, 398
- Exclusive license, 784
- Exclusive rights
 under a copyright regime, 792–793
 limitations on, 786
- Exclusive trademark license, 838
- Executive briefings, as security awareness tool, 991
- Executives, business continuity and, 1022
- Executive summary, in a business plan, 410
- Exemption process, under the Digital Millennium Copyright Act, 802–803
- Exfiltration of data, in information security management, 951
- “Exhaustion of rights,” 728
- Ex parte hearing, 736
- Expectation failure, security awareness programs and, 983–984
- ExpertALERT, 327–328
- Expert elicitation, 380
- Expertise
 in credible security policy, 980
 interactional, 376
- Expert systems, 320–330
 applications of, 322
 combining with natural language systems, 357
 concepts related to, 320–321
 development of, 325–326
 history of, 321–322
 internals of, 322–324
 legal/ethical issues in, 328–329
 people in, 321–322, 326–327
 programming from scratch, 325–326
 types of, 321
- Expert system software elements, 320–321
- Expert system technology, 321–322
- Expert witnesses, digital forensic examiners as, 925
- Explicit control, in identity management, 915
- Exploitation rights, categories of, 784–785
- Exploitation rights/exceptions, under the European Software Directive, 791–792
- Explosives trafficking, 926
- Expression language model, for Open Digital Rights Language, 935
- Expression of an idea, copyright protection of, 780–782
- Express Lane technology, 765
- Express warranties, 852
- Exsys RuleBook, 325
- eXtended HyperText Markup Language (XHTML), 545
- Extended service set (ESS), 519, 522
- eXtensible Business Reporting Language (XBRL), 583
- eXtensible Graph Markup and Modeling Language (XGML), 648
- eXtensible Hypertext Markup Language (XHML), 52
- eXtensible Markup Language (XML), 52, 136, 146, 147, 288, 368, 444, 447, 508, 540, 541, 578, 665, 670, 739. *See also* XML entries
 coding information with, 581–583
 identity management and, 915, 917
 idiosyncratic, 587
 information quality problems and, 596
- eXtensible Markup Language-based (XML-based) protocol, 43
- eXtensible Stylesheet Language Transformation (XSLT), 48, 52
- Extension schemas, 48
- Exterior routing, 27
- External threats
 types of, 1013
 security task force and, 1011
- Extraction, transformation and load (ETL) process, 653, 669
- Extraction wrapper, 476, 477
- Extranets, 11, 19, 139, 140, 401–402, 406, 498, 508
 advantages of, 402
- ExxonMobil Speedpass, 462
- FaceBook, 268–269, 529
 disclosing data on, 861
- Facebook.com, 633
- Face-to-face social engineering, 864–865
- Facilities, 1031
- Factoring, 143
- Fact Table*, 660, 661
- FAFNER project, 143, 144
- Failure, single point of, 916
- Failure of proof defenses, 695–696
- Fair exchange, in electronic payment systems, 450–451
- Fairness, in auctions, 620
- FairPlay, 934
- Fair use, 713, 809, 846, 854
 under the Digital Millennium Copyright Act, 799–800
 of software, 892
- Fair use defense, 836–837
- Fair use doctrine, 787–788
- Fair use exception, 760–761
- Fair use guidelines, 788
- False acceptance rates (FARs), with biometrics, 1000, 1002
- False rejection rates (FRRs), with biometrics, 1000, 1002
- Fanciful trademarks, 824, 840
- Fast Ethernet, 163, 170
- Fast SCSI, 163
- Fault, configuration, accounting, performance, and security (FCAPS) management, 34
- Fault management, 208, 221
- Fault tolerance system, basic security safeguards and, 1012
- Fault tolerant techniques, 390
- Favicon Masquerading, 868
- Fax server, 134
- FCC spectrum allocation, auctions in, 615–616. *See also* Federal Communications Commission (FCC)
- FDMA systems, 98. *See also* Frequency division multiple access (FDMA)
- Feasibility analysis, of application service providers, 572
- Feasibility assessments, 575
 of outsourcing, 570–572
- Feature detector, 332
- Federal anticybersquatting statutes, 833–834. *See also* United States entries
- Federal Bureau of Investigation (FBI) computer crime and, 922
 criminal investigation by, 709–710
 information security management and, 941, 952
 security incident data collection by, 1004

- Federal Communications Commission (FCC), 113, 126, 549. *See also* FCC spectrum allocation
- Federal Computer Incident Response Capability (FedCIRC), 1016
- Federal criminal justice system, 698–699
- Federal cybercrime law, 699
- Federal cybercrime prosecutions, 694
- Federal dilution law, 831
test of, 832–833
- Federal Emergency Management Agency (FEMA)
GIS and, 286
- Federal Energy Regulatory Commission (FERC), 1030
- Federal Express tracking system, 402
- Federal Financial Institutions Examination Council (FFIEC) Handbook*, 1030
- Federal Geographic Data Committee (FGDC), 273
- Federal government, GIS and, 286
- Federal Information Security Act of 2002 (FISMA), 1030
- Federal jurisdiction, in cybercrime cases, 693
- Federal Rules of Evidence, computer crime and, 926–927
- Federal Trade Commission (FTC)
authority over standardization, 750
identity theft and, 898
standards of, 742
- Federal trademark registration, 828–829
- Federated database systems, 244
- Federated identity management, with online issued tokens, 902
- Federation, 919
- Federation of identities, in identity management, 913, 915–916
- Feedback, extranet, 402
- Feedback credibility, 190
- Feist Publications, Inc. v. Rural Telephone Service Co.*, 779, 782, 846
- Feldman v. Google, Inc.*, 847, 850
- FeliCa Card, 462
- FeliCa technology, 557
- Felten et al. v. RIAA*, 805
- Fiat-Shamir heuristic, with anonymous credentials, 903
- Fiber-distributed data interface (FDDI), 6, 19
- Fiber-optic cable, 7, 8
- Fiber optic transmission, 23
- Fibre channel, 164–165
- Fiduciary responsibility, in credible security policy, 980
- Field programmable gate array (FPGA), 169
- FieldWorker Mobile Computing Corporation, 558
- File request, 196
- File requesting peers, 183
- File servers, 2
- File sharing, 40, 763–764
- File-sharing applications, 173
- File-sharing systems, 174
- File Transfer Protocol (FTP), 11, 170, 739, 774
- File Transfer Protocol server, 134
- Filing date, 736
- Filtering devices, 758–759.
See also Filters
- Filtering firewalls, in enterprise security architecture, 960
- Filters, 774. *See also* Filtering devices
- Final office action, 815
- Final users, 650
- Finance
business continuity/disaster recovery laws and regulations and, 1030
fuzzy logic for, 303
GIS and, 287
- Financial Explorer tool, 583, 584
- Financial impacts, of downtime losses, 1024–1025
- Financial plan/projections, in a business plan, 410
- Financial services, mobile, 557
- Financial Services Markup Language (FSML), 460
- Financial Services Technology Consortium (FSTC), 463
- Financial transactions, requirements for, 448–451
- Financing, sources of, 413–414
- FIPA, 367, 368
- Firewalls, 134, 447, 636, 637, 647, 1014–1015. *See also* Enterprise firewalls
in comprehensive security planning, 1018
described, 960
in enterprise security architecture, 959, 960, 972
in security incident data collection, 1004–1005
- Firewire standard, 41
- First Amendment, 699, 721, 722, 837
- First-generation (1G) cellular networks, 101–103
- First-generation wireless networks, vulnerabilities in, 683–684
- First mover, 532
- First Normal Form (1NF), 233, 234–235
- First price auction, 624
manipulative buyers in, 623
- First price sealed bid auction, 613, 616
- First principles reasoning, 317
- First sale doctrine, 785, 795
- First-to-file policy, 736, 819
- Fitness warranties, 851–852
- 5–43 rule, 8–9
- Fixed WiMAX, 109. *See also* Worldwide Interoperability for Microwave Access (WiMax)
- Flaming, 757
- Flexibility, 128
- Flickr, 266, 268, 633–634
- Floating pointing operation per second (FLOPS), 170
- Foaf-a-matic, 668
- Focused crawler, 471
- Folksonomies (folksonomy), 265, 425, 634, 637
- FOMA service, 115
- Food and Drug Administration (FDA), 1030
- Footprint of uncertainty (FOU), 299
- Foreign agent (FA), 518–519
- Foreign defendants, jurisdiction over, 721–722
- Foreign exchange rate prediction, ANN, 340
- Foreign keys, 232, 237, 238
- Foreign markets, in the e-commerce business plan, 411
- Forensic analysis and security testing team, in information security management, 945
- Forensic data, in information security management, 952
- Forensic evidence, digital evidence as, 921
- Forensic examination, computer crime and, 922–923
- Forensic examiners, digital evidence and, 923–925
- Forensic image, 929
- Forensics, 1010
defined, 921, 929
in-house, 927–928
- Forensic software tools, digital forensic examiners and, 924–925
- Forensic Toolkit, 928
- Forensic tools, digital evidence and, 928
- Foresight Institute, 375
- Forestry, GIS and, 285
- Forest v. Verizon Communications Inc.*, 847, 850
- Forgery devices, 699
- Format string bugs, 679
- Forum for Incident Response and Security Teams (FIRST), in information security management, 952
- Forum shopping, 634–635, 637
- Forward auction, 614, 624
- Forward chaining, 323, 329
- Forward error correction (FEC) redundancy, 65
- Forward inference procedure, 295
- Forward kinematic equations, 313–314
- Forwardlinks, 472, 473
- 4G network architecture
layered and modular, 516
research objectives for, 514
- 4G technologies, 110, 118
- 4G wireless technologies, 537
- Fourier sampling, 386

- Four-port hub, 9
 14 Points of Quality, 602
 Fourth Amendment, 693, 697, 698
 Fourth Normal Form (4NF), 233, 236
 4X links, 164
 Fragment allocation, 248
 Fragmentation, 246–248, 254
 Fragmentation rules, 249
 Frame relay (FR), 24
 Framing, 706
 Fraud, EC-related, 425
 Freedom of speech issues, 635–636
 Free-riders, 180, 200, 201
 detering, 181
 Free-riding, 174, 202
 Free speech, 837
 legal protection of, 754
 on the Internet, 754–760
 Free speech rights, moral legitimacy of, 754–755
 Freeware, 890
 French National Railroad System (SNCF) expert system, 328
 Frequency channels, 98
 Frequency division duplexing (FDD), 102, 109
 Frequency division multiple access (FDMA), 104, 536. *See also* FDMA systems; Orthogonal frequency division multiple access (OFDMA); Scalable orthogonal frequency division multiple access (SOFDMA)
 Frequency reuse, 98
 “Friend” linkages, in social networking, 632
 Friend of a friend (FOAF) project, 667
 Friendster.com, 633
Frisch’s Restaurants, Inc. v. Elby’s Big Boy of Steubenville, Inc., 830
 Front-end servers, basic security safeguards and, 1012
 Full replication, 245–246
 Functional architecture, for digital rights management, 932–933
 Functional categories, in credible security policy, 981
 Functional dependencies (FDs), 233, 236
 Functionality doctrine, 826–827, 840
 Functional line managers, in CSIRT organization, 1005
 Functional Model, in OSI network management, 207
 Functions, 579
 of credible security policy, 981
 Fuzzification step, 297
 Fuzzy applications, 302–303
 Fuzzy clustering, 300
 Fuzzy C-means, 658
 Fuzzy C-means algorithm (FCM), 300
 Fuzzy complement, 293
 Fuzzy control systems, 302
 Fuzzy data analysis, 300–302
 Fuzzy decision trees, 301–302
 Fuzzy-fuzzy sets, 292
 Fuzzy image processing, 302
 Fuzzy inference, 192
 Fuzzy inference step, 297
 Fuzzy inference system, 296
 Fuzzy information, 291
 Fuzzy-input-crisp-output Mamdani fuzzy system, 298
 Fuzzy intersection, 293
 Fuzzy logic, 291–305, 324, 329
 applications of, 292
 for business, finance, and management, 303
 deep research on, 303
 Fuzzy logic chips, 302
 Fuzzy neural networks (FNNs), 300–301
Fuzzy-Old set, 292
 Fuzzy partition matrix, 300
 Fuzzy possibility measure, 291
 Fuzzy reasoning, 295–296, 303
 Fuzzy rules, 294–296
 Fuzzy sets, 291, 303
 defined, 292
 kinds of, 292
 Fuzzy singleton, 293, 298
 Fuzzy subset, 293
 Fuzzy systems, 292, 303
 types of, 298
 FuzzyTrust, 192–195
 example of, 194
 Fuzzy union, 293
 Fuzzy values, 302
 Fuzzy Web intelligence, 302–303
 G.711 audio CODEC, 65
 G.723.1 audio CODEC, 65
 G.729A audio CODEC, 65
 G-8, 701
 GAA, 365
 Game theoretic analysis, 195
 Game theoretic modeling, 182–183
 Gaming entertainment companies, 488
 Gap analysis, 501
 Garage Door Opener case, 806
 Gatekeepers, 28, 60, 67
 in GeoDRM Reference Model, 937
 Gateway channel banks, 60
 Gateway GPRS support node (GGSN), 517
 Gateways, 10, 28, 60, 67
Gatton v. T-Mobile USA, Inc., 849–850
 Gaussian membership functions, 292
 Gbps, 170
Gemba, 595, 609
 General Agreement on Tariffs and Trade (GATT) accord on Trade-Related Aspects of Intellectual Property Rights (TRIPS), 892. *See also* TRIPS Agreement
 General event notification architecture (GENA), 43
 General inter-ORB protocol (GIOP), 83, 93
 Generalization/specialization, 230
 Generalized first price (GFP) mechanism, 617
 Generalized modus ponens (GMP), 295
 Generalized modus tollens (GMT), 295
 Generalized Vickrey Auction mechanism (GVA), 620
 General jurisdiction, 724
 General Packet Radio Services (GPRS), 97, 106, 115–116, 537, 544. *See also* Enhanced GPRS (EGPRS); GPRS entries
 General packet radio service support node (SGSN) emulator, 516
 General public interest, 751
 General-purpose database model, 225
 General-purpose metasearch engines, 475
 General security awareness training, in information security management, 951
 Generic active messages (GAM), 166
 Generic ANN unit, 332
 Generic artificial neurons, 332
 Generic cluster architecture, 160–161
 Generic query, 249
 Generic term, 840
 Generic TLDs (gTLDs), 832
 Genetic algorithm (GA), 301, 303
 Genetic fuzzy clustering, 301
 Genetic fuzzy systems (GFS), 301
 Genetic neuro-fuzzy systems (GNFSs), 301
 Geneva conventions, 720
 Geographical indications (GI), 839
 Geographical location technology, 556
 Geographic domains, 397
 Geographic information systems (GISs), 271–290. *See also* GIS entries
 applications of, 284–287
 database management systems and, 279–280
 geospatial information visualization and, 273–274
 history of, 272–273
 as an integrating technology, 283
 operating systems and, 281
 project management using, 283–284
 resource management issues and, 284
 technology management and, 283–284
 uses of, 272–273
 Geographic Resources Analysis Support System (GRASS), 271, 272
 Geography markup language (GML), 288
 Geology, GIS and, 284–285
 Geometric quantum computation, 390

- Geopolitical certification authority, 454
 Geospatial data, 288
 Geospatial Digital Rights Management (GeoDRM) Reference Model, 936–937, 938
 Geospatial information visualization, 273–274
 Geo-Tagged Image File Format (GeoTIFF), 288
 German courts, approach to jurisdiction, 723
 Gibbard-Satterthwaite theorem, 620
 Gigabit Ethernet, 163, 170
 GIS data, 282. *See also* Geographic information systems (GISs) users of, 282–283
 GIS data structures, 275
 GIS data structures/models, 274–279
 GIS software, 273, 274
 GIS software architectures, 280–281
 GIS software systems, 280–281
 GIS technology, 286
 integration with global positioning system, 272
 Give-aways, as security awareness tool, 990
 gLite, 148–149, 155, 157
 Global conceptual schema (GCS), 244, 254
 Global DecisionMaker site, 446
 Global Internet infrastructure, 512
 Globalization, 637
 web hosting and, 634–636
 Global location update scheme, 219
 GlobalNetXchange, 439
 Global Plant Floor business model, 423
 Global Positioning System (GPS), 288, 540, 544, 556
 mobile robots and, 314–315
 Global reputation aggregation, 193
 Global requests, with Secure Shell connection protocol, 971
 Global schema multidatabases, 244
 Global security policy standards, in information security management, 941
 Global security surveys, 982
 Global software piracy rate, 889–890
 Global System for Mobile Communications (GSM), 104, 114, 126, 464, 537, 544, 905
 Global System for Mobile Communications Mobile Application Part (MAP), 99
 Global techno-optimists, versus territorial techno-realists, 717–718
 Global trust aggregation, 194
 Globus Alliance, 151
 Globus Toolkit, 151, 152, 170
 GlobusToolkit4 (GT 4), 147, 155
 GNU, 170
 Goal deliberation strategy, 363, 368
 Goal-directed reasoning, 323, 329
 Goals. *See also* Legal goals; Superordinate goals
 in information security management, 941, 942
 of risk management, 1025
 GOM Player, 488
 Good security behaviors, 978
 rewarding, 987
 Good will, 840
 Google, 398, 466, 467, 473, 529
 gathering information with, 859–860
 Google AdWords, 531, 847
 Google Earth, 860
 Google Maps, 860
 Google product search, 302
 Google Streetview, 860
 Gossip-based protocol, 198
 GossipTrust, 197–198
 Government
 business continuity/disaster recovery laws and regulations and, 1030
 GIS and, 286
 Governmental Accounting Standards Board (GASB), 1030
 Government-to-business (G2B) activities, 416
 Government-to-citizen (G2C) activities, 416
 Government-to-government (G2G) activities, 416
 GPRS interworking function (GIF), 517. *See also* General Packet Radio Services (GPRS)
 GPRS/UMTS signaling, 516
 GQM (Goal, Question, Metric) approach, to credible security policy, 983
 Gradient descent, 336, 337, 343
 Graham-Bliley-Leach Act (GBLA), in information security management, 942. *See also* Gramm-Leach-Bliley entries
 Grainger.com, 489
 Grammar-based parsing, 354
 Gramm-Leach-Bliley Act, 600. *See also* Graham-Bliley-Leach Act (GBLA)
 Gramm-Leach-Bliley (GLB) privacy rules, 742
 Grant, in MPEG-21 REL data model, 935
 Graphical browsers, 397
 Graphical user interface (GUI) environments, 347–348
 Graphic interchange format (GIF), 288
 Graphics cards, 162
 Grasshopper, 367
 Grey market goods, 728
 Grid
 concepts and components associated with, 144–147
 defined, 142–143
 evolution of, 143
 Grid computing, 142–158, 169–170
 early experiences with, 144
 Grid infrastructure, 144, 156
 Grid instantiations, 147, 154
 GridMedia, 175
 Grid paradigm, 254
 GridSAM, 153–154
 Grid security infrastructure (GSI), 147, 157
 Grid service, 146
 Grid system, 154
 Grid system checklist, 142–143
 Grid technologies, 169–170
 Grid/VO-wide services, 149
 Grimoires registry, 154
 “Gripe” sites, 833
 Grocery retailer, click-and-brick, 433–434
 Groove, 262
 Groove Workspace, 263
 Group calendar, 258
 Group decision support systems (GDSS), 262–263
 Group decision support system (GDSS), 258–259
 Groups, VACM, 216
 Group special mobile (GSM), 97. *See also* GSM mobile phones
 GroupSystems, 262–263
 Groupware, 257–270
 adoption, perceived benefits, and acceptance of, 267
 effective use of, 269
 functionality of, 257–259
 important aspects of, 269
 policies, trust, and privacy related to, 267–268
 social software and, 263–266
 soft aspects of, 266–268
 Groupware applications
 classifying, 259–260
 examples of, 260–263
 success of, 269
 Groupware functionality, 259–260
 Grover’s search algorithm, 386, 387
 Groves mechanisms, 620
 GSM mobile phones, 104. *See also* Group special mobile (GSM)
 Guidance Software vendor, 928
 gvSIG, 271
 GXS trading grid, 490
 H.248, 70
 H.323 protocol stack, 67
 H.323 recommendations, 28
 H.323 signaling protocol, 67
 versus SIP, 71
 H.323 standard, 75
 Hack back defense, 697
 Hacker culture, Web hosting and, 636
 Hacker penetration, on information security management, 948
 Hackers, 637, 770–771, 774, 856, 887
 basic security safeguards against, 1012
 responsibility of, 771

- Hacking, 699, 701, 1010
 - of e-voting systems, 773–774
 - information security management and, 941
- Hackivism, 771, 774
- Hague Convention on Choice of Court Agreements, 723
- Hague Convention on Jurisdiction and Enforcement of Judgments in Civil and Commercial Cases, 712
- HA-Linux project, 161
- Hamiltonian framework, for quantum mechanics, 390
- Handheld devices, 38
 - Web access to home network devices with, 47–48
- Handoff management, 100–101
- Handoffs, 123–124
- Handover, 522
- Handshake protocol, SSL/TLS protocols and, 968–969
- Handwriting recognition, 351–352
- HA-OSCAR, 161
- Haptics, 316–317
- Harassment, 926
- Hard-disk loading, 886, 894
- Hardening, 1010
- Hard handoffs, 101, 124
- Hardware
 - in comprehensive security planning, 1017
 - COTS, 159
 - digital forensic examiners and, 923
 - sharing, 2
- Hardware-based residential VoIP services, in the United States, 60
- Hardware-based security devices, 18
- Hardware cluster components, 162–165
- Hardware devices, 8
- Hardware manufacturer liabilities, 708
- Hardware security, in information security management, 944
- Hardware trends, 168–169
- Harmonized rules, for recognition and enforcement of judgments, 722
- Harmonized standards, 744
- Harper & Row v. Nation Enterprises*, 779, 788
- Harrods Ltd. v. Sixty Internet Domain Names*, 834
- Hash algorithms
 - for digital signatures, 996
 - with S/MIME, 966
- Hash functions
 - in authentication, 962
 - for one-time passwords, Leslie, 961, 962
- Hashing, 1002
- Hate speech
 - online, 756–757
 - restricting, 757
- Header format, with ISAKMP, 967, 968
- Health care
 - business continuity/disaster recovery laws and regulations and, 1030
 - Internet applications for, 405
- Health Insurance Portability and Accountability Act of 1996 (HIPAA), 766, 1030
 - in SAN security issues, 1028
- Health services, GIS and, 285
- Heap overflow, 678
- Hebbian learning, 343
- Hebbian learning rule, 332
- Hegelian argument, on intellectual property rights, 761, 762
- Helix, 934
- Herold, Rebecca, 981
 - on security awareness programs, 976
- Heron, Richard, on security awareness programs, 984
- Heterogeneous networks, 522
- Heuristic partitional clustering method, 300
- Hidden fields, 682
- Hidden form elements, 683
- Hidden subgroup problems, 386
- Hidden-terminal problem, 519–520
- Hidden units, 334, 343
- Hierarchical clustering, 655
- Hierarchical model, 225–226, 227
- Higgins framework, in identity management, 917, 918
- High-availability (HA) clusters, 161
- Higher education, Internet applications for, 403
- High-frequency tags, 539
- High performance computing (HPC) clusters, 161
- High Performance Debugging Forum (HPDF), 168
- High performance networks, 169
- High-speed broadband Internet access, 38
- High-speed circuit-switched data (HSCSD), 97, 106
- High-speed digital broadcast, 513
- High-speed downlink packet access (HSDPA), 110, 114–115
- High-speed uplink packet access (HSUPA), 110
- High-throughput clusters, 161–162
- Hijacking, 683
- HiperLAN2, 42
- History-based identity, 905
- HITS algorithm, 664
- HMAC protocols, 221–222
- HMAC technique, 1002
- Holonomic quantum computation, 390
- Home agent (HA), 518–519
- Home Audio Video Interoperability (HAVi), 44–45, 52
- Home automation, 39
- Home automation network, 37–38
- Homeland security, GIS and, 286–287
- Home location register (HLR), 99–100, 218
- Home network architectures, recently proposed, 50
- Home network devices
 - remote Internet access to, 38
 - Web access to, 47–48
- Home networking, 37–55
- Home networking technologies, 40–48
- Home network management, 48–50
- Home networks, 52
 - configuration of, 50–51
 - growth of, 38–40
 - remote access to, 51
 - remote Internet access to, 40, 46–48
 - security management for, 49–50
 - work and challenges related to, 50–51
- Home Phoneline Networking Alliance (Home-PNA), 40
- HomePlug Powerline Alliance, 41
- HomeRF, 42–43
- Homonymy issues, 253
- Hopfield-type ANN models, 341
- Horizontal communications, 513
- Horizontal fragmentation, 246
- Horizontal fragmentation strategies, 247–248
- Horizontal marketplace, 489, 492
- Host, 669
- Host-based architecture, 130–131
- Host-based Intrusion Detection System (HIDS), in enterprise security architecture, 963
- Host-based security, 17–18
- Hosting services, 557
- Hosts, hub connecting, 9
- HousingMaps.com, 418, 419
- HTML code, 646. *See also* HyperText Markup Language (HTML)
- HTML standards, 581
- HTTP browsers, in identity management, 918. *See also* HyperText Transfer Protocol (HTTP)
- HTTP-capable browsers, in identity management, 914–915
- HTTP cookies, in identity management, 914–915
- Hubs, 8–9, 19, 480, 663, 669
- Hulu, 487
- Human capital, in business continuity, 1022
- Human factor, in social-engineering attacks, 878
- Human resources, intranet applications for, 400
- Human speech patterns, 350
- Human threats, in information security management, 947, 948
- Hybrid agent architectures, 363
- Hybrid coordination function (HCF), 75
- Hybrid fiber-coax (HFC), 24
- Hybrid networks, 3
- Hybrid P2P architecture, 175

- Hydrologic Markup Language (HydroML), 583
- Hyperlinks, 645, 848
- Hyperlink structure, 663
- Hypermedia, 406
- Hypermedia documents, 396
- Hypertext, 396, 406
- HyperText Markup Language (HTML), 47, 52, 288, 439, 472, 540, 637, 669, 739. *See also* HTML entries
format of, 397
- Hypertext technologies, 665
- HyperText Transfer Protocol (HTTP), 11, 28, 43, 52, 396, 471, 581, 591, 645, 669. *See also* HTTP entries
SSL/TLS protocols and, 968
- IBM hierarchical model, 227
- IBM Lotus Sametime, 261
- I-commerce, 416, 425
- Ideagoras business model, 423
- IDEFIX1999 notation system, 232
- Identification
defined, 1002
with electronic signatures, 994
in selecting electronic signature system, 1000
- Identification badges, as security measure, 1015
- Identified need, 751
- Identifiers, traceability and persistence of, 913
- Identity, 919. *See also* Digital identity
biometric, 904–905
desired properties in establishing, 899–901
digital, 896–908
in digital rights management, 938
history-based, 905
mobile, 905
ownership of, 897
partial, 897, 906
role of, 896
validity of, 897
- Identity assurances, strong and weak, 897–898
- Identity attributes, 897, 919
certified and uncertified, 897
in identity management, 910
management of, 898
misuse of, 899
strong and weak, 897
theft of, 898
- Identity-based encryption (IBE), identity management with, 902–903
- Identity Capable Platform Technology, 904
- Identity claims, negative, 905–906
- Identity data, in identity management, 899
- Identity data consumers
in identity management, 913
- Identity establishment, 898
- Identity federation, 919
- Identity Federation Framework (ID-FF), in identity management, 917–918
- Identity fraud, 699
- Identity Governance Framework (IGF), 904
- Identity information, segregation from linkage information, 915–916
- Identity life cycle, management of, 898–899, 913
- Identity management (IdM), 686, 896, 909–920
with anonymous credentials, 902–904
application integration for, 913–915
architecture and technology
examples of, 917–918
benefits of, 915–916
biometric data in, 899
challenges and desired properties in, 898–901
defined, 919
dependencies and assumptions in, 916–917
elements of, 911–913
motivation, goals, and issues in, 909–911
in networks, 909, 913–915
with online issued tokens, 902
principal consent semantics in, 916–917
risks of, 916
security and privacy issues in, 911, 915–917
Web services and, 915
- Identity modification, 898, 899
- Identity provider model, 914
- Identity providers (IdPs), 919
with certified digital identity representations, 901
in identity life cycle, 898, 899
in identity management, 910–911, 912–913, 914
online issued tokens and, 902
strengthening authentication by, 916
- Identity reestablishment, 898
- Identity representations, certified, 901–904
- Identity revocation, 898, 899
- Identity services, 919
in identity management, 910
- Identity system, 897
- Identity theft, 685–686, 688, 767, 898
information security management and, 941
- Identity Theft and Assumption Deterrence Act, 685
- Identity thief, 768
- Identity usage, 898, 899
- Identity verification, identity assurances and, 897–898
- Identity verification semantics, 898
- Identity Web Services Framework (ID-WSF), in identity management, 917, 918
- IEEE (Institute of Electrical and Electronics Engineers) 10Base-2 standard, 6
- IEEE 802.3 frame layout, 5
- IEEE 802.3 standard, 4, 19, 519
- IEEE 802.5 standard, 19
- IEEE 802.5 token frame layout, 6
- IEEE 802.11, 522, 537
as a WWAN, 118–122
- IEEE 802.11e standard, 74–75, 520
- IEEE 802.11i, 520
- IEEE 802.11k, 520
- IEEE 802.11n, 520
- IEEE 802.11 network planning, 123
- IEEE 802.11r, 520
- IEEE 802.11 specifications, 520
- IEEE 802.11 standards, 12, 19, 42, 683, 684
- IEEE 802.11 standards and amendments, 119–120. *See also* 802.11 entries
- IEEE 802.11 WLAN, 516, 519–520
- IEEE 802.15.3a ultrawide band (UWB), 50
- IEEE 802.15 WPAN, 520–521
- IEEE 802.16 standard, 24, 116–117
- IEEE 802.16 WMAN, 521
- IEEE 802.20 WWAN, 521
- IEEE 802.21, 521
- IEEE 1394 standard, 41
- IEEE standards, toward broadband wireless Internet, 519–521
- IEEE standards research, 511
- IEEE Technical Committee on Scalable Computing (TCSC), 160
- “IETF flavor,” 518
- IETF standards, IPsec as, 965
- IF-THEN rules, 294, 296
- Illegal content, linking to, 706
- ILook Investigator, 928
- Image backup, 1027
- Images, security awareness programs and, 984–985
- Impacts
of backups on production environment, 1026
in information security management, 946–948
- Impersonation, 139
- IM platforms, 863
- Implementation, of OMA DRM specification, 936
- Implementation/action plan, in a business plan, 410
- Implied mandates, digital evidence and, 925
- Implied warranties, 852
- Important page vector (IPV), 654
- Impostors, in threat model, 995
- I.M.S. Information Management Systems, LTD. v. Berkshire Information Systems, Inc.*, 798
- IMT-DS direct-sequence standard, 107
- IMT-FT frequency time standard, 107

- IMT-MC multi-carrier standard, 107
 IMT-OFDMA TDD WMAN standard, 107
 IMT-SC single carrier standard, 107
 IMT-TD time-division standard, 107
 INAP/CORBA gateway, 83
 IN architecture, 80–81. *See also* Intelligent networks (INs)
 benefits and limitations of, 81
 Incentive compatibility, 624
 in auctions, 619
 Incentive mechanisms, future work on, 201
 Incentive P2P approaches, comparison of, 186
 Incentives, 202
 Incident(s), 1010
 in security awareness programs, 992
 Incident response, 879–880, 1010. *See also* Security incidents
 in information security management, 952
 Incident response plan, in CSIRT formation, 1006
 Incident response planning, in information security management, 941–942
 Incident response policy, in CSIRT formation, 1006
 Incident response team, in information security management, 945
 Incoming request queue (IRQ), 185
 Incommensurability paradigms, 376
 Incremental implementation model, 502–503
 Indemnification, under the TRIPS Agreement, 734
 Indemnity provisions, 706
 Independent patent claim, 820
 Independent private values model, 613, 618
 Independent service provider (ISP), in enterprise security architecture, 972. *See also* Internet service provider (ISP)
 Indexes, database, 238
 Index of a search engine, 467
 Indirect goods, 489, 492
 Individual rationality, in auctions, 619
 Individuals, importance to security awareness programs, 974–975, 975–976, 977
 Induction, 324, 329
 Industrial designs, 736
 under the TRIPS Agreement, 731
 Industrial location-based services, 536
 Industries, information intensity of, 409
 Industry, in security awareness programs, 976–977
 Industry consortia, 422
 Industry standards, 744
 in information security management, 943
 Inference engine, 320, 329
 Inference network approach, 476
 InfiniBand, 164, 170
 Infomediary model, 419, 420–421. *See also* Information intermediary (infomediary)
 Information, 669
 coding with XML, 581–583
 defined, 644
 helping Web users find, 654–655
 management accountability for, 594
 objective presentation of, 604–605
 online dissemination of, 768
 providing from data, 650
 represented as activation patterns, 332
 sensitive, 767
 use for discriminatory purposes, 768
 Informational queries, 471
 Information and communication technologies (ICTs), 408
 Information and communications technologies standards, 739
 Information asset protection, in information security management, 942
 Information-collecting Internet processes, designing quality into, 606–607
 Information content quality, 594
 Information disclosure, unintentional, 865–866
 Information economy, 408
 Information feedback, in auction classification, 614
 Information gathering, as a social-engineering technique, 859–860
 Information Industry Association (IIA), 888
 Information intermediary (infomediary), 532. *See also* Infomediary model
 Information management system (IMS), 227. *See also* Dynamic IMS
 Information models
 in digital rights management architecture, 933
 in OSI network management, 207
 Information practices, in identity management, 911
 Information presentation quality, 594–595
 principles for, 602
 Information privacy, 765–769
 legal protection of, 765–766
 U.S. approach to protecting, 766
 Information privacy rights, moral legitimacy of, 766–769
 Information processes
 designing quality into, 594
 improving and controlling, 595, 601–602
 Information producer, 609
 Information product specification quality, 594
 Information products, quality of, 851–852
 Information protection, in information security management, 941
 Information quality (IQ), 593–611
 assessing, 595, 601
 components of, 594–595
 decay in, 609
 defined, 593–594
 principles of, 594, 602–605
 Information quality disclaimer, 601
 Information quality improvement environment, 595
 Information quality improvement initiative, 606–607
 Information quality management environment, planning and implementing, 602
 Information quality software, 606
 Information quality warranty, 600
 Information repositories, 649–653
 Information retrieval (IR), 467–470, 649, 669
 Information searches, 643
 Information security, 447
 legal liabilities related to, 707–708
 Information security management, 940–956
 budgets for, 949–950
 change, innovation, and adaptability in, 953–954
 continuity of operations in, 952–953
 controls in, 948–949
 data content management in, 950–951
 data exfiltration in, 951
 department organization for, 945
 described, 940
 disaster recovery management in, 952–953
 incident response in, 952
 intellectual property protection in, 950
 leadership in, 944–945
 management directives for, 945–954
 organizational need for, 940–942
 performance metrics in, 954
 privacy protection in, 950
 program requirement for, 942–943
 required authority for, 943–944
 risk management in, 946
 security policies for, 945–946
 security practice outreach in, 953
 security training and awareness in, 951–952
 strategies for, 943–954
 threats, vulnerabilities, and impacts in, 946–948
 valuation in, 946
 Information security manager (ISM)
 role of, 940, 941–942
 strategies for successful, 943–954

- Information security policies, digital evidence and, 927
- Information services
mobile, 555–556
time-critical, 549
- Information superhighway, 395–396
- Information systems (IS), 440
development of, 574
in information security management, 954
- Information Systems Audit and Control Association (ISACA), 940
- Information technology (IT), 1010. *See also* IT entries
advancements in, 762
business risks and, 1020–1021
digital identity and, 896, 897
new, 753
nonstrategic, 568
security awareness and, 974
upgrading, 569
- Information technology developments, 128
- Information technology governance, in information security management, 943
- Information Week* security survey, information security management and, 941
- Information Wide Area Year (I-WAY) project, 143–144
- Infrared communications-based payment systems, 462
- Infrared technologies, 534
- Infrastructure
integrated, 59–60
MAN and WAN, 22
- Infrastructure network, 7
- Infringement, 809
- INGENIAS, 364
- Inherently distinctive trademarks, 824, 840
- Inheritance concept, 230
- In-house digital forensics, digital evidence and, 927–928
- In-house Web hosting, 628
- Initial attack analysis, CSIRTs during, 1007
- Injunctions, 840
against trademark infringement, 835–836
under the TRIPS Agreement, 734
- Innovation, in information security management, 953–954
- IN Protocol Stack, 79–80. *See also* Intelligent networks (INs)
- Input sanitization, 682
- Input units, 332, 344
- Input validation, poor, 683
- INQUERY document retrieval system, 476
- Inquis system, 478
- In re Bilski*, 813
- In re Dial-A-Mattress Operating Corp.*, 824
- In rem* proceeding, 833–834
- In re Petrus A.C.M. Nuijten*, 816
- IN services, 81–82. *See also* Intelligent networks (INs)
- Insider computer crime, 925–926
- Insider penetration, on information security management, 948
- Insider permission escalation, on information security management, 948
- Insiders, digital evidence and, 925–926
- INSIGNIA project, 81–82
- Inspections, as security awareness tool, 991
- Instant license assertions, 934
- Instant mashup, 668
- Instant messaging (IM), 258, 260, 399, 862–863
- Institute of Electrical and Electronics Engineers (IEEE). *See* IEEE entries
- Institutional price setting, 614
- Insurance
in disaster planning, 1018
GIS and, 287
in risk transfer, 1025–1026
- Integrated click-and-brick model, 434
- Integrated device electronics (IDE), 163
- Integrated Geographic Information Systems Database, 279
- Integrated promotional strategy, 435
- Integrated services digital network (ISDN), 11, 25. *See also* ISDN User Part (ISUP)
- Integration hubs, 495, 508
architecture of, 497
- Integration services, 498
- Integrity. *See also* Data integrity
with certified digital identity representations, 901
with digital signatures, 997
of e-commerce, 599
of electronic transactions, 1016
in enterprise security architecture, 958, 972
in identity user control, 899, 900
in information security management, 954
with online issued tokens, 902
in payment systems, 449–450
social engineering and, 859
- Integrity Check Value (ICV), with IPsec, 967
- Integrity verification, with IPsec, 967
- INTELLECT, 356
- Intellectual property, 701, 713, 736, 760–765, 774
computer crime and, 926
cybercrime and, 694
digital forensic examiners and, 923
exfiltration of, 951
in information security management, 943, 950
legal conceptions of, 891–892
legal protection of, 760–761
licensing, 842
rights management and, 931
- Intellectual property crime, 701
- Intellectual property law, 777
international, 727–737
written contracts under, 843
- Intellectual property protection, 424
- Intellectual property rights (IPR)
information security management and, 941
moral legitimacy of, 761–762
- Intelligent agents, 360–372
applications of, 369–370
architectures for, 362–363
frameworks related to, 366–369
key attributes of, 360
perspective on engineering, 361–362
- Intelligent broadband networks, 81–82, 85–86
- Intelligent, multipath switching gateways, 64
- Intelligent network applications part (INAP), 93
- Intelligent network control architecture (INCA), 85
- Intelligent network conceptual model (INCM), 78
- Intelligent networks (INs), 78–87, 93. *See also* IN entries
introducing CORBA to, 83–85
- Intelligent Web information systems, 302
- Intended user group standards, 743–744
- Intentional threats, 1019
identification of, 1013, 1014
- Intentional tort, 708
- Intent-to-use, 840
- Intent-to-use trademark registration application, 829
- Inter-access point protocol (IAPP), 73–74
- Interaction expertise, 376, 380
- Interaction diagrams, 366
- Interactive Advertising Bureau (IAB), 507
- Interactive advertising workflow best practices, 507
- Interactive marketing, 505–506
- Interactive marketing tools, 506
- Interactive tools, 418
- Inter-American Convention on the Law Applicable to International Contracts*, 853
- Inter-cell handoff, 101
- Intercept, 333
- Interest, security awareness programs and, 985
- Interface definition language (IDL), 82, 136
- Interface standards, 744
- Interference proceeding, 818–819
- Interior routing, 26–27

- Intermediary, 447
- Internal agent architectures, 362, 363
- Internal outreach activities, in
information security management,
953
- Internal resources, maintaining, 568
- Internal threats, types of, 1013
- Internal users, security task force and,
1011
- International business climate, 495
- International cellular providers, 115
- International Computer Security Day,
as security awareness tool, 991
- International contracts,
719–720
- International cyberlaw, 717–726,
727–737
defined, 717
future of, 724
as public international law, 718–721
theoretical debate over, 717–718
- International Financial Reporting
Standards (IFRS), 742
- International governmental law, 718
- International humanitarian law, 720
- International Information Systems
Security Certification Consortium
[(ISC)2], 940
- International intellectual property law,
727–737
before TRIPS, 727
- International law, customary norms
of, 720. *See also* International
cyberlaw
- International League against Racism
and Anti-Semitism, 721
- International Mobile
Telecommunications-2000
(IMT-2000), 97, 107, 114
- International Organization for
Standardization (ISO), 940.
See also ISO entries
- enterprise security architecture
and, 958
- MPEG-21 standard from, 935
- on security awareness
programs, 976
- International patent application, 819
- International Shoe Company v.
Washington State*, 710
- International stage application, 818
- International standards, 744
- International Streaming Media Alliance
(ISMA), 49
- International Telecommunications
Union (ITU), 23, 78, 96, 701.
See also ITU entries
- International trademark issues, 839
- International treaties, 892
- International treaty cyberlaw, 718–720
- International trends, in B2B electronic
commerce, 444
- Internet, 19, 139, 140, 395–406, 447
applications of, 403–406
bordered, 724
employment and, 704–705
as enterprise network security zone,
958–960
enterprise security architecture
and, 957
free speech on, 754–760
as a Geographically bordered@
network, 718
GIS data users and, 282–283
information and communication
capabilities of, 409
information gathering on, 860
information quality applied to,
593–595
integration of GIS with, 282
legal, social, and ethical issues of,
753–776
versus intranets, 400
- Internet 2.0, 531–532
- Internet2/MACE Shibboleth project. *See*
Shibboleth
- Internet access
costs of, 38
shared, 39
- Internet Access Provider (IAP), 137
- Internet appliances, 38–39
- Internet Architecture Board
(IAB), 206
- Internet Assigned Number Authority
(IANA), RADIUS protocol and, 964
- Internet-based e-voting technologies,
772–774
- Internet bomb threats, 926
- Internet censorship issues, 707
- Internet-collected information
quality of, 595
quality principles for, 605–607
- Internet Control Message Protocol
(ICMP), 11
- Internet Corporation for Assigned
Names and Numbers (ICANN),
396, 713–714, 731, 834
- Internet Crime Complaint
Center, 941
- Internet EC, 416, 425. *See also*
Electronic commerce
(e-commerce)
- Internet Engineering Task Force
(IETF), 70
- Internet Engineering Task Force public-
key Infrastructure standards, 543
- Internet Engineering Task Force
standard, 43
- Internet Explorer (IE), 398
- Internet explosives trafficking, 926
- Internet fraud, 926
- Internet GIS, versus Desktop
GIS, 282
- Internet harassment, 926
- Internet information
quality principles applied to, 596
quality problems unique to, 595
quality processes for, 595
- Internet key exchange (IKE), IPsec and,
965, 967
- Internet management, 30–31
- Internet map servers (IMs),
283, 284, 288
- Internet Maps Server (IMS)
systems, 282
- Internet misuse, employer liability for,
704–705
- Internet piracy, 893
- Internet Protocol (IP), 52, 522, 637.
See also IP entries
in wireless Internet, 511–512
- Internet Protocol Security (IPsec)
in enterprise security architecture,
965–968
message authentication codes and,
998–999
- Internet protocol stack, 137, 140, 514
- Internet Protocol Suite (TCP/IP)
in enterprise security architecture,
958, 960, 961
iSCSI protocol and, 1029
with S/MIME, 965, 966
SSL/TLS protocols and, 968
- Internet relay chat (IRC), 398, 399, 688,
862–863
internet relay chat bots, 685
- Internet SCSI (iSCSI) protocol, 1029
- Internet Security Association and Key
Management Protocol (ISAKMP),
with IPsec,
967–968, 969
- Internet service provider (ISP), 1, 11,
137, 409. *See also* Independent
service provider (ISP)
in the e-commerce business
plan, 411
- Internet services
changes in, 511
electronic commerce and, 398–399
- Internet Software Consortium, 641
- Internet start-up companies, 417–418
- Internet Tax Freedom Act, 423, 705
- Internet telephony, 399
- Internet traffic identification, 342
- Internetworking, 26–27
- Internet World Stats, 641
- Interoperability, 265–266, 591
defined, 580
in digital rights management, 938
through open protocols and
standards, 581–587
seamless, 51
- Interoperability standards, in digital
rights management, 934–937
- Interoperated telecommunications
architecture, 512
- Interorganizational systems
(IOSs), 401
- Interpol, 701
- Inter-robot communication, 317
- Interval Type-2 fuzzy set, 299
- Intra-cell handoff, 101
- Intranet/extranet projects, 503
- Intranet GIS, versus Desktop
GIS, 282

- Intranets, 11, 19, 139, 140, 399–400, 406, 508
 advantages of, 281
 as enterprise network security zones, 958, 959, 960
 in enterprise security architecture, 972
 information provided by, 401
 as security awareness tool, 988
 selected applications of, 400–401
 versus Internet, 400
- Intruders, physical barriers
 against, 876
- Intrusion, described, 962–963
- Intrusion detection, in enterprise security architecture, 972
- Intrusion-detection systems (IDSs), 880, 1010, 1015
 in CSIRT technology, 1006
 in enterprise security architecture, 962–963
 in security incident data collection, 1004–1005
- Intrusion-prevention systems (IPSs), 878, 880
- Intuit, 444, 445
- Intuitive Surgical's da Vinci system, 307, 308
- Inverse Document Frequency (IDF), 649
- Inverse document frequency weight, 468
- Inverse kinematic equations, 311–312, 314
- Investment(s)
 leveraging, 39–40
 patents and, 812–812
 in security-awareness training, 878
- Investment advisory models, 303
- Invoices, electronic, 440
- Ion-trap quantum computer, 389
- IP addresses, 637, 669. *See also* Internet Protocol (IP)
 in enterprise security architecture, 960
- iPhone, 550, 555
- IP instruments, international, 727
- IP multimedia subsystem (IMS), 522
- iPod, 555
- IP spoofing, 678
- IP telephony, 260
- IP version 4 (IPv4), 26–27
- IP version 6 (IPv6), 27
 network protocol with, 514
- iRobot PackBot, 307
- IS-54 standard, 104
- IS-95 standard, 105
- IS-136 standard, 104–105
- ISA bus, 162
- ISDN User Part (ISUP), 79. *See also* Integrated services digital network (ISDN)
- Islamic countries, security awareness programs for, 986
- ISMACryp, 49
- ISO 14443-based proximity devices, 461. *See also* International Organization for Standardization (ISO)
- Iso 15693-based vicinity devices, 461–462
- ISO network management functions, 207, 208–209
- Issue identity, 898–899
- Issuer, in MPEG-21 REL data model, 935
- IT departments, internal, 569, 575. *See also* Information technology (IT)
- IT device mobility, 739
- IT function categories, 563–565
- IT management, 568
 locations of, 564
- IT outsourcing, 562–577
 assessment criteria for, 572
 candidates for, 566
 in CSIRT organization, 1005
 determinants of, 568–570
 evaluation of, 567
 management of, 573–574
 outcomes of, 574–575
 phases of, 565–567
 process of, 565–567
 risks associated with, 570–572
 vendor-client contract in, 565–567
- IT outsourcing arrangements, 563, 564
- IT outsourcing contracts, 562
 assessment of, 571–572
 risks associated with, 570
- IT outsourcing models, 563–565
- IT outsourcing options, evaluation of, 568–572
- IT outsourcing relationships, 573–574
- IT risks, in business continuity, 1022
- IT security, 1010
- IT security staff, 1010
 in CSIRT organization, 1005
- IT staff, 1010
 in CSIRT organization, 1005
- IT standardization, 738–739
- IT systems integration decisions, in click-and-brick companies, 432
- IT tasks, effect on outsourcing success, 574–575
- ITU-T, 28. *See also* International Telecommunication Union (ITU)
- ITU-T H.225.0, 67
- ITU-T H.245, 68
- ITU-T recommended encoding algorithms, 68
- i-WAT, 179
- JACK Development Environment (JDE), 366
- JADE agent architecture, 367–368
- JADE language, 368
- JADE platform, 367
- JADE tools, 368
- Jadex agent architecture, 368
- Jadex framework, 368
- Jadex language, 368–369
- Jadex tools, 369
- JAIN service logic execution environment (JSLEE), 91
- Japan
 mobile wireless in, 115
 security awareness programs for, 986
- JAP anonymizer, 903
- Java API for integrated networks (JAIN), 91
- Java data base connectivity (JDBC), 45
- Java Message Service (JMS), 135
- Java Remote Method Invocation (RMI) protocol, 44
- JavaScript Web services, 498
- JetSend, 44
- Jini software, 52. *See also* Join-in (Jini)
- Jitter, 75
- Job recruitment sites, 404
- Job scheduler, 166
- Job-shop scheduling, 340
- Job submission description language (JSDL), 157
- Joe Douglas v. Talk America Inc.*, 848
- Join-in (Jini), 44, 176. *See also* Jini software
- Joint application design (JAD), security task force and, 1011
- Joint descriptions, 311, 312
- Joint Electron Device Engineering Council (JEDEC) standards, 749
- Joint intentions theory, 364
- Joint Photographic Experts Group (JPEG), 288
- Joint Photographic Experts Group2000 (JPEG2000), 288
- Joint Video Team (JVT), 750
- Journalism, GIS and, 287
- Judgments, varying approaches to, 722–723
- Junk e-mail, 705
- Jurisdiction(s), 714, 724
 in distant forums, 849
 for electronic signatures, 1002
 over foreign defendants, 721–722
 private law rules governing, 722
 varying approaches to, 723
- Jury trial, 701
- Jus cogens* norms, 718, 720–721, 724
- Justification defenses, 696–697
- Justified interest, feigning, 864
- JXTA, 176–177
- Kaizen*, 609
- KDD process, 669
- Key-based authentication, with electronic signatures, 994
- Key disk, 893, 894
- Keyed-hash functions, in authentication, 962
- Key exchange, with SSL.TLS, 969
- KeyGhost, 863
- Key length, in selecting electronic signature system, 1000
- Keyloggers, 676, 863, 871

- Key management
 - with electronic signatures, 994
 - with IPsec, 967, 968
- Key pairs
 - for digital signatures, 995–996
 - for message authentication codes, 997
- Keys, 906
 - in authentication systems, 999
- Keyword/keyword phrase placement, 598
- Keywords, 654
- Kindle, 531
- Kinematic equations, 311
- Kinematics, 318
 - mobile robot, 313–314
 - robotic arm, 311–312
- k-means algorithm, 300
- Knowledge, 669
 - defined, 644
 - in security awareness programs, 978–979
- Knowledge acquisition, 321, 327, 329
- Knowledge base (KB), 320, 329, 332, 659, 661
 - for the Web, 661
- Knowledge-based parsing, 354–355
- Knowledge-based system applications, 327–328
- Knowledge-based systems, 320, 329
- Knowledge discovery in databases (KDD) process, 658–659
- Knowledge engineers, 321, 327, 329
- Knowledge management, 329
 - for the Web, 658–661
- Knowledge representation (KR), 558, 659–661
- Knowledge, skills, abilities (KSAs),
 - in-house digital forensics and, 927–928
- Knowledge users, 661
- Knowledge worker, 609
- Krause, Miki, on security awareness programs, 976
- Krause v. Titleserv*, 786–787
- K-redundant super peer networks, 195
- KSR International Co. v. Teleflex Inc.*, 814
- Kurzweil, Raymond, 351
- L0phtCrack, 873
- Laches, 817, 820
- Lack of dominance, as a due process requirement, 745
- Ladner's theorem, 386
- Lamport, Leslie, 961, 962
- LAN administration, 16. *See also* Local area networks (LANs)
- LAN architectures, 4–6
 - categorizing, 6
- Landmark-based localization, 314–315
- Lands' End, 526, 532
- Language Assistant Series, 358
- Language model, 469
- Lanham Act, 825, 828, 830, 833, 836, 838, 840
- LAN hardware, 6. *See also* Local area networks (LANs)
- LAN installation, 13, 15–16
- LAN media, 6
- LAN needs analysis, 13
- LAN security, 16–18
- LAN site analysis, 13
- LAN software, 10–11
- LAN speeds, 3
- LAN technologies, 3
- LAN topology, 3–4
- Large-area coverage access, 113
- Large Hadron Collider Computing Grid (LCG), 149. *See also* European Organization for Nuclear Research (CERN)
- Large-scale attacks, 1029
- Large-scale CCDO applications, 239
- Last-mile connections, 112
- Latency, 65–66, 75, 170
 - excessive, 73
 - roaming, 73
- “Lateral inhibition” network, 335
- Late requirements analysis, 366
- Law. *See also* Laws; Legal entries; Regulation
 - choice of, 723–724
 - digital rights and, 932
- Law enforcement
 - digital evidence and, 926
 - digital forensic examiners and, 923
 - in information security management, 952
 - levels of, 693
- Law enforcement agencies
 - in CSIRT organization, 1006
 - in information security management, 941
- Law of linking, 706–707
- Law of nations, 717
- Lawrence Livermore National Laboratory (LLNL), 1016
- Laws. *See also* Law Regulations
 - in business continuity, 1029–1031
 - digital evidence and, 921–922
 - electronic signature systems and, 1001–1002
 - in SAN security issues, 1028–1029
- Laws of Identity* (Cameron), 899
- Lawsuits, after security attacks, 1009
- Layer protocols
 - change in, 511–512
 - modifications of, 515
- Lazy replication, 246
- Leadership, required for information security manager, 944–945
- Learning, security awareness programs and, 983–984
- Learning-based database selection, 476
- Learning rate, 344
- Leased facilities, for backup and recovery, 1027
- Leased-line access, 23
- Least Mean Square (LMS) rule, 335
- Legacy systems, compatibility of, 739
- Legal departments, in CSIRT
 - organization, 1005
- Legal environment, for electronic signature systems, 1001–1002
- Legal goals, in selecting electronic signature system, 1000–1001
- Legal issues
 - in comprehensive security planning, 1018
 - e-commerce-related, 412
 - in expert systems, 328–329
 - globalization-related, 634–635
- Legality, of e-commerce, 599
- Legal protection
 - of computer security, 770
 - of free speech, 754
 - of information privacy, 765–766
 - of intellectual property, 760–761
 - of voting, 772
- Legal regimes, restrictive, 721
- Legal software protection mechanisms, 891–892
- “Legitimate interests,” patent-related, 733
- Letter rogatory, 700
- Levenshtein distance, 653
- L.E. Waterman Co. v. Gordon*, 831
- Lewis v. King*, 722
- Lexical neuron level, 355
- Lexmark International, Inc. v. Static Control Components, Inc.*, 781, 801, 805–806
- Liability
 - of outsourced Web hosting, 629
 - for software piracy, 893
- Liberty Alliance Project, 917–918
- Liberty Alliance Standards community, 897, 898
- Liberty Project, digital rights
 - information model and, 933
- Libraries, filtering devices and, 759
- License, 854
- License Act, 846
- License activity
 - reporting on, 931
 - rights enforcement and, 931–932
- License assertions, 934
- License Editor, with Creative Commons, 936, 937
- License management, with GeoDRM Reference Model, 937
- Licenses
 - auctioning, 615
 - copyright, 635
 - in digital rights management, 938
 - in digital rights management architecture, 933
 - in MPEG-21 REL data model, 935
 - requirements for writing, 843–844
 - restrictive clauses in, 845
- License verification, in GeoDRM Reference Model, 936
- Licensing
 - in digital rights management architecture, 933

- notice in the case of unusual or onerous terms in, 847–849
- software, 892
- of trademarks, 730–731
- Licensing individualization, 778
- LICRA v. Yahoo*, 721
- Lifecycle management, 35
- Lifecycles, in identity management, 913
- Lightweight business models, 418–419
- Likelihood of confusion standard, 840
- Limitation-of-liability clauses, 709
- Linear hidden units, 337
- Linear interaction, 246
- Line managers, in CSIRT organization, 1005
- Linguistic values, 294
- Linkability, in identity verification assurance, 897–898
- Linkage information
 - segregation from identity information, 915–916
 - use of, 472–473
- Link and content analysis, 656
- LinkedIn, 529
- Linking, law of, 706–707
- Linking agreements, 707
- Linux operating system, 10, 165, 169, 785
- Linux Virtual Server, 162
- LISP, 326, 329
- Literacy, in security awareness programs, 977
- Literary works, 786, 795
 - copyrightable, 780
 - DMCA exemptions for, 803
- Live rehearsals, 1010
 - in CSIRT formation, 1006
- Load balancing, 627–628
- Local application logic, 130
- Local area networks (LANs), 1–20, 35, 140, 170, 399. *See also* LAN entries
 - in enterprise security architecture, 959–960
 - radius of, 8
 - role and applications of, 11
 - types of, 2–10
 - versus WANs, 3–4
- Local bus, 170
- Local government, GIS and, 286
- Localization, 254
 - mobile robot, 314–315
- Localization program, 249
- Local location update scheme, 219
- Local presentation, 130
- Local reliability manager (LRM), 250–251
- Local-score computation, 193
- Local trust values, aggregation of, 188
- Location and navigation service, 536
- Location-based services (LBS), 284, 288, 536, 544, 549, 556–557, 558
- Location *k*-anonymity, 544
- Location management, 218
 - for cellular networks, 218–219
- Location Management Platform (LMP), 549
- Location privacy, for mobile customers, 543–544
- Location registration, 99
- Location technologies, 540
- Location updating scheme, 218–219
- Lockean argument, on intellectual property rights, 761–762
- Lockout policy, 869
- Locomotion, mobile robot, 313
- Log file monitoring, in CSIRT technology, 1006
- Logical database, 227
- Logical design, 232–236
- Logical topology, 19
- Logic implementation, using McCulloch-Pitts neurons, 333–334
- Logistics, in the e-commerce business plan, 411–412
- Log Markup Language (LOGML), 648
- LOGOS system, 357
- Logs
 - audit, 18
 - in comprehensive security planning 1017s
 - system, 16
 - “Long-arm” statute, 710, 714
- Long tail, 425
- Long term evolution (LTE) technique, 118
- Lookahead random walk (LRW) module, 197
- “Look for” advertising, 826
- Loose coupling architecture, 518
- Losses, 1031
 - evaluating financial impacts of, 1024–1025
- Loss of data ownership, in identity management, 916
- Lotus Notes, 261
- Lotus v. Borland*, 781
- Low-barrier participation, 266
- Low-frequency tags, 539
- Lyapunov function, 339
- MAC algorithms, with Secure Shell transport layer protocol, 970. *See also* Medium access control (MAC)
- Machine fault diagnosis, 327–328
- Machine translation, 357–358
- Machine translation output, quality of, 358
- Machine translation software, 358
- Machine translation systems, 352
- Machine Vision, 352
- MadKit agent architecture, 369
- MadKit language, 369
- MadKit tools, 369
- Madrid System, 730
- Magnetic ink character recognition, 464
- Mail fraud, 926
- Mail order/telephone order (MOTO) catalog merchants, 482
- Mail servers, 2
- Mainframe, in security awareness programs, 992
- Maintenance, repair, and operations (MRO), 492
- Maintenance, repair, and operations goods, 489
- MAI Systems Corporation v. Peak Computer Inc.*, 779–780
- “Make before break” handoff, 124
- Malicious attacks, 1029
- Malicious code, on information security management, 948
- Malicious peers, 195
- Malicious Web site, 679
- Malware, 18, 677, 699, 700, 871
- Mamdani fuzzy models, 296–298
- Mamma search engine, 475
- M. A. Mortenson Company, Inc. v. Timberline Software Corporation*, 708, 852
- Managed object, 222
- Managed service provisioning (MSP), 565
- Management. *See also* Business continuity management (BCM); Information security management
 - in credible security policy, 979–980, 987
 - fuzzy logic for, 303
 - law enforcement and, 926
- Management agents, 206–207, 209
- Management directives, in information security management, 945–954
- Management experiments, reversible, 377
- Management information, structure of, 210–211
- Management Information Base (MIB), 30, 207, 209, 210–211, 222. *See also* MIB entries
- Management practices, business continuity and, 1022
- Management station, 206, 209
- Management team description, in a business plan, 410
- Managerial issues, risks associated with, 570
- Managers
 - in credible security policy, 987
 - in CSIRT organization, 1005
 - digital evidence and, 921–922
 - in-house digital forensics and, 927–928
 - in security awareness programs, 978
 - in security incident data collection, 1004–1005
 - security task force and, 1011
- Manager-to-manager capability, 212
- Manipulative buyers, in first price auctions, 623
- Manipulative sellers, in auctions, 622
- Manipulator, 318
- MAN technologies, underlying, 22
- Mantraps, 875–876

- Manual categorization, 656
 Manufacturer-direct firms, 484–485
 Manufacturer (direct) model, 419, 421
 Manufacturing robotics sector, 306–307
 Many-to-one binary (unary) relationship set, 233
 MapBlast!, 282
 Mapping cardinality, 226
 MapQuest, 282, 528, 556
 March-in rights, 819
 Maresware Forensic Tools, 928
 MARINE B-SS&CP, 86–87
 MARINE project, 85–86
 MARINE service execution node, 86–87
 Market analysis, in a business plan, 410
 Market creator(s), 485–486, 492
 Market creator business model, 531
 Market creator model, 527
 Marketing, 413
 security awareness programs and, 987
 Marketing applications, ANN, 341–342
 Marketing integration decisions, in click-and-brick companies, 432–433
 Marketplace perspective, 500
 Market structure, in auction classification, 614
 Markup languages, 648
 Marrakesh Agreement, 735
 MAS-CommonKADS methodology, 364
 Mashup IQ principles, 605
 Mash-ups, 418, 425, 609
 Masking, 630
 Masquerading, 139
 Mass collaboration, 425
 Mass e-mailings, 757–758
 Mass infringement, 778
 MASSIVE, 365
 Massively multiplayer online game (MMOG), 199
 MasterCard, 452
 MasterCard SPA, 687
 MathML, 583
 Matlab Fuzzy Logic Toolbox, 293
Mattel, Inc. v. MCA Records, Inc., 837
 Maui Cluster Scheduler, 162
 Max function, 479
 Maximum Flow Minimum Cut theorem, 664
 Max-min composition, 295
 Max smart editing system, 358–359
 Max T-conorm, 296, 297
 Mayer, Richard E., on security awareness programs, 984, 985
 MBA Admissions expert system, 328
 Mbps, 170
 McCulloch-Pitts formal neuron, 333, 344
 McCulloch-Pitts neurons, implementation of logic using, 333–334
 Mean opinion score (MOS), 65, 75
 Means-end reasoning, 363
 Means plus function language, 820
 Mechanism design, 618–619, 624
 Mechanism design theory, 612
 Media democratization, 778
 Media failures, DDBMS, 250
 MediaFLO mobile TV service, 556
 Media Gateway Control Protocol (MEGACO), 69
 Media Gateway Control Protocol (MGCP), 28–29, 70
 Media industries, 778
 Media-limited installations, 893, 894
 MediaMax CD3 controversy, 806–808
 Media packets, 175
 Media streaming, 174–175
 Mediated license assertions, 934
 MediaWiki, 264
 Medical records, privacy of, 766
 Medium access control (MAC), 522, 683. *See also* HMAC entries types of, 519
 Medium access control layer, 117
 Medium access control sublayer, 5
 Megaco/H.248 standard, 70
 Melissa, 675
 Membership functions (MFs), 292–293, 303
 in a type-2 fuzzy set, 299
 Memory, 162
 components of, 169
 Merchantability warranties, 851–852
 Merchant certification authority, 454
 Merchant model, 419, 421
 Merchant server plug-in (MPI) software, 686
 Merchant-specific vouchers, 457
 Merger doctrine, 781
 Mesh networking technologies, 125
 Mesh topology, 113
 MESSAGE, 364
 Message authentication codes (MACs), 994, 997–999, 1002
 benefits of, 998
 creating, 998
 IPsec and, 998–999
 issues related to, 998
 properties and advantages or, 998
 speed of, 998
 in threat model, 995
 verifying, 998
 Message authentication algorithms, with S/MIME, 966
 Message-by-message authentication, with digital signatures, 996–997
 Message digest, 1002
 digital signatures and, 996
 Message integrity, 1002
 with digital signatures, 997
 Message interfaces, 515
 MessageLabs, security incident data collection by, 1004
 Message-oriented middleware (MOM), 135
 Message passing, 170
 Message passing interface (MPI), 170
 Message Processing Subsystem, SNMPv3, 213
 Messages, 906
 Message server, 134
 Message signing algorithms, with S/MIME, 966
 Messaging services, 498
 Metacomputing, 143
 MetaCrawler search engine, 475, 479
 Metadata, 652–653, 665, 668, 669
 Metadata standards, 273
 Meta-knowledge, 645
 Metasearch engines, 467, 480
 Metasearch engine technology, 475–479
 Metatagging, 760
 Meta tags, 656
 Metcalfe, Robert, 4
 Metrics, in credible security policy, 982–983
 Metrics collection, in information security management, 951. *See also* Performance metrics
 Metropolitan area networks (MANs), 1, 21–36, 399. *See also* MAN entries challenges related to, 21–22
 management of, 32–35
 requirements and approaches related to, 22
 transmission and media, 22–24
MGM v. Grokster, 789–790
 MIB Objects group, 213. *See also* Management Information Base (MIB)
 MIB structure, 211
 MIB views, 216
 Michigan State Medical Society (MSMS), 490
 Micropayment, 457, 464
 Microsoft Distributed COM (DCOM), 135
 Microsoft Message Queue (MSMQ), 135
 Microsoft Office Communicator, 260
 Microsoft Office SharePoint Server, 261–262, 264
 workspaces interface with, 268
 Microsoft P2P networking, 176–177
 Microsoft social engineering paper, 881
 Microsoft Windows CardSpace, in identity management, 917, 918
 Microsoft Windows Media DRM, 934
 Microsoft Windows OS-based GISs, 281
 Microsoft Windows Server 2003, 165–166
 Microwave tags, 539
 Middleware, 52, 135–137, 140
 component-based, 135–137
 Middleware platforms, 367–368
 Middleware technologies, 40, 43–46
 Milgram experiment, 858–859
 Military
 GIS and, 286–287
 use of robots in, 307

- MilliCent, 457–458
 Minimal data release, in identity user control, 901
 Minimal identity data, disclosing, 899
 Min T-norm, 296
 MIP client (MH), 518–519
 Miranda warnings, 693
 Mirror disks, in basic security safeguards, 1012
 Mirroring, 627, 1027–1028, 1031
 Mischanneling, 894
 Mismanagement, of identity, 911
 Mission-critical activities, 1031
 Mission objectives, in information security management, 942
 Mix-and-match channel strategy, 436
 Mix-and-match model, 428, 431, 433
 Mixed fragmentation, 246, 247
 Mixed strategy game, 195
 MLN classifier, 341
 Moab Cluster Suite, 162
 Mobile ad hoc networks (MANET), 522
 Mobile advertising, 535
 Mobile agents (MAs), 85, 93
 Mobile agent technology (MAT), 85
 Mobile application development fees, 551
 Mobile-assisted handoff (MAHO), 100
 Mobile banking services, 557, 558
 Mobile carrier payment systems, 462
 Mobile cellular networks, generations of, 101
 Mobile cellular systems (MCSs), 96
 evolution of, 522
 Mobile commerce (m-commerce), 414, 416, 425, 534–546, 547, 558
 application protocols related to, 540–541
 applications and strategies related to, 553–558
 applications of, 534–536
 architectural components of, 541–542
 country/culture targeting and, 548–549
 defined, 534
 demographics and, 549
 enabling technologies related to, 536–541
 mobility and, 548–548
 security and privacy issues related to, 542–544
 sources of revenue for, 550–552
 value propositions and applications for, 551
 value propositions in, 549–550
 vulnerabilities of, 683–684
 Mobile commerce business models, 547–561
 framework for, 547–553
 key components of, 548
 Mobile commerce development, 558
 Mobile commerce revenues, 534
 Mobile commerce value chain
 profit sharing in, 554
 roles in, 552–553, 554
 Mobile communication(s)
 charges for, 550
 subscriptions for, 555
 value of, 549
 Mobile communication equipment/
 devices, sales of, 550–551
 Mobile communication market, growth of, 554
 Mobile communication services, 553–555
 Mobile communications providers, in an m-commerce value chain, 552
 Mobile-controlled handoff (MCHO), 100
 Mobile converters, 48
 Mobile customers, location privacy for, 543–544
 Mobile devices, 536
 multiple interfaces of, 511
 standardization of programming language for, 541
 Mobile entertainment, 550, 558
 Mobile environment, Internet access in, 510
 Mobile FeliCa, 462
 Mobile financial services, 535
 Mobile GIS, 284
 Mobile identity, 905
 Mobile information/entertainment services, 555–556
 Mobile information provisioning, 535
 Mobile IP (MIP) framework, 518
 Mobile on-site shopping, 535
 Mobile payment, 549–550, 557
 Mobile payment forum, 462
 Mobile payment systems, 460–462
 Mobile remote shopping, 535
 Mobile robots, 306, 312–316
 Mobile robot systems, 315–316
 Mobile security services, 535
 Mobile subscriber rate, 126
 Mobile switching center (MSC), 99–100, 218
 Mobile telecommunications services, 535
 Mobile terminal (MT), 99, 100, 101
 Mobile ticketing, 535
 Mobile TV, 555–556
 Mobile user-to-user applications, 535–536
 Mobile WiMAX, 109. *See also* Worldwide Interoperability for Microwave Access (WiMax)
 Mobile wireless technologies, 114
 Mobile workforce support, 550, 557–558
 Mobility, m-commerce and, 548
 Mobility management, 522
 in cellular networks, 99–101
 Mobility plane, in cross-layer architecture, 515
 Model Law on Electronic Commerce (MLEC), 720, 843, 844
 Modular architecture, for next-generation networks, 515–516
 Module definitions, 212
 Molecular nanosystems, 375
 MONDEX smart card, 458
 Money, electronic, 448
 Money damages, 834
 for trademark infringement, 836
 Money laundering, information security management and, 941
 Monitoring and discovery service (MDS), 147, 157
 Monitors, 216
 Monopoly, 811
 Monster, 527
 Moral imagination, 376–377
 Moral rights, 729, 736
 Moral theorizing, approaches to, 753–754
 Most-favored-nation treatment, 728
 Most searched concepts method, 657
 Most Similar Document database selection, 477
 Movie download services, 487
 Movie/TV show service industry, online, 488
 MP3 files, 774
 MP3 file-sharing, 763
 MPEG-21 standard, 934
 digital rights management specifications with, 935
 in digital rights management, 938
 MPICH, 167
 MPICH library, 144
 MPI standards, 167–168
 MSMS Connect, 490
 MSN business model, 531
 MSN search engine, 466
 mTreebone, 175
 Multiagent application areas, 370
 Multi-agent development kit (MadKit), 369
 Multiagent systems (MAS), 365, 371
 middleware in, 367
 Multi-attribute auction, 624
 Multi-attribute procurement, 617
 Multichannel merchants, 484
 Multidatabases, 244, 245, 254
 Multidimensional analysis, 650
 Multidimensional databases, 651, 669
 Multi-item procurement, 617
 Multilateral global treaties, 719
 Multilayer Perceptron ANNs, 336, 341
 Multilink frame relay (MFR), 25
 Multi-master model, 246
 Multimedia, 28–29
 Multimedia messaging service (MMS), 107
 Multinomial logistic (MNL) regression, 341
 Multiparty Multimedia Session Control (MMUSIC) working group, 70
 Multi-path voice/data switch, 64

- Multi-Person Prisoner's Dilemma (MPD), 182
- Multiple access techniques, 98–99
- Multiple home network users, security management for, 49–50
- Multiple-input multiple-output (MIMO), 522, 538
- Multiple-input-multiple-output smart antenna technology, 109
- Multiple-input multiple-output technology, 12
- Multiple servers/multiple clients architecture, 244
- Multiple service support, 46
- Multiple technologies, convergence of, 125–126
- “Multiple user dungeons” (MUDs), 718
- Multipoint control units (MCUs), 28, 67
- Multi-Protocol Label Switching (MPLS), 66
- Multi-protocol label switching routing, 26–27
- Multirobot systems, 317
- Multistation access unit (MAU), 4
- Multi-tier architectures, 628–629
- Multivalued dependency (MVD), 236
- Multivendor outsourcing arrangements, 573
- Music downloading services, 487
- MusicML, 583
- MusicShare, 790
- MusicShare software, 763
- Music-sharing technologies, 764
- Mutual legal assistance treaties (MLATs), 700
- Mutual of Omaha Ins. Co. v. Novak*, 837
- Myerson-Satterthwaite theorem, 620
- Myrinet, 164
- MySpace, 418, 530, 531
 - growth of, 860–861
- MySpace.com, 528–529, 633
- MySpace studies, 875
- Naive Bayes classifier, 658
- Naked licensing, 839
- “Name Your Own Price” technology, 527–528
- Naming conflicts, 253
- Nano-based advances, 374
- Nanomaterial developments, 374
- Nanomaterials
 - environment, health, and safety information on, 378
 - monitoring, 378
 - private-sector frameworks for risk management of, 379–380
 - risks of, 377–379
 - toxicity of, 378
 - transport of, 378
- Nanoscale Materials Stewardship Program (NMSPP), 379
- Nanosystems, systems of, 375
- Nanotechnologies, 380
 - adaptive management of, 377
 - application fields of, 374
 - application to superordinate goals, 380
 - central management goal for, 380
 - current state of, 373–374
 - defined, 373
 - environment, health, and safety information on, 378
 - investment in, 376
 - managing and regulating, 377–380
 - superordinate goals of, 375–376
 - win-win outcomes in, 380
- Nanotechnology evolution
 - managing, 373–383
 - versus nanotechnology revolution, 375–377
- Nanotechnology nomenclature, 378
- Nanotechnology solutions, 374
- Napster, 763–764, 790
- Narrow focus Web strategies, 529
- n*-ary schema integration, 252
- NASD/NYSE Business Continuity Rules, 1031
- Nash equilibrium, 182, 183
- National Geospatial-Intelligence Agency (NGA), 287. *See also* United States entries
- National Infrastructure Security Co-ordination Centre (NISSC), 881
- National Institute of Justice, in-house digital forensics and, 927
- National Institute of Standards and Technology (NIST), 232, 470, 740, 940, 1030
 - digital signature encryption and, 996
 - security awareness programs and, 976, 992
- National laws, harmonization of, 720
- National Nanotechnology Initiative (NNI), 373, 375
- National Science Digital Library (NSDL), 584, 585–587, 591
- National Science Foundation (NSF), 373
- National Science Foundation Network (NSFNET), 395, 396
- National Spatial Data Infrastructure (NSDI), 273
- National stage application, 818
- National Technology Transfer and Advancement Act (NTTAA), 745
- National White Collar Crime Center, 941
- Natural disasters
 - identification of, 1012–1013
 - types of, 1012
- Natural language, 350
 - defined, 348
- Natural language input/output technologies, 349–352
- Natural language interfaces, 356–357
- Natural language processing, 347–359
 - applications for, 348
 - advantages of and problems with, 349
 - categories of, 348
 - defined, 348–349
 - parsing approaches in, 353–354
 - steps in, 353
- Natural language queries, 480
- Natural languages, machine translation among, 357–358
- Natural language systems, types of, 348
- Natural language understanding systems, 352–353
- Natural threats, in information security management, 947
- Navigational database models, 226
- Navigational queries, 471
- Navigational searches, 668
- Navigational tools, 397, 398, 406
- Navteq, 556
- NCSA Mosaic, 439–440
- N-Data, 750
- Negative identity claims, 905–906
- Negligence, theory of, 709
- Neighbor discovery, 200
- Nested entities, 230
- .NET environment, 136
- Netflix, 487
- Netiquette, 714
- Net marketplace model, 422
- Net marketplaces, 489
- Net neutrality, 70, 424
- Netscape browser, 417
- Netscape Navigator, 398
- Netsourcing, 565
- Network access, 137
- Network access points (NAPs), 395
 - in enterprise security architecture, 972
- Network Address Translation (NAT), 52
- Network application software, 11
- Network architecture, next-generation, 513–514
- Network-assisted GPS (A-GPS), 540
- Network attached storage (NAS), 1028
- Network-based Intrusion Detection System (NIDS), in enterprise security architecture, 963
- Network-based security, 18
- Network coding, 199
- Network-coding-based distributed topology control, 199
- Network-controlled handoff (NCHO), 100
- Network core, 137
- Network design, 29–30
- Network economy, 408
- Networked attached storage (NAS), 16
- Network edge, 137

- Networked workstations, 2
- Network effects, 425
 - leveraging, 266
- Network effects/network externality, 751
- Network efficiency, maximizing, 34–35
- Network failures, 570
 - DDBMS, 250
- Networking, 637
 - computer, 1–2
- Networking approach, to credible security policy, 982
- Networking devices, 10
- Networking framework, 137–139
- Networking security vulnerabilities, 138–139
- Network installation schedule, 15
- Network interface card (NIC), 8, 9, 19
- Network interface controller (NIC), 170
- Network job supervisor (NJS), 148
- Network layer, 138
- Network management, 32–35, 206–223
 - next-generation, 31–32
- Network management functions, 34
- Network Management Layers, 207–208
- Network management models/architecture, 30–32
- Network management protocols, 209–217
- Network management system (NMS), 206, 222
- Network management tools, 217–218
- Network media, types of, 5
- Network model, 225, 226
- Network monitoring, 222
- Network monitors, 218
- Network operating systems, 10–11
- Network operations, 34
- Network organization, 200
- Network outage, 1031
- Network planning, 122–124
- Network radius, 8
- Network requirements, for electronic payment systems, 448–449
- Networks, 19, 140, 627. *See also*
 - Enterprise networks
 - basic security safeguards and, 1012
 - identity management in, 909, 913–915
 - next-generation, 513–516
 - in the online marketing suite, 506
 - security behaviors in, 979
 - Network scanners, 218, 222
 - Network security, 17–18, 880
 - Network servers, 3
 - Network/service convergence, 87–93
 - Network site design, 14–15
 - Network standards, 581
 - Network-structure diagram, 226
 - Network-to-network interface (NNI) signaling protocols, 80
 - Network topology, 174
 - Network traffic, 512
 - Network utilities, 11
 - Network utilization, improved, 59
 - Neural network parsing, 355
 - Neural networks, 658
 - Neuro-fuzzy systems, 300–301
 - Neuron firing frequency, 331
 - New Alexandrians business model, 423
 - New applications, database support for, 238–240
 - New domain names, 397
 - New generation networking (NGN), Web services in, 92–93
 - New generation operations software and systems (NGOSS), 31–32
 - Newsgroups, 258, 398
 - information gathering on, 860
 - Newsletters, as security awareness tool, 989
 - New Technologies Forensic Suite, 928
 - New wiring technologies, 41
 - New York Stock Exchange (NYSE), 615
 - Next-generation networks, 513–516
 - IP architecture shortfalls/improvements for, 514–516
 - motivations and features of, 515–516
 - service provisioning in, 91–92
 - Nexus, 144
 - Nike, Inc. v. Nikepal Intern., Inc.*, 831
 - Nintendo, 488
 - NMT Association (NMTA), 102
 - No cloning principle, 385, 391
 - Nodes, 2
 - Node server, 152
 - No Electronic Theft (NET) Act, 714, 802, 393
 - Nokia and Ericsson incident, 1023
 - Noncolluding data consumers, in identity management, 917
 - Noncommercial speech, 837
 - Noncustomized application services, 565
 - Nondeterministic parsing, 355
 - Nondistinctive trademarks, 824
 - Non-exclusive license, 784
 - Non-exclusive trademark license, 838
 - Nonfinancial impacts, of downtime losses, 1024–1025
 - Non-inherently distinctive trademarks, 824
 - Non-institutional price setting, 614
 - Nonlinear autoassociative ANNs, 335–336
 - Nonlinear autoassociative networks, early, 335
 - Nonlinear dynamical systems, ANNs as, 339
 - Nonlinear function, 296
 - Nonlinear optimization algorithms, ANN algorithms as, 339
 - Nonlinear physical system ANN models, 341
 - Nonobvious invention, 820
 - Nonpersistent cookie, 683
 - Non-replay
 - in identity user control, 899, 900
 - with online issued tokens, 902
 - Nonrepudiation
 - with anonymous credentials, 903
 - defined, 1002
 - with digital signatures, 997
 - of electronic transactions, 1016
 - in enterprise security architecture, 958
 - in identity user control, 899, 900
 - message authentication codes and, 998
 - in selecting electronic signature system, 1001
 - Nonrepudiation of origin, 1016
 - Nonrepudiation of receipt, 1016
 - Nontechnical human threats, in information security management, 947
 - Non-U.S. patents, 817–820
 - considerations related to, 818–819
 - types of, 819
 - Non-voting termination, 246
 - Nordic Mobile Telephone (NMT) system, 96, 102
 - Normal forms, higher, 236
 - Normalization, of a high-level query, 248–249
 - Normalized database, 233–236
 - Normal-use exception, 793
 - North American cellular providers, 115–116
 - North American Electric Reliability Council (NAERC), 1030
 - Not-for-profit business model, 751
 - Notification
 - as a due process requirement, 745
 - in identity user control, 899, 900
 - Notification definitions, 212
 - Notification originators, SNMPv3, 214
 - Notification receiver, SNMPv3, 214
 - Novelty, 820
 - patentability and, 814
 - NP-complete problems, 386
 - n-tier client/server architecture, 131–132
 - NTLM hashes, 873
 - NTT DoCoMo, 552, 555, 557
 - Nuclear magnetic resonance (NMR) technology, 389
 - Number field sieve (NFS) factoring method, 143
 - Nyms, 906
 - digital identity and, 896–897
 - Object database management systems (ODBMS), 280
 - Object Database Technology Working Group, 228
 - Object Data Management Group (ODMG), 228
 - Object definitions, 212

- OBJECT DESCRIPTOR, 211
 OBJECT IDENTIFIER, 211
 Object Management Group (OMG), 82, 228
 Object-oriented database management systems (ODBMSs), 228
 Object-oriented databases, 228
 Object-oriented division of work, 579
 Object-oriented (OO) methodology, 364–365. *See also* OO software
 Object-oriented model, 228–229
 Object-oriented programming (OOP), 326
 Object Query Language (OQL), 280
 Object request broker (ORB), 82
 Objects, encoding, 211
 Object syntax, MIB, 211
 Obscenity law, 699
 Octal phase shift keying (8-PSK), 106
 ODMG 3.0, 228
 ODMG Java Language Binding, 228
 ODRL/CC Profile, 936
 OECD principles, in identity management, 899, 900, 901
 Offers
 creation of, 931
 in digital rights management, 938
 in Open Digital Rights Language, 935
 Offline debit cards, 454–455
 Off-line learning, 335, 344
 Offline purchases, 427
 Offshore outsourcing, 563, 575
 Off-site storage facility, 1031
 OGSA Web services, 145
 OGSA Working Group, 145
 OIA-PMH Web service, 588
 Okapi function, 469
 OMA DRM standard, 934, 935–936
 OMB Circular No. A-119, 746
 OMH grid middleware, 153–154
 OMII architecture, 153. *See also* Open Middleware Infrastructure Institute (OMII)
 OMII client, 154
 OMII server stack, 153
 OMT methodology, 364
 “On-center off surround” anatomy, 335
 1-click digital technology, 765
 1G analog cellular standards, comparison of, 103
 1G cellular network standards, 101
 1G wireless technologies, 536–537
 One-phase Commit (1PC) protocols, 251
 One-tier Web architecture, 628
 One-time passwords, in enterprise security architecture, 961, 962
 One-time-use credit card numbers, 687
 One-to-one binary (unary) relationship set, 233
 One way functions, 388
 1X link, 164
 Online activity
 cross-border disputes over, 721
 jurisdiction over, 721–722
 Online analytical process (OLAP), 669
 Online analytical processing tools, 651
 Online auctions, 527
 Online community model, 528–529
 Online contracts, with unconscionable terms, 849
 Online courses, as security awareness tool, 988
 Online credit card fraud, 685
 Online cyberlaw resolution, 712
 Online debit cards, 454
 Online failure, approaches to, 531
 Online hate speech, 756–757
 Online information, amount of, 768
 Online issued tokens, identity management with, 902
 Online learning, 344
 Online learning rules, 335
 Online marketing suite, components of, 506
 Online-only storefronts, 526
 Online real estate sites, 404
 Online sales, 427
 Online speech/content, international regulation of, 720
 Online technology contracts, 842–855
 notice and consent requirements in, 845
 offer and acceptance in, 844
 onerous, unconscionable, and restrictive terms in, 845–851
 On-line trademark infringement, 832–834
 Online trading companies, 440
 Online video, 528
 Ontologies, 253, 666–668
 applications of, 667–668
 Ontology inference layer (OIL), 667
 Ontology languages, 666
 OO software, OPEN approach to, 364. *See also* Object-oriented (OO) methodology
 OPEN approach, 364
 Open Archives Initiative Protocol for Metadata Harvesting (OAI-PMH), 586
 Open Digital Rights Language (ODRL), 934–935
 Creative Commons and, 936
 in digital rights management, 938
 Open Directory Project, 643
 Open Geospatial Consortium, digital rights management specifications of, 936–937
 Open Grid Forum (OGF), 145, 157
 Open Grid Services Architecture (OGSA), 145–146, 154, 157
 Open Grid Services Architecture CData Access and Integration (OGSA-DAI), 157
 Open Grid Services Infrastructure (OGSI), 154–156
 specification in, 145–146
 OpenID technology
 digital rights information model and, 933
 in identity management, 917, 918
 Open loop credit card systems, 452
 Open markets, 489
 Open Middleware Infrastructure Institute (OMII), 150, 152–154, 155, 157
 Open Mobile Alliance (OMA), 92, 541
 digital rights management specifications of, 934, 935–936, 937, 938
 Openness, as a due process requirement, 745
 Open protocols/standards, interoperability through, 581–587
 Open Science Grid, 170
 Open service access (OSA), 88
 Open Service Gateway Initiative (OSGi), 45–46, 52
 OpenSocial, 268–269
 Open-source agent platforms, 367
 Open source GIS software, 281
 Open Source HIDS (OSSEC), in enterprise security architecture, 963
 Open source movement, 778, 892
 Open-source software, 761
 Open standards, 591, 739, 741
 Open Systems Interconnection (OSI) model, 5, 22, 35, 137–138, 140, 207, 541. *See also* OSI entries
 in enterprise security architecture, 960
 with IPsec, 967
 with SSL/TLS, 969
 Opera browser, 868
 OPERA project, 457, 934
 Operating systems (OSs), 161, 165
 GIS and, 281
 in identity management, 910
 Operational descriptions, 311, 312
 Operational risks, in business continuity, 1022
 Operations, administration, maintenance, and provisioning (OAM&P) functions, 30
 Operations integration decisions, for click-and-brick companies, 431–432
 Operations management, ANN, 340–341
 Operations support system (OSS), 30
 Operators, in identity management, 911
Opinio juris, 720
 Optical fiber access, 24
 Optimal order of databases concept, 477
 Optimization, 34–35
 “Opt in” privacy policy, 714

- Options, combining, 29–30
- “Opt out” privacy policy, 714
- Order confirmation, 599
- Order delivery, 599
- Order filling, 599
- Order placement, by e-surfers, 599
- Orders, confirming, 607
- Organization, in CSIRT formation, 1006. *See also* Organizations
- Organizational charts, 865
- Organizational domains, 397
- Organization for the Advancement of Structured Information Standards (OASIS), 157, 591, 909
 - in identity management, 917
- Organization model, in OSI network management, 207
- Organizations
 - computer disaster planning for, 1018–1019
 - controls in, 948–949
 - credible security policy in, 981–982, 986
 - data content management in, 950–951
 - dealing with computer crime, 922
 - identity management in, 909, 910
 - information security management for, 940–956
 - security behaviors in, 978–979
 - understanding business of, 1023–1024
 - valuation by, 946
- Original data evidence, 929
- Original equipment manufacturers (OEMs), 886
- Original installation media, in security attack recovery, 1008
- Orthogonal frequency division multiple access (OFDMA), 99, 519, 522
- Orthogonal frequency division multiplexing (OFDM), 110, 117, 126, 537
- OSA/Parlay standard, 88
- OSCAR, 160
- OSGi technology, 50
- OSI layer, technology choices by, 29. *See also* Open Systems Interconnection (OSI) model
- OSI layers/functions, 208
- OSI management, 31
- OSI reference model, 207
- OSI reference model, 29–30
- Outage
 - network, 1031
 - system, 1032
- Outdoor devices, 41
- Output response, 334–335
- Output unit, 334, 344
- Outreach activities, in information security management, 953
- Outsourced Web hosting, 629–630
 - advantages of, 629
 - disadvantages of, 629–630
 - domain+content, 630
- Outsourcers, 1010
- Outsourcing
 - offshore, 575
 - risks associated with, 571
- Outsourcing assessment, 570–572
- Overloaded data element, 609
- Overloading, 864, 882
 - social engineering and, 857–858
- OWL DL language, 667
- OWL Full language, 667
- OWL Lite language, 667
- Ownership, of identity, 897
- Ownership integration decisions, in click-and-brick companies, 433
- P2P applications, comparison of, 177. *See also* Peer-to-peer entries
- P2P applications/architectures, 174–177
- P2P development tools, 176–177
- P2P file sharing network, 175
- P2P grid applications, 197
- P2P incentive issues, 177–185
- P2P media streaming, 174–175
- P2P network, important system aspect of, 202
- P2P networking environment, 175–176
- P2P sharing costs, 179–180
- P2P topology control issues, 198–201
- P2P trust management approaches, comparison of, 198–198
- Packaged expert systems, 325
- Packet, 35
- Packet filters, 218, 222
- Packet format
 - with IPsec, 965–967
 - with RADIUS protocol, 964, 965
- Packet loss, 66
- Packet-switched data, 106
- Packet-switching, 24–25, 35
- Packet-switching networks, 28
- Packet switching theory, 439
- PAD architecture, 140
- Page design, implement standards for, 604
- PageRank method, 472–473, 480, 664
- Paging, 100, 218–219
- Palo Alto Research Center (PARC), 4
- Panavision Int’l L.P. v. Toepfen*, 833
- Paola Briceño v. Sprint Spectrum, L.P., d/b/a Sprint PCS*, 848
- Paper shredders, 865
- Paraben Forensic Tools, 928
- Parallel processing, 159
- Parallel programming support, 167–168
- Parallel quasi-linear integration processes, 332
- Parallel Tools Consortium (PTools) project, 168
- Parallel virtual machine (PVM), 160, 170
- Parameterization, 579
- Parameter sweeps, 156
- Parametric polynomial trajectory model, 240
- Paris Convention for the Protection of Industrial Property, 727, 728, 817
- “Paris-plus” instrument, 728
- Parlay APIs, 92
- Parlay architecture, 89
- Parlay/SPIRITS approach, 90–91
- Parlay standard, 88, 94
- Parlay X, 92–93
- Parody, 837
- Parsing, 359
- Parsing approaches/techniques, 355–356
 - in natural language processing, 353–354
- Partial FD, 234–235
- Partial identities, 897, 906
- Partial replication, 246
- Participation, in credible security policy, 979
- Parties
 - in digital rights information model, 933
 - in digital rights management, 938
 - in Open Digital Rights Language, 935
- Partition clustering, 655
- Partitioning, 245
- Passing-off, 736
- Passive nanostructures, 375
- “Passive” Web sites, 710
- Passport, 459
- Password authentication, with online issued tokens, 902
- Password-based authentication, in enterprise security architecture, 961, 962
- Password-based authentication protocol (PAP), with RADIUS protocol, 964
- Password categories, common, 872
- Password complexity, 873–874
- Password-cracking tools, 873
- Password length, 873
- Password reset, 1003
- Passwords, 17
 - in authentication systems, 999
 - in comprehensive security planning, 1017
 - as effective technological measures, 798
 - as identity attributes, 897
 - in identity management, 910, 913–914
 - improving effectiveness of, 1016
 - most common, 874–875
 - phishing for, 866
 - problems with, 871–875
 - in security awareness programs, 978, 992
 - as security measure, 1016
 - study on, 871–873

- Password trafficking, 926
 Password use, duration of, 872
 Patent, 736
 Patentability
 exceptions to, 732
 requirements for, 814
 Patentable entities, 813
 Patent and Trademark Office, 813. *See also* U.S. Patent and Trademark Office (USPTO)
 Patent application, 814
 drafting and review of, 814–815
 publication of, 815
 Patent awards, range of, 765
 Patent cases, court jurisdiction
 in, 817
 Patent claims, 816, 820
 Patent Cooperation Treaty (PCT), 818, 821
 Patented inventions, compulsory
 licenses to use, 732–733
 Patentee rights, 816
 Patent examiner decision, appealing, 815–814
 Patent holdup problem, 749–750
 Patent infringement, 816–817, 820
 defending against, 817
 remedies for, 817
 Patent law, 749, 811–822
 in the United States, 813–817
 Patent license, 811
 Patent owners
 compensation for, 733
 rights conferred on, 732
 Patent prosecution, 813, 814–815, 821
 time limits on, 819
 Patent protection, trade dress
 protection and, 826
 Patent reading, 815–816
 Patent rights
 protecting, 816–817
 under the TRIPS Agreement, 731–732
 Patents, 774, 820–821
 business-method, 424
 exceptions to rights conferred by, 733
 general considerations related to, 811–812
 non-U.S., 817–820
 requirements to obtain, 732
 term of protection of, 732, 812
 under the TRIPS Agreement, 731–733
 types of, 812
 Patent searches, 814
 Patents of addition, 819
 Patient records, electronic, 405
 Pattern matching parsing, 354
 Pattern recognition, 352
 Pattern recognition algorithms, 343
 Pattern repository, 659–660, 661
Pavlovich v. Superior Court, 711
 PAWWS system, 452
 Pay-by-phone systems, 455
 Payee privacy, 450
 network-coding-based, 199
 topology control issues related to, 198–201
 trust issues related to, 185–198
 unstructured, 197
 Peer-to-peer technology, 487
 Peer-to-peer wireless network, 8
 PeerTrust, 189–190
 system architecture of, 190, 191
 Peer voting, 197
 Pell's equation, 386
 Penalty-based P2P approaches, 181
 People penetration tests, as security awareness tool, 990
 Perceptron architecture, 343
 Perceptron Convergence Theorem, 334
 Perceptrons, 334, 344
Perceptrons (Minsky & Papert), 335, 336
Perfect 10 v. Amazon, 786
Perfect 10 v. Google, 787
 Performance, of security policies, 982–983. *See also* Performances
 Performance analysis tools, 168
 Performance appraisals, security awareness programs and, 987
 Performance management, 209, 222
 Performance management systems, development of, 506
 Performance metrics. *See also* Metrics collection
 for assessing voice quality, 65–66
 in information security management, 954
 Performances, transmission or retransmission of, 785
 Performance standards, 744
 Period of sensitivity, 1003
 Peripheral component interconnect, 170
 Peripherals, costs of, 38
 PERL scripts, 628
 Permanent injunctions, 835–836
 Permission escalation, on information security management, 948
 Permissions
 in digital rights information model, 933
 in digital rights management, 938
 in Open Digital Rights Language, 935
 Permission terms, in OMA DRM specification, 935
 Persistence, of digital identity, 913
 Persistent cookie, 683
 Personal area networks (PANs), 1, 19, 538
 Personal authentication mechanisms, in identity management, 912–913
 Personal computer (PC), 1, 170. *See also* PC entries
 banking with, 455–456
 in comprehensive security planning, 1017
 Personal data, privacy of, 765
 Payer privacy, 450
 Payload, 676
 Payload types, with ISAKMP, 969
 Payment
 electronic, 440
 mobile, 549–550, 557
 Payment-based mechanisms, P2P, 178
 Payment-based systems, P2P, 178–179
 Payment Card Industry Data Security Standard (PCI DSS), 687–688
 Payment card industry (PCI) standards, in information security management, 943
 Payment Card Industry Standards Council, 881
 Payment determination complexity, in auction design, 621
 Payment gateway, 453
 Payment systems, integrity in, 449–450
 Payment transactions, 450
 Payoff tables, 182
 PayPal, 456, 486
 user agreement with, 849
 Payroll cards, 458–459
 PBNM system architecture, 220–221
 PBX-based gateways, 63
 PC-based gateways, 64. *See also* Personal computer (PC)
 PC-based machine translation, 357–358
 PCI-bus, 162
 PCI Express (PCIe), 162
 PCMCIA wireless NIC, 9
 PC-to-PC VoIP hardware configurations, 62
 PC-to-POTS VoIP hardware configurations, 62
 PCTranslator, 358
 Peer-approved scheme, 182
 Peer data management (PDM), 244
 Peer data management systems, 254
 PeerMart, 184
 Peer pioneers business model, 423
 Peer pressure, role of, 266
 Peer reports, 188
 Peers
 global reputation of, 188
 trustworthy versus untrustworthy, 189–190
 Peer selection, 196–197, 202
 Peer-to-peer (P2P) applications, 416. *See also* P2P entries
 Peer-to-peer-based architectures, 244
 Peer-to-peer distribution, 778
 Peer-to-peer e-commerce, 486
 Peer-to-peer file sharing, 763, 774
 software for, 893
 Peer-to-peer networking architecture, 518–519
 Peer-to-peer networks, 2, 7
 Peer-to-peer software, 790
 Peer-to-peer systems, 173–205
 future work on, 201

- Personal digital assistants (PDAs), 534
- Personal Digital Cellular (PDC) standard, 105
- Personal health information system (PHIS), 405
- Personal information
corporate use of, 767–768
e-customer expectations about, 606
exposing, 877
- Personalized searches, 480
- Personal names, as domain names, 833
- Personal property rights, legitimacy of, 767
- Personal robotics sector, 307–308
- Personal trusted device (PTD), 535
- Personnel, in security awareness programs, 987. *See also* Employees; Staff
- Persons, importance to security awareness programs, 974–975, 975–976, 977
- Person-to-person payments (P2P payments), 456
- Petite policy, 699
- Pharmaceuticals, patented, 732
- Phishing, 425, 677, 685, 688, 758, 865–866, 882
in information security management, 954
in security awareness programs, 992
study on, 868–869
- Phishing countermeasures, 869–870
- Phone line networking, 40
- Phone listings, information gathering via, 860
- Phone-to-phone VoIP hardware configurations, 63
- Photobucket, 633–634
- Phreaking, 864, 882
- Physical evidence, 929
- Physical IDS, in enterprise security architecture, 963. *See also* Intrusion-detection systems (IDSs)
- Physical layer (PHYs), of the Internet protocol stack, 137–138
- Physical layer options, 117
- Physical property, trespass onto, 770
- Physical security, 875–876, 881
LAN, 17
- Physical security architecture, in enterprise networks, 959
- Physical Security Inspection Checklist, 881
- Physical security measures, 1015
in comprehensive security planning, 1018
- Physical threats, in information security management, 947
- Physical topology, 19
- Physical vulnerabilities, in information security management, 947
- Picasa, 633–634
- Piggy Bank project, 668
- Pilot project incremental implementation roadmap, 502–503
- PIN-based debit transactions, 454
- Ping, 11
- PIN numbers, in authentication systems, 999
- Piracy attitudes, 886
- Piracy prevention efforts, 894
- Piracy rate studies, 887
- Pixel, 288
- PKI-based X.509 certificates, 897
- Plagiarism, 764–765
- Plan-Do-Check/Study-Act (PDC/SA) cycle, 594, 601, 609
- Planned Parenthood v. American Coalition of Life Activists*, 707
- Planning, 1016–1018
automated, 316
business continuity and, 1022
in credible security policy, 981
in CSIRT formation, 1006
for disasters, 1018–1019
in information security management, 942–943
- Plant patents, 812
- Platform and application independence, 45–46
- Platform for Internet Content Selection (PICS) ratings system, 759
- Platform for Privacy Preferences (P3P), in identity management, 915
- Platforms for Participation business model, 425
- Playboy Enters v. Webworld*, 789
- PlayStation Store, 488
- Plea bargains, 701
for cybercrime, 694
- Pocket e-wallet, 550
- Podcast, 609
- Podcast IQ principles, 605
- Point Coordination Function (PCF), 72–73, 74, 519
- Point-of-need information delivery, 536
- Point of presence (POP), 29
- Point-of-presence (I-POP) server, 144
- Point of sale (POS) systems, 440
- Point-to-point protocol (PPP), 138
- Point-to-point tunneling protocol (PPTP), 281
- Polaroid Corp. v. Polarad Electronics Corp.*, 830, 831
- Policies
for backup and recovery, 1026–1027
in comprehensive security planning, 1017
defined, 219–220
groupware, 267–268
- Policy-based network management (PBNM), 219–221, 222
benefits of, 220
- Policy communication protocols, 221
- Policy Decision Point (PDP), 221
- Policy documents, in information security management, 944
- Policy enforcement
authorization in, 962
in identity management, 915
- Policy Enforcement Point (PEP), 221
- Policy management, 220
- Policy Management Console, 221
- Policy Repository, 221
- Politics, Internet applications for, 405–406
- Pollution Prevention through Nanotechnology conference, 380
- Polygon storage, 277
- Polymorphic viruses, 675
- Polynomial-time quantum algorithm, 385
- Ponemon Institute, information security management and, 941
- Poor input validation, 683
- Poor-quality information, costs of, 595
- Poor session management, 682–683
- Population coding, 332
- Pornography, 699
access to, 756
Web, 755–756
- Portable computing devices, security behaviors for, 979
- Portable navigation devices (PNDs), 556
- Portal providers, in an m-commerce value chain, 552–553
- Portals, 398, 441
- Port scan, 139
- Posters, as security awareness tool, 989
- Post-go-live audits, in information security management, 947
- Postmortem analysis, 1010
after security attacks, 1009
- Post office protocol (POP/POP3), 11
- Powerline systems, 41
- PowerTrust, 197
- PPay micropayment system, 178–179
- Practical reasoning, 363
- Pragmatic analysis, 353, 359
- Precautionary principle, 377, 379
- Precise rules, 294
- Precision agriculture systems (PAS), 284
- Preference structure, in auction classification, 614
- Preliminary injunctions, 835
- Prepaid card, 464
- Prepaid stored-value card, 458
- Prepending viruses, 675
- Preponderance of the evidence, 701
- Presence, 260
- Presentations, security awareness programs and, 984
- Presentation services, 129–130
- Pretesting, in security awareness programs, 987

- Preventive maintenance, 609
Priceline, 527–528
Pricing challenges, of click-and-brick companies, 432–433
Pricing models, for ad placement, 474–475
Prima facie evidence, 714
Primary copy model, 246
Primary horizontal fragmentation, 247
Primary key, 232, 237
Primary membership, 299
Primitives list, SNMPv3, 214
Principal consent semantics, in identity management, 916–917
Principals, 919
 in identity management, 910, 911, 915–916, 916–917
 in MPEG-21 REL data model, 935
 strengthening authentication by, 916
Principles-based standards, 742
Principles-only standards, 742
Printer Cartridges case, 805–806
Printer Engine Program, 805
Printers, networked, 2
Print servers, 2
Prior art, 736, 813, 814, 821
Prior art search, 814
Priority queuing, 73
Prisoner's Dilemma, 182
Privacy
 EC-related, 424, 600
 groupware, 267–268
 in identity management, 909, 911, 915–917
 information, 765–769
 location information and, 556–557
 noncolluding data consumers and, 917
 payer and payee, 450
Privacy and Civil Liberties Oversight Board, 423
Privacy protection, in information security management, 950
Privacy rights, 765
Private community services, 506
Private industrial network model, 422
Private Industry Network (PIN), 464, 491, 492
Private information, 766–767
Private international law, 717, 720–721, 724
 cyberlaw as, 721–724
Private IP addresses, in enterprise security architecture, 960
Private keys
 with certified digital identity representations, 901
 for digital signatures, 995–996
 for message authentication codes, 997
Private trading exchanges (PTXs), 495, 496, 497, 498, 505, 508
Proactive strategy, 648
Probabilistic model, 469
Probabilities, 324–325
Probability theory, 324
Probative information, digital evidence as, 921
Probes, 216
ProCD v. Zeidenberg, 846, 847
Procedural middleware, 135
Procedural Reasoning System (PRS), 363
Procedural unconscionability, 849
Procedures, in comprehensive security planning, 1017
Processes, 140
 patentable subject matter for, 749
 patent protection for, 731–732
Process excellence, culture of, 602
Processors, 162–165
Process standards, 744
Procurement auction, 624
Procurement scenarios, 616–617
Production costs, 575
Production rules, 325, 329
Productivity, 591
 distribution of work and, 579–580
Product promotion, 433
Products
 delivering, 607
 patent protection of, 731–732
Product/service description, in a business plan, 410
Product/service evaluation by e-surfers, 598
Product/service selection, by e-surfers, 598–599
Product standards, 744
Product-user virtual community, 429
Professional development, in information security management, 951
Profile-based *k*-anonymization model, 544
ProfitCents, 325
Profit sharing, in mobile commerce value chain, 554
ProFusion, 479
Programmer(s), 321
Programming languages, 579
 general-purpose, 326
Programming tools, 161
Program strategy, in credible security policy, 981
Project management, using GIS, 283–284
Project Management Institute (PMI), 940
Project management software, 258
Project on Emerging Technologies, 374
Prolog language, 326, 329
PROLOK program, 846
Prometheus Design Tool (PDT), 365–366
Propagated signal claim, 816
Propagation engine, 676
Properties, in RDF structure, 667
Property, defense of, 696. *See also* Real estate
Proprietary GIS software, 280–281
Proprietary member services, 506
Proprietary radio frequency technology systems, 462
Proprietary software, downloading, 885
Prosecution history estoppel, 817
Prosecution laches, 817, 821
Prosecutions, 1010
 CSIRTs in, 1007
 after security attacks, 1008–1009
Prosecutors, cybercrime, 694
Prosumer, 425
Prosumers business model, 423
Protocol analyzer, 863
Protocol data units (PDUs), 210
Protocol suite, alternative, 515
Provider, 464
Provisional measures, under the TRIPS Agreement, 734
Provisional patent application, 812, 821
Provisional rights, 821
 patent-related, 815, 819
Proxies, 647. *See also* Proxy entries
 in enterprise security architecture, 972
Proximity devices, 461
Proximity-release door opener, as security measure, 1015
Proxy-based firewalls
 in enterprise security architecture, 960–961
 with RADIUS protocol, 964
Proxy forwarder, SNMPv3, 214
Proxy RADIUS protocol, 964
Proxy server, 134
Pseudonymity, in identity user control, 900
Pseudonyms, 906
 in federation of identities, 913
Pseudorandom stream generators, assessing, 342
Public Access to Court Electronic Records (PACER) system, 713
Publications, as security awareness tool, 989
Public companies, business continuity/disaster recovery laws and regulations and, 1031
Public confidence, in security awareness programs, 976
Public information, 766–767
Public international law, 717, 724
 jus cogens norms of, 718, 720–721
 sources of, 718
Public key cryptosystems, 389
Public key deception, 1003
 digital signatures and, 997
Public key encryption, 388, 391
 with S/MIME, 965, 966
Public key infrastructure (PKI), 688
 in selecting electronic signature system, 1001
Public keys

- for digital signatures, 995–996
- for message authentication codes, 997
- Public libraries, filtering devices and, 759
- Public network, 35
- Public policy, encryption programs and, 769
- Public policy patentability exception, 732
- Public portal services, 506
- Public records, privacy issues concerning, 767
- Public relations, 1010
 - in CSIRT organization, 1005
- Public safety networks, wireless, 124–125
- Public switched telephone network (PSTN), 60, 76, 78
- Publishing
 - Internet applications for, 403
 - intranet applications for, 400–401
- Publishing systems, automated, 631–632
- Punishment, 1010
 - after security attacks, 1008–1009
- Purchase card, 452
- Purchase Request (PR), 616
- Pure-play company, 416
- Pure-play virtual merchant, 483–484
- PyGridWare, 154, 155

- Q&A, 356
- QR codes, 556
- QSNET system, 164
- Quadrics, 164
- Qualcomm patents, 750
- Qualified Incident Response Company (QIRC), 879–880
- Qualitative investment, 793
- Qualitex Co. v. Jacobson Products Co., Inc.*, 825, 826
- Quality
 - defined, 593–594
 - Internet information requiring, 595
 - planning for, 602
- Quality assurance, 600
- Quality control charts, 594
- Quality feedback principles, 603
- Quality Function Deployment (QFD), 594, 597, 602–603, 609
- Quality management controls, 600
- Quality management methods, 594
- Quality management processes, for e-business, 601–602
- Quality of Service (QoS), 76, 174, 220, 522
 - for voice and data convergence, 74
- Quality of Service-aware (QoS-aware) residential gateways, 47
- Quality principles, 596–597
 - for Internet-collected information, 605–607
 - in e-business supply-chain management, 607
- Quality problems, 595–596
- Quality processes, 595
- Quantitative investment, 793
- Quantum algorithms, 384, 385–387
- Quantum authentication, 387
- Quantum circuits, 391
- Quantum communication, 391
- Quantum computation. *See also* Quantum computing
 - basic concepts of, 385
 - error correction techniques for, 385
 - models underlying, 390
- Quantum computers
 - impact on security, 388–389
 - optical approaches to building, 389
 - requirements for, 389
- Quantum computing, 384–392. *See also* Quantum computation
 - advanced concepts in, 389–391
 - early history of, 384–385
 - limitations of, 387
- Quantum cryptography, 387, 391
- Quantum gates, 390, 391
- Quantum GIS (QGIS), 271
- Quantum information processing, 384, 392
 - implications of, 388
- Quantum information processing devices, testing, 389
- Quantum key distribution schemes, 387
- Quantum measurement, 385
- Quantum mechanics
 - correctness of, 391
 - Hamiltonian framework for, 390
- Quantum process tomography, 389
- Quantum protocols, 387–388
- Quantum state tomography, 389
- Quantum systems, simulation of, 386–387
- Quantum teleportation, 387, 392
- Qubit, 392
- Queries, 470
- Query decomposition, 248–249
- Query dispatcher, 475–476
- Query evaluation, efficient, 469
- Query expansion, 473–474
- Query optimization, 249–250
- Qwallet, 459

- Radial basis function hidden units, 337
- Radiofrequency (RF) repeaters, 12. *See also* RF network planning
- Radio-Frequency Identification (RFID), 539–540
- Radio frequency technology systems, 462
- Radio network controller (RNC), 109
- Radio spectrum regulations 1, 519
- Railroad car allocation, 328
- RainbowCrack project, 873
- Rambus DRAM (RDRAM), 162
- Rambus patents, 749–750
- RAMKEY program, 846
- Random access memory (RAM), 170
- RAP methodology, 364
- Raster, 288
- Raster data model, 277, 278
- Raster datasets, 278
- Raster file formats, 279
- Raster GIS, 277–279
- Rational rose (RR), 89
- RC-58 coaxial cable, 6, 7
- RDF Query Language, 665. *See also* Resource description framework (RDF)
- RDF schema (RDF-S), 665
- RDF/XML, 667
- RDRAM standard, 749
- Reach, competitive advantage via, 530
- Reactive agent architecture, 363
- Reactive strategy, 648
- Reading Machine, 351
- Real estate. *See also* Property GIS and, 287
 - Internet applications for, 403–404
- Really Simple Syndication (RSS), 265, 631, 637
- Real Networks Helix, 934
- Real-time accounting, in enterprise security architecture, 962
- Real-time control protocol (RTCP), 68
- Real-time transport protocol (RTP), 68, 69
- Reasonable and nondiscriminatory (RAND) licensing, 750
- Reasonably prudent consumer standard, 830
- Reasoning platforms, 368–369
- Reasoning support, in ontology languages, 666
- Recall-precision curves, 470
- Receipt management, in history-based identification, 905
- Receiver agents (RAs), 90
- Reciprocal agreements, for backup and recovery, 1027
- Reciprocation, 882
 - social engineering and, 858
- Reciprocity, 202
- Reciprocity-based mechanisms, P2P, 178
- Reciprocity-based P2P systems, 180–181
- Recommender system, 474
- Reconnaissance, 139
- Reconstruction rule, 246
- Recording Industry Association of America (RIAA), 764
- Record of origin, 609
- Record of reference, 609
- Record Protocol, SSL/TLS and, 970
- Records, 226
 - online, 768–769
- Record types, 226

- Recovery. *See also* Disaster recovery (DR)
 fundamentals of, 1026–1027
 storage technologies for, 1027–1029
 strategies for, 1026–1027
- Recovery point objectives (RPOs),
 in business continuity management, 1024
- Recovery protocol, 252
- Recovery time objectives (RTOs),
 in business continuity management, 1024
- Recurrent multilayer Perceptron,
 337–338
- Recursive transition networks (RTNs), 356
- Redistribute revenue business model, 532
- RedllNetworks, Inc. v. Streambox, Inc.*, 798
- Reduction technique, 249
- Redundancy, 448–449
- Redundant Array of Independent Disks [Drives] (RAID), 449, 464, 1027
 in basic security safeguards, 1012
- Reed's law, 267
- Referrer, 646
- Register.Com, Inc. v. Verio*, 706
- Registered trademarks, 730
- Registration, admission, status (RAS) protocol, 68
- Registration areas (RAs), 99
- Registration authorities (RAs), 866
 digital signatures and, 997
- Regularization terms, 338
- Regular testing, in disaster planning, 1018
- Regulation
 of e-commerce, 423–424
 of nanotechnology, 377–380
 of standardization, 744–750
- Regulations, in business continuity, 1029–1031
- Regulatory compliance, in information security management, 942–943
- Regulatory environment, for electronic signature systems, 1001–1002
- Regulatory risks, in business continuity, 1022
- Rehearsals, in CSIRT formation, 1006
- Reinforcement learning, 338, 344
- Reinforcement signal, 338
- Reinstallation, following security attack, 1008
- Relational database design, 449
- Relational database management systems (RDBMS), 271, 280
- Relational databases, 156, 651, 659, 669
- Relational model, 226, 227–228, 232–233
- Relation instance, 232
- Relation schema, 232
- Relationship portfolio approach, 497
- Relationship sets 229–230, 233
- Relevant peer list, 196
- Reliability, of outsourced Web hosting, 629
- Religious material, online, 757
- Relying parties
 with certified digital identity representations, 901
 in identity management, 911, 913
- Remedies, under the TRIPS Agreement, 734
- Remote access, to home networks, 51
- Remote Authentication Dial-In User Service (RADIUS) protocol, in enterprise security architecture, 961, 963–964, 972
- Remote desk top (RDP), 129
- Remote disk mirroring, 1027–1028
- Remote file inclusion, 681
- Remote Internet access, 38, 40
 to home networks, 46–48
- Remote method invocation (RMI), 136
- Remote monitoring agent (RMA), 368
- Remote Network Monitoring (RMON), 209, 216–217, 222
- Remote procedure call (RPC), 135
- Remote sensing raster file formats, 279–280
- Reno v. American Civil Liberties Union*, 707
- Rental right, under the TRIPS Agreement, 729
- Repair, 1008, 1010
- Repeaters, 8, 9, 19
- Replay attack, in enterprise security architecture, 972
- Replayed packets rejection, with IPsec, 968
- Replication, in distributed database systems, 245–246
- Replication protocol, 246
- Reported states, 239
- Reporting, of computer crimes, 926–927
- Reports, in security awareness programs, 975–976
- Representational State Transfer (REST) services, 587
- Reprisal attacks, 1009, 1010
- Repudiation, 1003
- Reputational risks, in business continuity, 1022
- Reputation-based incentive schemes, 201
- Reputation-based mechanisms, P2P, 178
- Reputation-based P2P systems, 180–181
- Reputation systems, for history-based identification, 905
- Request for Continued Examination (RCE), 815
- Request For Quote (RFQ), 616
- Requests, with RADIUS protocol, 964
- Requests for proposals (RFPs), 566
- Requests for quotations (RFQs), 444
- Request to send (RTS) control frame, 520
- Request tree, 185, 186
- Requirements
 in digital rights information model, 933
 in Open Digital Rights Language, 935
- Research and development (R&D) GIS and, 285
 in nanotechnology, 375, 380
- Research papers, selling, 764
- Research searches, 668
- Residential gateways 52
 desired characteristics of, 46
 quality of service-based (QoS-based), 47
- Resident virus, 675
- Res ipsa loquitur* doctrine, 709
- Resource description framework (RDF), 665, 666–667, 669.
See also RDF entries
- Resource locating and a description service (RLDS), 152
- Resource management, 522
 GIS and, 284
- Resource reservation protocol (RSVP), 522
- Resources
 allocation and control of, 27–28
 in auction classification, 613–614
 in MPEG-21 REL data model, 935
 in RDF structure, 666
- Respondeat superior* doctrine, 708
- Response activation, 332
- Responsibility, in credible security policy, 979
- “Responsible NanoCode,” 379
- Restoration Robotics, 307
- Restriction requirement, 815
- Restrictive clauses, in standard form licenses, 845
- Result extractors, 476
- Result merger/merging 476,
 478–479, 480
- Result organization, for search engines, 474
- Result record extraction, 477–478
- Resume.com, 528
- Retailer social networks, 429–430
- Retail industry, B2B transactions in, 438–439
- Retail model, 526–527
- Retail transaction chains (RTCs), 428, 436
 parallel online and offline, 431
- Retaliation, 736
- Retransmissions, over WLANs, 74
- Retrieval, database, 237
- Return on expectation (ROE), 267
- Return on investment (RoI), 267
- Reusable passwords, 1003

- Reuse, in complexity management, 361
- Revelation principle, 619
- Revenue collection, billing systems for, 552
- Revenue disbursement, reporting on, 931
- Revenue Equivalence Theorem, 613
- Revenue maximization, in auctions, 620
- Revenue sharing, 556
- Reverse auction, 614, 624
- Reverse engineering, 809, 845
 - under the Digital Millennium Copyright Act, 800–801
- Reverse social engineering (RSE), 677, 871, 882
- Reversible classical computation, 385
- Revocability
 - with anonymous credentials, 903
 - with certified digital identity representations, 901
 - in identity user control, 899, 900
 - with online issued tokens, 902
- Rewards, as security awareness tool, 990
- RFID tags, 539–540
- RF network planning, 122–123. *See also* Radiofrequency (RF) repeaters
- RG-8 coaxial cable, 6, 7
- R-GMA, 149
- Rice Everywhere Network (RENE), 50
- Richness strategy, 530
- Rich site summary (RSS), 418, 425
- Right of information, under the TRIPS Agreement, 734
- Right of priority, 817, 821
- Right protection, sui generis, 793
- Rights
 - in MPEG-21 REL data model, 935
 - in Open Digital Rights Language, 935
- Rights Data Dictionary (RDD), with MPEG-21 standard, 935
- Rights enforcement, digital rights management and, 931–932, 938
- Rights expression language (REL)
 - digital rights management and, 931, 933, 938
 - in GeoDRM Reference Model, 936
 - licensing and, 934
 - with MPEG-21 standard, 935
 - for OMA DRM specification, 936
- Rights holders
 - in Open Digital Rights Language, 935
 - recording of, 931
- Rights issuers, in OMA DRM specification, 935
- Rights management, 931, 938. *See also* Digital rights management (DRM)
- Rights Model package, in GeoDRM Reference Model, 936
- Rights objects, in OMA DRM specification, 935
- Rights offers, licensing and, 934
- Rights-protection vigilance, 778
- Ring network, 3, 4, 19
- Ring topology, 3
- Risk Advisor, 325
- Risk analysis, 1025
- Risk assessment, 1032
- Risk management, 743, 1021, 1025–1026, 1032
 - budgeting and, 950
 - controls and, 948, 949
 - enterprise security architecture and, 957
 - as an incentive to standardize, 739–740
 - management practices and, 1022
- Risk methodology, 377
- Risk mitigation, 1025
- Risk neutral bidders, 613
- Risks
 - to business functions, 1020–1021, 1022
 - controls and, 948, 949
 - in identity management, 909, 916
 - in information security management, 942, 946
 - of IT outsourcing, 570–572
 - of nanomaterials, 377–379
- Risk transfer, 1025–1026
- RJ45 connector, 7, 8, 9
- Rlink, 226
- RMON1 groups, 216–217
- RMON1 MIBs, 217
- RMON2 MIBs, 217
- Robert Frances Group, on credible security policy, 983
- Robotic arms, 306, 310–312
- Robotic manipulator, 310
- Robotics, 306–319
- Robotics industry, sectors of, 306–308
- Robotic systems, 310–312
- Robotic technologies
 - advanced, 316–317
 - development of, 306
- Robots
 - anatomy of, 308–310
 - automated control of, 312
 - control of, 312
 - defined, 308–309
 - elements of, 309–310
 - in medicine, 405
 - value of, 309
- Robot speed description, 313
- Robust quantum computation, 389–390
- ROCKS message passing interface (MPI), 160
- Rogatory, 700
- Rogers v. Grimaldi, 837
- Role based security training
 - in information security management, 951
- Roles
 - in credible security policy, 981
 - in security awareness programs, 992
- Rome I Regulation, 724
- Rome II Regulation, 724
- Rome Convention, 724
- Room shielding, as security measure, 1015
- Root certification authority, 453–454
- Rosenblatt Perceptron, 334
- Rouge access points, 683–684
- Rough representative database selection, 476
- Route analytics, 34–35
- Router-based gateways, 63–64
- Routers, 10, 19
- Routing, 35
- Royalties, reporting on, 931
- RSA digital signatures, with certified digital identity representations, 901, 902
- RSA encryption, of digital signatures, 996
- RSA SecureID AAA server, in enterprise security architecture, 960
- @ symbol, 829
- Rule base, 320, 329
- Rule-based anomaly detection, in enterprise security architecture, 963
- Rule-based systems, 320, 329
- Rule engines, 325
- Rule Interchange Format (RIF), 665
- RuleML, 326
- Rule of reason, 746
- Rules-based standard, 742
- Rules of interaction, for auctions, 616
- Rules repository, 661
- RUP methodology, 364
- SA database (SADB), IPsec and, 965
- SAFECOM program, 124–125
- SafeWord AAA server, in enterprise security architecture, 960
- SAI Report, as security awareness tool, 989, 990. *See also* Security Awareness Index (SAI) Report (PentaSafe)
- Sanctions, after security attacks, 1008–1009
- SANS Institute, 927
- SANS organization, security incident data collection by, 1004
- SANS report, 679, 681
- SANS Security Policy Project, 881
- Sarbanes-Oxley Act of 2002 (SOX), 1031
 - digital evidence and, 925
 - in information security management, 942
 - in SAN security issues, 1028
- Sarbanes-Oxley regulations, 444
- Satellite, 510

- Scalability, 128, 413, 637
in Web host architecture, 628
- Scalable coherent interconnect (SCI), 170
- Scalable Coherent Interface (SCI), 164
- Scalable orthogonal frequency division multiple access (SOFDMA), 109
- Scalable quantum computers, 391
- Scandals, digital evidence and, 925
- Scanned physical signatures, 999, 1003
- Scanners, networked, 2
- “Scenes à faire” doctrine, 781
- Scheduling, automated, 316
- Schelling’s abstract model, 199
- Schema integration, 252, 254
- Schema translation, 252, 254
- Schneider Logistics, 441
- Scientific Working Group on Digital Evidence (SWGDE), 921, 929
- S-Club, 152
- Scratchpad, 329
- Screen savers, as security awareness tool, 989
- Script, 464
- Scripting, in identity management, 914–915
- SCSI command set, for storage area networks, 1028
- SCSI standards, 163
- Sealed bid tender process, 616
- Seamless interoperability, 51
- Search direction strategies, 339
- Search engine, 532
- Search engine business model, 531
- Search engine criteria, 759–760
- Search engine optimization (SEO), 412–413, 414
- Search engine result organization, 474
- Search engines, 397, 398, 406, 466–467, 471, 529, 643, 759–760.
See also Google; Web search engines
- Search engine technology, 470–475
- Search result mining, 656
- Search result record, 474
- Second-and-a-half generation (2.5G) cellular networks, 105–106
- Second- and third-generation (2G/3G) wireless cellular, 510
- Secondary data collection, 268
- Secondary meaning process, 840
- Secondary membership, 299
- Second-generation (2G) cellular networks, 103–105
- Second generation wireless mobile cellular systems, 522
- Second-generation wireless networks, vulnerabilities in, 684
- Second Normal Form (2NF), 233, 235
- Second price auction, 624
manipulative seller in, 622
- Second price sealed bid auction, 613, 616
- Secure Computing SafeWord AAA server, in enterprise security architecture, 960
- Secure Digital Media Initiative, 934
- Secure Digital Music Initiative (SDMI), 805
- Secure electronic transaction (SET) protocol, 453–454
- SecureID AAA server, in enterprise security architecture, 960
- Secure/Multipurpose Internet Mail Extension (S/MIME), in enterprise security architecture, 964–965, 966
- Secure Payment Application (SPA), 687
- Secure Shell (SSH), 11
in enterprise security architecture, 970–971
IPsec and, 965
- Secure shopping cart/payment, 412
- Secure Socket(s) Layer (SSL), 418, 447, 464
in enterprise security architecture, 968–970
features of, 686
IPsec versus, 965
- Secure trust aggregation, 196
- Securities and Exchange Commission (SEC), in information security management, 942
- Security, 16. *See also* Email security; Enterprise security architecture; Information security management; Information security policies
B2B, 445
of e-commerce, 599–600
environmental, 876
of e-voting technologies, 773–774
in identity management, 911, 915–917
impact of quantum computers on, 388–389
IT system, 432
multiple layers of, 875
of outsourced Web hosting, 629
physical, 875–876
policy, procedures, and awareness related to, 18
SANs and, 1028–1029
Web hosting, 636
wireless solutions and, 558
WLAN, 12–13
- Security Assertion and Markup Language (SAML), 914, 917
- Security association (SA) with IPsec, 965
- Security attacks
common, 445
CSIRTs after, 1008–1009
- Security awareness
in credible security policy, 980–981
versus technological measures, 877–879
- Security Awareness Index (SAI), as security awareness tool, 989
- Security Awareness Index (SAI) Report* (PentaSafe), 982. *See also* SAI Report
- Security awareness programs, 974–993
characteristics of, 974–977
common sense/common knowledge and, 978–979
critical success factors for, 979–983
effective, 974
key concepts of, 977–978
techniques and principles for, 983–987
tools for, 988–991
- Security awareness tools, 988–991
annual policy reading sign-offs, 989
audits, 991
briefings for executives, 991
classroom training, 989–990
compliance statements, 989
conferences, 991
contests, 990–991
daily security tips, 989
e-learning courses, 988
e-mail, 988
events, 991
give-aways, 990
inspections, 991
intranet, 988
newsletters, 989
people penetration tests, 990
publications, 989
rewards, 990
sign-on screen messages, 989
social media, 988
suggestion programs, 990–991
surveys, 990–991
videos, 990
- Security-awareness training, 879.
See also Awareness campaigns
importance of, 879
in information security management, 951–952
- Security breach, 1010
CSIRTs and, 1004
- Security contact information, security awareness programs and, 975–976
- Security enhancement, SNMPv3, 215–216
- Security events, in information security management, 954
- SecurityFocus, security incident data collection by, 1004
- Security group charter, in information security management, 944
- Security incidents, 974, 1010. *See also* Incident response entries
characteristics of, 975
in information security management, 954
- Security initiatives, in information security management, 941
- Security issues, EC-related, 425
- securityLevel, VACM, 216

- Security management, for home networks, 49–50
- Security management, 208, 222
- Security managers, in information security management, 941
- Security measures, identification of, 1013–1016
- Security Parameters Index (SPI), IPsec and, 965
- Security plan, 1019
 - formation of comprehensive, 1016–1018
- Security policies, 875, 876–877
 - credible, 979
 - in enterprise security architecture, 957–958
 - in information security management, 944, 945–946, 950
 - mistakes in, Rebecca, 981
 - testing compliance to, 880
- Security practice outreach, in information security management, 953
- Security programs, guidelines for, 1011–1019
- Security-related liabilities, employee, 708–709
- Security requirements
 - for electronic payment systems, 449–451
 - in enterprise security architecture, 957–958
 - in selecting electronic signature system, 1000
- Security safeguards, identification of, 1012
- Security Services Technical Committee (SSTC), in identity management, 917
- Security Subsystem, SNMPv3, 213
- Security/systems administrators team, in information security management, 945
- Security task force, 1019
 - formation of, 1011
- Security technologies, in identity management, 909–910
- Security threats. *See* Threats
- Security Token Service (STS), in identity management, 918
- Security training needs analysis, in information security management, 951
- Security weaknesses
 - SNMP, 211
 - SNMPv2, 213
- Security zones, in enterprise security architecture, 958–960
- Sega Enterprises, Ltd. v. Accolade, Inc.*, 788
- Segmented network, 19
- Selective disclosure, with certified digital identity representations, 902
- Selective outsourcing, 563, 575
- Selective release
 - with anonymous credentials, 903
 - with certified digital identity representations, 901–902
 - in identity user control, 899, 900
 - with online issued tokens, 902
- Selfish Link-based InCentive (SLIC), 181
- Self-organizing ANN, 344
- Self-organizing ANN maps, 338–339
 - early, 335
- Self-organizing feature maps (SOFMs), 657, 658
- Self-organizing unsupervised learning
 - objective function, 338
- Seller benefits, in click-and-brick electronic commerce, 430
- Semantic analysis, 353, 359
- Semantic conflicts, 253
- Semantic grammar, 354
- Semantic heterogeneity, 252–253
- Semantic parsing, 354
- Semantics, in ontology languages, 666
- Semantic searches, 668
- “Semantic Web,” 590, 637, 643–644, 665–666, 669
- Semantic Web Layer Cake, 665
- Semantic Web Rule Language (SWRL), 665
- Semantic Web technologies, 541
 - standardized, 665
 - unrealised, 665–666
- Semijoin, 250, 254
- SEMPER project, 463
- Senior management, in credible security policy, 979–980
- Sensing systems, advanced, 316
- Sensitive data, disclosing, 864
- Sensitive material, in security awareness programs, 978
- Sensors
 - dead-reckoning, 315
 - in robots, 309, 318
- Sentencing, for cybercrime, 694, 698
- Sentencing guidelines, 702
- Sequence patterns, to discover common access routes, 658
- Serial ATA, 163
- Serial attached SCSI (SAS), 163
- Serial chain manipulator, 310
- Serial line Internet protocol (SLIP), 138
- Server, 19
- Server authentication, 686
- Server cluster, 627–628, 637
- Server configuration, 15
- Server failures, 570
- Server functionality, 129, 132–134
- Server GIS, 280, 283
- Server image backup, 1027
- Server key exchange, with SSL/TLS, 969
- Server process, 140
- Servers, 2
 - as clients, 3
- Server-side biometric identification, 904
- Server-side e-commerce vulnerabilities, 678–682
- Server-side electronic wallet, 459
- Server-side software, Web 2.0, 634
- Server-to-server transfer, 1028
- Server-to-storage transfer, 1028
- Server types, descriptions of, 133
- Service collaboration support, 46
- Service control function (SCF), 79, 80
- Service control points (SCPs), 80, 81, 90, 94
- Service creation environment (SCE), 81, 89
- Service data point (SDP), 81
- Service discovery protocol, 52
- Service execution, 86–87
- Service execution node (SEN), 86–87
- Service in the PSTN/IN requesting Internet service (SPIRITS), 90–91
- Service level agreements (SLAs), 33, 876, 1032
 - downtime losses and, 1024
 - in risk transfer, 1026
- Service logic manager (SLM), 90
- Service logic programs (SLPs), 85
- Service marks, 714, 825, 840
- Service-oriented architecture (SOA), 129, 140, 145, 146, 157, 508, 578, 590, 591. *See also* SOA-based infrastructure
 - backups and recovery and, 1026
- Service provider (SP), 35
 - identity ownership and validity and, 897
 - identity usage and, 899
- Service provider model, 528
- Service providers (SPs)
 - in digital rights management architecture, 933
 - in enterprise security architecture, 972
 - in history-based identification, 905
 - in identity management, 911, 913
 - licensing and, 934
 - mobile identity and, 905
 - in network management, 33
 - WAN and MAN, 21
- Service provisioning, in next-generation networks, 91–92
- Service provisioning framework, 88
- Service quality scheme, 182
- Service remote deployment, 152
- Service robotics sector, 307
- Services
 - evolving, 40
 - in identity management, 910
 - licensing and, 934
- Service selection, in network management, 32–33
- Service set identifier (SSID), 683
- Service standards, 744

- Service switching and control points (SSCPs), 85
- Service switching function (SSF), 79
- Service switching points (SSPs), 81, 94
- Serving GPRS support node (SGSN), 517
- Session clustering, 657–658
- Session Description Protocol (SDP), 69
- Session hijacking, 139, 683
- Session Initiation Proposal Investigation (SIPPING) working group, 70
- Session Initiation Protocol (SIP), 28, 68–70, 76. *See also* SIP entries versus H.323, 71
- Sessionization, 670
- Sessionization process, 647, 648, 653, 657
 - strategies to carry out, 648–649
- Session-key encryption algorithms, with S/MIME, 966
- Session management, poor, 682–683
- Set, 226
- Settlement, 464
- Several service independent building blocks (SIBBs), 89
- Sexually explicit content, restriction of, 755
- SGSN emulator, 517
- SHA hashing, for digital signatures, 996
- Shallow inference methods, 292
- Shared Internet access, 39
- Shared server model, 630
- Shared whiteboard, 258
- Shared wireless access protocol (SWAP), 43
- Shared workspace, 258
- SharePoint Wiki, 264
- Share price, downtime losses and, 1025
- Shareware, 890
- Shells, 329
 - in expert systems, 325
- Shewhart Cycle of PDC/SA, 601
- Shewhart PDS/CA Cycle, 606–607
- Shibboleth, in identity management, 917, 918
- Shielded twisted-pair (STP) cable, 6
- Shill bidding, 622
- Shopping cart, 688
- Shopping cart/payment, secure and easy, 412
- Shopping carts, 682
- Shopping comparison search engines, 485
- Shop rights, 819
- Shor's factoring algorithm, 385
 - generalizations of, 386
- Shor's quantum algorithms, 388
- Shortest vector problems, 386
- Short message service (SMS), 104, 550, 552, 557
- "Shoulder surfing," 863, 873, 882
- Shrink-wrap agreement, 714
- Shrink-wrap licenses, 708, 892, 894
- Sidejacking, 679
- Sigmoidal function, 332, 333
- Signaling connection control part (SCCP), 79
- Signaling system no. 7 (SS7), 94
 - as an IOP, 83
- Signatory, 1003
 - with electronic signatures, 994
- Signature-based debit cards, 454–455
- Signature-based IDS, in enterprise security architecture, 963
- Signatures. *See also* Digital signatures; Electronic signatures with certified digital identity representations, 901
 - digital, 906
- Signature schemes, with anonymous credentials, 903
- Signed and enveloped data, in enterprise security architecture, 965, 966
- Signed data, in enterprise security architecture, 965, 966
- Signer, with electronic signatures, 994
- Signing, of digital signatures, 995, 996
- Sign-on screen messages, as security awareness tool, 989
- Signs, distinctiveness of, 730
- Similarity function, 468
- Simple Gateway Monitoring Protocol (SGMP), 206
- Simple mail transfer protocol (SMTP), 11
 - in enterprise security architecture, 960
- Simple Network Management Protocol (SNMP), 30–31, 206, 207, 222. *See also* SNMP entries
- Simple object access protocol (SOAP), 136–137, 157, 541, 591. *See also* SOAP Message Security exchanging messages with, 587–588, 589
- Simulation, of quantum systems, 386–387
- Simultaneous ascending auction, 615
- Singapore Treaty on the Law of Trademarks, 731
- Single attribute entry, in identity management, 910–911
- Single in-line memory modules (SIMMs), 162, 170
- Single item procurement, 616
- Single layer sigmoidal hidden unit feedforward models, 341
- Single-platform interoperability, 580
- Single point of failure, in identity management, 916
- Single program multiple data (SPMD), 167, 170
- Single server architecture, 244
- Single sigmoidal hidden layer feedforward Perceptron network, 337
- Single sign-on (SSO), 919. *See also* SSO sessions
 - in identity management, 910, 913–914, 915
- SIP-based VoIP systems, 69–70. *See also* Session Initiation Protocol (SIP)
- SIP Center, 70
- SIP for Instant Messaging and Presence Leveraging Extensions (SIMPLE), 70
- SIP Forum, 70
- SIP message types, 68
- SIPS URI, 68–69
- SIP URI, 68
- SIP Working Group, 70
- SIRENE group, 463
- Site data protection, 688
- Site design, implement standards for, 604
- Six Sigma DMAIC, 601, 606
- Sixth Amendment, 695, 698
- Skills, of digital forensic examiners, 925. *See also* Knowledge, skills, abilities (KSAs)
- Skimmers, 684
- Sklyarov case, 804–805
- Skype, 57, 260
- Sleekcraft factors, 830
- Sleeping, 200
- Small and medium-sized enterprises (SMEs), 499
- Small business B2B, 444–445
- Small computer system interface (SCSI), 162–163
- Small to medium businesses (SMEs), online protection of, 850
- Smart Card Alliance, 463
- Smart cards, 464
 - as security measure, 1015
- SmartDownload License Agreement, 848
- Smart Expert Editor, 358–359
- "Smart map" system, 271
- Smart phones, 556
- Snapshot backup, 1027
- Sniffing, 863–864, 882
- Snippet, 474
- SNMP architecture, 209–210. *See also* Simple Network Management Protocol (SNMP)
- SNMP entities, 213
- SNMP group, 213
- SNMP message formats/fields, 210
- SNMP names, 213
- SNMP-NOTIFICATION-MIB module, 215
- SNMP protocol specifications, 210
- SNMP-PROXY-MIB module, 215
- SNMP security weaknesses, 211

- SNMP-TARGET-MIB
 - module, 215
- SNMPv1, 209
- SNMPv2, 211–213
 - major changes in, 212
- SNMPv2 management information structure, 212
- SNMPv2 management information base, 212–213
- SNMPv2 PDU formats, 212
- SNMPv2 protocol specifications, 212
- SNMPv2 security weaknesses, 213
- SNMPv3, 213–216
- SNMPv3 applications, 214
- SNMPv3 architecture, 213
- SNMPv3 management information base, 214–215
- SNMPv3 message format, 215
- SNMPv3 security enhancement, 215–216
- SOA-based infrastructure, 505.
 - See also* Service-oriented architecture (SOA)
- SOAP Message Security, in identity management, 918
- Sober, 677
- Social agent architectures, 362, 363–364
- Social agent platforms, 369
- Social bookmarking, 264–265
- Social engineering, 19, 677, 688, 856–884
 - defending against, 875
 - defined, 856–857
 - employee termination and, 880
 - face-to-face, 864
 - motivation behind, 857
 - multi-level defense against, 877
 - new or creative, 870
 - in security awareness programs, 992
 - success of, 857–859
 - techniques of, 859–871
 - technological countermeasures against, 880
- Social engineering attacks, 138–139, 881
 - guidelines for reducing, 880–881
 - lack of reporting of, 859
- Social Engineering Land Mines (SELM), 875
- Social engineers, in security awareness programs, 978
- Social marketing, security awareness programs and, 987
- Social media, as security awareness tool, 988
- Social metrics, 268
- Social network, 670
- Social Network and Relationship Finder (SNARF), 268
- Social networking, 418
 - birth of, 632
 - risks attached to, 862
- Social networking platforms, 632
 - Social networking sites (SNSs), 267–268, 532, 860–862
 - Social networking Web sites, 881
 - Social networks, 661–665
 - retailer, 429–430
 - Social proof, social engineering and, 859
 - Social Security number (SSN)
 - in identity verification assurance, 897–898
 - as strong identity attribute, 897
 - Social software, 263–266, 269
 - Social validation, 859, 882
 - Soft handoffs, 101, 124
 - Softlifting, 886, 894
 - alternative views of, 887
 - Softloaders, 886, 894
 - corporate, 892
 - Software
 - borrowing, selling, or giving away, 885
 - in comprehensive security planning, 1017
 - copying, 885
 - copyright protection of, 885–886
 - downloading, 848
 - effect of illicit copying of, 891
 - installing, 885
 - LAN, 10–11
 - mechanisms for protecting, 891–894
 - ownership of, 761
 - renting, 886
 - security awareness programs and, 975
 - sharing, 2
 - Software agents, 85, 579
 - Software and Information Industry Association (SIIA), 888
 - Software as a service (SaaS), 499, 502, 503, 508, 590, 631
 - Software-as-a-service Web applications, 489
 - Software cluster components, 165–167
 - Software companies, liability of, 709
 - Software component architecture, of a metasearch engine, 475–476
 - Software contractors, in CSIRT organization, 1005–1006
 - Software copyright, European perspective on, 790–792
 - Software copyright/licensing, 892
 - Software defined radio (SDR), 515–516
 - Software distribution, Internet applications for, 404
 - Software licensing, 846
 - notice of unusual or onerous terms in, 847–849
 - Software manufacturer liabilities, 708
 - Software piracy, 885–895
 - costs of, 894
 - “dollar losses” from, 888
 - economic impact of, 890–891
 - end-user, 886
 - enforcement efforts against, 892–893
 - modes of, 885–886
 - motivations for, 886–888
 - organizations that combat, 888
 - scope and impact of, 888
 - Software piracy rates, estimated, 888–890
 - Software piracy studies, 886–887
 - implications of, 887–888
 - Software Publishers Association (SPA), 888
 - Software-related inventions, 816
 - Software securities, 1015
 - Software security, in information security management, 944
 - Software vendors, 46
 - Solution equilibrium, in
 - auctions, 619
 - Solution stability, in auctions, 620
 - SonicWALL Phishing IQ Test, 870
 - Sonny Bono Copyright Term Extension Act of 1998, 638, 778
 - Sony Corp. v. Universal City Studios*, 789
 - Sony v. Connectix*, 788
 - Sony v. UCS*, 788
 - Sound forensic procedures, 923
 - Sources of revenue, for m-commerce, 550–552
 - Sourcing, 575
 - Sovereign immunity doctrine, 819
 - Spam, 678, 705, 757–758, 774, 926
 - in security awareness programs, 992
 - intentionally deceptive, 758
 - SPARQL Protocol, 665
 - Spatial database engines (SDE), 282
 - Spatial data layers, linking to attribute information, 276
 - Spatial Data Transfer Standard (SDTS), 272, 288
 - Spatial decision support system (SDSS) models, 285
 - Spatiotemporal applications, 238–240
 - Spatiotemporal database, 240
 - Spatiotemporal pattern analysis, 337–338
 - Spatiotemporal uncertainty models, 240
 - Speaker-independent Systems, 350
 - Spear phishing, in information security management, 954–955
 - Specht v. Netscape Communications Corp.*, 706, 848, 851, 852
 - Special data handling categories, in credible security policy, 981
 - Special-purpose metasearch engines, 475
 - Spector, 863
 - Spectra, licensed v unlicensed, 113
 - Spectrum analysis, 328
 - Speech generation, 350, 351
 - Speech synthesis systems, 351
 - Speech understanding, 350
 - Speed
 - of CSIRT response, 1004
 - of message authentication codes, 998

- Speedpass, 462
- Spend Management Solutions, 490
- Spider robots, 647
- Spiders, 707
- SPIRITS architecture, 90–91
- Splitting, 248
- Split Up, 329
- Sponsored search, 474–475
- Sponsored search auctions, 617–618
- Spoofing, 139, 677, 678, 685, 688
 - of biometric identity, 904
- Spot purchasing, 489
- Sprint, 115, 116
- Spy bots, 648
- Spying, 863–864
- Spyware, 676, 689
- Spyware Trojans, 676
- SQL commands, 237–238. *See also*
 - Structured Query Language (SQL)
- SQL database models, 231
- SQL implementation, 237
- SQL injection, 680–681
- SQL queries, 229
- SSH-CONNECT connection
 - protocol, 970
- SSH-TRANS transport layer
 - protocol, 970
- SSH-USERAUTH user authentication
 - protocol, 970
- SSL certificates, abuse of, 866
- SSL/TLS protocols, 689
 - in enterprise security architecture, 968–970
- SSO sessions, identifying and
 - delimiting, 915. *See also* Single sign-on (SSO)
- Stability analysis, 339
- Stable database, 251
- StackGuard, 679
- Staff. *See also* Employees; Personnel
 - in credible security policy, 980–981
 - in information security management, 945
 - security perception by, 982
- Stand-alone dedicated control channel (SDCCH) signaling, 104
- Standard certificates, for digital identity, 901
- Standardization
 - object of, 742–743
 - regulation of, 744–750
 - risk management and, 739–740
 - role in technology development, transfer, diffusion, and management, 738–752
 - U.S. federal regulation of, 745–746
- Standardization activities, due process constraints on, 744–745
- Standardization life cycle, 741–744
- Standardization participation, 743
- Standardization processes, 740–741
- Standardized interfaces, 136–137
- Standardized procedures,
 - implementing, 604
- Standardized processes, guidelines
 - implementing, 604
- Standardized semantic Web
 - technologies, 665
- Standards. *See also* Authentication
 - standards; Industry standards
 - access to IP embodied in, 749–750
 - for biometrics, 1000
 - crucial role of, 738
 - definitions of, 738
 - for digital rights management interoperability, 934–937
 - impact of, 750
 - implementation of, 742
 - modern, 744
 - users and purposes of, 743–744
 - variation among, 742
- Standards development activities (SDAs), 740, 741, 743, 746, 750, 751
- Standards development organizations (SDOs), 741, 746, 749, 750–751
- Standards Development Organization Advancement Act (SDOAA), 745, 746
- Standards groups, for digital rights management interoperability, 934–937
- Standards of operation, of outsourced Web hosting, 630
- Standards organizations, 747–748
- Standards setting activities (SSA), 751
- Standards-setting organization (SSO), 751
- Standards-setting processes, 745
- Standards wars, 742
- Stare decisis*, 827
- StarGrocer, 433–434
- STARLITE approach, 89–90
- Star model, 651, 652, 660, 670
- Star network, 4, 19
- State criminal justice systems, 698–699
- State cybercrime law, 699–700
- State databases, 768–769
- Stateful inspection, 218
- State government, GIS and, 286
- State information, 185
 - protecting, 768
- State trademark registration, 828
- Static handwriting recognition, 351
- Static IMS, 283
- Static location update scheme, 219
- Statistical anomaly detection, in
 - enterprise security architecture, 963
- Statistical methods, for information extraction, 657
- Statistical pattern recognition
 - machines, ANN algorithms as, 339–340
- Statistical representative database selection, 476
- Statute of Frauds, 843
- Statutory damages, 789
- Stealing prevention/protection
 - with anonymous credentials, 903
 - with certified digital identity representations, 901
 - in identity user control, 899, 900
 - with online issued tokens, 902
- Steel bolts, as security measure, 1015
- Steel encasements, as security measure, 1015
- Stemming process, 670
- Stemming program, 468
- Stepsize selection strategies, 339
- Stochastic Gibbs sampler, 341
- Stock market prediction, ANN, 340
- Stop words, 468, 649, 670
- Storage, 162–163, 174
 - database, 237
- Storage area networking, 1028
- Storage area networks (SANs), 1, 16, 464, 1028
 - security issues related to, 1028–1029
- Storage management, 632
- Storage media, 880
- Storage Networking Industry Association (SNIA), backups and recovery and, 1026
- Storage technologies, for backup and recovery, 1027–1029
- Storage-to-storage transfer, 1028
- Stored-value card, 458
- Stories, security awareness programs and, 986
- Storm worm, 985
- “Strategic Advocacy” business model, 530
- Strategic complexity, in auction design, 621
- Strategic dependency model, 366
- Strategic planning
 - for creating c-commerce solutions, 500–503
 - fuzzy real option for, 303
 - for managing c-commerce operations, 503–506
- Strategic rationale model, 366
- Strategic value chain pilot projects, 503
- Strategic virtual enterprise integration, 501–502
- Strategy framework, visioning via, 500–501
- Streaming services, 487
- Strict product liability, 709
- Strong authentication, 899
- Strong emotion, social engineering and, 857
- Strong encryption program, 769
- Strong entity sets, 232
- Strong identity assurances, 897–898
- Strong identity attributes, 897
- Strong password, in security awareness programs, 992
- Structured P2P architecture, 175
- Structured programming, 579

- Structured Query Language (SQL), 227, 237, 240, 280. *See also* SQL entries
- Structure of Management Information (SMI), 207, 222
- Structuring, in complexity management, 361
- Student plagiarism, 764
- Students, in-house digital forensics and, 927
- Subdomains, 627, 637
- Subject matter experts, 321, 326–327, 329
- Subject matter expertise, in credible security policy, 980
- Subject-matter patentability exception, 732
- Subject-predicate-object expressions, 666–667
- Subroutines, 579
- Subscriber's home network, 218
- Subscriber, 35
- Subscription fee, 487
- Subscription model, 421, 422
- Substantial investment, 793
- Substantive unconscionability, 849
- Suggestion programs, as security awareness tool, 990–991
- Suggestive trademarks, 824
- Sui generis, 736
- Sui generis database right, 795
- Sui generis right regime, exclusive rights under, 793–794
- Sui generis rights
exceptions to, 794
ownership of, 793
protection of, 793
- Suitability, in selecting electronic signature system, 1001
- Suitability Advisor, 325
- Sum function, 479
- SunnComm, 806–807
- Supercomputers, 159
top five, 160
- Superkey, 232
- Superlinear convergence iterative methods, 339
- Superordinate goals, 381
linking, 376
- Super-peer-based token accounting system, 179
- Super-peers, 175, 195
- Superposition, 385, 386
- SuperTrust, 195–197
peer actions in, 196–197
- Supervised learning, 338, 344
- Suplicate digital evidence, 929
- Supplicant, 1003
- Supplier-Input-Process-Output-Customer (SIPOC), 594
- Supplier issues, B2B, 445–446
- Suppliers, conversation with, 265–266
- Supply chain, 447, 508
- Supply chain/demand chain operations, 494
- Supply chain management (e-SCM; SCM), 443, 446, 495
quality principles in, 607
- Supply chain management research, 507
- Supply chain standardization, 740
- Support of a fuzzy set, 293
- Surface Web, 466, 467, 480
- Surveillance, workplace, 769
- Survey of Current Practices in the Nanotechnology Workplace, 378
- Surveys
in credible security policy, 982–983
as security awareness tool, 990–991
piracy studies via, 886–887
- Sushi USB drives, 923
- Sustainable competitive advantage, 496
- “Swarm” strategy, competitive advantage via, 530
- Swiss railways (SBB) expert system, 328
- Switches, 10, 19
- Switching, 35
- Switching costs, 751
- Switching state model (SSM), 79
- Symmetric bidders, 613
- Symmetric key encryption, of digital signatures, 996
- Symmetric keys, for message authentication codes, 997, 998
- Symmetric multi-processing (SMP), 170
- Symmetric multiprocessor (SMP) systems, 169
- Synagraphic Mapping System (SYMAP), 272
- Synaptic junction, 331
- Synchronous collaboration, 259, 269
- Synchronous DRAM (SDRAM), 162
- Synchronous Optical Network (SONET), 23
- Syndication, 265–266
- SYN flood attack, 681
- Syntax, in ontology languages, 666
- Syntax analysis, 353, 359
- System area network (SAN), 170
- System bus, 162
- System failures, DDBMS, 250
- System group, 212
- System installation, 166
- System log, 16
- System outage, 1032
- Systems, identity management in, 909, 912
- System specific security training, in information security management, 951
- System vulnerabilities, in information security management, 947
- Tacit knowledge, 327
- Tagcloud, 265
- Tagged image file format (TIFF), 288
- Tagging, 264–265
- Tag information, use of, 472
- Tags, 470
- Target markets, for location-based services, 556
- Tarnishment, trademark dilution by, 831
- Task force. *See* Security task force
- Task management, 261
- Task model, 363, 367
- Taxation
of e-commerce, 423
Internet, 705
- TCAP/CORBA gateway, 83
- T-conorms, 293–294
- TCP/IP protocol stack, 514. *See also* Transmission Control Protocol/Internet Protocol (TCP/IP)
- TCP/IP protocol suite, 11
- TCP/IP reference model, 207
- TDESA curriculum correlation service, 585, 587
- TDMA-based standards, 103–104. *See also* Time division multiple access (TDMA)
- TDMA systems, 98
- TDMA upgrade options, 106
- TeachEngineering, 584–587, 588, 591
- Teach pendant, 312
- Teamwork, in information security management, 945
- TEC Eng'g Corp. v. Budget Molders Supply*, 835
- Technical competency, of outsourced Web hosting, 629
- Technical human threats, in information security management, 947, 948
- Technical/interoperability standards, 743
- Technical standards, 743
- Technical Working Group on Training and Education in Digital Evidence (TWGED), 927–928, 929
- Technological countermeasures, against social engineering, 880
- Technological measures
circumvention of, 797–798
versus security awareness, 877–879
- Technological systems, emerging, 373
- Technologies
contractual restrictions on the use of, 845–847
convergence of, 125–126
home networking, 40–48
privacy-enhancing, 424
- Technology architecture, 501
- Technology base, in CSIRT formation, 1006
- Technology contracts, online, 842–855
- Technology framework, for digital rights management, 932–934
- Technology management ANN applications, 340–343

- Technology management
 GIS and, 283–284
 international intellectual property
 law for, 727–737
 standardization and, 738
- Technology perspective, 500
- Technology products, marketing
 of, 842
- Technology products warranties, under
 UCITA, 852
- Technology transfer goals, 738
- Technorati, 631
- Telecom Italia Lab (TILAB), 367
- Telecommunication companies, selling
 frequency spectrum
 to, 615
- Telecommunication management, 30
- Telecommunications, GIS
 and, 287
- Telecommunications Act of 1996, 544,
 1030
- Telecommunications information
 networking architecture (TINA),
 84–85
- Telecommunications industry, 114
- Telecommunications Industry
 Association (TIA), 97
- Telecommunications Industry
 Association Interim Standard
 IS-136, 104–105
- Telecommunications management
 network (TMN), 30. *See also* TMN
 entries
- Telecommunications networks, future,
 512–513
- Telecommunications services, 448
- Telecommunication standardization,
 28
- Telecommunications technologies,
 evolution of, 512
- Telecommuting, 38
- Telemedicine, 405
- Tele-operators, 308–309, 318
- Telephone, social-engineering attacks
 via, 864
- Telephone numbers, in comprehensive
 security planning, 1017
- Telephony, 28
 cellular, 96
- Telepresence, 261
- Telepresence surgery, 405
- Telnet, 11
- Tempest environment, 85
- Temporal Key Integrity Protocol
 (TKIP), 13, 684
- Temporal reinforcement learning, 338
- Temporal reinforcement learning
 objective function, 338
- Temporary local directory number
 (TLDN), 100
- 10 Gigabit Ethernet, 163–164, 169
- TeraGrid, 170
- Term-at-a-time strategy, 469
- Term-base queries, 654
- Term frequency, 468, 477
- Term frequency vector, 472
- Term frequency weight, 468
- Terminal nodes, 183–184
- Terminal resource security, 1016
- Terminals, 28, 67
- Termination protocols, 251–252
- Terminology standards, 744
- Terms of use, 714
- “Terms of use” provisions, 705–706
- Territorial techno-realists, versus global
 techno-optimists,
 717–718
- Test and measurement standards, 744
- Testing, in disaster planning, 1018
- Tex_Preference* dimension, 660–661
- Text content-based categorization, 656
- Text documents, Web search
 technologies for, 466–481
- Text retrieval, 467–470, 480
- Text retrieval system
 architecture of, 467–468
 effectiveness of, 470
- Text-to-speech output, 351
- Theft, in identity user control, 899,
 900. *See also* Stealing prevention/
 protection
- Theft of trade secrets, information
 security management and, 941
- Theft statutes, 700
- Thicknet, 6
- Thinnet, 6
- Third-generation (3G) cellular
 networks, 106–108
- Third generation wireless mobile
 cellular systems, 522
- Third Normal Form (3NF), 233, 235
- Third parties
 in identity management, 896
 in risk transfer, 1026
- Third-party portals, 446
- Thirsty Saber project, 352
- Thread-level parallelism (TLP), 162
- Threat and vulnerability pairing, in
 information security management,
 947–948
- Threat matrix, on information security
 management, 948
- Threat model, with electronic
 signatures, 995
- Threats, 1011. *See also* Intentional
 threats
 in comprehensive security planning,
 1017–1018
 identification of, 1012–1013
 in information security management,
 946–948
 in risk analysis, 1025
 to SANs, 1029
- Threat vectors, in information security
 management, 955
- 321 *Studios v. Metro Goldwyn Mayer et*
al., 798, 800, 805
- 3-D visualization hardware/software,
 274
- 3G AAA server, 518
- 3G architectures, 114
- 3G cdma2000, 108
- 3G cellular networks, 106–108
- 3G mobile networks, 554–555
- 3G network architecture, 109
- 3GTD-SCDMA, 108
- 3G technology, enhancements for, 110
- 3G W-CDMA, 108
- 3G WiMAX, 108–109. *See also*
 Worldwide Interoperability for
 Microwave Access (WiMax)
- 3G wireless, 544
- 3G wireless technologies, 537
- Three-layered client/server architecture,
 129–130
- “Three step test,” 729
- Three-tier client/server architecture,
 131
- Threshold theorems, 391
- Tier-based architecture, 129, 130–132
- Tight coupling architecture, 517–518
- Time-critical information services, 549
- Time* dimension, 660
- Time division multiple access (TDMA),
 43, 97, 104. *See also* TDMA entries
- Time division-synchronous code
 division multiple access
 (TD-SCDMA), 108
- Time division synchronous CDMA (TD-
 SCDMA), 537
- Timeliness, in information security
 management, 944–945
- Time of arrival (TOA), 540
- Time-sensitive fuzzy logic system, 303
- Tipton, Harold, on security awareness
 programs, 976
- Title and Snippet search results, 479
- TiVo, 531
- TJX corporation, information security
 breach in, 941
- TMN architecture, 31
- T-Mobile clickwrap contract, 849–850
- T-norm operation, 297
- T-norm operator, 295
- T-norms, 293–294
- Token exchange scheme, 182
- Tokenization process, 649, 670
- Token ring architecture, 5–6
- Tokens, 1003
 in authentication systems, 999
 identity management with, 902
 as security measure, 1015
- Toner Loading Program, 803
- Top-down DDBMS design, 245
- Top-down manufacturing, 374
- Top-down parsing, 355
- Topics, in security awareness programs,
 976–977
- Top-level domain (TLD), 396, 832
- Topological quantum computing,
 390–391
- Topology, 288
 as a feature of vector-based GIS,
 274–276
- Topology control, 174, 202

- components of, 200
- for peer-to-peer systems, 198–201
- TopTravel, 434
- TOR anonymizer, 903
- Tort, 714
- Toshiba America, Inc., 402
- Total Access Communications System (TACS), 102
- Total cost of ownership (TCO), 572, 891
- Total Information Quality Management (TIQM) system, 602, 609
- Total outsourcing, 563, 575
- Tourism, Internet applications for, 403
- Toxic Substances Control Act (TSCA), 378
- Traceability, of digital identity, 913
- Tracking systems, 315
- Trade dress, 825–827, 840
 - distinctiveness of, 826
 - functionality and, 826
 - limitations on protectable, 827
 - protectable, 825
 - protection under federal law, 825
 - use as a trademark, 825–826
- Trade dress infringement, 830–831
- Trademark, 714, 840
- Trademark counterfeiting, 926
- Trademark dilution, 831, 840
- Trademark genericism, 839
- Trademark infringement lawsuits, 834–835
- Trademark infringement, 829–834
 - on-line, 832–834
 - remedies for, 834–836
- Trademark law, 760, 823–841
- Trademark Law Treaty, 731
- Trademark licenses, transfer of rights via, 837–838
- Trademark protection, 730
 - international, 839
- Trademark registration, 828–829
- Trademark registration applications, 829
- Trademark rights
 - abandonment of, 838–839
 - assignment of, 838, 839
 - delay in asserting, 838
 - obtaining, 827–829
 - under the TRIPS Agreement, 729–730
- Trademarks, 424, 736, 746, 774
 - compulsory licensing of, 730–731
 - defenses and permissible uses of, 836–837
 - defined, 823–824
 - discontinuance of use of, 838
 - distinctiveness of, 824
 - exceptions to, 730
 - famous, 831
 - good will and, 827
 - importance of, 823
 - loss by acts of trademark owner, 839
 - loss of rights in, 838–839
 - post-TRIPS development of, 731
 - publishing, 730
 - statutory protection of, 828
 - transfer of rights in, 837–838
 - under the TRIPS Agreement, 729–731
 - types of, 825
 - understanding, 824
- Trade secrets, 746
 - information security management and, 941
 - information security policies and, 927
 - theft of, 926
- Trading hubs, 446
- Trading zones, 376, 377, 381
 - convergent-technology, 376–377
- Traditional trademark infringement, 829–831
- Traffic flow, with IPsec, 968
- Trafficking, 809
 - under the digital millennium copyright act, 798–799
- Traffic redirectors, 685
- TraFFix Devices Inc. v. Marketing Displays, Inc.*, 826–827
- Training. *See also* Vendor training
 - in comprehensive security planning, 1017
 - employee, 16
 - implementing, 604
 - in information security management, 945, 951–952
 - in-house digital forensics and, 927–928
 - security-awareness, 875, 877–878, 879, 977, 989–990
- Training expertise, in credible security policy, 980
- Trajectory generator algorithm, 312
- Trajectory models, application-specific, 240
- Transaction, 447
- Transactional middleware, 135
- Transactional queries, 471
- Transactional Web services, 587–589
- Transaction brokers, 486, 492
- Transaction cost economics, 575
- Transaction costs, 436, 575
 - for auctions, 620
- Transaction failures, DDBMS, 250
- Transaction-processing (TP) monitoring server, 134
- Transaction Processing Performance Council (TPC) benchmark, 159
- Transformative works, 787
- Transient virus, 675
- Transitive dependency, 235
- “Translating bridge,” 10
- Transmission, of digital signatures, 995, 996
- Transmission control protocol (TCP), 11, 138, 170, 522, 637
- Transmission Control Protocol/ Internet Protocol (TCP/IP), 166, 689. *See also* Internet Protocol Suite (TCP/IP); TCP/IP entries
 - in the mobile communication environment, 541
- Transmit power control, 200
- Transparency, 254
- Transportation, GIS and, 287
- Transport Control Protocol (TCP)
 - information packets, 342
- Transport layer, 138
 - in wireless Internet, 512
- Transport layer protocol, with Secure Shell, 970
- Transport Layer Security (TLS), 542–543, 686
 - in enterprise security architecture, 968–970
- Transport mode, with IPsec, 967, 968
- Trap, 222
- Trapdoor functions, 388
- Trapezoidal fuzzy membership functions, 303
- Travel, Internet applications for, 403
- Travel agency, click-and-brick, 434
- Travel industry, collaborative marketing campaigns in, 504–506
- Travelocity, 531
- Travel products, 486
- Travel sites, 527–528
- Treaty, 724
- Tree-structure diagram, 227
- Trespassing, social engineering attacks and, 876
- Triage, CSIRTs during, 1007
- Triplicate, 675
- TRIPS Agreement, 727, 777. *See also* General Agreement on Tariffs and Trade (GATT) accord on Trade-Related Aspects of Intellectual Property Rights (TRIPS)
 - copyrights under, 728–729
 - dispute resolution under, 735
 - enforcement section of, 733–734
 - General provisions of, 728
 - industrial designs under, 731
 - patents under, 731–733
 - principles and objectives of, 728
 - trademarks under, 729–731
 - understanding, 727–735
- TRIPS Plus norms, 727
- Trojan horse defense, 700
- Trojan horses, 676–677, 689
- Trojanization, 1010
- Tropos, 365, 366
- Troubleshooting, in the e-commerce business plan, 411
- True party, 1003
 - digital signatures and, 997
 - in threat model, 995
 - with electronic signatures, 994
- Trust, 190–192
 - as a critical success factor, 497
 - groupware and, 267–268
 - in GeoDRM Reference Model, 936
 - mobile identity and, 905
 - modeling, 186–187
 - quantifying, 186

- Trust agents (TAs), 186–187
- Trust aggregation, 202
- Trust computation equation, 189
- TRUSTe, 600
- Trusted employees, computer crime and, 926
- Trusted networks, 18
- Trusted platform module (TPM), with electronic signatures, 994
- Trust issues, 174
- in peer-to-peer systems, 185–198
- Trust management, 201, 202
- game theoretic analysis of, 195
- in identity management, 916
- local and global, 193
- Trust manager, 190
- Trust overlay network (TON), 197
- Trust recommendation mechanism, 187
- Truth value, 329
- TSK fuzzy models, 298
- Tunnel mode, with IPsec, 967, 968
- Tuple, 232
- Turing machine, 384
- Turnitin.org, 764–765
- 12X links, 164
- 24-hour tellers, 455
- Twisted-pair networking cable, 6
- 2.5G standards, 106
- 2.5G wireless technologies, 537
- 2-D GIS objects, storing, 277
- Two-dimensional internetworking, 513
- 2G Digital TDMA-based cellular standards
- comparison of, 105
- 2G wireless technologies, 537
- Two Pesos, Inc. v. Taco Cabana, Inc.*, 826
- Two-phase commit (2PC) protocol, 251, 254
- Two-tier client/server architecture, 131
- Two-tier Web architectures, 628
- “Two-year hack,” 858
- Type-1 fuzzy sets, 292
- Type-1 fuzzy systems, 296–298
- Type-2 fuzzy sets, 292
- Type-2 fuzzy systems, 298–300
- Typed signatures, 999, 1003
- Type-reducer, 299–300
- Types, in MPEG-21 REL data model, 935
- U-commerce, 416, 426
- Ugly security behaviors, 978–979
- UK data protection acts, 600
- Ultra-high-frequency (UHF) tags, 539
- Ultra mobile broadband (UMB), 118
- Ultra SCSI, 163
- Ultra Wide SCSI, 163
- UML sequence diagrams, 366. *See also* Unified modeling language (UML)
- UML use cases, 365
- “UMTS flavor,” 518. *See also* Universal mobile telecommunication system (UMTS)
- UMTS network architecture, 109
- UMTS terrestrial radio access network (UTRAN), 109
- Unbound nyms, digital identity and, 897
- Unbundling, 886, 894
- Uncertainty model, 239
- Uncertified identity attributes, 897
- UNCITRAL Model Law on Electronic Commerce, 843, 844
- Unclonable encryption protocols, 387–388
- Unconscionability doctrine, 849
- Undistrusting, 193–195
- UN/EDIFACT standard, 489
- U-net network interface architecture, 167
- UNICODE standard, 665
- UNICORE 6, 148
- UNICORE architecture, 149
- UNICORE client, 148
- UNICORE Plus, 148
- UNICORE site (U-site), 148
- Unified modeling language (UML), 228. *See also* UML entries
- Unified Modeling Language approach, 229
- Uniform Commercial Code (UCC), 843, 844, 851
- remedies for unconscionability, 849
- Uniform Computer Information Transactions Act (UCITA), 845
- Uniform Computer Information Transactions Act technology product warranties, 852
- Uniform Domain-Name Dispute-Resolution Policy (UDRP), 731, 736, 834
- Uniform Electronic Transactions Act (UETA), 843, 844, 845, 1001
- Uniform Interface to Computing Resources (UNICORE) project, 148, 155, 157. *See also* UNICORE entries
- Uniform Resource Identifier (URI), 665
- Uniform resource locators (URLs), 288, 396, 406, 466, 471, 591, 645, 670. *See also* URL entries
- in identity management, 914–915
- UniGrids project, 148
- Uninhabited aerial vehicle (UAV), 307
- Unintentional threats, 1013, 1019
- due to accidents or mistakes, 1029
- Unintentional tort, 708
- Uninterruptible power supplies (UPS), 17
- in basic security safeguards, 1012
- United Drug Co. v. Theodore Rectanus Co.*, 827
- United Nations Commission on International Trade Law (UNCITRAL), 720
- United Nations Convention on the Use of Electronic Communications in International Contracts, 719–720
- United Nations International Telecommunications Union (ITU), 701
- United States. *See also* American entries; Department entries; Federal entries; Government entries; National entries; U.S. entries
- hardware-based residential VoIP services in, 60
- laws concerning electronic signatures in, 1001–1002
- laws regulating SANs in, 1028–1029
- patent law in, 813–817
- VoIP service providers in, 61
- United States Copyright Act, 778, 779, 780, 786, 788, 791, 792, 794, 845–846
- United States et al. v. American Library Association*, 707
- United States Shoe Corporation v. Brown Group, Inc.*, 837
- United States v. Elcom Ltd.*, 802
- United States v. Ziegler*, 704
- Universal City Studios v. Reimerdes*, 706
- Universal City Studios Inc. v. Corley*, 798, 799, 803
- Universal City Studios Inc. v. Reimerdes*, 798, 800, 801, 803–804, 807–808
- Universal Copyright Convention, 892
- Universal data repository, 640–641
- Universal description, discovery, and integration (UDDI), 137, 157, 541, 591
- registering and discovering Web services with, 589
- Universally Unique Identifier (UUID), 589
- Universal mobile telecommunication system (UMTS), 97, 126, 545. *See also* UMTS entries
- features of, 114
- Universal Plug and Play (UPnP), 43–44, 52
- University database, 227
- UNIX-based languages, 397
- UNIX operating system, 10, 165, 281
- Unlicensed spectra, performance and uses of, 113
- Unlinkability
- with anonymous credentials, 903
- with certified digital identity representations, 902
- in identity user control, 899, 900
- with online issued tokens, 902
- Unlisted telephone numbers, in comprehensive security planning, 1017
- Unocal patent infringement claims, 749
- Unrealised semantic Web technologies, 665–666
- Unregistered trademarks, 730
- Unshielded twisted-pair (UTP) cable, 6
- Unstructured P2P networks, 202
- Unsupervised learning, 338, 344
- Untrusted networks, 18

- Uplink time of arrival (UL-TOA), 540
- Upstream rights, digital rights
 - management and, 931
- URL session tracking, 683. *See also* Uniform resource locators (URLs)
- URL system, 637
- Usability, 654
 - mobile identity and, 905
- Usage permissions/constraints,
 - digital rights management and, 931–932, 933
- Usage policies, for backup and recovery, 1026–1027
- USA PATRIOT Act, 423. *See also* U.S. Patriot Act
- USB drives, 923
 - social engineering using, 870–871
- U.S. cellular providers, 115
- U.S. Constitution, 765, 772, 813. *See also* First Amendment; Fourth Amendment; Sixth Amendment
- U.S. Copyright Office, 714
- U.S. criminal justice system, 693–703
- USDA Physical Security Inspection Checklist, 881
- US Defense Advanced Research Projects Agency (DARPA), 1016
- US Department of Energy (DOE), 1016
- U.S. Department of Justice, 802
- U.S. digital cellular (USDC) system, 97
- Use-based trademark registration application, 829
- Use cases scenarios, 365
- Usefulness, 654
 - patentability and, 814
- User acceptability, of biometrics, 1000
- User access, in identity management, 911
- User authentication protocol, with Secure Shell, 970–971
- User-based access control model (UACM), 222
- User-Based Security Model (USM), 215
- User behavior vector (UBV), 653–654
- User-centric focus, in credible security policy, 980–981
- User choice, in identity user control, 899, 900
- User control
 - basic properties of, 899–900
 - in history-based identification, 905
 - in identity management, 899–901
- User convenience, in identity management, 915
- User Datagram Protocol (UDP), 138, 210, 523
 - RADIUS protocol and, 964
- User experience, in identity management, 910–911
- User interface, 329, 666
 - expert systems and, 320–321
- Username authentication, with online issued tokens, 902
- Username/password system, 649
- User principals, in identity management, 911–912
- User product-specific knowledge, 341–342
- User profiles, 473–474
- User query, 474
- Users, 609–610. *See also* Web users
 - in credible security policy, 980–981
 - defined, 321
 - in identity management, 909, 910–911, 912–913
 - in OMA DRM specification, 935
 - security task force and, 1011
- U.S. Geological Survey (USGS), 282, 284, 286
- U.S. March-in rights, 819
- U.S. Patent and Trademark Office (USPTO), 714, 813, 819, 821, 828
- U.S. Patriot Act, 766. *See also* USA PATRIOT Act
- US Secret Service, on information security management, 947–948
- U.S. v. Elcom*, 804
- Utilitarian argument, on intellectual property rights, 761, 762
- Utilitarianism, 774
- Utilitarian theories, free speech rights and, 754
- Utilities, business continuity/disaster recovery laws and regulations and, 1030
- “Utility computing,” 590
- Utility models, 421, 422, 812
- Utility patents, 812, 826, 827
- VACM access control logic, 216
- VACM process, 216
- Validation, 1003
- Validity, of identity, 897
- Valuation, in information security management, 942, 946
- Valuation complexity, in auction design, 621
- Value, in RDF structure, 667
- Value added networks (VAN), 416, 489
- Value-added service charges, for mobile communications, 550–551
- Value-added service providers, in an m-commerce value chain, 553
- Value added services, 59
- Value chain, 415, 508, 532
 - of mobile entertainment services, 555
 - of mobile information services, 555
 - of mobile payment and financial services, 557
 - roles in, 552–553, 554
- Value chain analysis, 530
 - implementation roadmap via, 502
- Value chain differentiation, 430
- Value chain management solutions, 506
- Value chain performance trends, 499
- Value circle, 610
- Value propositions, in m-commerce, 549–550
- Van Eck Phreaking*, 864
- Varian analysis, 179–180
- Vault Corp. v. Quaid Software Ltd.*, 846
- V CAST mobile TV, 556
- VCG mechanisms, 620
- Vector, 288
- Vector-based GIS, 274–277
- Vector data structure, advantages of, 278–279
- Vector file formats, 277
- Vector space model, 467, 480, 649, 653, 659, 670
- Vendor-client relationships, 573–574
- Vendor-managed inventory (VMI), 489
- Vendor performance metrics, 573
- Vendor performance valuations, 567
- Vendors, 928
 - capabilities of, 569
 - contract and relationship with, 563
 - identifying and evaluating, 440
 - managing, 565
- Vendor selection, in network management, 32–33
- Vendor-specific scrip, 458
- Vendor training, digital evidence and, 928
- Vendor Worksheet, 14
- Venture capital (VC), 414
- Venture capitalists, 413
- Verifiability
 - with anonymous credentials, 903
 - with certified digital identity representations, 901
 - in identity user control, 899, 900
 - with online issued tokens, 902
- Verifiable encryption, with anonymous credentials, 903
- Verification, 1003
 - of digital signatures, 995, 996, 997
 - of message authentication codes, 998
 - in selecting electronic signature system, 1000
- Verifiers, 1003
 - for electronic signatures, 994
 - in threat model, 995
- Verizon Wireless, 115, 116
- Versatile home network (VHN) standard, 48
- Versioning backup, 1027
- Vertical communications, 513
- Vertical fragmentation, 246, 247, 248
- Vertical integration strategies, 496
- Vertical market, 492
- Vertical marketplace, 489
- VESA local bus, 162
- Vicarious infringement, 789, 790
- Vicinity devices, 461–462
- Vickrey auction, 613
- Vickrey-Clarke-Groves (VCG) mechanisms, 624

- Victim impact statement, 702
- Video, online, 528
- Video Ad Serving Template (VAST), 507
- Videoconferencing, 258, 260–261
- Video games, DMCA exemptions for, 803
- Video On Demand service, 488
- Videos, as security awareness tool, 990
- Video viewing, online, 487
- View-Based Access Control Model (VACM), 216
- Vigilantism, cybercrime, 697
- ViNTs wrapper generator, 477–478
- VIP factor, 876
- Virtual 3D environment, 258
- “Virtual” child pornography, 699
- Virtual communities, 429
- Virtual enterprise, 508
- Virtual enterprise benefits, 503
- Virtual enterprise data management services, 497, 503
- Virtual enterprise integration (VEI), 501–502, 508
- Virtual enterprise management, 495–496
- Virtual enterprise readiness assessment, 501
- Virtual interface architecture (VIA), 167, 170
- Virtualization, 3
- Virtual LAN (VLAN), 10
- Virtual medicine, 405
- Virtual memory-mapped communication (VMMC), 166–167
- Virtual organizations (VOs), 143, 157
- Virtual payment cards, 455
- Virtual private networks (VPNs), 16, 27, 35, 139, 447, 631, 637
- message authentication codes and, 999
- Virtual private network services, 69, 281
- Virtual reality models (VRMs), 274
- Virus contamination, costs of, 922
- Viruses, 636, 637, 675, 689, 1013, 1014
- business continuity and, 1022
- in information security management, 948
- negligence concerning, 709
- Virus host, 675
- Virus scanners, 880
- Virus-scanning software, 636, 637
- Visa, 452
- VISA 3-D Secure, 686–687
- Visitor location register (VLR), 99–100, 218
- Visitors, security standards for, 876
- Visit traces, 1003
- in authentication systems, 999
- Visual spoofing, 866, 867
- Vivísimo search engine, 474, 475
- VL-bus standard, 749
- Vodafone, 115
- Voice, IEEE 802.11 limitations in supporting, 75
- Voice changers, 864
- Voice CODEC selection criteria, 64–65
- Voice CODers/DECoders (CODECS), 64–65
- characteristics of, 65
- Voice convergence, quality of service for, 74
- Voice delay levels, 66
- Voice of the Customer (VOC), 594, 597, 602–603
- Voice over Internet Protocol (VoIP), 56–77, 418, 523, 539. *See also* VoIP entries
- benefits of, 59–60
- growth of, 56–59
- versus voice over public switched telephone network, 60, 61–62
- over wireless local area networks, 71–75
- Voice over packet (VoP) architecture, 60
- Voice over WLAN (VoWLAN), 71–75, 76
- Voice quality, performance metrics for assessing, 65–66
- Voice recognition, 350–351
- Voice recognition systems, 350–351
- Voice recognition technology, 351
- Voice service, interruptions in, 73
- Voice storage, 60
- Voice-system, 351
- Voice typewriter, 350–351
- VoIP billing, 60. *See also* Voice over Internet Protocol (VoIP)
- VoIP calls, reduced number of, 74
- VoIP gateways, 63–64
- VoIP hardware configurations, 62–63
- VoIP implementation configurations, 60–71
- VoIP service providers, 61
- VoIP management protocols, 67–71
- VoIP over WLAN
- issues related to, 73–74
- security issues for, 74
- VoIP regulatory issues, 70–71
- VoIP revenues, growth of, 58–59
- VoIP traffic, growth of, 58
- VoIP transmissions, impact of WLANs on, 73–74
- VoIP transmission schemes, over WLANs, 72–73
- Volume discount auctions, 616–617
- Voluntary consensus standards (VCSs), 740, 741, 751
- Voluntary consensus standards bodies (VCSBs), 741
- Voluntary initiatives, for nanotechnology regulation, 379–380
- Voluntary Inter-industry Commerce Standards Association (VICS), 497
- Voter turnout, e-voting and, 772–773
- Voting, legal protection of, 772
- Voting-based merging techniques, 478–479
- Voting technologies, 771–772
- Voting termination, 246
- Vulnerabilities
- in information security management, 946–948
- types of, 1013
- Vwallet, 459
- W32/Pravo virus, 677
- Wait and see parsing (WASP), 355
- Wal-mart, 527
- Wal-mart proprietary EDI network, 491
- Wal-Mart Stores, Inc. v. Samara Brothers, Inc.*, 826
- WAN/MAN architecture, 29. *See also* Metropolitan area networks (MANs); Wide area networks (WANs)
- WAN speeds, 3
- WAN technologies, 3
- comparison of, 113
- underlying, 22
- WAP browser, 47. *See also* Wireless application [access] protocol (WAP)
- WAP datagram protocol (WDP), 542
- WAP-enabled handheld device, 47
- WAP forum, 541
- WAP Gap, 543
- WAP gateway, 47
- WAP identity module (WIM), 543
- WAP session protocol (WSP) layer, 542
- WAP standard, 542
- WAP transaction protocol (WTP), 542
- Wardialling, 864
- Warez, 894
- Warez doodz*, 887, 894
- Warhead, 676
- Warranties, fitness and merchantability, 851–852
- Wavelength-division multiplexing (WDM), 24
- Waypoints, 312
- Weak entity sets, 230, 232
- Weak identity assurances, 897–898
- Weak identity attributes, 897
- Weakly bound nyms, digital identity and, 897
- Weakly dominant strategy equilibrium, 619
- Web, 670. *See also* World Wide Web entries
- asynchronous nature of, 647
- basic operation of, 645–646
- characteristics of, 644–645
- collecting data from, 646
- commercialization of, 771
- competitive advantage on, 529–530
- dynamic capabilities of, 422–423
- importance of, 409
- knowledge management for, 658–661
- as a publication system, 641
- selling influence on, 760

- usability and usefulness of, 654
- Web 1.0, versus Web 2.0, 642
- Web 2.0, 269, 418–419, 498, 508, 610, 634, 637
 - future of, 641–643
- Web 2.0 business models, 422–423
- Web 2.0 client-side software, 634
- Web 2.0 collaboration tools, 502
- Web 2.0 content, quality principles for, 605
- Web 2.0 developments, 263
- Web 2.0 information, quality of, 595
- Web 2.0 server-side software, 634
- Web 2.0 technology, 425, 643
- Web 3.0, 425
- Web access, to home network devices
 - with handheld devices, 47
- Web advertising, nontargeted, 530–531
- Web application servers, 590
- Web architectures, 628–629
- Web-based courses, as security awareness tool, 988
- Web-based documents, quality of, 595
- Web-based GIS, 282–283
- Web-based technology, 418
- Web-based voting technologies, 772
- Web blogging, 662–663
- Web browser, 670
- Web browser technology, 417
- Web business, lessons learned
 - concerning, 530–531
- Web business models, 532
 - business-to-consumer, 525–533
 - evolution of, 531–532
- Web calendars, 667
- Web communications, 641
- Web communities, 656, 662, 670
 - identifying, 664–665
- Web content, user preferences
 - about, 654
- Web content creation/maintenance, quality principles for, 604–605
- Web content mining (WCM), 656, 657, 670
- Web crawlers, 470, 471, 480, 647–648, 659, 664. *See also* Crawlers
- Web data, 645–649, 670
 - extracting information from, 639
- Web data definition, quality principles for, 603
- Web design, quality principles for, 602
- Web document management, quality principles for, 603–604
- Web environment, characteristics of, 470–471
- Web filtering software, 707
- Web hosting, 626–638, 641
 - in the e-commerce business plan, 411
 - future of, 636
 - globalization and, 634–636
 - in-house, 628
 - outsourced, 629–630
 - proliferation of, 632
 - reliable and adequate, 412
 - security of, 636
- Web hosting services, models of, 628
- Web hosting technology, 627–628
- Web information, organization
 - of, 643
- Web information repository, 649–653
- Web intelligence (WI), 639–67
 - fuzzy, 302–303
 - ontology and, 667–668
 - overview of, 6403
- Web Intelligence Consortium (WIC), 640
- Web knowledge base, 661
- Weblog platforms, 631
- Weblogs (blogs)
 - data cleaning and pre-processing of, 646–647
- Weblogs (blogs), 258, 399, 406, 631, 646, 862. *See also* Blogs
- Webmaster, 646, 661, 670
- Web mining, 655–658, 659, 670
 - applications of, 656–658
 - techniques of, 655–656
- Web mining studies, 646
- Web mining technique (WMT)*
 - dimension, 661
- Web Ontology Language (OWL), 665, 667, 670
- Web-originated data, nature of, 646
- Web page actualization, 648
- Web page content, 647
- Web page content mining, 656
- Web page data cleaning/pre-processing, 649
- Web pages, 470, 646
 - algorithms for ranking, 663–664
 - authoritative, 663
 - length of time spent on, 655
 - ranking of, 759
 - utilization of words in, 654
- Web pornography, children and, 755–756
- Web portal, 447
- Web proxy, 637
- Web proxy caches, 628, 637
- Web search engines, 643, 670. *See also* Search engines
- Web search queries, 471–472
- Web search technologies, 466–481
- Web servers, 2, 3, 48, 132–134, 399, 670
- Web-service-based system architectures, 590
- Web service lifecycle, 146
- Web services, 136–137, 578–592
 - core characteristics of, 578
 - exploring with WSDL, 588–589
 - identity management and, 915
 - interoperability with, 578–579, 580–581
 - in NGN, 92–93
 - registering and discovering with UDDI, 589
 - transactional, 587–589
 - work distribution, specialization, and productivity in, 579–580
- Web Services Business Process Execution Language (WS-BPEL), 590, 591
- Web services definition language (WSDL), 145–146
- Web services description language (WSDL), 92, 137, 541, 591
 - exploring Web Services with, 588–589
- Web services interface, 477
- Web services resource framework (WSRF), 146–147, 157. *See also* WSRF entries
- Web Services Security (WSS), 589
 - in identity management, 918
- Web site hyperlink structure, 663, 664
- Web site keywords, 654
- Web sites
 - accessibility of, 598
 - easy-to-find, 597–598
 - in the e-commerce business plan, 411
 - jurisdiction over, 710
 - personalization of, 661
 - robust and useable, 412
 - trust and, 598
- Web site usability, 414
- Web site users, 661
- WebSphere MQ, 135
- WebSPHINX, 646
- Web spoofing, 678, 685
- Web storage management, 632
- Web stores, 485
- Web strategy, 529–531
- Web structure mining (WSM), 656, 670
- Web usability, 670
- Web usage mining (WUM), 657, 670
- Web usage statistics, 642
- Web usefulness, 670
- Web user behavior, classification
 - of, 658
- Web user browsing, facilitating, 639
- Web user information preferences, modeling, 654
- Web users, 670
 - behavior analysis of, 653–655
 - characterizing the behavior of, 653–654
- Web wisdom, 639, 644–645, 670
- West Point Carronade, as security awareness tool, 990
- “Whole computer,” 160
- Wide area networks (WANs), 1, 19, 21–36, 52, 170, 399. *See also* WAN entries
 - backup and recovery in, 1027
 - challenges related to, 21–22
 - management of, 32–35
 - requirements and approaches related to, 22
 - transmission and media, 22–24
 - versus LANs, 3–4

- Wideband CDMA (W-CDMA), 107, 108
- Wide SCSI, 163
- WiFi, 19, 118–122, 126. *See also*
Wireless fidelity (Wi-Fi)
utilization and implementation of,
120–122
- WiFi card, 12
- WiFi networks, 7
- Wi-Fi Protected Access (WPA), 684
- Wiki engines, 264
- Wiki IQ principles, 605
- Wikinomics, 418, 422, 426
- Wikipedia, 530, 663
- Wikis, 258, 610, 662–663
business use of, 263–264
- Wiki Workplace business model, 423
- WiMAX Forum, 109, 116, 117, 126. *See also* Worldwide Interoperability for Microwave Access (WiMax)
- WiMax networks, 122
- Windows, digital forensics tools
with, 928
- Windows CardSpace, in identity
management, 917, 918
- Windows Compute Cluster Server 2003,
169
- Windows Media DRM, 934
- Windows operating system, 165
- Winner's curse, 622, 624
- Winner determination, 624
in auction classification, 614
- Winner determination complexity, in
auction design, 621
- WIPO Copyright Treaty, 719, 792,
932. *See also* World Intellectual
Property Organization (WIPO)
- WIPO Draft Database Treaty, 782
- WIPO Internet Treaties, 719
- WIPO Performances and Phonograms
Treaty, 719
- WIPO Standing Committee on
Copyright and Related
Rights, 719
- Wired-based home networks, 41
- Wired equivalent privacy (WEP), 12,
76, 538
- Wireless access, providing,
122–123
- Wireless application environment
(WAE), 541–542
- Wireless Application PKI
(WPKI), 543
- Wireless application [access] protocol
(WAP), 47, 52, 540–541, 545. *See also* WAP entries
- Wireless backhaul, 118–119
- Wireless code division multiple access
(W-CDMA) cellular systems, 50
- Wireless communication technology,
electronic payment and, 461
- Wireless communication standard, lack
of, 554
- Wireless enabling server, 134
- Wireless equivalent privacy
(WEP), 683
- Wireless Ethernet Compatibility
Alliance (WECA), 537
- Wireless fidelity (Wi-Fi), 537–538, 545.
See also WiFi entries
- Wireless gateways, 134
- Wireless Internet, 510–524
concepts and issues in, 511–513
- Wireless ISPs (WISPs), 116,
120–121
- Wireless LAN domain, 519
- Wireless local area networks (WLANs),
7, 11–16, 42, 110, 510, 523,
537–538, 545. *See also* WLAN
entries
cellular network integration with,
516–519
retransmissions and dropped packets
over, 74
VoIP over, 71–75
- WirelessMAN Working Group, 117
- Wireless Markup Language (WML), 52,
540, 545. *See also* WML entries
- Wireless mesh-based products, 121
- Wireless Metropolitan Area Network
(wirelessMAN; WMAN),
108–109, 523
- Wireless mobile Internet, 510
- Wireless network management,
218–219
- Wireless networks
insufficiently secured, 864
vulnerabilities in, 683–684
- Wireless P2P system, energy efficient
distributed topology control in,
199–201
- Wireless providers, 115–116
- Wireless public safety networks,
124–125
- Wireless server, 134
- Wireless systems, 24
- Wireless technologies, 41–43
bandwidth and range of, 540
- Wireless telephony application interface
(WTAI) specification, 542
- Wireless transport layer security
(WTLS), 542–543
- Wireless videoconferencing, 535
- Wireless wide area network (WWAN),
IEEE 802.11 as a, 118–122.
See also WWAN entries
- Wireless wide area network client/
server computing, 128–141
- Wireless wide area network
technologies, 112–127
types of, 112–113, 114–122
- Wireshark, 863
- Wiring closet, configuration of, 16
- Wisdom, 644
- WLAN adaptation function
(WAF), 517
- WLAN ESS architecture, 518
- WLAN management, 12
- WLAN security, 12–13
- WLAN standards, 11–12
- WML Script, 542
- WML Script Crypto API (WMLSCrypt),
543
- WML Script Crypto Library
(WMLSCLib), 543
- Word-expert parsing, 355
- Word page vector, 653
- Wordsense neuron level, 355
- Word stemming process, 649
- Work area recovery, 1032
in business continuity
management, 1024
- Work distribution, across parties,
579–580
- Workflow management, 258, 261
- Workforce
security awareness programs
and, 975
security behaviors in, 978–979
- Workforce support, mobile, 550,
557–558
- Working environments, collaborative,
261–262
- Working storage, 321, 329
- Work made for hire, 795
- Workplace surveillance, 769
- Works
digital rights management and, 931
reproducing, 795
right to display publicly, 786
right to perform publicly, 785
right to reproduce, 784–785
- Works made for hire, 783
- World Intellectual Property
Organization (WIPO), 714, 797,
818, 834. *See also* WIPO entries
- World Trade Organization
(WTO), 892
- World Trade Organization Agreement
on Trade-Related Intellectual
Property Rights, 727
- Worldwide Interoperability for
Microwave Access (WiMax).
See also 3G WiMAX; WiMax entries
- Worldwide Interoperability for
Microwave Access (WiMax),
12, 19, 24, 116–118, 125, 126,
521, 538
- Worldwide VoIP subscribers, 57
- World Wide Web (WWW), 396, 466,
480, 482, 495, 525, 626, 637. *See also* Web entries
in enterprise security architecture,
958
- World Wide Web Consortium (W3C),
578, 591, 643, 667
on security awareness programs, 986
- World Wide Web Consortium
standard, 43
- Worms, 636, 637, 675–676, 689. *See also*
Computer worm
- Writer's Workbench, 358
- Written procedures, as a due process
requirement, 745
- WS-Addressing (WSA), 147
- WS-BaseFaults (WS-BF), 147

- WS-DistributedManagement (WS-DM), 151
- WSDL (Web services description language), 157
- WS-Federation, in identity management, 917, 918
- WS-management, 589
- WS-Notification (WSN), 147, 151
- WS-reliability, 589
- WS-resource, 589
- WS-ResourceLifetime (WS-RL), 146
- WS-ResourceProperties (WS-RP), 146
- WSRF::Lite, 155
- WSRF::Lite architecture, 150–151
- WSRF.NET, 151–152, 155
- WSRF specifications, 146–147
- WS-security, 592
- WS-ServiceGroup (WS-SG), 146–147
- WS-transaction, 589
- WWAN infrastructure, 112–113
- X.509 certificates, 897
 - for digital identity, 901
- Xbox Live Marketplace, 488
- xHPP protocol, 49
- XING provider, 861–862
- XML-based Web service, example application of, 584. *See also* eXtensible Markup Language (XML)
- XML documents, 369
- XML-enabled EDI, 444
- XML format, 582
- XML schema definition (XSD), 583, 592
- XpertRule, 325
- xSP, 565
- XSS scripts, 679
- X-Ways Forensics, 928
- X-windows, 129
- Yahoo!, 398, 466, 529
- Yahoo! business model, 531
- Yahoo! Inc. v. La Ligue Contre Le Racisme et L'Antisemitisme*, 635, 711–712
- Yahoo! v. LICRA*, 721
- Yale Elec. Corp. v. Robertson*, 835
- Yankee Group, 1013
- YouTube, 487, 528
- YouTube.com, 633
- Zadeh, Lotfi A., 291, 292
- Zero-dimensional (0-D) point data structure, 274
- Zigbee technology, 50
- Zippo Manufacturing Co. v. Zippo Dot Com, Inc.*, 710
- Zombies, 682
- ZoomInfo, 862

<http://www.pbookshop.com>

<http://www.pbookshop.com>