

# Index

## • Symbols •

- & (ampersand), adding strings together with, 84–86
- + (plus sign), adding strings together with, 84–86

## • A •

- abstract code, 107
- abstraction, creating with objects, 182
- accelerator keys, on forms, 158
- Access 2007 All-in-One Desk Reference For Dummies* (Simpson, Young, and Barrows), 330
- Access 2007 For Dummies* (Kaufeld, Fuller, and Cook), 330
- Access 2007 Forms & Reports For Dummies* (Underdahl), 330
- AccessExternalProgram function, calling, 364–365
- accessibility, of user environment, 258
- Acronym fields, hiding, 351–352
- ActiveX controls, Web sites offering, 388
- Add Watch dialog box, modifying expressions with, 153–154
- aesthetics, of user environment, 258
- ampersand (&), adding strings together with, 84–86
- application configuration information, storing, 230–231
- application library, overview, 30
- Application object, using in Access, 332–334
- application plans, creating, 67
- arguments, in If function, 119
- arithmetic operators, overview, 106
- arrays
  - classifying, 208
  - copying data between, 211–213
  - function of, 205

- two-dimensional, 208–211
- understanding usage of, 206–208
- asynchronous calls, accessing external programs with, 357
- automatic macro execution, reasons for disabling, 46

## • B •

- balloon help, changing, 259
- Barrows, Alison (*Access 2007 All-in-One Desk Reference For Dummies*), 330
- base 2 format, computers using, 93–94
- base 8 format, using, 94–96
- base 10 format, defined, 92
- base 16 format, using, 94–96
- beta programs, finding run-time errors in, 136–137
- binary numbers, computers using, 93–94
- bits, computer storing information as, 79
- Boolean data type, making decisions with, 98
- breakpoints
  - executing, 148
  - viewing current value of variables at, 149–150
- buffer overrun
  - avoiding, 139
  - validating user input to avoid, 176
- bugs. *See also* Debug tool; debugging
  - avoiding buffer overrun, 176
  - finding with conditional compilation, 63–64
  - fixing in one-line programs, 39
  - from GoTo statement, 130
  - origins of, 40
  - reasons for avoiding, 138
  - recovering from, 140–143
  - reporting, 146
  - understanding, 134
  - understanding compile errors, 135–136
  - understanding run-time errors, 136–137

bugs (*continued*)

- understanding semantic errors, 137–138
- understanding syntax errors, 134–135
- using error handlers for, 144–145
- ways of avoiding run-time, 139–140
- writing error handlers for, 145–147

## buttons

- adding to Ribbon interface, 269–271
- creating toggle, 273–274

## • C •

## calculations

- ability to perform, 13
- performing in Excel, 326
- using currency values for money, 100–101
- using numbers for, 92–97
- using scientific values for math, 99–100

## callbacks

- performing tasks while loading Ribbon interface, 271–272
- understanding, 269

## calls

- accessing external programs with, 357–358
- creating in Win32 API, 358–362
- encapsulating to external programs, 362–364
- to external programs, 364–365

## Caption property, for Window objects, 285–286

## Case Else clause, adding to Select Case statement, 123

## character codes, using in strings, 87–88

## characters

- creating special, 87–88
- getting numeric value of, 88

## Chart object, accessing, 306–308

## charts

- creating in Excel with Charts collection, 314–319
- designing rotating presentation of in Excel, 321–323

## Charts collection, creating charts in Excel with, 314–319

## check boxes, using on forms, 165–167

## class modules

- function of, 22
- as VBA program element, 53

## classes

- adding error handling to, 200–202
- advantages in object-oriented programming, 182
- basic design overview, 185–186
- defining properties for, 186–190
- versus Functions/Subs, 183
- initializing, 195–196
- instantiating objects with, 184
- versus objects, 181–182
- types of, 184–185
- useful, 197–198

## Clipboard

- copying record to, 352–354
- interacting with when writing applications, 165

## CloseHandle() call, defining, 362

## code

- abstract, 107
- accessing VBA programs from other VBA, 45
- adding breakpoints to, 148
- adding comments to, 77–78
- adding modules, 69
- creating application plans for, 67
- creating readable, 77
- debugging before changing, 390
- debugging run-time errors with, 137
- defining projects for, 68–69
- designing procedures for, 70
- error recovery, 140–143
- executing one line at a time, 149
- for handling user events, 160
- Lego approach to writing, 66
- Microsoft providing fixes for, 392
- saving and restoring, 147
- taking from VBA Help feature, 394
- updating with search-and-replace feature, 390–391
- using Microsoft to create VBA programs, 47–48
- Web sites offering, 386–387
- writing error-handling, 144–146
- writing statements for, 70

- code locking
  - for security, 63
  - using, 64
- Code window
  - function of, 17
  - implementing one-line program design with, 36
  - using, 25–27
- collections. *See also specific collections*
  - accessing predefined objects from, 219–220
  - adding keyed data to, 217–219
  - Charts, 314–319
  - common used in Access, 344–345
  - Connections, 344
  - creating own, 222–228
  - creating/using, 213–217
  - Databases, 345
  - deciding when to use, 216
  - Documents, 278–280
  - Fields, 345
  - InlineShape, 292–295
  - overview, 213
  - QueryDefs, 345
  - Recordsets, 345
  - Relations, 345
  - Sheets, 308–314
  - TableDefs, 345
  - Templates, 281–283
  - understanding, 205
  - Windows, 283–286, 319–321
  - Workbooks, 306–308
  - Workspaces, 334–336
- color, of user environment, 258
- combo boxes, using on forms, 170–172
- command buttons, executing tasks with, 163–165
- Command object, 345
- commands, accessing special in Access
  - with DoCmd object, 345–347
- comments
  - adding to code, 77–78
  - adding to custom functions in Excel, 326–327
- comparison operators, overview, 106
- comparisons, using If...Then...Else statement for, 115–117
- “Compatibility Mode,” added to early Word files, 288, 297
- compile errors, understanding, 135–136
- compiler, function of, 135–136
- compiler options, understanding, 65–66
- complexity, If...Then statement
  - reducing, 113
- component class, understanding, 184. *See also classes*
- concatenation, of strings, 84–86
- conditional compilation, adding, 63–64
- configuration files
  - reading, 235–238
  - writing, 232–235
- Connections collection, 344
- consistency, If...Then statement
  - providing, 112
- constants
  - advantages of using, 82–83
  - declaring, 80–81
  - defining scope for, 83
  - using enumerated, 194–195
  - versus variables, 80
- content, modifying on toolbars/menus, 263–264
- content nation operators, overview, 106
- continuation characters, using, 73
- control class, understanding, 184–185. *See also classes*
- control structures, function of, 112. *See also structures*
- controls
  - adding to forms, 159
  - adding to Toolbox, 172–173
  - basic, 158–159
  - CheckBox, 165–167
  - ComboBox, 170–172
  - for forms, 158
  - Frames, 167–170
  - Label, 160–161
  - ListBox, 170–172
  - OptionButton, 167–170
  - TextBox, 161–163
  - ToggleButton, 165–167

- conversions
    - considerations for properties, 189–190
    - performing between strings and numbers, 96–97
    - performing in Excel, 325–326
  - Cook, Ken (*Access 2007 For Dummies*), 330
  - Corel applications, using VBA with, 15
  - CreateProcess() call
    - accessing external programs with, 357–358
    - defining, 358–361
  - creating a process, understanding, 357–358
  - currency, defined, 92
  - currency values, using for money
    - calculations, 100–101
  - CurrentDB object
    - converting numeric type values into strings in Access, 343–344
    - getting database configuration information with in Access, 341–343
  - Custom UI Editor
    - adding tabs/groups/buttons to Ribbon interface with, 267–269
    - changing Ribbon interface with, 267–269
    - potential errors using, 276
  - cutting, in Object Browser, 32
- D •
- data
    - adding keyed to collections, 217–219
    - classifying arrays by, 208
    - computer storing, 79
    - copying from array to array, 211–213
    - creating and using array for string, 206–208
    - defining schema for XML, 243–245
    - exporting XML to disk, 246–247
    - finding in strings using parsing, 90–92
    - formatting, 104–106
    - storing in arrays, 206–213
    - storing in collections, 213–220
    - storing on disk, 231–232
    - writing XML to disk, 243
  - data conversion, performing in Excel, 325–326
  - data sets
    - accessing collection items, 219–220
    - adding keyed data to collections for, 217–219
    - using collections for, 213–217
  - data tips feature, 149–150
  - data translation, storing, 231
  - data types
    - Boolean, 98
    - creating own, 222–228
    - Currency, 100–101
    - Date and Time, 101–103
    - InNumber, 145
    - numbers, 92–97
    - overview, 83–84
    - reasons to create own, 222
    - scientific, 99–100
    - strings, 84–92
    - understanding user defined, 221–222
  - database management, defined, 330
  - databases. *See also* Microsoft Access
    - accessing information from, 13–14
    - adding data to, 217–219
    - adding users to, 335–336
    - getting configuration information on, 341–343
  - Databases collection, 345
  - date values, using, 101–103
  - DBEngine object, modifying security with in Access, 336–341
  - Debug tool
    - accessing, 148
    - executing breakpoints for, 148–149
    - executing one line of code at a time with, 149
    - using with collections, 220
  - Debug.Assert method
    - executing breaks with, 149
    - using with Immediate window, 150–151
  - debugging
    - code before changing, 390
    - with conditional compilation, 63–64
    - with Immediate window, 150–151
  - debugging code, using for run-time errors, 137
  - Debug.Print method, using with Immediate window, 150–151
  - decimal format, defined, 92
  - decisions
    - handling unforeseen, 123
    - using If . . . Then statement for, 113–115
    - using IIf function for inline, 119–120
    - using Select Case statement for multiple, 120–123

- declarations, constant versus variables, 80–81
  - decoration, on forms, 158
  - digital signature, adding to projects, 203–204
  - dimensions, array, 208
  - disk storage. *See also* storage
    - of application configuration information, 230–231
    - of data, 231–232
    - for data translation, 231
    - overview, 229–230
    - writing INI files for, 232–235
  - disks
    - exporting XML data to, 246–247
    - importing XML data from, 247
  - displaying, toolbars/menus, 261–263
  - displays, changing user environment, 259
  - DLL (Dynamic Link Library) files, libraries in, 30
  - Do Until...Loop statement, using, 126
  - Do While...Loop statement, using, 124–126
  - DoCmd object, accessing special commands in Access with, 345–347
  - document automation, abilities, 12
  - document folders, storing application configuration information in, 231
  - documents
    - accessing specific text elements in Word, 286–289
    - automatically saving using XSLT, 252–253
    - creating simple XML, 247–249
    - getting information on, 278–280
    - manipulating text in Word, 295–299
    - manually saving using XSLT, 250–252
    - saving in WordML versus XML, 240–243
    - selecting objects in Word, 291–295
    - sending notes from Word to Excel worksheets, 374–378
    - sending Word by Outlook e-mail, 368–374
  - Documents collection, using in Word, 278–280
  - Documents objects, in Documents collection, 278
  - Do...Loop Until statement, using, 126
  - Do...Loop While statement, using, 126
  - Dynamic Link Library (DLL) files, libraries in, 30
  - dynamic lists, versus static lists, 170
- E •**
- editing, using Do While...Loop statement, 124–126
  - efficiency, with changed user environment, 260
  - e-mail
    - list servers accessed through, 386
    - processing Outlook with Word, 365–368
    - reporting errors with, 146
    - sending with Outlook, 368–374
  - encapsulation, in object-oriented programming, 182
  - e-newsletters, for VBA resources, 382–383
  - enumerated constants, using in objects, 194–195
  - enumerating constants, value of, 83
  - envelopes
    - designing form for, 300
    - printing, 301–302
  - error, handling
    - adding to classes, 200–202
    - adding to programs, 145–147
    - understanding, 144–145
    - usefulness of, 133
  - error trapping
    - usefulness of, 133
    - using with Select Case statement, 122
  - errors. *See also* Debug tool; debugging
    - avoiding buffer overrun, 176
    - finding with conditional compilation, 63–64
    - fixing in one-line programs, 39
    - from GoTo statement, 130
    - origins of, 40
    - potential using Custom UI Editor, 276
    - reasons for avoiding, 138
    - recovering from, 140–143
    - reporting, 146
    - understanding, 134
    - understanding compile, 135–136
    - understanding run-time, 136–137
    - understanding semantic, 137–138
    - understanding syntax, 134–135
    - using error handlers for, 144–145
    - ways of avoiding run-time, 139–140
    - writing error handlers for, 145–147
  - event handler, code as, 160

## events

- firing, 193–194
- handling form, 176–177
- understanding object, 18
- user interaction as, 160

exits, using `GoTo` statement for, 132

exporting, XML data to disk, 246–247

eXtensible Markup Language (XML)

- creating document in Word, 247–249
- defining schema for data, 243–245
- exporting data to disk, 246–247
- importing data from disk, 247
- overview, 239–240
- using XSLT with, 249–253
- versus WordML, 240–243
- writing data to disk, 243

eXtensible Style Language Transformation (XSLT)

- automatically saving Word documents using, 252–253
- manually saving Word documents using, 250–252
- overview, 249–250

external programs. *See also* programs

- accessing, 357–358
- calling, 364–365
- encapsulating call process to, 362–364
- interacting with, 357

## ● F ●

failing gracefully, 144–145

feature bloat, problems of, 356

features

- adding to applications, 14
- searching in Object Browser, 31

fields, defined, 329

Fields collection, 345

files

- “Compatibility Mode” added to early Word, 288, 297
- compatibility with Ribbon interface, 267
- libraries in Dynamic Link Library, 30
- reading configuration, 235–238
- reporting errors with text, 146
- writing configuration, 232–235

flexibility, of form display, 158

flow

- form, 157
- redirecting program, 130–132
- of user environment, 258

flowcharting technique, designing VBA programs with, 35

folders, storing application configuration information in, 230–231

For Each . . . Next statement, using, 129–130

Format function, using, 104–105

formatting, data, 104–106

forms

- adding controls to, 159
- creating attractive, 174
- creating connection between modules, 175
- creating to interact with two-dimensional arrays, 209–211
- designing, 156–157
- designing envelope/label in Word, 300
- displaying text on with Label control, 160–161

executing tasks with command buttons on, 163–165

function of, 22

getting user input with text boxes on, 161–163

handling events for, 176–177

layout considerations of, 157–158

modeless versus modal, 175

modifying form and control properties of, 173–174

overview, 155

two parts of, 160

using check boxes and toggle buttons on, 165–167

using creatively, 156

using lists boxes and combo boxes on, 170–172

using option buttons and frames on, 167–170

validating user input for, 175–176

as VBA program element, 53

working within Access, 351–354

For . . . Next statement, using, 127–129

frames, using on forms, 167–170

Fuller, Laurie Ulrich (*Access 2007 For Dummies*), 330

Function elements  
 versus classes, 183  
 function of, 53  
 using, 61  
 writing, 73–75

## • G •

Get method, constructing properties with, 187  
 global variables  
 defining scope with, 76–77  
 using with option buttons, 168–169  
 GoTo statement  
 misuse of, 131–132  
 overview, 130  
 using correctly, 130–131  
 graphics  
 changing user environment, 259  
 of user environment, 258  
 groups, adding to Ribbon interface, 269–271

## • H •

handles, Win32 API returning, 358  
 hard drive space, checking for lack of, 140–143  
 Help window, using with properties, 24–25  
 hexadecimal numbers, using, 94–96  
 hiding, toolbars/menus, 261–263  
 highlights  
 applying to text in Word, 296–298  
 removing from text in Word, 298–299

## • I •

IDE (Integrated Development Environment), overview, 16–17  
 If...Then statement  
 benefits of, 112–113  
 using for decisions, 113–115  
 If...Then...Else statement, using for comparisons, 115–117  
 IIf function, using, 119–120  
 Immediate window  
 debugging with, 150–151  
 using, 27–29

importing, XML data from disk, 247  
 IMSI TurboCad, using VBA with, 15  
 index, in arrays, 207  
 information. *See* data  
 inheritance, in object-oriented programming, 182  
 INI files  
 reading, 235–238  
 writing, 232–235  
 initialization, of classes, 195–196  
 inline decisions, using IIf function for, 119–120  
 InlineShape collection, working with embedded objects using, 292–295  
 InNumber data types, function of, 145  
 input  
 getting user with text boxes, 161–163  
 reacting to user, 274–276  
 validating user, 175–176  
 input errors, avoiding, 139  
 InputBox function, function of, 145  
 instancing property, setting, 197  
 integers, defined, 92  
 Integrated Development Environment (IDE), overview, 16–17

## • K •

Kaufeld, John (*Access 2007 For Dummies*), 330

## • L •

Label control, displaying text with, 160–161  
 labels  
 designing form for, 300  
 printing, 302–304  
 Lego approach  
 adding modules, 69  
 creating application plans, 67  
 defining projects, 68–69  
 designing procedures, 70  
 overview, 66  
 writing statements, 70  
 Let method, constructing properties with, 187  
 libraries, versus projects, 30

- library references, missing, 139–140
- list servers, as VBA resource, 386
- lists
  - dynamic versus static, 170
  - using lists boxes and combo boxes for, 170–172
  - using option buttons for, 167–170
- lists boxes, using on forms, 170–172
- Locals window, using, 151–152
- logic, of user environment, 258
- logical operators, overview, 106
- logs, maintaining for troubleshooting, 393
- loops
  - Do Until...Loop, 126
  - Do While...Loop statement, 124–126
  - Do...Loop Until, 126
  - Do...Loop While, 126
  - For Each...Next, 129–130
  - For...Next, 127–129
  - overview, 124
  - replacing with GoTo statement, 132
- LTrim, function of, 89

## • M •

- Macro dialog box
  - modifying macros through, 58
  - running programs with, 40–41
- Macro Recorder
  - modifying macros with, 58–60
  - overview, 54
  - using menu interface with, 57–58
  - using Ribbon interface with, 54–56
- macros
  - automatically executing, 46
  - displaying available in Access 2007, 332
  - modifying with Macro Recorder, 58–60
  - recording using menu interface, 57–58
  - recording using Ribbon interface, 54–56
  - setting security for in Office, 20–21
  - using under Vista, 19–20
- magazines, for VBA resources, 382
- Mansfield, Richard (*XML All-in-One Desk Reference For Dummies*), 240
- math calculations
  - performing in Excel, 326
  - using scientific values for, 99–100
- memory leaks, avoiding, 364
- menu entries, defining, 45

- menus
  - adding/removing, 265–266
  - changing, 258–259, 260–261
  - displaying/hiding, 261–263
  - modifying content on, 263–264
- message boxes, reporting errors with, 146
- methods
  - calling, 191–193
  - understanding object, 18
- Micrografx iGrafx series, using VBA with, 15
- Microsoft Access
  - accessing special commands in with DoCmd object, 345–347
  - adding form-related programs to, 351–354
  - common objects in collections used in, 344–345
  - converting numeric type values into strings with CurrentDB object, 343–344
  - creating automatic programs, 354
  - creating SQL query in, 347–349
  - creating sub-procedures in, 331–332
  - defining work area with Workspaces collection in, 334–336
  - getting database configuration information with CurrentDB object in, 341–343
  - modifying security with DBEngine object in, 336–341
  - objects in, 331
  - overview, 329–331
  - using Application object in, 332–334
  - using SQL queries in, 349–351
- Microsoft Excel
  - accessing worksheets with Sheets collection in, 308–311
  - adding and formatting worksheets with Sheets collection in, 311–313
  - adding comments to custom functions in, 326–327
  - creating charts in with Charts collection, 314–319
  - creating linkage to XSD file, 245–246
  - deleting worksheets with Sheets collection in, 314
  - designing report in, 107–109
  - developing custom functions in, 324–325
  - document automation in, 12
  - macro storage locations in, 56

- performing data conversion in, 325–326
  - performing math calculations in, 326
  - selecting objects in, 321–323
  - sending notes to from Word, 374–378
  - using `Windows` collection in, 319–321
  - using `Workbooks` collection in, 306–308
  - Microsoft Internet Explorer, opening XML documents with, 241
  - Microsoft Knowledge Base
    - finding Microsoft mistakes on, 39
    - providing code fixes, 392
  - Microsoft Office. *See also specific applications*
    - accessing Registry, 290–291
    - finding VBA in, 10–11
    - home page, 381
    - setting macro security for, 20–21
    - starting Visual Basic Editor in, 18–19
    - using VBA with, 12–15
  - Microsoft Outlook
    - processing e-mail from with Word, 365–368
    - sending e-mail with, 368–374
  - Microsoft Scripting Runtime Library,
    - checking for lack of hard drive space with, 141
  - Microsoft Visual Basic for Applications
    - home page, 381
  - Microsoft Visual Basic home page, 381
  - Microsoft Word
    - accessing documents in, 286–289
    - automatically saving documents using XSLT, 252–253
    - creating XML document in, 247–249
    - designing envelope/label forms in, 300
    - document automation in, 12
    - macro storage locations in, 56
    - manipulating text in, 295–299
    - manually saving documents using XSLT, 250–252
    - processing Outlook e-mail with, 365–368
    - saving documents in WordML versus XML, 240–243
    - selecting objects, 291–295
    - sending documents by Outlook e-mail, 368–374
    - sending notes to Excel from, 374–378
    - using `Documents` collection in, 278–280
    - using `Templates` collection in, 281–283
    - using `Windows` collection in, 283–286
  - Microsoft-specific newsgroups, as VBA resource, 384–385
  - modal forms, choosing, 175
  - modeless forms, choosing, 175
  - modular programming. *See* Lego approach
  - modules
    - adding, 69
    - creating connection between forms in, 175
    - exporting from programs, 147
    - function of, 22
    - importing in programs, 147
      - as VBA program element, 53
  - money, using currency values for
    - calculations of, 100–101
  - Mozilla Firefox, opening XML documents with, 241
  - MsgBox function, displaying MessageBox with, 36–37
- **M** ●
- names, searching in Object Browser, 31
  - naming
    - projects, 62
    - properties, 190
  - nesting, control structures, 112
  - newsgroups
    - providing code fixes, 392
    - as VBA resource, 384–386
  - newsletters, for VBA resources, 382–383
  - Normal.dot template, 280, 281
  - Normal.dotm template, 280, 281
  - Normal.dotx template, 280, 281
  - notes, sending from Word to Excel, 374–378
  - numbers
    - converting into strings in Access, 343–344
    - performing conversions between strings, 96–97
    - understanding types of, 92–93
    - using octal and hex values, 93–96
- **N** ●
- Object Browser
    - using, 29–32
    - using with collections, 220
  - Object Linking and Embedding (OLE),
    - understanding, 291–292

- object-oriented programming (OOP), understanding, 182
  - objects
    - in Access, 331
    - accessing predefined from collections, 219–220
    - Application, 332–334
    - browsing, 30
    - Chart, 306–308
    - versus classes, 181–182
    - Command, 345
    - common used in Access, 344–345
    - creating, 222–223
    - creating collection of, 223–225
    - creating event, 194–195
    - creating method, 191–193
    - CurrentDB, 341–344
    - DBEngine, 336–341
    - DoCmd, 345–347
    - Documents, 278
    - instantiating, 184
    - Pane, 283, 288
    - providing error handling in, 200–202
    - seeing in Project Explorer, 21–22
    - selecting in Excel, 321–323
    - Templates, 278, 281
    - testing, 198–199
    - understanding, 18
    - using enumerated constants in, 194–195
    - using With statement with, 202
    - Window, 283–286
    - Workbook, 306–308
    - working with embedded, 292–295
    - Worksheet, 306–308
    - Workspace, 334–336
  - octal numbers, using, 94–96
  - Office library, overview, 30
  - OLE (Object Linking and Embedding), understanding, 291–292
  - On Error GoTo 0 statement, function of, 145
  - one-line programs
    - creating in Immediate window, 28–29
    - designing, 35
    - fixing bugs in, 39
    - implementing design of, 36–37
    - planning creation of, 34
    - testing design as, 38–39
  - OOP (object-oriented programming), understanding, 182
  - operators, understanding, 106–107
  - Option Base Number statement, function of, 65
  - option buttons, using on forms, 167–170
  - Option Compare Method statement, function of, 65
  - Option Explicit statement
    - finding variable typos with, 134–135
    - function of, 65
  - Option Private Module statement, function of, 65
  - overview, creating, 67
- p ●
- Pane object
    - accessing data within Word documents with, 288
    - versus Window object, 283
  - parsing, extracting information from strings using, 90–92
  - pasting, in Object Browser, 32
  - periodicals, for VBA resources, 382
  - planning, creation of one-line programs, 34
  - plus sign (+), adding strings together with, 84–86
  - printing
    - envelopes, 301–302
    - labels, 302–304
  - privacy, including in program structure, 51
  - Private keyword, function of, 75
  - procedural languages, versus object-oriented programming, 182
  - procedures
    - designing, 70
    - Functions/Subs for, 183
  - program resource problems, avoiding, 139
  - programs. *See also* external programs; VBA programs; *specific programs*
    - ability to modify, 9, 14–15
    - adding error handlers to, 145–147
    - adding new features to, 14
    - customizing interface of, 12–13
    - debugging with conditional compilation, 63–64

- developing test for user-defined data types, 227–228
  - disrupting existing flow of, 130–132
  - exporting/importing modules from/to, 147
  - failing gracefully, 144–145
  - listing windows in, 319–321
  - problems of feature bloat in, 356
  - understanding, 52–53
  - using new objects in, 198–199
  - progress meter, using in Access, 333–334
  - Project Explorer, using, 21–23
  - Project Explorer window, function of, 17
  - project folders, storing application configuration information in, 231
  - projects
    - accessing setting options for, 61–62
    - adding conditional compilation to, 63–64
    - adding digital signature to, 203–204
    - defining, 68–69
    - versus libraries, 30
    - locking, 64
    - naming, 62
    - versus programs, 52–53
    - understanding, 21
    - as VBA program element, 53
  - prompts, on forms, 158
  - properties
    - construction methods for, 187–189
    - conversion considerations for, 189–190
    - creating default for user-defined data types, 225–227
    - function of, 186
    - modifying form, 173–174
    - modifying on toolbars/menus, 263–264
    - naming considerations for, 190
    - setting instancing, 197
    - understanding object, 18
    - using Help window with, 24–25
  - Properties dialog box, displaying in Office, 71
  - Properties window
    - function of, 17
    - using, 23–25
  - property types, understanding, 23–24
  - prototypes, for Win 32 API, 357
  - pseudo-code
    - designing one-line programs with, 35
    - implementing program design with, 36–37
  - Public keyword, function of, 75
- **Q** •
- queries
    - creating an SQL, 347–349
    - using SQL in Access, 349–351
  - QueryDefs collection, 345
- **R** •
- real numbers, defined, 92
  - records, defined, 329
  - Recordsets collection, 345
  - recovery, from errors, 140–143
  - Registry
    - accessing in Office, 290–291
    - storing settings, 289
    - Vista restricting access to, 289
    - working with embedded objects using, 292–295
  - Relations collection, 345
  - reports, designing in Microsoft Excel, 107–109
  - Ribbon interface
    - adding tabs/groups/buttons to, 269–271
    - changes in Office 2007, 10–11
    - changing menus and toolbars versus, 260–261
    - changing with Custom UI Editor, 267–269
    - customizing in Excel, 318–319
    - displaying toolbars, 263
    - file compatibility with, 267
    - modifying existing tabs on, 272–276
    - overview, 266
    - performing tasks while loading, 271–272
    - recording macros using, 54–56
  - Rich Site Summary (RSS), as VBA resource, 383–384
  - right-clicking, in Project Explorer, 22–23
  - rotating chart presentation, designing in Excel, 321–323
  - RTrim, function of, 89
  - Run Sub/User Form button, running VBA programs with, 38
  - run-time errors
    - lack of hard drive space, 140–143
    - understanding, 136–137
    - ways of avoiding, 139–140

## • S •

- SaveAs method, writing XML data to disk with, 243
- schemas, working with XML data with, 243–245
- scientific values, using for math calculations, 99–100
- scope
  - defining effects of, 76–77
  - including in program structure, 51
  - overview, 75
  - of properties, 187
  - purpose of, 75
  - for variables and constants, 83
- search-and-replace feature, updating code with, 390–391
- security
  - avoiding buffer overrun for, 176
  - with changed user environment, 260
  - code locking for, 63
  - issues when working with Vista and Access, 336
  - modifying in Access, 337–341
  - setting for macros in Office, 20–21
  - setting property, 187
  - for Vista, 19–20
- Select Case statement
  - adding Case Else clause to, 123
  - using, 121–123
- semantic errors, understanding, 137–138
- SendKeys function, 128–129
- Set method, constructing properties with, 187
- settings
  - changing user, 259
  - storing, 229–230
  - storing in Registry, 289
  - writing INI files for storing, 232–235
- Sheets collection
  - accessing worksheets with, 308–311
  - adding and formatting worksheets with, 311–313
  - deleting worksheets with, 314
- shortcut keys, defining, 42
- Simpson, Allen (*Access 2007 All-in-One Desk Reference For Dummies*), 330
- space
  - checking for lack of hard drive, 140–143
  - removing excess from strings, 89–90
- spaghetti code, defined, 66
- special characters, creating, 87–88
- special entries, working within Project Explorer, 23
- speed, If . . . Then statement providing, 112
- SQL
  - creating query in, 347–349
  - overview, 347
  - resources for, 349
  - using queries from, 349–351
- SQL For Dummies (Taylor), 349
- statements
  - as VBA program element, 53
  - writing, 70
- Static keyword, adding to properties, 187
- static lists, versus dynamic lists, 170
- StdOLE Library, overview, 30
- Step Into button (Debug tool), 149
- Step Out button (Debug tool), 149
- Step Over button (Debug tool), 149
- storage. *See also* disk storage
  - for macros, 56, 57
  - understanding computer, 79
  - using arrays for, 206–213
  - using collections for, 213–220
  - using constants versus variables, 80–83
- strings
  - adding together, 84–86
  - converting in Excel, 325–326
  - converting numeric type values into in Access, 343–344
  - creating and using arrays for data in, 206–208
  - finding information in, 90–92
  - overview, 84
  - performing conversions between numbers, 96–97
  - removing excess space from, 89–90
  - using character codes in, 87–88
- structures
  - controlling program execution with, 112
  - If . . . Then statement, 112–115
  - If . . . Then . . . Else statement, 115–117

If function, 119–120  
 overview, 51–52, 111  
 Select Case, 120–123  
 Sub elements  
 versus classes, 183  
 function of, 53  
 implementing one-line program design  
 with, 36  
 using, 60–61  
 writing, 71–73  
 Summary tab (Properties dialog box),  
 usefulness of, 71  
 synchronous calls, accessing external  
 programs with, 357  
 syntax errors, understanding, 134–135

## • T •

TableDefs collection, 345  
 tabs  
 adding to Ribbon interface, 269–271  
 creating custom user interface for,  
 273–274  
 modifying on Ribbon interface, 272–273  
 setting to react to user input, 274–276  
 Taylor, Allen G. (*SQL For Dummies*), 349  
 templates  
 getting information on documents using  
 specific, 278–280  
 listing properties of Word, 282–283  
 understanding Word, 281  
 Templates collection, using in Word,  
 281–283  
 Templates objects  
 versus Documents objects, 278  
 understanding, 281  
 test program, developing for user-defined  
 data types, 227–228  
 testing  
 objects, 198–199  
 one-line program design, 38–39  
 text  
 displaying with Label control, 160–161  
 manipulating in Word, 295–299  
 typing in Code window, 27  
 using strings for, 84–92

text boxes, getting user input using,  
 161–163  
 text files, reporting errors with, 146  
 third-party components, Web sites  
 offering, 388  
 third-party fixes, for code problems, 393  
 time values, using, 101–103  
 toggle buttons  
 creating, 273–274  
 using on forms, 165–167  
 toolbar buttons, defining for VBA  
 programs, 42–44  
 toolbars  
 adding VBA program to, 43–44  
 adding/removing, 265–266  
 changing, 258–259, 260–261  
 displaying/hiding, 261–263  
 modifying content on, 263–264  
 Toolbox  
 adding controls to, 172–173  
 adding controls to forms with, 159  
 overview, 17–18  
 tools  
 ability to make special, 14  
 Web sites offering, 387–388  
 training, with changed user environment,  
 259  
 Trim, function of, 89  
 two-dimensional arrays  
 creating, 208–209  
 creating forms to interact with, 209–211  
 typos, as syntax errors, 134–135

## • U •

Underdahl, Brian (*Access 2007 Forms &  
 Reports For Dummies*), 330  
 update plan, creating, 395  
 updating  
 with changed user environment, 259  
 code, 390–396  
 user environment  
 beneficial changes available, 258–259  
 overview, 257–258  
 potential problems with changing,  
 259–260

- user folders, storing application
  - configuration information in, 230
- user interface
  - adding controls to forms for, 159
  - basic controls for, 158–159
  - creating custom for Ribbon interface tabs, 273–274
  - designing forms for, 156–157
  - displaying text for with `Label` control, 160–161
  - form layout considerations for, 157–158
  - getting input with text boxes, 161–163
  - reacting to user input, 274–276
  - of user environment, 258
  - using check boxes and toggle buttons for, 165–167
  - using forms for, 155–156
  - using option buttons for, 167–170
  - validating user input, 175–176
- user-defined data types
  - creating collection, 223–225
  - creating default property for, 225–227
  - creating object, 222–223
  - developing test program for, 227–228
  - reasons to create, 222
  - understanding, 221–222
- users, providing code assistance, 394

## • U •

- variables
  - advantages of using, 81–82
  - versus constants, 80
  - creating in Immediate window, 28
  - declaring, 80–81
  - defining scope for, 83
  - viewing current value of at breakpoints, 149–150
- variant data, working with, 103–104
- VBA library, overview, 30
- VBA options, finding, 10–11
- VBA programs. *See also* one-line programs
  - accessing from other VBA code, 45
  - defining toolbar button for, 42–44
  - elements of, 53
  - executing automatically, 46
  - planning creation of, 34
  - running with a shortcut key, 42

- running with Macro dialog box, 40–41
- running with menu entry, 45
- running with Run Sub/User Form button, 38
- structure in, 51–52
- using Microsoft code to create, 47–48
- views, setting to access Word document data, 288
- Visio, macro storage locations in, 57
- Vista
  - restricting Registry access, 289
  - security for, 19
  - security issues when working with Access, 336
- Visual Basic Editor
  - accessing in Access 2007, 330–331
  - starting, 18–19


## • W •

- Wagner, Richard (*XML All-in-One Desk Reference For Dummies*), 240
- `WaitForSingleObject()` call, defining, 361–362
- Watches window
  - adding watch expression with, 153
  - using, 152
  - using Add Watch dialog box in, 153–154
- Web sites
  - for ActiveX controls and third-party components resources, 388
  - for code resources, 386–387
  - for e-newsletter VBA resources, 382–383
  - for general VBA resources, 381
  - list servers accessed through, 386
  - for magazine and periodical VBA resources, 382
  - for Microsoft-specific newsgroups, 384–385
  - for SQL resources, 349
  - for third-party newsgroups, 385–386
  - for tools resources, 387–388
- wildcard characters, for search-and-replace, 391
- Win32 Application Programming Interface (API)
  - accessing external programs through, 357–358
  - calling external programs with, 364–365
  - creating calls in, 358–362

encapsulating call process to external programs, 362–364  
 VBA providing access to, 357  
 Window object, managing document view with, 283–286  
 Windows collection  
   using in Excel, 319–321  
   using in Word, 283–286  
 Windows Event Log, reporting errors with, 146  
 With statement, using with objects, 202  
 WordML, versus XML, 240–243  
 words, modifying using Do While...Loop statement, 124–126  
 Workbook object, using in Excel, 306–308  
 Workbooks collection, using in Excel, 306–308  
 workgroup folders, storing application configuration information in, 231  
 Worksheet object, accessing, 306–308  
 worksheets  
   accessing with Sheets collection, 308–311  
   accessing with Workbooks collection, 306–308  
   adding and formatting with Sheets collection, 311–313  
   deleting with Sheets collection, 314  
   selecting objects in Excel, 321–323  
   sending notes from Word documents to Excel, 374–378  
 Workspace object, defining work area with in Access, 334–336  
 Workspaces collection, defining work area with in Access, 334–336



XML (eXtensible Markup Language)  
 creating document in Word, 247–249  
 defining schema for data, 243–245  
 exporting data to disk, 246–247  
 importing data from disk, 247  
 overview, 239–240  
 using XSLT with, 249–253  
 versus WordML, 240–243  
 writing data to disk, 243  
*XML All-in-One Desk Reference For Dummies* (Wagner and Mansfield), 240  
 XML Schema Definition (XSD)  
 creating, 244–245  
 creating linkage to Excel worksheet, 245–246  
 XSLT (eXtensible Style Language Transformation)  
 automatically saving Word documents using, 252–253  
 manually saving Word documents using, 250–252  
 overview, 249–250



Young, Margaret Levine (*Access 2007 All-in-One Desk Reference For Dummies*), 330

