

A

- Abstract events, 71, 176–80
 - defined, 177
 - mapping between levels, 181
- Abstraction
 - computable, 184
 - computing, 184–87
 - concept of, 176
 - defined, 176, 177
 - event, 71
 - event pattern, 73
 - levels of, 176, 180–83
 - of stock market feeds, 176–77
- Abstract views, 176–80
- Account activity, unusual, 56
- Accounting, loss, 106
- Account login, 56
- Action
 - instant, 5
 - right now, 50, 224
- Actionable events, 10
- Actionable information, level-wise
 - watch for, 15
- Actionable situations, detection of, 25
- Active databases, 27, 28, 35–36
- Activity monitors, 232
- Actual events, 29
- Ada83, 88
- Adaptation, 71
- Aerospace companies, simulation and, 31–32
- Aggregated events, 71
- Airborne operations, 211
- Airlines
 - baggage handling, 66–67
 - event inputs in, 165–66
 - event processing products and, 113–14
 - future management systems for, 206–12
 - monitoring and alerting system in, 113–14
- Air traffic management systems (ATMs), 207
- Air travel, epidemics and, 23
- Alert event, 21
- Alerts, 83
 - right now, 113
- Algorithmic language, 88
- Algorithmic trading, 62, 64
- Analysis
 - decision, 71
 - event, 57–60, 189–91
 - news service, 23
 - semantic, 71
 - sentiment, 23
- Arbitrage, 105
- Architectures, 43, 88
 - event driven, 44–46
 - for event processing strategies, 167–68
- ARPANET, 33, 34, 35
- Artificial intelligence, 71
- Asynchronous communication, 37
- Attributes, 4
- Australia, sewage disaster in, 122–23
- Authorize event, 20
- Automated monitoring, of event sources, 11
- Automated pricing of financial instruments, 105
- Automated systems, errors and, 22

- Automated traffic systems, 228–30
Automatic payment order, 56
Autonomous trading, 106
Awareness, in event processing, 87
- B**
- Banking
 expanding business, 201
 global event clouds in, 55
 targeted marketing in, 107
Basel Accords, 109
Behavior
 reactive, 8
 repetitive and unbounded, 154–58
Blackouts, 129
 in Europe, 130
BMC Patrol, 78
Boolean operators, 140, 141
Boolean structure, 86
Business
 assessment of, 9–10
 competition in, 9–10
Business activity monitoring (BAM), 38, 78, 79, 84, 85–87, 106, 115
 dashboard, 85, 86
Business events. *See* Events
Business intelligence, 25–26, 103
 defined, 50
Business models, event-enabled, 7
Business process management (BPM), 87
- C**
- Capital markets, 110
Catalogue searches, 59
Categorization, 161
 filters, 167
CA UniCenter, 78
Causality
 between events, 136, 150–54
 operators for, 152–53
 time and, 154
Causal relationship, 150
 email and, 151
Cell phones
 networks, 34–35
 pandemic watch system and, 217–18
 usage, 23–24
Central Intelligence Agency (CIA), 123
Chaos, in real time, 161–93
Chaos management, 93
Christmas lights, power surges and, 132
Climate change, 220
Command, 121–23
 for security, 123–26
Commercial development, stages of, 77
Commercial event processing, rise of, 77–99
Commercial pattern languages, 159
Common Object Request Broker Architecture (CORBA), 37
Communication protocols, 155–56
Communications
 dedicated short-range, 228
 event processing and, 1
 one-to-many, 38
 protocols in, 35
Competition, 9–10, 203
Complex event processing (CEP), 16, 25, 26, 39, 47, 49, 61, 68, 69
 applications of, 38, 166
 business intelligence and, 50
 causality and, 150
 commercial applications of, 77–99, 137
 creeping, 81, 84, 85, 93, 196
 current trends in, 196–98
 custom coding *versus*, 83–84
 dawn of, 78–79
 development of tools in, 86–87
 event hierarchy in, 34
 future of, 195–235, 234–35
 key information technology stage, 81
 market areas, 104
 markets and emerging markets for, 101–33
 market studies, 102
 origins of, 27
 patterns of events in, 54
 as recognized information technology, 93–97
 rules in, 118
 security and, 123

- simple, 80, 81–83, 85
 - stages of, 79–81
 - systems using, 69–75
 - techniques in, 32
 - technology indicators, 82, 84, 93, 211
 - transportation and, 113–21
 - ubiquitous, 81, 98–99
- Complex filtering, 171–73
- Compliance
 - monitoring, 106, 108–9
 - to regulations, 34
- Comprehensive standards, 202, 226
- Computable abstraction, 184
- Computable event hierarchies, 73, 74, 94, 187–88
 - flexibility in, 192–93
 - inverse mappings in, 190
 - mapping between levels in, 189
 - retrievability in, 189
- Computation, on event data, 72
- Computers
 - event processing and, 28–29
 - malicious worms, 133
 - World War II and, 29
- Confidential information, theft of, 19
- Conformance-monitoring, 153
- Consequences, monitoring, 220–26
- Constant vigilance, 21
- Constraint, time as, 147–48
- Content-based routing, 38
- Continuous search, 12
 - problem, 12
 - technology, 14
- Continuous watch, for information, 12–15
- Contract, 58
- Control, 121–23
 - energy and, 128–33
 - for security, 123–26
- CORBA. *See* Common Object Request Broker Architecture (CORBA)
- Correctness, in pattern matching, 159–60
- CQL, 88
- Creation time, 65
- Credit cards
 - detecting misuse of, 36
 - event patterns and, 143
 - fraud detection, 111, 112
 - marketing, 144
 - monitoring for unusual activity, 140
- Credit cards, patterns of events and, 20
- Credit rate selection, 105
- Creeping CEP, 81, 84, 85, 93, 196
- Crime event patterns, 125
- Custom-coded tools, 86
- Custom coding, CEP *versus*, 83–84
- Customer orders, as real-time event, 6
- Cyber attacks, 133
- D**
- Dashboards, 89–91
- Databases, active, 27, 28, 35–36
- Data parameters, 75
- Data processing, event processing *versus*, 81
- Decision analysis, 71
- Dedicated short-range communications (DSRC), 228
- Delivery vans, monitoring and controlling, 117–18, 119
- Denial-of-service attack, 152
- Department of Energy (DOE), 129, 130
- Design methods, levels of events and, 57
- Design paradigm, 44
- Detection
 - of actionable situations, 25
 - of credit card misuse, 36
 - in event cloud, 157–58
 - event pattern, 70, 72
 - fraud, 57, 106, 110–13
 - information, 12
 - of pattern instances, 139–40
 - of suspicious activity, 56
 - systems, 17
- Discrete event simulation, 27, 30
 - benefits of, 31
- Disease, event clouds and, 65
- Distributed denial-of-service (DDoS) attacks, 90
- Drill down, 189–91
 - reverse map in, 190
- Drug-trafficking system, 213

- Dynamic credit risk computation, 105
- Dynamic stock portfolio management, 108
- E**
- Earth observation and forecasting systems (EOFS), 220–21
- Earthquakes, predicting, 204, 205
- Economies of scale, 203
- Education, in event processing, 87
- Electricity grid failures, 129–30
- Electric power grid activity, monitoring, 149–50
- Elementized news feeds, 170–71
 - market commentary on, 171
- Email, causal relationships and, 151
- Emergencies, prediction of, 203
- Emergency rooms, event driven processes in, 127–28
- Emerging markets, for complex event processing, 101–33
- End time, 53
- Energy
 - Christmas lights and, 132
 - control systems for, 128–33
 - electricity grid failures, 129–30
 - security and, 132
 - smart electricity grids, 130–33
- Enriched events, 71, 75–76
- Enterprise
 - event streams in, 64
 - real-time, 50
- Enterprise service bus (ESB), 27, 28, 38–39
 - products, 87
- Environmental projects, monitoring, 221–22
- Epidemic monitoring, 17, 23
 - air travel and, 23
 - false alarms and, 24
 - reaction time and, 24
 - rumors and, 23
- Epidemics
 - complex event processing and, 74
 - monitoring outbreaks, 144
- Errors
 - in automated systems, 22
 - guarding against, 22
 - human, 21
 - reducing, 22
 - sources of, 21–22
- Europe, blackouts in, 130
- Event abstraction, 32, 71
- Event analysis, 57–60, 189–91
- Event cloud, 6, 22, 54–57
 - detecting patterns of suspicious activity in, 56
 - detection in, 157–58
 - disease and, 65
 - event stream and, 62
 - global, 55
 - patterns in, 156–57
 - processing, 64–69
- Event-condition-action (E-C-A) rules, 35–36, 82, 83
- Event driven architectures (EDA), 27, 28, 39, 44–46
 - SOA *versus*, 44
- Event driven messaging, 38
- Event driven method, 30
- Event driven processes, in emergency rooms, 127–28
- Event driven simulation, 29–33, 71
 - cell, 30
 - weather reporting and, 31
- Event driven SOA (ED-SOA), 42, 44
- Event driven technology, rise in, 28
- Event driven world, 6–8
- Event-enabled business models, 7
- Event feeds, 22
- Event hierarchies, 34, 94–95
 - computable, 94, 187–88
 - in factory fabrication line operations, 94–95
 - flexibility of, 188–89
- Event information, evolution of, 16
- Event inputs, 158
 - airline scheduling operations and, 165–66
 - plan for types of, 166–67
 - restricting, 164–66
- Event media, 16
 - evolution of, 16
 - Internet as, 16

- Event monitoring systems, 17
- Event objects, 52, 136, 179
- Event outputs, plan for types of, 166–67
- Event pattern abstraction, 73
- Event pattern detection, 70, 72
- Event pattern language, requirements for, 158–59
- Event pattern maps, 184–87, 185
- Event patterns, 15, 32
 - defined, 138
 - using prioritization, 171–73
 - state and, 143–45
 - time and, 145–50
- Event pattern-triggered processes, 73
- Event processing
 - assessment of business and, 9–10
 - awareness in, 87
 - in city police department, 124–25
 - in communications network, 33
 - computers in, 28–29
 - concepts in, 49–76
 - data processing *versus*, 81
 - defined, 54
 - detecting, 11–16
 - education in, 87
 - efficiency of, 192
 - evolutionary systems, 166
 - future of, 195–235
 - hardwired, 102
 - health care and, 126–28
 - history of, 27–47
 - holistic, 99, 195, 197
 - human element and, 21–22
 - information extraction in, 22–25
 - infrastructures, 202, 226
 - investment in, 5–9
 - languages for, 87–89
 - modern, 49
 - modern enterprise and, 1–26
 - objectives of, 163–64
 - patterns in, 8–9
 - remote access and, 42
 - sources of errors and, 21–22
 - special-purpose, 103
 - standards, 97–98
 - starting up, 25–26
 - strategy, 162, 167–68
 - technology, 13, 14–15, 25
 - in use, 16–21
- Events
 - abstract, 71, 176–80, 177
 - actionable, 10
 - actual, 29
 - aggregated, 71
 - alert, 21
 - attributes of, 4
 - authorize, 20
 - causality between, 65, 136, 150–54
 - computation on data, 72
 - defined, 3, 28, 51–54, 136, 137
 - dependencies between, 60
 - effects of, 4
 - enriched, 71
 - enriching, 75–76
 - financial trading and, 25
 - high-level, 71
 - immutability of, 71, 75–76
 - immutable, 70
 - importance of, 3–4
 - independent, 136
 - layers of, 58, 59
 - levels of, 57–60
 - machine-loading, 96
 - nature of, 3
 - as objects, 52
 - output, 30, 125
 - overloading and, 53, 136–37
 - patterns of, 8–9, 54, 135–60
 - questions about, 2
 - rate of flow of, 118
 - real-time, 6
 - right now, 108, 209
 - scale of, 198
 - security and, 20–21
 - standards for, 60–61
 - templates, 83, 140
 - time stamp on, 53
 - top events of 20th century, 3
 - trigger, 36
 - use of, 10
 - views, 34
 - virtual, 29, 52
- Events, levels of, 57–60
 - design methods and, 57

- Event sources, 10–11, 18
 - automated monitoring, 11
 - monitoring, 11
 - Event streams, 61–64
 - event clouds and, 62
 - in trading, 62
 - Event streams processing (ESP), 62, 63–64
 - Event type spaces, 163–64
 - large, 197, 198
 - small, 196
 - Exception detection, 72
 - Exception handling, 72
 - Exceptions, 72
 - in events, 10
 - management by, 173
 - Executive summaries, 178
 - Expanding input principle, 166–67
 - Extensible Messaging, 15
 - Extraction, of information, 22–25
- F**
- Facebook, 7, 74
 - warnings about, 74–75
 - False alarms, 135
 - epidemic monitoring and, 24
 - False positives, 219
 - Federation of subsystems, 201
 - Feeds, event, 22
 - Filtering, 70, 72, 161
 - complex, 171–73
 - operation, 63
 - strategy, 162
 - Filters, 70, 167
 - categorization and prioritization, 167
 - gross, 161, 167, 168–69
 - Financial systems, operations, and services, 104–10
 - Financial trading, events and, 25
 - Financing, 58, 59
 - First order logic, 139
 - Flexibility
 - in computable event hierarchy, 192–93
 - of hierarchy, 188–89
 - Flight planning, 211
 - Focused information, 192
 - Food chain, 220
 - Foreign currency trading, 105
 - Fraud detection, 57, 106, 110–13
 - Homeland Security and, 110
 - patterns of use, 111
 - security and, 121
 - Fraud prevention, 232
 - Freedom of Information Act (FOIA), 232
 - Future, of event processing, 195–235
 - air travel management systems, 206–12
 - gridlock, solving, 226–30
 - holistic, 198–202, 203–6
 - monitoring consequences, 220–26
 - monitoring human activities, 212–13
 - pandemic watch systems, 213–20
- G**
- Game theory, 71
 - Gathering, information, 12
 - Global Climate Observing System (GCOS), 222
 - Global collaborative communities, 7
 - Global Earth Observation System of Systems (GEOSS), 221, 222, 224
 - Global event cloud, 55
 - in banking, 55
 - Global Monitoring for Environment and Security (GMES), 221
 - Global Ocean Observing System (GOOS), 222
 - Global Outbreak Alert & Response Network (GOARN), 216–17
 - Global pandemic watch systems, 99
 - Global Public Health Information Network (GPHIN), 214–16
 - Global-scale monitoring, 21
 - Goal-specific strategies, 168
 - Google, 14
 - GPS tracking updates, as real-time event, 6
 - Graphical dashboard, 79
 - Gridlock, solving, 226–30
 - Gross filters, 161, 164, 167, 168–69
 - attributes in, 169

Group on Earth Observations
(GEO), 221

H

Hardwired event processing, 102

Health care, 126–28

Heuristic programming, 71

Hierarchies

 computable event, 73

 event, 94–95

High-level events, 71

History, of event processing, 27–47,
 46–47

Holism, 98, 198

Holistic event processing, 195

 beginnings of, 203–6

 demand for, 201

 evolution of systems, 198–202

 personal information footprint
 and, 234

 system, 99, 197, 198, 210–11

Homeland Security

 fraud detection and, 110

 information extraction and, 24

 patterns of events and, 20–21

HP Openview, 78

Human activities, monitoring, 212–13

Human-computer interfaces, 89–93

Human element, event processing and,
 21–22

Human errors, 21

I

IBM Tivoli NetView, 78

ID theft detection, 232

Immigration and Naturalization Service
(INS), 123

Immutability, of events, 71, 75–76

Immutable events, 70

Implementation, 225

 paradigm, 44

Independence, causality for, 152–53

Independent events, 136

Industrial event processing, 65

Information

 chaos in marketing of systems, 39

 confidential, 19

 continuous watch for, 12–15

 detection and gathering, 12

 extraction of, 9, 22–25

 instant, 5

 maximizing, 7

 patterns of events and, 8

 real-time, 15

 too-late, 13

Information extraction, Homeland

 Security and, 24

Information overload, 175, 192–93

 solving, 175–76

Infrastructures, event processing, 202, 226

Input-event feeds, 66

Input events

 limiting, 197

 pandemics and, 216

Instance

 detection of, 139–40

 of pattern, 138

Instant action, 5

Instant information, 5

Intelligence, business, 25–26

Interface design, in service-oriented

 architectures, 41

Interfaces

 defined, 91

 human-computer, 89–93

Internet

 as event media, 16

 profiling activity, 185–86

 protocols, 15

 search engines, 14

 users, growth in, 7

Internet messages, as real-time event, 6

Internet Protocol Site, 34

Inverse mappings, 190

Investment, in event processing, 5–9

IT layer, 50, 89

J

Java, 88

K

Key information technology stage, 81

Key performance indicators (KPIs), 81,
 83, 85, 87, 89

L

Languages
 algorithmic, 88
 commercial pattern, 159
 event pattern, 139
 event pattern, requirements for, 158–59
 for event processing, 87–89
 natural, 138
 pattern-definition, 87
 Rapide, 88

Large event type spaces, 197, 198

Layers
 of events, 58, 59
 organizing by, 57

Levels, of events, 57–60

Level-wise watch, for actionable information, 15

Limited variety of types of events, 196

Loan applications, timely handling of, 141

Location feeds, as real-time events, 6

Logic, first order, 139

Long-haul truck fleet management, 116–17

Loss accounting, 106

M

Machine, processing patterns by, 139–40

Machine-coded hackery, 83

Machine-loading event, 96

Malicious worms, 133

Management
 chaos, 93
 dynamic stock portfolio, 108
 by exception, 173
 long-haul truck fleet, 116–17
 proactive, 93
 of trucking fleet, 191

Manufacturing companies, simulation and, 31–32

Mapping
 event pattern, 185
 between levels, 181

Maps, 88

Market areas, 104

Marketing
 credit cards, 144
 information systems, chaos in, 39
 middleware and, 39
 targeted, 107

Markets
 capital, 110
 for complex event processing, 101–33

Market search, 58

Matching, 138
 impossibility of, 140
 state and, 143

Maximal match, 155
 semantics, 159

Media, event, 16

Message-oriented middleware (MOM), 37

Message traffic, internal, 19–20

Messaging
 content-based routing of, 38
 hierarchy, 73
 Seven-Layer Model, 187
 systems, 15

Middleware, 27, 36–38, 59
 advantage of, 37
 categories of, 37
 movement, 28
 origins of, 36–37

Mobile phones, impact of, 6–7.
See also Cell phones

Modern enterprise, event processing and, 1–26

Modula, 88

Modularity, 40, 43

Monitoring
 in airlines, 113–14
 business activity (*See* Business activity monitoring (BAM))
 compliance, 106, 108–9
 electric power grid activity, 149–50
 environmental projects, 221–22
 epidemic, 17, 23

- for epidemic outbreaks, 144
 - event sources, 11
 - fleet of delivery trucks, 172–73
 - fleet of delivery vans, 117–18, 119
 - global-scale, 21
 - human activities, 212–13
 - online retail web site, 177
 - personal information footprint, 230–34
 - technical developments, 12
 - technology, 21
 - truck fleet, 191
 - for unusual credit card activity, 140
 - for violations of service level agreement, 141
- Mortgage applications, BAM and, 85
- N**
- National Airspace System (NAS), 207
 - National Health Service (NHS), 214
 - National Infrastructure Protection Center (NIPC), 123
 - National Oceanic and Atmospheric Administration (NOAA), 206, 224, 226
 - National public health electronic monitoring system, 17
 - National Security Agency (NSA), 123
 - National Weather Service, 204
 - Natural language, 138
 - Near-real-time profit, 106
 - Negotiation, 58
 - Networking, 33
 - Network management, event processing and, 1
 - Network management tools, 78
 - development of, 80
 - Network performance, 152
 - Networks, 27, 33–35
 - cell phone, 34–35
 - information, 15
 - News media, 15
 - News service analysis, 23
 - NextGen system, 207, 210
 - components in, 207–8
- O**
- Object-oriented programming, 40
 - Objects, 28
 - One-to-many communication, 38
 - Online analytical processing (OLAP), 103
 - Online reports, as real-time event, 6
 - Online retail web site,
 - monitoring, 177
 - Open Systems Interconnection (OSI), 34, 73, 187
 - Operators, 140–43
 - Boolean, 140, 141
 - causality, 152–53
 - proliferation of, 148–49
 - Outbreaks, hiding, 219. *See also* Epidemics
 - Output events, 30, 125
 - pandemics and, 216
 - types, 211
 - Output-event stream, 67
 - Overloaded, 29
 - Overloading, 53, 136–37
- P**
- Packets, 33
 - Pandemic watch systems, 213–20
 - future, 217–20
 - GOARN, 216–17
 - GPHIN, 214–16
 - Password change, 56
 - Pattern, event, 15, 138
 - Pattern-definition languages, 87
 - Pattern matching, 137
 - system, 17
 - Pattern monitoring rules, 68
 - Patterns of events, 8–9, 16–17, 54, 135–60, 137
 - actionable information and, 8
 - correctness in, 159–60
 - credit cards and, 20
 - detecting and analyzing, 9
 - Homeland Security and, 20–21
 - multiple, 140–43
 - processing by machine, 139–40
 - reactive behavior and, 8

- Patterns of events (*continued*)
 repetitive and unbounded behavior
 and, 154–58
 shopping, 157–58
 single, 137–39
 Pattern-triggered rules, 180
 Personal digital assistants (PDAs), 26
 Personal information footprint,
 monitoring, 230–34
 privacy and, 233
 protecting, 233
 strategies, 232
 Planetary Skin Institute (PSI), 221–22
 Political will, 202, 209, 226
 Presence Protocol, 15
 Prioritization, 72, 161, 169–71
 using event patterns, 171–73
 filters, 167
 Privacy, 233
 Proactive management, 93
 Probability theory, 71
 Processing, event cloud, 64–69
 Profiling, Internet activity, 185–86
 Program for Monitoring Emerging
 Diseases (PROMED-mail), 214, 216
 Programming, object-oriented, 40
 Proof-of-concept experiments, 81
 Publish/subscribe paradigm (pub-sub), 37
 Pub-sub. *See* Publish/subscribe
 paradigm (pub-sub)
- Q**
 QFLU system, 214
- R**
 Race condition, 148
 Railways
 event processing products and,
 114–15
 tracking trains, 115
 Rapide (language), 88
 Reaction time, epidemics and, 24
 Reactive behavior, 8
 Real time, chaos in, 161–93
 Real-time enterprise, 50
 questions for, 50–51
 Real-time event, 6
 Real-time information, 15
 Record tracking, 75–76
 Regulations, compliance to, 34
 Remote access, 40, 41, 42, 43
 Remote automated weather stations
 (RAWS), 90, 204
 Remote procedure call (RPC), 37, 41, 42
 Repetitive behavior, 154–58
 Reporting, timely, 145–46
 Request/reply (R/R), 41
 Response, timely, 145–46
 Response time, 45
 Retail web site activity,
 summarizing, 185
 Retrieval, in computable event
 hierarchies, 139
 Reverse map, 190
 Right now action, 50, 224
 Right now alerts, 113
 Right now applications, 102, 110
 Right now events, 108
 in airline industry, 209
 Right now operations, 121
 Right now processing, 110
 Right now time, 109, 117, 126, 224, 230
 Risk factor, 150
- S**
 Safe Road Trains for the Environment
 (SARTRE) project, 229
 Sales, reporting of, 146
 Sales and services, in airline
 industry, 212
 Sarbanes-Oxley Act, 108
 Scale, of event, 198
 Search engines, 14
 Search technology, 14
 Sector view, 186
 Security, 121–23, 211
 command and control for, 123–26
 energy system and, 132
 events and, 20–21
 Selective streaming, 161
 Semantic analysis, 71
 Sentiment analysis, 23

- Sentiment tags, 170
 - Service level agreement violations, monitoring for, 141
 - Service-oriented architectures (SOA), 28, 38, 39, 40–44
 - asynchronous event driven services, 43
 - EDA *versus*, 44
 - event driven, 42, 44
 - organizing and building, 43
 - Services, 40, 43
 - Seven-Layer Model, 187
 - Severe Acute Respiratory Syndrome (SARS), watch system for, 215
 - Shipping, event processing products and, 120–21
 - Shopping patterns, 157–58
 - Simple CEP, 80, 81–83, 85
 - Simula67, 88
 - Simulation
 - aerospace companies and, 31–32
 - building, 30
 - discrete event, 30
 - event-driven, 29–33, 71
 - grid, 31
 - manufacturing companies and, 31–32
 - Stanford, 32, 34
 - Simulators, 30
 - grid structure for, 31
 - Sinclair, Upton, 4
 - Single European Sky ATM Research (SESAR), 209
 - Single event patterns, 137–39
 - Skype, 7
 - Small event type space, 196
 - Smart electricity grids, 130–33
 - Smartphones, 26, 199
 - Social networking, 23
 - epidemics and, 23
 - pandemic watch system and, 218–19
 - Specialized systems, 197
 - Special-purpose event processing, 103
 - Split streaming, 169–71
 - SQL, 87–88, 137
 - Stream, 87
 - Standardization, 61
 - Standards
 - comprehensive, 202, 226
 - event processing, 97–98
 - for events, 60–61
 - Stanford simulation analyzer, 32, 34
 - Start time, 53
 - State, 159, 211
 - State value, 144
 - Statistics, 71
 - Stock (equity) trading, 104–5
 - Stock market
 - abstractions of feeds, 176–77
 - feeds, as real-time event, 6
 - streams of trades, 184
 - Strategic management layer, 47
 - Stream SQL, 88
 - Stuxnet computer worm, 133
 - Subsystems, federation of, 201
 - Supervisory Control and Data Acquisition (SCADA) control systems, 44, 122, 129, 131, 133
 - Supply chain events, 18
 - Support-systems prediction, 211
 - Suspicious activity, detecting, 56
 - SWIFT (network), 44
 - Synchronous communication, 37
 - Systems, using complex event processing, 69–75
 - System Wide Information Management (SWIM), 207
- ## T
- Tags, 170
 - sentiment, 170
 - Targeted marketing, in banking, 107
 - Tasks, 88
 - Technical developments, monitoring, 12
 - Technical innovations, 202, 226
 - Technology
 - Complex Event Processing (CEP), 16, 25, 26
 - continuous search, 14
 - current, 25
 - event driven, 28
 - event processing, 13, 14–15
 - monitoring, 21

- Technology (*continued*)
 movements, 27–28
 problems associated with, 50–51
- Telephone call, as remote procedure call, 42
- Templates, 138
 event, 83, 140
- Texting, 7
- Text messaging
 pandemic watch system and, 217–18
 as real-time event, 6
- Time
 activity at point in, 145
 causality and, 154
 creation, 65
 end, 53
 event patterns and, 145–50
 realistic and unrealistic uses of, 147–48
 reporting and response, 145–46
 right now, 103, 104, 109, 117, 126, 224, 230
 start, 53
 windows and focusing search for matches, 146
- Timing
 as performance requirement, 148
 proliferation of operators, 148–49
- Too-late information, 13
- Trading, 25
 account requirement, 148
 activity in systems, 34
 algorithms, 62, 64
 applications, 61
 autonomous, 106
 event streams in, 62
 foreign currency, 105
 restricting event inputs in, 164–65
 SOA for, 41
 strategies, 146–47
- Traffic problems, solving, 226–30. *See also* Gridlock, solving
 automated systems for, 228–30
- Transaction, 58
- Transportation, 113–21
 airlines, 113–14
 railways, 114–15
 shipping, 120–21
 trucking, 116–20
- Trial-and-error experiments, 200
- Trigger, 145
 conditions, 81
 event, 36
- Trip plan, 116
 view, 186
- Trucking
 event processing products and, 116–20
 long-haul, 116–17
 monitoring and controlling fleets, 172–73, 191
 viewing activity in, 186–87
- Tsunami warning system, 206
- Twitter, 23, 74
 warnings about, 74–75
- Types, of events, 163–64
- U**
- Ubiquitous CEP, 81, 98–99
- Unbounded behavior, 154–58
- Understandability, 192
- Unified global air traffic control, 99
- Unified system, goal of, 225
- United Nations (UN), 212
- United States Geological Survey Natural Hazards web site, dashboard on, 90, 91, 92, 204, 205
- Up-to-the-minute activity, 145
- V**
- VHDL, 88
- Views, 34
 abstract, 176–80
 defined, 179
 levels of, 180–83
 organizing, 183–84
 purposes for, 182
 sector, 186
 trip plan, 186
- Vigilance, constant, 21
- Virtual events, 29, 52

Volume Weighted Average Price
(VWAP), 63, 64, 82, 147, 176,
177, 184

W

Watchlists, 13

Weather reporting, event driven
simulation and, 31

Window, time, 146

Wired-in enterprises, 54

World, event driven, 6–8

World Health Organization (WHO),
212, 216

World War II, computing and, 29

X

XML format, 170

XMPP, 15

<http://www.pbookshop.com>