

Index

& (ampersand), 23–24
(#) sign, 100
: (colon), 96
; (semicolon), 137
@ import keyword, 158
@font-face pseudo-class, 331, 340
< (less-than sign), 23–24
> (greater-than sign), 23–24
6 Lightbox Plugins for WordPress
 Web site, 277

• A •

A List Apart Magazine Web site, 374
<a> tag, 156
absolute links, 93
absolute value measurements, 133
Accept attribute, 246
Acceptcharset attribute, 246
acronym (rarely used) attribute, 316
action attribute, 225, 226
:active pseudo class, 174, 207
addresses, 300
AddThis Web site, 258
Adobe Fireworks tool, 367
Adobe Flash program, 308
Adobe Photoshop tool, 366–367
:after pseudo class, 207
Align attribute, 317
Align deprecated attribute, 125
aligning
 images, 114
 text, 182–183
alink attribute, 317
All media type, 158
alt attribute, 117, 125, 240
alternative text, 110–112
American Standard Code for Information
 Interchange (ASCII), 22–23

ampersand (&), 23–24
Analytics tool, 371
anchor elements, 91, 93, 101
animations, 338–339
Apple company, 308
applet attribute, 316
applet element, 123–124
applets, 213
Aptana Studio tool, 364
archive attribute, 125, 317
<area /> element, 116
aria-* attribute, 315
<article> element, 311
ASCII (American Standard Code for
 Information Interchange), 22–23
<aside> element, 311
async (script) attribute, 313
attributes
 element-specific attributes, 312–314
 forms, 225–226
 global HTML5 attributes, 315
 images, 116–117
 overview, 17
 removed from HTML5, 316–318
<audio> element, 311
aural media type, 158
aural styles, 167
autocomplete (input) attribute, 313
autofocus (input, select,
 textarea, button) attribute, 313

• B •

background attribute, 125, 176, 317
background property, 132, 192
background-attachment property, 192
Backgroundcolor property, 159, 176, 192
Backgroundimage property, 159, 192
background-position property, 192

- background-repeat property, 192
 - backgrounds
 - color, 192
 - CSS3, 334
 - image, 192–193
 - overview, 175–176
 - bandwidth, 296–297
 - basefont (presentational)
 - attribute, 316
 - basefont deprecated element, 123
 - :before pseudo class, 207
 - bgcolor attribute, 125, 317
 - blank value, 98
 - blink value, 187
 - <blockquote> element, 77
 - blocks of text
 - aligning text, 182–183
 - block quotes, 77–78
 - horizontal rules, 80–82
 - indenting text, 183
 - preformatted text, 78–80
 - <body> element, 36, 71, 154–155, 286
 - bold text, 184
 - border value, 184
 - border attribute, 125, 317
 - Border property, 132, 163, 194
 - border-bottom property, 194
 - borders
 - CSS3, 332–333
 - images, 114
 - properties of, 193–195
 - border-style property, 162
 - border-width property, 163
 - bottom property, 161, 202
 - box-shadow attribute, 336
 - braille media type, 158
 - breadcrumbs, 298
 - broken links, 95
 - Browser Sandbox tools, 371
 - browsers
 - dependencies of, 349
 - graphical, 76–77
 - overview, 13–14
 - text, 77
 - windows of, 216–217
 - bugs
 - live links, 355–356
 - making site maps, 353–354
 - old links, 356
 - peer reviews, 358
 - revisiting material, 357
 - scheduling site reviews, 358–359
 - testing tools, 358
 - text, 354–355
 - user feedback, 359–360
 - bulleted lists, 85–87
 - buttons, 271
- C •
- %CAlign attribute type, 127
 - Candidate Recommendation (CR), 325
 - <canvas> element, 311
 - capitalization
 - markup for, 186
 - syntax for, 186
 - of URLs, 95
 - CAPTCHA, 249
 - cascading, 145–146
 - Cascading Style Sheets. *See* CSS
 - CDATA attribute type, 127
 - cellpadding attribute, 317
 - cellspacing attribute, 317
 - center (presentational)
 - attribute, 316
 - center deprecated element, 123
 - centimeters, 133
 - CGI (Common Gateway Interface), 241
 - CGI Resource Index, 243
 - char attribute, 317
 - characters
 - (X)HTML, codes, 23
 - codes, 378
 - HTML5 encoding, 309–310
 - non-ASCII, 22–23
 - spacing, 180–181
 - tag, 23–24

- charset (meta) attribute, 313
- check boxes, 230–231
- Checked attribute, 246
- class attribute, 138, 315
- classid attribute, 317
- Classification properties, 132
- clear attribute, 125, 317
- clear property, 202, 203–204
- ClickDensity tool, 371
- clients, 370
- client-side scripts
 - adding rollovers to pages, 265–271
 - working with cookies, 272–274
 - working with jQuery and FancyBox lightbox, 274–278
- clip property, 202
- CMS (Content Management System)
 - customizing CSS on, 283–289
 - Drupal, 281–282
 - to HTML sites, 279–280
 - Joomla, 282
 - WordPress, 281
- CMS-based Web sites, 280
- Code deprecated attribute, 125
- codebase attribute, 125, 317
- codetype attribute, 317
- colon (:), 96
- color
 - backgrounds, 175–176
 - color names, 170–171
 - hexadecimal color codes, 171–172
 - links, 173–175
 - RGB values, 172
 - text, 173
- %Color attribute type, 127
- Color deprecated attribute, 125
- color keyword, 319
- color property, 159, 205, 206
- cols attribute, 236
- <command> element, 311
- comma-separated values (CSV), 242
- common font families, 177
- Common Gateway Interface (CGI), 241
- compact attribute, 125, 318
- compressed files, 102–103
- content attributes, 68
- #content element, 284
- Content Management System. *See* CMS
- contenteditable* attribute, 315
- contextmenu* attribute, 315
- cookies
 - expiration dates of, 274
 - working with, 272–274
- coords attribute, 117
- cords attribute, 317
- CR (Candidate Recommendation), 325
- CrazyEgg tool, 371
- cross-platform file formats, 106
- CSS (Cascading Style Sheets)
 - background properties, 191–193
 - border and outline properties, 193–195
 - cascading, 145–146
 - changing fonts, 153–157
 - custom button rollovers with, 271
 - dimension properties, 195–196
 - and Drupal, 285–287
 - Eric Meyer’s reset, 209
 - external style sheets, 144–145, 157–158
 - Firebug Web site, 209
 - fonts and font properties, 197–199
 - image rollovers with, 268–271
 - internal style sheets, 143–144
 - and Joomla, 287–289
 - margin and padding properties, 200–201
 - markup, 26–27
 - positioning, 151–153
 - positioning properties, 201–204
 - pseudo classes, 207–208
 - sizing text fonts with, 179
 - Spoon Browser Sandbox Web site, 209
 - structure and syntax, 134–142
 - style sheets, 130–134
 - text properties, 204–206
 - text rollovers with, 266–268
 - using CSS with multimedia, 158–167
 - visual layouts, 149–151
 - W3C CSS validation service, 209
 - W3Schools Web site, 208

CSS (Cascading Style Sheets) *(continued)*

- Web-developer's handbook, 210
- and WordPress, 283–285
- YSlow add-on, 210
- CSS3
 - animations, 338–339
 - backgrounds, 334
 - borders, 332–333
 - fonts, 331–332
 - limitations of, 340–341
 - overview, 325–330
 - resources for, 341
 - shadows, 334–337
 - transforming content, 339–340
 - transitions, 337–338
- CSS-Tricks Web site, 375
- CSV (comma-separated values), 242
- cursor property, 164, 202, 204
- Cute FTP Lite program, 370
- Cyberduck program, 370



data

- collection forms of, 223–224
- processing, 241–244
- data-* attribute, 315
- <datalist> element, 311
- date keyword, 319
- datetime keyword, 319
- datetimelocal keyword, 319
- declarations
 - (X)HTML DOCTYPE, 64–65
 - CCS, 136–138
 - HTML DOCTYPE, 64
- declare attribute, 319
- definition lists, 87–89
- demos, 300
- deprecated (X)HTML markup, 121–128
 - attributes, 124–127
 - elements, 123–124
 - overview, 121–123

designing

- forms, 244–245
- Web pages, 33–34
- Web sites, 45–46
- <details> element, 311
- DHTML (Dynamic HTML), 265
- dimension properties, 195–196
- dir attribute, 315, 316
- dir deprecated element, 123
- direction property, 205
- directory paths, 97
- disabled (fieldset) attribute, 313
- Display property, 161, 202
- <div> tag, 268
- DOCTYPE declarations, 64–65
- document tree, 174
- Document Type Definitions (DTDs),
 - 64, 376–377
- documents
 - (X)HTML, 63–64, 71–72
 - <html> element, 65
 - adding (X)HTML DOCTYPE declarations,
 - 64–65
 - adding (X)HTML namespaces, 65–66
 - adding headers, 66–71
 - adding HTML DOCTYPE declarations, 64
 - headings, 26
 - heads, 25
 - images in, 27
 - structuring, 346
- domains, 16, 57
- draggable* attribute, 315
- Dreamweaver tool, 362–363
- Dropbox tool, 371
- drop-down list fields, 234–236
- Drupal CMS, 281–282, 285–287
- DTDs (Document Type Definitions), 64,
 - 376–377
- Dynamic HTML (DHTML), 265
- dynamic pages, 213

• E •

Easy HTML Construction Kit, 370

editors

- graphics, 365–367
- helper HTML, 363–365
- WYSIWYG HTML, 362–363

elements

- for adding document headers, 68
- attributes specific to, 312–314
- deprecated, 123
- images, 116–117
- nesting, 20
- new in HTML5, 311–312
- removed from HTML5, 315–316
- single tags, 19–20
- tag pairs, 19

 element, 74

e-mail

- addresses, 103–104
- sending form data by, 243–244

email keyword, 319

<embed> element, 311

embedding

- creating maps, 256–258
- Flickr, 255–256
- using Twitter widgets, 252–255

embossed media type, 158

empty elements, 19, 108

encoding, 309–310

Enctype attribute, 240

entities

- (X)HTML character codes, 23
- non-ASCII characters, 22–23
- overview, 17
- tag characters, 23–24

Eric Meyer’s reset, 209

expiration date of cookies, 274

eXtensible Markup Language (XHTML)

- <html> element, 65
- adding DOCTYPE declarations, 64–65
- adding document headers, 66–71

- adding HTML DOCTYPE declarations, 64
- adding namespaces, 65–66
- character codes, 23
- creating document body, 71–72
- difference from HTML, 16–17
- Document Type Definitions (DTDs), 376–377
- establishing document structure, 63–64
- markup, deprecated, 121–128
- extensions, 96
- external style sheets

 - importing, 145
 - linking, 144–145
 - overview, 129

externalizing style sheets, 157–158

• F •

Face deprecated attribute, 125

FancyBox lightbox, 274–278

feedback, 359–360

Fetch program, 370

<figcaption> element, 311

<figure> element, 311

file formats

- .htm and .html, 38
- GIF, 106
- JPEG, 107
- PNG, 107

File Transfer Protocol (FTP)

- clients, 370
- moving files with, 58–59
- overview, 15

file upload fields, 233–234

filenames, 16, 96

files

- choosing location and names for, 37
- downloads, 102–103
- .htm and .html formats, 38
- moving to Web servers, 58–60

FileZilla program, 370

Firebug Firefox plugin, 370

- Firebug Web site, 209
- Fireworks tool, 367
 - :first-child pseudo class, 207
 - :first-letter pseudo class, 207
- first-level headings, 76
 - :first-line pseudo class, 207
- Flash tool, 307–308
- flat files, 242
- Flickr app, 255–256
- float property, 202
- Float/u0 property, 163
- flush alignment, 182
 - :focus pseudo class, 174, 207
- font (presentational) attribute, 316
- font deprecated element, 123
- font property, 197
- font-family property, 137, 159, 176, 197
- font-family value, 188
- fonts
 - body text, 154–155
 - character spacing, 180–181
 - CSS3, 331–332
 - family, 176–178, 197–198
 - font property, 187–188
 - headings, 155
 - hyperlinks, 155–157
 - line height, 179–180
 - size of, 178–179, 198–199
 - weight of, 198
- font-size property, 159, 197, 198
- font-size value, 188
- font-style property, 197
- font-style value, 188
- font-variant property, 197
- font-variant value, 188
- font-weight property, 160, 197
- font-weight value, 188
- <footer> element, 311
- For attribute, 246
- form (input, output, select, textarea, button, fieldset)
 - attribute, 313
- form gateway page, 245
- form handlers, 225
- <form> element, 217, 225
- formaction (input, button)
 - attribute, 313
- formatting text
 - headings, 76–77
 - paragraphs, 74–75
- formenctype (input, button)
 - attribute, 313
- formmethod (input, button)
 - attribute, 313
- formnovalidate (input, button)
 - attribute, 313
- forms
 - CAPTCHA, 249
 - check boxes and radio buttons, 230–231
 - customizing Submit and Reset buttons, 239–241
 - designing, 244–245
 - drop-down list fields, 234–236
 - file upload fields, 233–234
 - frameworks, 248–249
 - hidden fields, 231–232
 - input tags, 226–227
 - markup, 246–248
 - multiline text boxes, 236–237
 - password fields, 229–230
 - processing data, 241–244
 - structure, 225–226
 - Submit and Reset buttons, 237–239
 - text fields, 227–229
 - uses for, 221–224
 - validation of, 241
- formtarget (input, button)
 - attribute, 313
- frame (negative usage) attribute, 316
- frame attribute, 318
- frameborder attribute, 318
- frameset (negative usage)
 - attribute, 316
- frameworks
 - forms, 248–249
 - mobile, 301–303
- FTP (File Transfer Protocol)
 - clients, 370
 - moving files with, 58–59
 - overview, 15

• G •

generic font families, 177
 GIF (Graphics Interchange Format), 106
 global HTML5 attributes, 315
 GNU Image Manipulation Program
 v(GIMP), 366
 Google Analytics tool, 371
 Google maps
 and Twitter mashup, 262–263
 and yelp mashup, 259–262
 graphical browsers, 76–77
 graphics editors
 inexpensive, 365–366
 professional, 366–367
 Graphics Interchange Format (GIF), 106
 greater-than sign (>), 23–24

• H •

<h1> element, 36, 75
 <h4> element, 268
 <h6> element, 75
 handheld media type, 158
 hash mark, 152
 <head> element, 36, 268
 <header> element, 311
 headers
 CSS, 155
 formatting, 76
 giving pages titles, 66–67
 graphical browsers, 76–77
 metadata, 68–69
 redirecting users to other pages, 69–71
 text browsers, 77
 height attribute, 112, 125, 318
 height property, 164, 196
 helper HTML editors, 363–365
 hexadecimal color codes, 171–172
 <hgroup> element, 311
 hidden fields, 231–232
 hidden* attribute, 315
 horizontal rules, 80–82

hosting Web sites
 moving files to Web servers, 58–60
 obtaining domains, 57
 overview, 55–56
 using hosting providers, 56
 hostname, 97
 :hover pseudo class, 174, 207
 <hr /> element, 80
 href attribute, 104, 117, 145
 hreflang (area) attribute, 313
 hspace attribute, 125, 318
 .htm file format, 38
 HTML. *See also* CSS
 4.01 Frameset DOCTYPE declaration, 64
 4.01 Strict DOCTYPE declaration, 64
 4.01 Transitional DOCTYPE declaration, 64
 difference with (X)HTML (eXtensible
 Markup Language), 16–17
 document headings, 26
 document heads, 25
 lists, 26
 paragraphs, 26
 sites, comparing to CMS sites, 279–280
 tables, 26
 validators, 368–369
 Web sites based only in, 280
 <html> element, 36, 65
 HTML references, online
 character codes, 378
 HTML and (X)HTML Document Type
 Definitions (DTDs), 376–377
 resource sites, 373–375
 specifications, 375–376
 Open Source Notepad++ tool, 365
 HTML5
 additional resources, 322
 attributes removed from, 316–318
 elements removed from, 315–316
 and Flash, 307–308
 limits to access and usage of, 320–322
 markup, 308–310
 new attributes, 312–316
 new elements, 311–312
 new input types in, 318–319

HTML5 (continued)

- sample Web pages of, 323–324
- Web APIs, 320

- HTML-Kit tool, 365, 370

- HTTP (Hypertext Transfer Protocol), 15, 95

- `http-equiv` attribute, 71

hyperlinks

- absolute, 93

- broken, 95

- building image maps, 116–118

- choosing, 53–54

- color of, 173–175

- e-mail addresses, 103–104

- external style sheets, 144–145

- file downloads, 102–103

- live, 355–356

- locations in Web pages, 99–101

- new windows, 97–99

- old, 356

- overview, 27

- relative, 93–95

- text, 54

- triggering, 115–116

- hypertext, 10–13

- HyperText Markup Language. *See* HTML

- HyperText Transfer Protocol (HTTP), 15, 95



- `<i>` tag, 184

- `%IAlign` attribute type, 127

- icons used in this book, 6

- `id` attribute, 315

- `id="name"` attribute, 140

images

- alignment of, 114

- adding alternative and title text, 110–112

- borders of, 114

- editing software for, 172

- in HTML documents, 27

- linking, 115–118

- location of, 108

- maps, 116, 118

- optimizing, 107

- role of in Web pages, 105–106

- rollovers with CSS, 268–271

- specifying image size, 112–114

- using `` element, 108–110

- Web-friendly, 106–108

- `` element, 20, 108–110, 112, 116

- `` element, 257

- inches, 133

- indenting text, 183

- inheriting styles, 141–142

- inline elements, 74, 93

- inline styles, 129, 142, 144

- `<input />` element, 227, 229, 232, 240

input fields

- check boxes and radio buttons, 230–231

- customizing Submit and Reset buttons, 239–241

- drop-down list fields, 234–236

- file upload fields, 233–234

- hidden fields, 231–232

- multiline text boxes, 236–237

- password fields, 229–230

- Submit and Reset buttons, 237–239

- text fields, 227–229

- input tags, 226–227

- input types, 318–319

- internal style sheets, 129, 143–144

- Internet protocols, 15

- intradocument hyperlinks, 99, 100

- iPadPeek Web site, 371

- iPhonetester Web site, 371

- `isindex` attribute, 316

- `isindex` element, 123–124

- italics, 185



- Java programming language, 213

JavaScript

- arranging content dynamically using, 214–216

- forms, 241

- libraries, 277

- scripting Web pages using, 212–214

- Joint Photographic Experts Group (JPEG), 107

- Joomla CMS, 282, 287–289

jQuery framework, 302–303
 jQuery library, 274–278
 jQuery Validation Plugins Web site, 248
 jQuery Web site, 277
 justify keyword, 182

• K •

<keygen> element, 311
 Komodo Edit software, 364
 Kompozer Web page editor, 363

• L •

Label attribute, 246, 313
 labeling documents
 <html> element, 65
 adding (X)HTML DOCTYPE declarations, 64–65
 adding (X)HTML namespaces, 65–66
 adding HTML DOCTYPE declarations, 64
 %LAlign attribute type, 127
 lang attribute, 315
 :lang pseudo class, 207
 Language deprecated attribute, 125
 Last Call (LC), 325
 LCR attribute type, 127
 LCRJ attribute type, 127
 left keyword, 182
 left property, 162, 202
 %Length attribute type, 127
 less-than sign (<), 23–24
 letter-spacing property, 180, 205
 element, 82, 84, 228
 lightbox plugins, 277
 lighter value, 184
 line height, 179–180
 line-height property, 160, 205, 206
 line-height value, 188
 line-through value, 187
 link attribute, 317
 link checkers, 367–368
 Link deprecated attribute, 126
 link element, 144
 :link pseudo class, 174, 207

links
 absolute, 93
 broken, 95
 building image maps, 116–118
 choosing, 53–54
 color of, 173–175
 e-mail addresses, 103–104
 external style sheets, 144–145
 file downloads, 102–103
 live, 355–356
 locations in Web pages, 99–101
 new windows, 97–99
 old, 356
 overview, 27
 relative, 93–95
 text, 54
 triggering, 115–116

LinkScan program, 368

List properties, 132

lists
 bulleted, 85–87
 defined, 87–89
 formatting, 83–84
 nesting, 89–90
 numbering, 84–85
 overview, 26

ListStyle attribute type, 127

list-styleimage property, 160

list-styleposition property, 160

list-styletype property, 160

local pages, 13

longdesc attribute, 317

lowercase value, 186

LRAN attribute type, 127

• M •

manifest (html) attribute, 313

<map> element, 116

maps

 creating, 256–258

 elements and attributes, 116–117

 markup, 117–118

 using as visual user guides, 48–49

 using for site development, 46–48

margin properties, 132, 164, 200

- margin-bottom property, 200
 - marginheight attribute, 318
 - margin-left property, 200
 - margin-right property, 200
 - margin-top property, 200
 - <mark> element, 312
 - Matt's Script archive, 243
 - max (input) attribute, 313
 - max-height property, 196
 - maxlength attribute, 228
 - max-width property, 196
 - media (a, area) attribute, 313
 - media types, 158
 - menu deprecated element, 123
 - <meta /> element, 68
 - <meta /> tags, 69
 - metadata
 - custom names, 68–69
 - defined, 66
 - elements and attributes, 68
 - <meter> element, 312
 - method attribute, 225, 246
 - Microsoft Expression Web 4 package, 363
 - millimeters, 133
 - MIMDisabled attribute, 246
 - min (input) attribute, 313
 - min-height property, 196
 - min-width property, 196
 - mobile Web design
 - addresses, 300
 - designing for distracted surfers, 299
 - designing for small screens, 297
 - frameworks, 301–303
 - location, 300–301
 - mobile devices, 293–296
 - navigating on mobile devices, 298
 - optimizing for low bandwidth, 297
 - surfing the Web on many mobile devices, 299
 - typing and clicking, 301
 - virtual demos or showcases, 300
 - month keyword, 319
 - MooTools Web site, 277
 - multiline text boxes, 236–237
 - multimedia, 158–167
 - multiple (input) attribute, 313
 - Multiple attribute, 246
- N •
- N/A (None), 325
 - name attribute, 126, 230, 236, 247, 317
 - named locations, 100–101
 - namespaces, 65–66
 - naming
 - files, 37
 - link locations, 99
 - <nav> element, 312
 - navBar id, 150
 - navigation, 27, 49–52, 298
 - navigation bar, 150
 - nesting
 - lists, 89–90
 - overview, 20
 - tags, 141
 - noframes (negative usage)
 - attribute, 316
 - nohref attribute, 317
 - non-ASCII (American Standard Code for Information Interchange) characters, 22–23
 - None (N/A), 325
 - none value, 186, 187
 - nonpareil CSS references, 191
 - normal value, 184, 185
 - noshade attribute, 318
 - Noshade deprecated attribute, 126
 - Noupe Web site, 375
 - novalidate (input) attribute, 314
 - nowrap attribute, 318
 - nowrap deprecated attribute, 126
 - Number attribute type, 127
 - number keyword, 319
 - numbered lists
 - formatting, 83–84
 - numbering, 84–85

o

Object deprecated attribute, 126
 oblique text, 185
 octothorpe, 152
 attributes, 84–85
 element, 82, 84
 online HTML references
 character codes, 378
 HTML and (X)HTML Document Type
 Definitions (DTDs), 376–377
 resource sites, 373–375
 specifications, 375–376
 Open Source Notepad++ tool, 365
 <option> tag, 234
 orphans property, 165
 outline properties, 193–195
 outline-color property, 194
 outline-style property, 194
 outline-width property, 194
 <output> element, 312
 outside links
 choosing, 53–54
 link text, 54
 overflow property, 202
 overlapping CSS, 152–153
 underline value, 187
 overlow-clip property, 202

p

<p> element, 36, 93
 padding property, 132, 164, 200–201
 padding-bottom property, 200
 padding-left property, 200
 padding-right property, 200
 padding-top property, 200
 pagebreakafter property, 165
 pagebreakbefore property, 165
 pagebreakinside property, 166
 pages
 adding alternative and title text, 110–112
 adding rollovers to, 265–271

attractiveness of, 347
 browsers, 13–14
 CSS markup, 26–27
 document headings, 26
 document heads, 25
 editing, 40–41
 HTML5, 323–324
 hypertext, 10–13
 image borders and alignment, 114
 image location, 108
 images in HTML documents, 27
 links and navigation tools, 27
 links locations in, 99–101
 lists, 26
 local, 13
 low scroll, 350
 mobile Web design, 293–304
 paragraphs, 26
 planning design, 33–34
 posting online, 41–42
 processing forms on, 242–243
 role of images in, 105–106
 saving, 37–38
 scripting, 211–220
 specifying image size, 112–114
 tables, 26
 titles, 66–67
 using element, 108–110
 viewing, 38–39
 Web servers, 14–15
 writing HTML, 34–37
 Paint Shop Pro Photo X3 graphics editor, 366
 paragraphs, 26, 74–75
 password fields, 229–230
 paths, 16
 pattern (input) attribute, 314
 PDF files, 102
 peer reviews, 358
 Photoshop tool, 366–367
 picas, 133
 Picasa Web site, 258
 ping (a, area) attribute, 314
 %Pixel attribute type, 127
 pixels, 133

placeholder (input, textarea)
 attribute, 314

plugins, 277

PNG (Portable Network Graphics), 107

points, 133

POP (Post Office Protocol), 15

pop-up windows, 98

Portable Network Graphics (PNG), 107

position property, 162, 202

positioning properties

- clear, 203–204
- CSS, 132
- cursor, 204
- float, 202
- z-index, 202–203

Post Office Protocol (POP), 15

posting Web pages online, 41–42

pound symbol, 152

<pre> element, 79

preformatted text, 78–80

print media type, 158

processing data

- processing forms on pages, 242–243
- sending form data by e-mail, 243–244

profile attribute, 317

<progress> element, 312

projection media type, 158

Prompt deprecated attribute, 126

properties

- background, 191–193
- border and outline, 193–195
- CSS, 134
- dimension, 195–196
- fonts and font, 197–199
- margin and padding, 200–201
- positioning, 201–204
- text, 204–206

protocols, 15, 16

pseudo class selectors, 156

pseudo classes, 173–174, 207–208, 331



QuickCheck program, 368

quotation class, 180



radio buttons, 230–231

ragged alignment, 182

range keyword, 319

Readonly attribute, 247

rel (area) attribute, 314

relative links

- simple links, 94
- site links, 94–95

relative URLs, 94

relative value measurements, 133

required (input, textarea)
 attribute, 314

Reset buttons

- customizing, 239–241
- overview, 237–239

reset style sheets, 209

rev, charset attribute, 317

reversed (ol) attribute, 314

RGB values, 172

right keyword, 182

right property, 161, 202

role* attribute, 315

rollovers, 265–271

rows attribute, 236

<rp> element, 312

<rt> element, 312

<ruby> element, 312

rules attribute, 318



s (presentational) attribute, 316

s deprecated element, 123

sandbox (iframe) attribute, 314

saving Web pages

- .htm or .html, 38
- choosing location and names for files, 37

scheme attribute, 317

scoped (style) attribute, 314

screen media type, 158

screens, 296, 297

Scribd Web site, 258

- <script> element, 217
- scripting Web pages
 - JavaScript, 212–214
 - soliciting and verifying user input, 217–219
 - using JavaScript to arrange content
 - dynamically, 214–216
 - working with browser windows, 216–217
- scripts, 211
- ScriptSearch Web site, 243
- scrolling attribute, 318
- scrolling pages, 350
- seamless (iframe) attribute, 314
- search forms, 222–223
- search keyword, 319
- <section> element, 312
- <select> tag, 234, 235
- selectors, 136–138
- *self attribute type, 127
- semicolons (;), 137
- Sencha Touch framework, 302
- servers, 58–60
- server-side scripting, 220
- shadows, 334–337
- shape attribute, 116, 317
- shorthand properties, 151, 195
- showcases, 300
- simple links, 94
- Simple Mail Transfer Protocol (SMTP), 15
- single tags, 19–20
- singleton tags, 108
- site maps, 354
- sites. *See also* bugs
 - building navigation, 49–52
 - comparing HTML to CMS, 279–280
 - content embedding, 252–258
 - content of, 345–346
 - design, 45–46
 - hosting, 55–60
 - HTML references, 373–375
 - links, 94–95
 - mapping, 46–49
 - maps, 353–354
 - mashups, 258–263
 - navigate, 349–350
 - planning outside links, 53–54
 - scheduling reviews, 358–359
 - structuring documents, 346
- 6 Lightbox Plugins for WordPress Web site, 277
- sixth-level headings, 76
- size attribute, 126, 228, 247, 318
- Size properties, 132
- sizes (link) attribute, 314
- sizing text
 - character spacing, 180–181
 - font size, 178–179
 - line height, 179–180
- SlideShare Web site, 258
- Smashing Magazine Web site, 374
- SMTP (Simple Mail Transfer Protocol), 15
- soliciting user input, 217–219
- SourceForge LinkChecker program, 368
- spacing properties, 200–201
- span element, 139
- specifications, 375–376
- spellcheck* attribute, 315
- Spoon Browser Sandbox Web site, 209
- src attribute, 110, 240
- srcdoc (iframe) attribute, 314
- standby attribute, 317
- start attribute, 84, 314
- Start deprecated attribute, 126
- step (input) attribute, 314
- strike (presentational) attribute, 316
- strike deprecated element, 123
- element, 74
- style attribute, 315
- style classes, 138–140
- style IDs, 140–141
- style sheets
 - external, 144–145, 157–158
 - internal, 143–144
 - overview, 130–134
- <style> element, 143, 150
- Submit buttons
 - customizing, 239–241
 - overview, 237–239
- <summary> element, 312

syntax

- for applying bold, 184
- for applying italic, 185
- for changing capitalization, 186
- for indenting text, 183
- overview, 17
- for text alignment, 182
- for text decoration, 187

● T ●

Tabindex attribute, 247, 315

Table properties, 132

tables, 26

tab-separated values (TSV), 242

tag characters, 23–24

tag pairs, 19

tags, 347–348

%TAlign attribute type, 127

target (base, a, area) attribute, 314

target attribute, 317

tel keyword, 319

testing tools, 358

text

- aligning, 182–183
- alternative, 110–112
- body element, 154–155
- bold, 184
- browsers, 77
- bugs, 354–355
- changing capitalization, 185–186
- color properties, 206
- controlling text blocks, 77–82
- decoration property, 187
- fields, 227–229
- formatting, 74–77
- indenting, 183–184
- italic, 184–185
- line-height properties, 206
- rollovers with CSS, 266–268
- sizing, 178–181
- title, 110–112
- two-dimensional, 351

text, blocks of

- block quotes, 77–78
- horizontal rules, 80–82
- preformatted text, 78–80

text attribute, 317

%Text attribute type, 127

Text deprecated attribute, 126

text-align property, 160, 182, 205

<textarea> element, 236

text-decoration property, 160, 205

text-indent property, 205

text-shadow property, 205

text-transform property, 185, 205

time keyword, 319

<time> element, 319

title attribute, 111, 315

title text, 110–112

<title> element, 36, 67

tools

- Adobe Fireworks, 367
- Adobe Photoshop, 365–367
- Analytics, 371
- Aptana Studio, 364
- Browser Sandbox, 371
- ClickDensity, 371
- CrazyEgg, 371
- Dreamweaver, 362–363
- Dropbox, 371
- Flash, 307–308
- Google Analytics, 371
- HTML-Kit, 365, 370
- for navigation, 27
- testing, 358
- Web, 370–371

Top property, 161, 202

transitions, 337–338

triggering links, 115–116

TSV (tab-separated values), 242

tt (presentational) attribute, 316

Tty media type, 158

tweets, 252

Twitter Web site
 mashup with Google maps, 262–263
 supporters, 373–376
 widgets, 252–255
 type attribute, 85, 229, 232, 314
 Type deprecated attribute, 126

• u •

u (presentational) attribute, 316
 u deprecated element, 123
 UI (user interface), 43, 58
 element, 228
 under construction sections, 48
 underline value, 187
 uppercase value, 186
 %URI attribute type, 127
 URL (Uniform Resource Locator)
 capitalization of, 95
 overview, 15–16
 relative, 94
 url keyword, 319
 user agents, 318
 user feedback, 359–360
 user interface (UI), 43, 58

• v •

validation, 241, 368–369
 Validation Web site, 248
 valign attribute, 318
 value attribute, 230, 247, 314
 value deprecated attribute, 126
 values, 134
 version attribute, 317
 Version deprecated attribute, 126
 vertical-align property, 205
 <video> element, 312
 virtual demos, 300
 visibility property, 162, 202
 :visited pseudo class, 174, 207
 visual layouts, 149–151
 vlink attribute, 317

vlink deprecated attribute, 126
 vspace attribute, 318
 vspace deprecated attribute, 126

• W •

W3 Schools Web site, 374
 W3C CSS validation service, 209
 W3C link checker, 367–368
 W3C Recommendation, 375
 W3C validator, 369
 W3Schools Web site, 208
 <wbr> element, 312
 WD (Working Draft), 325
 Web APIs, 320
 Web Design Group Web site, 374
 Web design, mobile
 addresses, 300
 designing for distracted surfers, 299
 designing for small screens, 297
 frameworks, 301–303
 location, 300–301
 mobile devices, 293–296
 navigating on mobile devices, 298
 optimizing for low bandwidth, 297
 surfing the Web on many mobile
 devices, 299
 typing and clicking, 301
 virtual demos or showcases, 300
 Web Developer's Virtual Library
 Web site, 374
 Web pages
 adding alternative and title text, 110–112
 adding rollovers to, 265–271
 attractiveness of, 347
 browsers, 13–14
 CSS markup, 26–27
 document headings, 26
 editing, 40–41
 HTML5, 323–324
 hypertext, 10–13
 image borders and alignment, 114
 image location, 108

Web pages (*continued*)

- images in HTML documents, 27
- links and navigation tools, 27
- links locations in, 99–101
- lists, 26
- mobile Web design, 293–304
- paragraphs, 26
- planning design, 33–34
- posting online, 41–42
- processing forms on, 242–243
- role of images in, 105–106
- saving, 37–38
- scripting, 211–220
- specifying image size, 112–114
- tables, 26
- titles, 66–67
- using `` element, 108–110
- viewing, 38–39
- Web servers, 14–15, 58–60
- writing HTML, 34–37

Web servers, 14–15, 58–60

Web sites. *See also* bugs

- building navigation, 49–52
- comparing HTML to CMS, 279–280
- content embedding, 252–258
- content of, 345–346
- design, 45–46
- hosting, 55–60
- HTML references, 373–375
- links, 94–95
- mapping, 46–49
- maps, 353–354
- mashups, 258–263
- navigate, 349–350
- planning outside links, 53–54
- scheduling reviews, 358–359
- structuring documents, 346

Web tools, 370–371

WebDesignerDepot Web site, 374

Web-developer’s handbook, 210

Webmonkey Web site, 374

Web-safe fonts, 331

week keyword, 319

white-space property, 205

widows property, 166

width attributes, 112, 318

Width deprecated attribute, 126

width property, 164, 196

windows

browser, 216–217

new, 97–99

WordPress CMS, 281, 283–285

word-spacing property, 180, 205

Working Draft (WD), 325

World Wide Web Consortium Web site, 373

Wufoo Web site, 248

WYSIWYG HTML editors, 362–363



XHTML (eXtensible Markup Language)

`<html>` element, 65

adding DOCTYPE declarations, 64–65

adding document headers, 66–71

adding HTML DOCTYPE declarations, 64

adding namespaces, 65–66

character codes, 23

creating document body, 71–72

difference from HTML, 16–17

Document Type Definitions (DTDs),
376–377

establishing document structure, 63–64

markup, deprecated, 121–128

XHTML 1.0 Frameset DOCTYPE declaration, 65

XHTML 1.0 Strict DOCTYPE declaration, 65

XHTML 1.0 Transitional DOCTYPE
declaration, 65

Yelp Web site, 259–262

YouTube Web site, 258

YSlow add-on, 210



z-index property, 162, 202–203

z-index value, 153

Zip files, 102–103