

# Index

- ABCP *see* asset-backed commercial paper
- ABX index 186–8
- ACF *see* autocorrelation ...
- AdjClose 7–9, 23–4, 94–5, 147–8, 219
- AIG 152
- algorithms, definition 247
- analytical VaR 111–20, 132–3, 142
- aparch() 53
- APARCH models 44, 46, 52–4, 56
  - see also* GARCH ...
  - application 52–3
  - critique 52, 56
  - definition 52–4
  - goodness-of-fit measures 46
  - LR 52–3
  - Matlab 53–4
  - R 53–4
- ARCH 35–8, 41, 42–51, 180–1, 216
  - see also* GARCH ...; Lagrange multiplier test
  - application 46–51, 180–1
  - ARCH-M model 41
  - critique 38
  - definition 35, 36–8, 42, 216
  - EVT 180–1
  - fat tails 36–8, 180–1
  - LR 44–51
  - Matlab 48–51
  - parameter restrictions 37–8, 43–4
  - R 48–51
  - unconditional volatility 36
  - usefulness assessment 38
- ARCH-M model, definition 41
- arma() 224–5
- arima.sim() 225
- arithmetic returns *see* simple returns
- ARMA *see* autoregressive moving average models
- armaxfilter() 238
- arrays, Matlab concepts 232–3, 234–5
- AR *see* autoregressive models
- Asian crisis in 1997 5–6, 11, 164
- asset allocations 57–71
- asset-backed commercial paper (ABCP) 186–8
- asymmetric power GARCH *see* APARCH models
- asymptotic properties, MLE 154–60, 247–53
- at-the-money options 116–20, 139–40
- autocorrelation 6–9, 12–14, 29, 38, 48–52, 209–12, 215–16, 224–5, 237–8
  - see also* autoregressive models; correlation ...; Ljung–Box test; predictability
  - definition 209–10
  - Matlab concepts 9, 13–14, 237–8
  - R concepts 8–9, 13–14, 224–5
  - S&P 500 summary return statistics from 1928 to 2009 6–9, 12–14, 38
  - test statistics 215–16
  - volatility clusters 12–14
- autocovariance
  - see also* covariance
  - definition 209–10
- autoregressive models (ARs)
  - see also* autocorrelation
  - definition 211–12
- autoregressive moving average models (ARMA) 210, 212, 224–5, 238
  - definition 212
  - Matlab concepts 238
  - R concepts 224–5
- backtesting 38, 44, 76, 89, 91, 93, 98, 143–66, 208
  - assumptions 146, 162–3
  - Basel Accords 146, 155
  - Bernoulli coverage test 153–60
  - critique 143, 146, 162–3, 166
  - data mining 163
  - definition 143–6
  - ES 89, 91, 143, 160–2
  - “frozen” portfolios 146
  - “hit sequence” 153–60, 208
  - independence test 153, 155–60
  - loss-function-based backtests 159–60
  - Matlab 148–53

- backtesting (*cont.*)  
 problems 162–3, 166  
 R 147–53  
 S&P 500 sample returns from 1994 to 2009  
 147–53, 157–9  
 significance tests 153–60  
 structural breaks in the data 162–3  
 VaR 76, 89, 91, 98, 143–66  
 violations 143–66, 208
- banks 20, 22–4, 143, 146–7, 165, 183–4,  
 186, 188–90
- bar() 129
- bar charts 128–9, 229–30, 243
- barplot() 128–9
- Basel Accords 33, 90, 146–7, 155, 178,  
 183–4
- bear markets 9, 21–9
- Bear Stearns (BS) 22–3
- “beauty” contests 183
- BEKK 69–71  
*see also* MVGARCH B
- Bernoulli distributions 153–60, 208, 223
- bern\_test() 155, 158
- bimodal likelihood function 248–9
- binomial distributions 208, 223, 236–7
- bivariate normal distributions 21–2, 24–8,  
 200–1, 203, 243  
 definition 200–1  
 exceedance correlations 24
- Black–Scholes options pricing model 5,  
 20–1, 54, 115–20, 125, 129–42, 192–4  
 assumptions 116, 129  
 definition 115–16  
 Matlab 117–19, 129–32, 135–6, 139–40  
 R 117–19, 129–32, 135–6, 139–40
- block maxima EVT approach 172
- bonds 73, 84, 88–9, 110, 111–20, 121–42,  
 164–5  
 convexity 112–13  
 crash of April 1994 164  
 credit rating agencies 28, 164–5, 185–8  
 definition 112  
 duration-normal VaR 112–15  
 interest rates 111–15, 125–9  
 Matlab 112, 125–6  
 Monte Carlo simulations 121, 124–9, 142  
 portfolios 115, 124–9, 142, 164–5  
 prices 111, 112–15, 121, 124–9, 142 R 112,  
 125–6 VaR 111–20
- bounded moments 18–21
- Box–Muller random number method 124
- Brady Commission 191–2
- Brownian motion 5, 129  
*see also* derivatives  
 bs() 117–19, 129–32, 135–6, 139–40  
 bull markets 9, 21–9  
 burn time 60–2
- c() 218
- calendar time, definition 133, 144–5
- call options  
 concepts 115–42, 192–6  
 definition 115, 192
- capital adequacy requirements 143, 146–7,  
 165, 183–4
- cash flows, bonds 111–20, 125–9
- cat() 158
- Cauchy distributions 202, 223
- cbind() 23, 59, 67, 94, 221–2
- CCC 63–5, 70–1
- CDFs *see* cumulative distribution functions
- CDOs *see* collateralized debt obligations
- CDSs *see* credit default swaps
- centered moment of a distribution, definition  
 18–21, 203–4
- central limit theorem (CLT)  
*see also* scaling laws  
 definitions 89–90, 212–13
- chi-squared ( $\chi^2$ ) distributions 120, 206–7,  
 212, 214, 223, 236–7  
 definition 206–7  
 test statistics 214
- chi2cdf() 158, 214
- Clayton copula 28–9, 236
- CLT *see* central limit theorem
- coherent risk measures 80, 81–4  
*see also* expected shortfall
- collateralized debt obligations (CDOs) 25,  
 185–6
- comments, R 217–18, Matlab 231
- conditional correlations  
*see also* CCC; DCC  
 concepts 63–71
- conditional distributions, concepts 93, 200–1
- conditional means, concepts 41
- conditional probability functions, definition  
 173–4, 200–1
- conditional volatility 1, 11–29, 32, 34,  
 35–51, 57–71, 98–110, 148–53  
*see also* GARCH ...  
 definition 11
- consistency property, MLE 250
- Consumer Price Index (CPI) 5–6
- contagion 57
- continuous time, concepts 55–6, 129–42

- continuously compounded returns 1, 3–29, 100–1  
*see also* returns  
 definition 3–5, 100  
 VaR 100–1
- convergence 18–20, 248–51
- convexity 111–20
- convolution 176–82
- copulas 25–9, 169, 217, 229, 236–7  
*see also* Clayton ...; default risks; Frank ...; Gumbel ...; marginal returns  
 application illustration 27–9  
 challenges 28  
 critique 28  
 definition 25–7, 236  
 Gaussian copula 25–9  
 nonlinear dependence 25–9  
 Student-*t* distributions 26–8  
 theory 25–7  
 types 28–9, 236
- coredata() 7–9, 94, 147–8, 219
- correlation coefficient 1–29, 57–71, 137–42, 166, 203–4, 220, 234  
*see also* autocorrelation; nonlinear dependence; Pearson ...  
 definition 203  
 exceedance correlations 23–4
- correlation matrix 57–71
- cov() 60, 108
- covariance 31, 37–9, 44, 57–71, 93–110, 137–42, 166, 200, 209–10, 220, 249  
*see also* autocovariance; multivariate volatility models; variance  
 definition 202–3  
 independence 202–3  
 matrix 57–71, 93–110, 137–42, 166  
 stationary 37–9, 44, 69, 209–10
- CPI *see* Consumer Price Index
- Cramér–Rao lower bound 173, 249, 250
- credit default swaps (CDSs) 167–8, 186–8
- credit rating agencies 28, 164–5, 185–8
- credit risk, capital requirements 146–7, 165
- crisis periods, nonlinear dependence 21–9
- csv() 219
- cumulative distribution functions (CDFs)  
 concepts 176–9, 197–201, 215, 222–3, 235–7  
 definition 197–8
- data mining, backtesting problems 163
- DCC 63–7, 70–1
- de-measured returns 35–41, 51–2
- decay factors, EWMA 31–56
- decision making, risk management 75, 196
- default risks 28, 185–7  
*see also* copulas
- degrees of freedom 1–29, 40–1, 44–5, 102–3, 169–70, 206–8, 222–3, 224–5, 247
- deleverage, definition 186
- delta 111, 116–20, 192–6  
*see also* gamma  
 definition 116–17  
 hedging strategies 192–6  
 Matlab 117–19  
 R 117–19
- delta-normal VaR 119–20
- densities  
 concepts 76–85, 86–91, 103–4, 131–2, 197–201  
 definition 197–8
- density plots, options 131–2
- derivatives 2, 5, 12, 20–1, 31–56, 73–5, 78–9, 80–1, 111, 115–20, 121–42, 164, 167, 192–6  
*see also* futures; options; swaps  
 the “Greeks” 78–9, 111, 115–20, 192–3  
 stochastic volatility models 56
- diag() 65, 221–2, 235
- diff() 7–9, 23–4, 50, 59, 94, 147–8, 219, 233, 234
- dim() 218
- discounted cash flows, bonds 112–15, 125–9
- discrete distributions 208, 236–7  
*see also* Bernoulli ...; binomial ...
- Disney 24, 26, 27–8
- distribution-free risk measures 73–5, 90–1  
*see also* risk measures
- distributions 168–70, 197–216, 222–4, 235–7  
*see also* Bernoulli ...; binomial ...; Cauchy ...; chi-squared ...; cumulative ...; exponential ...; Fréchet ...; Gamma ...; Gumbel ...; joint ...; normal ...; Pareto ...; Student-*t* ...; Weibull ...  
 EVT 168–70  
 Matlab concepts 235–7  
 R concepts 222–4
- distributions of financial returns, measurement difficulties 73–5
- diversification 81–4
- dividend yields 5–6
- DJIA *see* Dow Jones Industrial Average
- dnorm() 87, 104, 118–19, 128–9, 131–2, 222–3

- Dow Jones Industrial Average (DJIA) 2,  
185–6, 191–2, 195
- duration 111–20  
*see also* yield curves
- duration-normal VaR, bonds 112–15
- dynamic replication strategies 192–6
- dynamic trading strategies, endogenous risk  
191–6
- the *Economist* 190
- efficient estimators, definition 250
- EGARCH  
*see also* GARCH ...  
definition 51–2
- eigenvalues 222, 235
- eigenvectors 222, 235
- electricity prices 84
- elseif statements, Matlab concepts 240–1
- empirical identification of stylized facts of  
financial returns 9–29
- encapsulated postscript files 229–30
- endogenous risk 165, 183–96  
Basel Accords 183  
definition 165, 183–4, 195  
delta hedging strategies 192–6  
dynamic trading strategies 191–6  
financial crises 185–8, 191–6  
gambling analogies 185, 196  
global financial crisis from 2007 185–8, 191,  
195–6  
implications for risk management 184–8  
the Millennium Bridge 184, 195–6  
stock market crash of 1987 191–6  
VaR 190
- Engle LM test *see* Lagrange multiplier test
- ergodicity 3  
*see also* returns
- ERM crisis 164
- ES *see* expected shortfall
- estimation window 31–56, 106–8, 144–66
- European options 54, 115–16, 125, 129–42
- Evir R library 182
- EVT *see* extreme value theory
- EWMA 32–5, 43, 45–6, 56, 59–62, 65–7,  
70–1, 93, 106–8, 146–7, 148–53,  
158–62  
*see also* RiskMetrics  
applications 34–5, 59–62, 65–7, 93, 106–8,  
146–7, 148–53, 158–62  
backtesting 146–7, 148–53, 158–62  
Basel Accords 33  
critique 34–5, 56, 60–2, 67, 70, 150–3  
decay factors 31–56  
definition 32–3, 59–60  
derivation 33–4, 59–60  
GARCH comparisons 34–5, 43, 150–3  
LR 45–6  
Matlab 60, 67, 107–8, 148–53  
multivariate volatility models 59–62, 65–7,  
70–1, 107–8  
R 60, 67, 107–8, 148–53  
unconditional volatility 35, 43, 60–2  
VaR 107–8, 146–7, 148–53, 158–62
- exceedance correlations, nonlinear  
dependence 23–4
- excess kurtosis 16, 36–7, 170–1  
*see also* kurtosis ...
- excess returns  
*see also* returns  
definition 4–5
- exogenous risk 183, 188–9, 195
- exotic options 139–40
- exp() 117–19, 131, 134, 137–9
- expected returns, concepts 104–5
- expected shortfall (ES) 73, 85–90, 93–110,  
143, 160–2, 166  
*see also* coherent risk measures; risk  
measures  
application 93–110, 143, 160–2, 166  
backtesting difficulties 89, 91, 143, 160–2  
critique 88–9  
definition 85–9  
HS 97–8, 160–2  
Matlab 87–8, 97–8, 104, 161–2  
normality issues 103–4 R 87–8, 97–8, 104,  
161–2
- expected values 201–3, 206–10  
*see also* sample means
- exponential distributions 32–5, 223, 236–7  
*see also* EWMA
- extremal index 168, 179–82
- extreme value theory (EVT) 16–21, 37,  
167–82, 236–7  
*see also* fat tails  
application 172–82  
asset returns 170–1  
convolution 176–82  
critique 168  
definition 167–70, 181–2  
distributions 168–70  
extremal index 168, 179–82  
implementation approaches 172–6  
libraries 182  
Matlab 182  
POT 172–82  
R 182

- reading recommendations 167  
 risk analysis 173–82  
 S&P 500 sample returns from 1970 to 2009 175–81  
 threshold considerations 174–5  
 time dependence 179–82  
 types of tails 168–9  
 extreme values 16–21, 37, 163–6, 167–82, 236–7  
 eye() 235  
 eyeball method, EVT thresholds 174–5
- fat tails 1, 9–29, 36–8, 48–51, 83–9, 102–3, 150–3, 167–82, 204–5, 215  
*see also* extreme value ...; kurtosis ...; Pareto distributions; Student-*t* distributions; stylized facts of financial returns  
 ARCH 36–8, 180–1  
 definition 9, 14, 16–21, 167–9, 170–1  
 graphical detection methods 16, 17–21, 48–51, 150–3  
 implications in finance 20–1, 167–82  
 low volatility levels 11  
 nonnormality issues 14–16  
 QQ plots graphical detection method 17–18, 48–51  
 sequential moments graphical detection method 18–21  
 statistical tests 16–21, 170–1  
 super-fat tails 83–4  
 tail index measures 18–21, 37–8, 157–82
- feedback effects 165, 184–96  
 fExtremes R library 182  
 finance.yahoo.com 1, 7, 219, 233  
 financial crisis from 2007 5, 10–11, 20–1, 28, 98, 152–3, 164, 168, 185–8, 191, 195–6  
 financial innovations 190–6  
 financial markets 1–29, 183–96  
   endogenous risk 165, 183–96  
   stylized facts of financial returns 9–29  
 financial time series 1–29, 94, 197–216  
*Financial Times* 20  
 find() 131, 158, 162  
 first centered moment of a distribution  
   *see also* means  
   definition 16, 203–4  
 fit.st() 102–3  
 fminunc() 242  
 for loops 60, 106–8, 127–9, 148–53, 156–8, 161–2, 226–8, 239–42  
 foreign exchange risks, concepts 79, 84, 142, 164
- fourth centered moment of a distribution *see* kurtosis ...  
 Frank copula 236  
 Fréchet distributions 169–71, 172–3  
 “frozen” portfolios, backtesting 146  
 FTSE 2, 21  
 FTSTool 8, 233  
 function() 118–19, 155–7  
 functions 225–7, 238–42  
   *see also* arguments; M-files  
 futures 80–1, 131–2
- gambling analogies, endogenous risk 185, 196  
 gamma 111, 116–20  
   *see also* delta  
 Gamma distributions 223  
 Gamma function 206  
 GARCH family of models 32, 34–56, 62–3, 93, 108–10, 146, 148–53, 158–9, 167–8, 171, 174, 180–1, 245  
   *see also* conditional volatility; variance; volatility models  
   APARCH models 44, 46, 52–4, 56  
   application 46–51, 93, 108–10, 146, 148–53, 158–9, 167–8, 174, 180–1  
   backtesting 146, 148–53, 158–9  
   BEKK 69–71  
   CCC 63–5, 70–1  
   critique 34–5, 55–6, 150–3  
   DCC 63–7, 70–1  
   definitions 35–6, 38–41  
   EGARCH 51–2  
   EVT 167–8, 171, 174, 180–1  
   EWMA comparisons 34–5, 43, 65–7, 150–3  
   extensions 51–4, 67–71  
   GJR-GARCH 51–2, 53–4  
   graphical analysis 48–51  
   likelihood functions 42–4, 46–51, 52–3, 56, 69–71  
   LR 44–51, 52–4  
   Matlab 48–51, 53–4, 65, 108–10, 148–53  
   “memory” measures 39–41  
   MLE 41–4, 56, 69–71  
   multiperiod volatility 39–40  
   multivariate volatility models 44, 62–3, 65–71  
   MVGARCH 67–71  
   normal GARCH 40–1, 56  
   OGARCH 62–3, 65–7, 70–1  
   parameter restrictions 38–9, 43–4

- GARCH family of models (*cont.*)
- power GARCH models 52 R 48–51, 53–4, 65, 108–10, 148–53
  - skew *t*-GARCH model 41, 42–4, 46–51, 52–3
  - stochastic volatility model comparisons 55–6
  - t*-GARCH model 40–1, 46–51, 109, 152
  - unconditional volatility 38–9, 43, 152–3
  - VaR 108–10, 146, 148–53, 158–9, 167, 174
- garchfit()
- Matlab concepts 48–51, 53–4, 65, 109, 150–3
  - R concepts 48–51, 53–4, 65, 109, 149–50
- garchset() 50–1, 109, 148–53
- Gaussian copula 25–9
- Gaussian white noise 210, 215  
*see also* white noise
- GDP 6
- generalized extreme values (GEVs) 169–70, 172–4, 236–7
- generalized method of moments 245
- generalized Pareto distribution (GPD), POT concepts 172–4
- GEO fund 20
- geometric Brownian motion, definition 129
- get.hist.quote(), R concepts 7–8, 23, 50, 59, 94, 147–8, 219
- GEVs *see* generalized extreme values
- GJR-GARCH 51–2, 53–4  
*see also* GARCH ...
- global financial crisis from 2007 5, 10–11, 20–1, 28, 98, 152–3, 164, 168, 185–8, 191, 195–6
- causes 185–8, 191, 195–6
  - CDOs 185–6
  - margins 168, 186–7
  - NINJA borrowers 186
  - subprime mortgage markets 185–8
- Global Financial Data 5, 7
- gogarch() 63
- Goldman Sachs (GS) 20, 22–3
- goodness-of-fit measures 45–51
- GPD *see* generalized Pareto distribution
- graphical detection methods for fat tails 16, 17–21, 48–51, 150–3  
*see also* QQ plots; sequential moments ...
- graphics
- GARCH family of models 48–51, 150–3
  - Matlab concepts 243
  - R concepts 229–30
- Great Depression in the 1930s 5–6, 7, 10–11, 185
- the “Greeks” 78–9, 111, 115–20, 192–3  
*see also* delta; gamma
- Greenspan, Alan 20
- Gumbel distributions 169–70, 172–3, 236
- haircut 186–8
- half-life of a shock, definition 39–40
- Handle Graphics Matlab system 243
- hazard rates 250
- hedge funds 186, 191–2
- help() 217, 238–9
- Hessian matrix 228–9, 242–3, 247, 249  
*see also* information matrix
- heteroskedasticity 237–8
- high peaks 6–9, 204–5, 214–15  
*see also* kurtosis ...
- higher moments 201, 203–5, 220
- hill climbing, MLE 242–9
- Hill estimator method, POT concepts 172, 173–82
- hist() 128–9, 131–2
- histfit() 129, 132
- histograms 14–15, 229–30, 235–7, 243
- historical simulations (HS) 11–12, 73, 93–8, 109–10, 142, 146, 149–53, 158–62, 167, 174, 181, 210–12  
*see also* nonparametric estimation methods; simulations
- backtesting 146, 149–53, 158–62
  - definition 93, 95–8
  - Matlab 95–7, 149–53
  - multivariate HS 96–7 R 95–7, 149–53
  - univariate HS 95–6
  - window sizes 97–8, 146, 149–53
- hist\_stock\_data(), Matlab concepts 23, 50, 59, 94–5, 148, 233
- “hit sequence”, VaR violations 153–60, 208
- holding periods, VaR 76–85, 89–91, 146, 178–9
- HS *see* historical simulations
- IBM 24, 26, 27–8, 57–81, 93–110
- if ... else ... statements 227–8, 240–1
- IID 1–29, 35–41, 45–6, 90, 105, 106–10, 116–20, 124, 133, 169–70, 179–80, 200–1, 208–13, 216, 242–3, 245–53
- implied volatility models 32, 54–6
- in-the-money options 116–20
- independence test, backtesting 153, 155–60
- ind\_test() 156–7
- inflation 5
- information matrix 228–9, 242–3, 249  
*see also* Hessian matrix

- insurance 82, 186–8
- integrate() 104
- interest rate risks, concepts 79, 142
- interest rates 79, 111–20, 125–9, 133–42, 185–6, 191–2
- Internet bubble 5, 29
- invariance property, MLE 250
- inverse normal distributions, concepts 25, 123–4
- investment banks 20, 22–4, 186
- Ito's lemma, concepts 112–13
- Jarque–Bera distribution test (JB) 6–9, 16–17, 47–51, 214–15, 223–4, 237  
*see also* *p*-value ...
- jbtest() 237
- joint density 26–9, 42–4, 159, 200, 245–6  
*see also* multivariate normal distributions
- joint distributions 25–9, 200, 209–10, 245–6  
*see also* copulas
- J.P. Morgan 33, 34–5  
*see also* RiskMetrics
- JPL Matlab toolbox 9, 231
- jumps 73–4
- Keynes, John Maynard 183
- Kolmogorov–Smirnov distribution test (KS) 16–17, 74, 214–15, 237
- KS *see* Kolmogorov–Smirnov distribution test (KS)
- kstest() 17, 237
- ks.test() 17
- kurtosis 6–9, 16–21, 36–8, 170–82, 204–5, 214–15, 220, 225–6, 234, 238–9  
*see also* fat tails
- definition 16, 170–1, 204–5
- estimation formula 170–1, 205
- excess kurtosis 16, 36–7, 170–1
- Matlab concepts 9, 238–9
- R concepts 8–9, 220, 225–7
- S&P 500 summary return statistics from 1928 to 2009 6–9
- Lagrange multiplier test (LM) 12, 13–14, 35–6, 216, 251, 252–3  
*see also* ARCH; volatility clusters
- lags, volatility models 31–56
- lambda 60, 148–53
- latent variables 31–56, 75
- LB *see* Ljung–Box test
- LCGs *see* linear congruential generators
- legend() 67
- Lehmans 21, 152
- LeSage, James P. (JPL) 231
- leverage effect, concepts 51–2, 56, 186–96
- leverage ratios, concepts 188–96
- library(), R concepts 7–9, 13–14, 17, 48–51, 59, 63, 94, 102–3, 109, 137, 147–8, 217, 220, 223–4
- likelihood functions 37–8, 41–4, 46–51, 64, 69–71, 153–60, 223, 228–9, 242–3, 245–53  
*see also* maximum ...; optimizers
- APARCH models 52–3
- ARCH 42–4, 46–51
- definition 245–7
- estimation issues 43–4
- GARCH 42–4, 46–51, 52–3, 56, 69–71
- Matlab concepts 242–3
- R concepts 228–9
- stochastic volatility models 56
- likelihood ratio tests (LR) 44–6, 52–3, 154–60, 250–2
- linear algebra computations, Matlab concepts 234–5
- linear congruential generators (LCGs) 122–3, 140  
*see also* random number generators
- linear dependence  
*see also* correlation ...
- concepts 9, 21–2, 203
- linear regression methods 41  
*see also* ordinary least squares
- linear relationships, definition 203
- linspace() 232–3
- liquidity issues, portfolios 78–9
- list() 117–19
- Ljung–Box test (LB) 6–9, 13–14, 47–51, 216, 224–5, 238  
*see also* autocorrelation; *p*-value ...
- LM *see* Lagrange multiplier test
- load() 232–3
- log-likelihood function 42–4, 46–51, 56, 64, 172–3, 228–9, 236, 242–3, 246–9, 250–1
- log-normal distributions 130–2, 133–42, 173, 222–3, 236–7
- logarithm of the likelihood function 246
- logarithmic returns *see* continuously compounded returns
- logspace() 232–3
- loops and repeats
- inefficiencies 241
- Matlab concepts 60, 106–8, 127–9, 148–53, 156–8, 161–2, 239–42

- loops and repeats (*cont.*)  
 R concepts 60, 106–8, 127–9, 148–53, 156–8, 161–2, 226–8
- loss-function-based backtests 159–60
- low peaks 204–5  
*see also* kurtosis ...
- LR *see* likelihood ratio tests
- LTCM 164
- M-files, Matlab concepts 238–42
- manipulation issues, VaR 80, 84–5
- marginal distributions, definition 26–8, 200–1
- margins, global financial crisis from 2007 168, 186–7
- market efficiencies 13–14
- market risks 105, 146–7, 165
- marking-to-market valuations 190–1
- MAs *see* moving average models
- MASS R library 137
- Matlab 1, 7–29, 31, 46–56, 58–71, 87–8, 95–8, 104, 106–8, 112, 117–19, 125–6, 127–32, 135–6, 139–40, 148–53, 156–8, 161–2, 197, 214, 231–43, 247, 248
- APARCH models 53–4
- ARCH 48–51
- ARMA 238
- autocorrelation 9, 13–14, 237–8
- backtesting 148–53
- basic operations 7–9, 233
- basic programming 238–42
- Bernoulli coverage test 155, 158
- Black–Scholes options pricing model 117–19, 129–32, 135–6, 139–40
- bond prices 112, 125–6
- CCC 65
- DCC 65, 67
- definition 231
- delta 117–19
- distributions 235–7
- econometrics 231
- ES 87–8, 97–8, 104, 161–2
- EVT 182
- EWMA 60, 67, 107–8, 148–53
- financial time series 7–9, 197
- gamma 117–19
- GARCH family of models 48–51, 53–4, 65, 108–10, 148–53
- graphics 243
- Hill estimator method 175–6
- HS 95–7, 149–53
- independence coverage test 156–8
- information sources 231
- inputting data 7–9, 23, 48–51, 58–9, 94–5, 147–8, 231–3
- introductory background 231–43
- kurtosis (peakedness of a distribution) 9, 238–9
- likelihood functions 242–3
- linear algebra computations 234–5
- loops and repeats 60, 106–8, 127–9, 148–53, 156–8, 161–2, 239–42
- JPL toolbox 9, 231
- M-files 238–42
- MAs 106–8, 149–53
- matrix computations 60–2, 234–5
- MFE toolbox 9, 43, 53, 152, 231
- MLE 242–3
- Monte Carlo simulations 130–2, 133–9
- multivariate volatility models 58–71, 108
- normality testing 237
- OGARCH 62–3, 67
- optimizers 247, 248
- p*-value test statistic 214
- reading recommendations 231
- RNCs 123–4
- S&P 500 index 7–9, 46–56, 233
- simple operations 7–9, 233–5
- Student-*t* VaR 102–3
- time series 7–9, 237–8
- toolboxes Matlab 8–9, 17, 48–51, 53–4, 62–3, 152–3, 231–43
- univariate volatility models 46–56, 107–8
- UCSD GARCH Matlab toolbox 53–4, 62–3, 231, 237–8
- VaR 87–8, 101–3, 106–8, 133–9, 147–53
- yield curves 126–9
- matplot() 67, 127–9
- matrix(), R concepts 97, 127–9, 137–9, 161–2, 218–19, 220–3
- matrix algebra, Matlab concepts 234–5
- matrix computations 60–2, 218–19, 220–2, 234–5
- max() 6–9, 131–2
- MaxFunEvals 248
- maximum domain of attraction (MDA) 170–3
- maximum likelihood (ML)  
*see also* ML estimation; nonlinear models;  
 Student-*t* distributions  
 concepts 41–4, 56, 64, 69–71, 153–60, 223, 228–9, 242–3, 245–53  
 definition 245–6
- MaxIter 248
- MBSs *see* mortgage-backed securities
- mean squared error (MSE) 174–5

- mean-variance analysis, concepts 73–5
- mean 6–9, 13–14, 32, 35–41, 58–71, 73–6, 93–110, 128–9, 131–2, 161–2, 175–6, 199–201, 204–10, 213, 220, 226, 234, 236–7, 238–9, 242–3, 245–53
- ARCH-M model 41
- risk models 73–6, 213
- S&P 500 summary return statistics from 1928 to 2009 6–9, 13–14
- median 234
- “memory” measures, GARCH family of models 39–41
- Mersenne twister 123–4
- Mexican peso devaluation in December 1994 163–4
- MFE Matlab toolbox 9, 43, 53, 152–3, 231
- Microsoft 22–3, 58–71, 93–110
- the Millennium Bridge 184, 195–6
- min, S&P 500 summary return statistics from 1928 to 2009 6–9
- ML *see* maximum likelihood
- ML estimation (MLE) 41–3, 56, 64, 69–71, 102–3, 228–9, 242–3, 245–53
- definition 228–9, 245–6
- GARCH 41–4, 56, 69–71
- Hessian matrix 228–9, 242–3, 247, 249
- hill climbing 248–9
- issues 248–9
- Matlab concepts 242–3
- properties 250
- R concepts 228–9
- volatility models 41–4
- mle() 102–3
- MLE
- see also* ML estimation
- modified duration 111–20
- money markets 129–42
- monotonic transformations 203
- monotonicity axiom of coherent risk measures 81–2, 203, 246
- Monte Carlo simulations 110, 111, 115, 120, 121–42, 164
- bonds’ pricing methods 121, 124–9, 142
- critique 121
- definition 121
- issues to be addressed 140–2
- Matlab 130–2, 133–9
- number of simulations 140–2
- options’ pricing methods 121, 124–5, 129–42
- portfolio VaR 137–42, 164
- R 130–2, 133–9
- RNG quality issues 140–2
- uses 121–2, 124–42
- VaR 110, 111, 115, 120, 121, 132–42
- Morgan Stanley (MS) 22–3
- mortgage-backed securities (MBSs) 185–6
- moving average models (MAs) 32–5, 38, 93, 106–8, 149–53, 158–9, 180, 210–12, 224–5, 238
- see also* EWMA; stationarity
- critique 33, 149–53
- definition 32–3, 210–11
- Matlab 106–8, 149–53
- R 106–8, 149–53
- VaR 106–8, 149–53, 158–9
- MSE *see* mean squared error
- m*th centered moment of a distribution, definition 18–21, 203–4
- multigarch() 53–4
- multiperiod volatility, GARCH family of models 39–40
- Multivariate HS 96–7
- Multivariate normal distributions 9–29, 101–2, 199–200, 203, 223, 236–7
- see also* nonlinear dependence
- Multivariate volatility models 1, 9–29, 31, 56, 57–71, 93, 100–1, 107–10, 137–42, 199–200, 203, 223, 236–7, 248
- see also* BEKK; CCC; DCC; EWMA; GARCH ...; MVGARCH; OGARCH; volatility models
- application 58–71, 107–10
- complexities 57–8
- definition 31, 57–8
- estimation comparisons 65–7
- extensions of GARCH 67–71
- GARCH family of models 44, 62–3, 65–71, 93
- Matlab 58–71, 108
- nonlinear dependence 25
- positive semi-definiteness 58–71
- R 58–71, 108
- mutual funds 2
- MVGARCH 67–71
- see also* BEKK; GARCH ...
- mvrnorm() 137–9
- NaN (not a number) 43–4, 51, 61, 69, 129, 148–53, 161–2
- nargin/nargout 239
- New York Stock Exchange (NYSE) 1–29
- Newton–Raphson method
- see also* Taylor expansion
- definition 247
- Nikkei 225 index 2

- NINJA borrowers 186
- NLD *see* nonlinear dependence
- nlm() 228–9
- nonlinear dependence (NLD) 1, 9, 21–9, 95–8  
*see also* correlation ...; multivariate ...; stylized facts of financial returns
- copulas 25–9
- crisis periods 21–4, 29
- definition 9, 21–8
- exceedance correlations 23–4
- models 25–9
- multivariate volatility models 25
- sample evidence 21, 22–3
- nonlinear models 245–53  
*see also* maximum likelihood
- nonnormality issues 14–29, 31–56  
*see also* fat tails
- nonparametric estimation methods 93–8, 109–10, 149–53  
*see also* historical simulations
- nonuniform RNGs 123–4
- normal distributions 1–29, 42–4, 46–51, 56, 64, 73–6, 79, 87–91, 93, 98–9, 101–2, 103–4, 171, 172–3, 176, 198–216, 222–4, 228–9, 236–7, 242–3, 246–53  
*see also* multivariate ...; standard ...
- assumptions 1, 16–29, 75–6, 79, 91, 93, 98–9, 101–2
- definition 16–21, 25, 198–9
- normal GARCH 40–4, 56  
*see also* GARCH ...
- normal likelihood functions 228–9, 246–7
- normality testing 6–9, 14–15, 16–21, 47–51, 74–5, 79, 214–15, 223–4, 237  
*see also* fat tails; Jarque–Bera ...; Kolmogorov–Smirnov ...
- critique 20
- definition 214–15, 223–4, 237
- Matlab concepts 237
- R concepts 223–4
- S&P 500 summary return statistics from 1928 to 2009 6–9
- normcdf() 118–19, 124
- norminv() 87, 101–2, 104, 106–9, 161–2
- normpdf() 87, 104, 118–19, 161–2
- numerical methods 121–42  
*see also* Monte Carlo simulations
- NYSE *see* New York Stock Exchange
- objects, R concepts 7–9, 217–30
- OGARCH 62–3, 65–7, 70–1  
*see also* GARCH ...
- critique 70–1
- definition 62–3
- Matlab 62–3, 67
- R 62–3, 67
- oil price returns 19
- operational risk, capital requirements 146–7
- optimizers 43–4, 228–9, 247–8  
*see also* likelihood functions
- options 5, 12, 20–1, 54, 73, 80–1, 84–5, 110, 111–20, 121, 124–5, 129–42, 192–6  
*see also* American ...; call ...; derivatives; European ...; put ...
- Black–Scholes options pricing model 5, 20–1, 54, 115–20, 125, 129–42, 192–4
- definition 115–16, 192–3
- delta 111, 116–20, 192–6
- delta-normal VaR 119–20
- density plots 131–2
- exotic options 139–40
- gamma 111, 116–20
- the “Greeks” 78–9, 111, 115–20, 192–3
- Monte Carlo simulations 121, 124–5, 129–42
- portfolio VaR 139–42
- types 115
- VaR 111, 119–20, 133–42
- ordinary least squares 41, 245
- out-of-sample forecast comparisons, volatility models 44–6
- out-of-the-money options 116–20
- outstanding shares, value-weighted indices 2–9
- Ox language 69
- Oxford MFE toolbox 9, 152–3, 231
- p*-value test statistic 6–9, 13–14, 153–60, 212–14, 224–5, 237  
*see also* Jarque–Bera ...; Ljung–Box ...
- pacf() 224–5
- packages, R concepts 217, 223
- parameters 37–9, 43–4, 57–71, 245–53
- ARCH restrictions 37–8, 43–4
- GARCH restrictions 38–9, 43–4
- ML 43–4, 245–53
- parametric estimation methods 93–4, 98–110, 172–4  
*see also* variance–covariance method
- Pareto distributions 169–70, 171, 172–4, 223, 236–7
- PCA *see* principal components analysis
- pchisq() 158, 214
- PDFs *see* probability density functions

- peaks over threshold approach (POT) to EVT, concepts 172–82
- Pearson's correlation coefficient  
*see also* correlation coefficient  
 definition 203
- pie charts 243
- plot() 7–9, 13–14, 50–1, 67, 123–4, 217, 219, 224, 229–30, 231, 233, 237–8, 243
- pnorm() 117–19, 123–4, 222–3
- points, stock market indices 1–9
- Poisson distributions 223, 236–7, 250–1
- poker 185
- portfolio VaR, Monte Carlo simulations 137–42, 164
- portfolios 1, 12–29, 41, 57–71, 73–91, 93–110, 121–42, 192–6  
*see also* expected shortfall; multivariate volatility models; Value at Risk  
 backtesting 143–66  
 bonds 42, 115, 124–9, 164–5  
 conditional means 41  
 dynamic replication strategies 192–6  
 liquidity issues 78–9  
 options 139–42
- positive feedback loops 184–96
- positive homogeneity axiom of coherent risk measures, concepts 82
- positive semi-definiteness, multivariate volatility models 58–71
- postscript files 229–30
- POT *see* peaks over threshold approach ...
- power GARCH models, definition 52
- power of the test  
*see also* type-1/2  
 errors definition 214
- predictability 12–14, 210–16  
*see also* autocorrelation; time series
- price-weighted indices 2–9
- prices 1–29, 98, 152–3, 164, 168, 183–96  
*see also* returns; stock market indices  
 definitions 2–9  
 dual roles 190–6  
 endogenous risk 183–96  
 exogenous risk 188–9, 195  
 financial crises 185–8, 191–6  
 global financial crisis from 2007 5, 10–11, 20–1, 28, 98, 152–3, 164, 168, 185–8, 195–6  
 marking-to-market valuations 190–1  
 statistical analysis techniques 1–29  
 stock market crash of 1987 7, 10–11, 14, 21, 164, 191–6
- principal components analysis (PCA) 62–3, 71, 129
- print 243
- probabilities, VaR 33, 54–5, 73, 76–91, 208, 213
- probability density functions (PDFs) 76–85, 86–91, 197–216, 222–3, 229–30, 235–7
- probability integral transformation 25–9  
*see also* copulas
- profit and loss 73–91, 93–110, 133–42, 160
- pseudo random number generators 121–4
- put options 84–5, 115–20, 136–42, 192–6  
 definition 115, 192  
 VaR manipulations 84–5
- QML *see* quasi-maximum likelihood
- qnorm() 87, 101–2, 104, 107–8, 149–50, 161–2, 222–3
- QQ plots 17–21, 48–51, 215, 223–4, 237  
*see also* quantiles
- QRMLib 102–3
- qt() 102–3
- quad() 104
- quadratic approximations, concepts 247
- quantile function, definition 198
- quantiles 17–21, 28–9, 76–7, 80–5, 93–110, 142, 173–4, 198–201, 215, 222–3, 234, 236  
*see also* QQ plots; Value at Risk
- quantitative trading 31
- quasi-maximum likelihood (QML), definition 41
- R 1, 7–29, 31, 46–56, 58–71, 87–8, 97–8, 104, 117–19, 129–32, 135–6, 139–40, 155, 158, 161–2, 214, 217–30, 247  
 ACF 224–5  
 APARCH models 53–4  
 ARCH 48–51  
 ARMA 224–5  
 autocorrelation 8–9, 13–14, 224–5  
 backtesting 147–53  
 Bernoulli coverage test 155, 158  
 Black–Scholes options pricing model 117–19, 129–32, 135–6, 139–40  
 bond prices 112, 125–6  
 CCC 65  
 comments 217–18  
 data manipulation functions 7–9, 219–20  
 DCC 65, 67  
 definition 217  
 delta 117–19  
 distributions 222–4

- R (*cont.*)
- ES 87–8, 97–8, 104, 161–2
  - EVT 182
  - EWMA 60, 67, 107–8, 148–53
  - financial time series 7–9, 197
  - gamma 117–19
  - GARCH family of models 48–51, 53–4, 65, 108–10, 148–53
  - graphics 229–30
  - higher moments 220
  - Hill estimator method 175–6
  - HS 95–7, 149–53
  - independence coverage test 156–8
  - information sources 217
  - inputting data 7–9, 23, 48–51, 58–9, 94–5, 147–8, 217–19
  - introductory background 217–30
  - kurtosis 8–9, 225–7
  - libraries 217
  - likelihood functions 228–9
  - loops and repeats 60, 106–8, 127–9, 148–53, 156–8, 161–2, 226–8
  - MAAs 106–8, 149–53
  - matrix computations 60–2, 218–19, 220–2
  - MLE 228–9
  - Monte Carlo simulations 130–2, 133–9
    - multivariate volatility models 58–71, 108
  - normality testing 223–4
  - OGARCH 62–3, 67
  - operations 7–9, 219–22
  - optimizers 228–9, 247
  - p*-value test statistic 214
  - packages 217, 223
  - reading recommendations 217
  - RNGs 123–4
  - S&P 500 index 7–9, 46–56
  - simple operations 7–9, 219–22
  - Student-*t* VaR 102–3
  - time series 7–9, 224–5
  - univariate volatility models 46–56, 107–8
  - VaR 87–8, 101–3, 106–8, 133–9, 147–53
  - writing functions 225–7
  - yield curves 126–9
- rand() 124
- randn() 124, 127–9, 131–2, 134, 238–40, 242–3
- random number generators (RNGs) 121–4, 140–2
  - see also* Monte Carlo simulations
  - definition 122–3
  - issues to be addressed 140–2
  - linear congruential generators 122–3
  - Matlab 123–4
  - nonuniform
  - RNGs 123–4
  - R 123–4
- random numbers 121–42, 222–3, 226–7, 236
  - see also* Monte Carlo simulations
  - definition 121–2
- random shocks 35–41, 55–6, 57–71, 163–6, 167–82
- random variables (RVs) 25–9, 197–201, 245–53
- random walks 129–42, 212–13
- rbind() 221–2
- realized volatility models 32, 54, 55–6
- regular variation, definition 170–1
- repmat() 127–9, 138–9
- reshape() 63, 65
- residuals 31–56
- return() 118–19, 155–8
- returns 1–29, 57–71, 73–91, 99–110, 132–42, 143–66, 170–1, 202, 219, 245–53
  - see also* continuously compounded ... ; ergodicity; excess ... ; prices; S&P ... ; simple ... ; stationarity
  - definitions 2–5
  - EVT 170–1
  - expected returns 104–5
  - leverage effect 51–2, 56
  - statistical analysis techniques 1–29
  - stylized facts of financial returns 9–29, 45
  - types 2–5
- risk
  - see also* credit ... ; endogenous ... ; foreign exchange ... ; interest rate ... ; market ... attitudes 73–5
  - aversion 24, 73–5
  - default risks 28, 185–7
  - definitions 73–5
  - endogenous risk 183–196
  - exogenous risk 183, 195
  - neutrality concepts 125
  - profiles 76
  - transformation concepts 111–20, 121–42
  - types 79, 146–7, 183–96
- risk management 12, 20–1, 57, 78–9, 89–90, 143, 163–6, 167–82, 184–96
  - see also* extreme value theory; stress testing
  - decision making 75, 196
  - endogenous risk 184–96
  - fat tail implications 20–1, 167–82
  - holding periods 89–90, 146, 178–9
  - scaling laws 89–90
  - VaR 78–9

- risk measurement, definition 75
- risk measures 6–7, 9–14, 73–91, 93–110, 111–20, 121–42, 143–66, 213  
*see also* expected shortfall; Value at Risk; volatility
- backtesting 38, 44, 76, 89, 91, 93, 98, 143–66, 208
- CLT 213
- coherent risk measures 80, 81–4
- critique 11, 73–5, 90–1, 149–53
- decision making 75, 196
- definitions 73–5
- difficulties 73–5, 78, 90–1
- EVT 173–82
- implementation 93–110, 111–20, 121–42, 143–66
- nonparametric estimation methods 93–8, 109–10, 149–53
- parametric estimation methods 93–4, 98–110, 172–4
- quality of forecasts 143–66
- scenario analysis 165–6
- stress testing 143, 163–6
- types 73–91, 149–53
- underestimates 20–1, 76, 143–66
- risk models 6–7, 9–14, 20, 29, 31, 33, 73–91, 143–66, 184–96, 213  
 definition 20, 75  
 means 73–6, 213  
 quality of forecasts 143–66  
 stress testing 143, 163–6
- risk-free rates 4–5, 13–14, 115–20, 129–42
- RiskMetrics 32, 33–4  
*see also* EWMA
- RNGs *see* random number generators
- rnorm() 124, 127–9, 131, 134, 222–3, 226–9
- roulette view of uncertainty 185, 196
- rt() 124
- runif() 124
- RVs *see* random variables
- S&P 500 index 1–29, 31–56, 93–110, 147–53, 157–9, 175–81, 195, 233  
 log scale from 1791 to 2009 5–6  
 nonnormality issues 14–15  
 sample returns from 1970 to 2009 175–81  
 sample returns from 1994 to 2009 147–53, 157–9  
 summary return statistics from 1928 to 2009 6–9, 10–11, 12–14
- sacf() 9, 14, 237–8
- sample means  
*see also* expected values  
 definition 202
- scaling laws  
*see also* central limit theorem  
 definition 89–90
- scan() 219
- scatterplots 25–8, 243
- scenario analysis 163–6  
*see also* stress testing
- sd() 101–2, 106–8, 128–9, 131–2, 149–50
- second centered moment of a distribution  
*see also* variance  
 definition 16, 204
- securitization 185–6
- seeds, concepts 123–42
- sensitivities 78–9, 111, 115–20, 192–6  
*see also* “Greeks”
- seq() 123–4, 128–9, 131–2, 218–19, 222
- sequential moments graphical detection method, fat tails 18–21
- set.seed() 124, 127–9, 131, 134, 137
- shape parameter, definition 169
- Shepard, Kevin 231
- shocks 35–41, 55–6, 57–71, 163–6, 167–82  
*see also* scenario analysis
- significance levels *see* quantile . . .
- significance testing 212–16, 250–3  
*see also* statistical hypothesis testing
- simple returns 3–9, 99–100  
*see also* returns
- simulations 11–12, 73, 93–8, 121–42, 164–5, 194–5, 210–12  
*see also* Monte Carlo simulations  
 dynamic trading strategies 194–5  
 stress testing 164–5  
 volatility clusters 11–12
- size() 232–3
- skew *t*-GARCH model 41, 42–4, 46–51, 52–3  
*see also* GARCH . . .
- skewness 1–29, 41, 51–2, 168–9, 204–5, 214–15, 220, 230, 234  
*see also* fat tails  
 definition 16, 204–5  
 estimation formula 205  
 S&P 500 summary return statistics from 1928 to 2009 6–9  
 skew *t*-GARCH model 41, 42–4, 46–51, 52–3
- Sklar’s theorem 27
- solve() 221–2
- sort() 95–7, 134–9, 149–50, 161–2, 175–6

- source() 118–19, 226  
 spacf() 237–8  
 SPlus 217  
   *see also* R  
 sqrt() 60, 63, 65, 101–2, 107–9, 117–19,  
   134–6, 149–50, 161–2  
 square-root-of-time scaling 90, 178–9  
 squared returns 6–7, 12–14, 46–52, 60, 63,  
   65, 101–2, 107–9, 117–19, 134–6,  
   149–50, 161–2  
   *see also* volatility S&P 500  
   summary return statistics from 1928 to 2009  
     6–7, 12–14  
   uses 13–14, 46–52  
 stagflation of the 1970s 5–6  
 standard deviation 6–11, 101–2, 106–8,  
   115–20, 126, 128–9, 131–2, 147,  
   149–50, 199–205, 220, 234, 236–7,  
   238–9, 245–53  
   *see also* volatility  
   definition 9–11, 202  
   S&P 500 summary return statistics from  
     1928 to 2009 6–9, 10–11  
 standard error 11, 32–5, 56, 202, 220, 234,  
   237–8  
 standard normal distributions  
   *see also* normal distributions  
   definition 199–200  
 stationarity 3, 37–8, 209–10  
   *see also* moving average models; returns;  
   white noise  
 statistical analysis techniques, prices and  
   returns 1–29  
 statistical hypothesis testing 16–21, 46–51,  
   153–60, 212–16, 223–4, 237, 250–3  
   *see also* Lagrange multiplier ...; likelihood  
   ratio ...; normality ...; p-value ...;  
   QQ plots; significance ...; type-1/2 errors;  
   Wald ...  
 statistical tests for fat tails 16–21, 170–1  
 std() 106–8, 150  
 stochastic volatility models (SV) 32, 54,  
   55–6, 181–2, 185  
 stock market crash of 1987 7, 10–11, 14, 21,  
   164, 191–6  
 stock market indices 1–29, 31–56  
   *see also* Dow Jones ...; FTSE; Nikkei ...;  
   price-weighted ...; S&P ...; value-  
   weighted ...  
   types 2  
 stress testing 143, 163–6, 167–8  
   *see also* extreme value ...; risk  
   management; scenario analysis  
   strike prices, options 115–20, 136–42  
   structured credit products 25  
   Student-*t* distributions 1–29, 35–6, 40–4,  
     46–51, 52–3, 73–5, 93, 98, 102–3, 152,  
     168–71, 206–7, 212, 222–4, 236–7  
   *see also* fat tails; maximum likelihood  
   copulas 26–8  
   definition 206–7  
   exceedance correlations 24  
   Matlab 102–3  
   R 102–3  
   *t*-GARCH model 40–1, 46–51  
   VaR 102–3  
   stylized facts of financial returns 9–29, 45  
     *see also* fat tails; nonlinear dependence;  
     volatility clusters  
   subadditivity axiom of coherent risk  
     measures 81–91  
     definition 81–3  
     volatility 82–3  
   subprime CDOs 25, 185–6  
   subprime mortgage markets 185–8  
     *see also* global financial crisis from 2007  
   sum() 125–6, 128–9, 155–8  
   super-fat tails 83–4  
   supply/demand functions, banks 190  
   swaps 164, 167  
   switch case loops, Matlab concepts 241–2  
   systemic risk 183–96  
     *see also* risk  
   *t*-GARCH model 40–1, 46–51, 109, 152  
     *see also* GARCH ...; Student ...  
   tail() 94–5  
   tail index measures 18–21, 37–8, 167–82  
     *see also* extreme value theory  
   tail VaR *see* expected shortfall  
   tarch() 152  
   Taylor expansion 171, 247  
     *see also* Newton–Raphson method  
   testing window  
     concepts 143–66  
     definition 144  
   third centered moment of a distribution *see*  
     skewness ...  
   threshold values 168–82  
   time aggregation 105, 176–82  
   time dependence, EVT 179–82  
   time series 1–29, 94–5, 147–53, 157–9,  
     197–216, 224–5, 237–8  
     basic concepts 208–10, 224–5  
     financial time series 7–9, 94, 197–216  
     Matlab concepts 7–9, 237–8

- R concepts 7–9, 224–5
- reading recommendations 197
- simple models 210–12
- time series objects, definition 94
- time to maturity 111–20
- time-dependency 11–12, 106–10
- tinV() 103
- toolboxes, Matlab 8–9, 17, 48–51, 53–4, 62–3, 152–3, 231–43
- TOPIX 2
- trading time, definition 133
- transaction costs 13–14
- translation invariance axiom of coherent risk measures 82
- trnd() 124
- tseries R library 7–8, 94–5, 219
- type-1/2 errors, definition 154–5, 214
  
- UCSD GARCH Matlab toolbox 53–4, 62–3, 231, 237–8
- unconditional coverage test, backtesting 153–60
- unconditional volatility 1, 11–29, 35, 36, 38–9, 43, 60–2, 152–3, 180–1
  - ARCH 36
  - definition 11, 35
  - EWMA model 35, 43, 60–2
  - GARCH family of models 38–9, 43, 152–3
- underestimates, risk measures 20–1, 76, 143–66
- underforecast risk, violation ratios 146–66
- underlying assets 111, 115–20, 121–42, 192–6
  - see also* options
- unimodal likelihood function, concepts 248–9
- univariate HS 95–6
- univariate volatility models 1–29, 31–56, 57–8, 69, 94, 101–2, 107–10, 199
  - see also* APARCH; ARCH; EWMA; GARCH ...; implied ...; realized ...; stochastic ...; volatility models
  - application 34–5, 46–53, 69, 107–10
  - definition 31
  - Matlab 46–56, 107–8
  - R 46–56, 107–8
- urlread() 233
- US 5–6, 185–8
  
- Value-at-Risk (VaR) 33, 54–5, 73, 76–91, 93–110, 111–20, 121, 132–42, 143–66, 167, 173–82, 190, 208, 213
  - see also* expected shortfall; risk measures
- application 80–5, 93–110, 111–20, 132–42, 143–66, 173–82
- backtesting 76, 89, 91, 98, 143–66
- bonds 111–20
- calculation steps 78, 91
- CLT 213
- coherent risk measures 80, 81–4
- continuously compounded returns 100–1
- convexity 114–15
- critique 76, 78–9, 80–5, 88–9, 91, 152–3
- definition 76–80, 99–100
- delta-normal VaR 119–20
- duration-normal VaR 112–15
- endogenous risk 190
- EVT 173–82
- EWMA 107–8, 146–7, 148–53, 158–62
  - expected returns 104–5
- GARCH family of models 108–10, 146, 148–53, 158–9, 167, 174
- holding periods 76–85, 89–91, 146, 178–9
- HS 93–8, 143–53, 158–62
- implementation 93–110, 111–20, 121, 132–42, 143–66, 173–82
- interpretation and analysis 78–9, 150–3
- manipulation issues 80, 84–5
- MAs 106–8, 149–53
- Matlab 87–8, 101–3, 106–8, 133–9, 147–53
- Monte Carlo simulations 110, 111, 115, 120, 121, 132–42
- multivariate implementation framework 100–2
- normality issues 79, 91, 93, 98–9, 101–2
- options 111, 119–20, 133–42
- paradox 80
- popularity 76–7, 88–9, 91
- portfolio VaR 137–42, 164
- positive/negative numbers 77–8, 79–80
- quantile limitations 80–1, 84–5
- R 87–8, 101–3, 106–8, 133–9, 147–53
- simple returns 99–100
- square-root-of-time scaling 90, 178–9
- stress testing 165–6
- Student-*t* distributions 102–3
- subadditivity axiom 83–91
- time aggregation 105, 176–82
- time-dependent volatility 106–10
- univariate implementation framework 101–2
  - violations 143–66, 208
- value-weighted indices 2–9, 32–3
- var() 107–8, 148–53
- VaR *see* Value at Risk

- variance 14–15, 16–21, 35, 57–71, 73–6, 93–110, 174–5, 199–210, 220, 224, 234, 242–3, 245–53  
*see also* covariance; GARCH ...  
 definition 102, 199, 202  
 properties 202–3
- variance–covariance method (VCV) 93–110, 181–2  
*see also* parametric estimation methods
- vector() 128–9
- vectors  
 Matlab concepts 7–9, 128–9, 232–3, 240  
 R concepts 128–9, 218–19
- violation ratios (VRs) 145–66
- violations  
*see also* backtesting; Value at Risk  
 concepts 143–66, 208  
 definition 143, 145
- VIX 2
- volatility 1–29, 31–56, 73–4, 75–6, 90–1, 106–10, 111–20, 202, 216, 245–53  
*see also* conditional ...; risk measures; squared returns; standard deviations; standard error; unconditional ...  
 critique as a risk measure 11, 75–6, 91, 152–3  
 cycles 10–11  
 definition 9–11, 75–6, 202  
 high volatilities 5–6  
 interest rates 111–20  
 latent variables 31–56, 75  
 leverage effect 51–2, 56  
 predictability benefits 12  
 proxies 45–6  
 S&P 500 from 1791 to 2009 5–6  
 S&P 500 summary return statistics from 1928 to 2009 6–9, 10–11, 12–14  
 square-root-of-time scaling 90, 178–9  
 subadditivity aspects 82–3  
 underestimates of risk 76, 143–66
- volatility clusters 1, 7–29, 31–56, 153, 155–60, 216  
*see also* skewness ...; stylized facts of financial returns  
 definition 9, 11–14
- volatility models 31–56, 57–71, 73–4, 93, 106–10, 146–7, 148–53  
*see also* ARCH; EWMA; GARCH ...; implied ...; moving average ...; multivariate ...; realized ...; stochastic ...; univariate ...  
 alternative models 54–6  
 application 34–5, 46–53, 58–71, 106–10, 146–7, 148–53  
 challenges 31  
 definition 31–2  
 diagnosis 44–56, 65–7  
 goodness-of-fit measures 45–51  
 lags 31–56  
 LR 44–51, 52–4  
 MLE 41–4, 155–60  
 out-of-sample forecast comparisons 44–6  
 practical multivariate models 57–71  
 simple volatility models 32–5  
 types 32–56, 57–71
- volatility of volatility, concepts 38
- VRs *see* violation ratios
- Wald test 251, 253
- Wall Street Journal* 21
- Weibull distributions 169–70, 172–3, 223
- while loops 227–8, 240–2
- white noise 210–12, 215  
*see also* stationarity
- who, Matlab concepts 231–3
- Wiener process *see* Brownian motion
- window sizes 97–8, 143–66
- writing functions, R 225–7
- yield curves 112–15, 125–9, 164  
*see also* duration  
 shape changes 129, 164
- Z test statistic 215–16
- zero-coupon bonds 125–9