

Index

• A •

access, 239
access cost, 239
action plan, 178–180
add-on charges
 about, 239
 cost management, 156–157
adding MAC, 250
adding VoIP
 broadband, 96
 wireless networking, 122–123
advanced hard phones, 144
Alcatel, 227, 229
analog
 about, 239
 VoIP, 24–25
analog modulation, 22–23
analog phones, 25
analog telephone circuits, 22–23
annualized financial analysis, 197
application layers
 about, 18–19, 239
 TCP/IP, 17
area code, 26, 239
assumptions, 3–4
asymmetric transmission
 about, 240
 broadband, 94
asynchronous transfer mode (ATM),
 73–74
ATM (asynchronous transfer mode),
 73–74
AT&T, 236
attenuation, signal, 91
Avaya, 227, 228

Avaya MultiVantage Communications
 Applications suite, 228
Axxess, Inter-Tel, 232

• B •

B channel, 240
bandwidth
 about, 240
 allocation, 240
 cost management, 170–171
 dedicated transports, 106
 home VoIP, 219
 switching reasons, 215–216
bandwidth on demand, 170–171
basic hard phones, 143
basic rate interface (BRI)
 about, 240
 PSTN, 83
Bell, Alexander Graham, 21–22
BellSouth, 236
billing
 home VoIP, 218
 single-location companies, 189
bottom-line analysis, multiple
 locations, 185
BRI (basic rate interface)
 about, 240
 PSTN, 83
broadband
 about, 93, 240
 adding VoIP, 96
 asymmetric transmission, 94
 cable modem, 95–100
 cable modem setup, 96–98

broadband (*continued*)

cable modem troubleshooting, 98–99

HFC CSI, 95–100

market, 95

network contention, 98–99

network failure, 99

symmetric transmission, 94

television, 95–96

transmission methods, 94–95

users, 95

• C •

cable modems

about, 93, 95, 100

setup, 96–98

troubleshooting, 98–99

call control

about, 241

PSTN, 87–88

call features, 145

call forwarding, 241

call interception myth, 224

call setup, 86

call support, single-location companies,
193–194

call tear down, 87

call transfer, 241

caller, 19

calling feature, 241

Carnivore, 224

carrier service providers. *See* carriers

carrier services company. *See* carriers

carrier services infrastructure (CSI)

about, 65, 76–78, 241, 242

DS dedicated, 64, 67, 69–72

HFC CSI, 95–100

HFC dedicated, 64

HFC hybrid fiber-coaxial CSI, 75

optical carrier, 72–74

OS dedicated, 64

PSTN switched, 64, 67–69

switched, 64

wireless, 75–76

carriers

about, 241

home VoIP, 217–218

case studies

cost management, 166–168

savings, 56–59

Central Office Exchange, 241

Centrex

about, 241

cost management, 159, 162–163

telephony model, 34–36

changing MAC, 250

channelizable, 170

channelization, 241

channels

about, 29

B channel, 240

D channel, 242

charges

about, 41

network access, 42–43

recurring costs, 54–55

savings, 52–55

service categories, 43–52

toll-bypass, 54

circuit-switched

about, 29

locations, 184–185

circuit-switched networks, 27–28

circuit-switched telephone service,
12, 24, 242

Cisco Systems, 227, 228

CLEC (competitive local exchange
carrier), 235, 242

codec, 23, 24

coder-decoder, 23

Comcast, 236

company use, cost management, 158–162

comparison costs, 201–204

competitive local exchange carrier
(CLEC), 235, 242

- compression
 - about, 242
 - poor, 90–91
- computers
 - portable, 148–149
 - soft phones, 147
 - stationary, 148
- consumers
 - about, 2
 - VoIP, 79–80
- contention, 70
- contention-based networks, 98–99
- contracts, single-location companies, 188–189
- convergence
 - about, 242
 - cost management, 166
- converging networks, 38–39
- conversions, single-location companies, 193
- convincing management, cost management, 168–169
- corporate sector, VoIP, 79
- corporate users, 2
- cost
 - dedicated transports, 106–108
 - features, 244
 - virtual private network, 137, 139
 - VoIP over DSL transport, 86
- cost management
 - about, 155
 - adding costs, 171
 - add-on charges, 156–157
 - bandwidth, 170–171
 - case study, 166–168
 - Centrex, 159, 162–163
 - changing costs, 171
 - channelizable, 170
 - company use, 158–162
 - convergence, 166
 - convincing management, 168–169
 - deregulating, 157
 - eliminating charges, 155–158
 - eliminating phone lines, 156
 - free call features, 157–158
 - future needs, 170
 - integrated networking, 166
 - interstate access surcharge, 157
 - KTS, 159, 164
 - level three switches, 170
 - moving costs, 171
 - PBX, 159, 165–166
 - POTS, 158–161
 - reducing phone lines, 156
 - scalability, 171
 - taxes, 156–157
 - telecommunications relay surcharge, 157
 - transitions, 169–170
 - unified networks, 166–168
 - universal service fund, 157
- cost-effective designs, 205–206
- costs
 - about, 199
 - comparisons, 201–204
 - cost-effective designs, 205–206
 - evaluating, 199–204
 - gathering cost data, 200–201
 - hardware, 203
 - investments, 204–205
 - keeping current technology, 207–208
 - personnel, 204
 - recurring usage charges, 203
 - support, 206–207
 - switching reason, 212–213, 216
 - transport lines, 202
 - uninterruptible power supply (UPS), 203
- CSI (carrier services infrastructure)
 - about, 64–65, 241, 242
 - DS dedicated, 64, 67, 69–72
 - HFC dedicated, 64
 - HFC hybrid fiber-coaxial CSI, 75
 - optical carrier, 72–74

CSI (carrier services infrastructure)

(continued)

OS dedicated, 64

PSTN switched, 64, 67–69

switched, 64

wireless CSI, 75–76

• D •

D channel, 242

data, gathering cost, 200–201

data network standards, 73

decisions, single-location companies,
187–189

dedicated, 29

dedicated access, 242

dedicated carrier services network, 29

dedicated networks, 29–30, 243

dedicated transports

about, 105

bandwidth, 106

cost, 106–108

dedicating channels to
applications, 114

DS transports, 109–110

DS0, 114

dynamic bandwidth allocation, 114–115

high-quality calls, 109

managing bandwidth, 113–115

network convergence, 111–113

OC transports, 11

speed, 106

switched lines, 116–117

switched networks, 111–113

T1 line, 110

T3 line, 110

dedicating channels to applications, 114

delays

about, 243

PSTN, 88–89

dense wave division multiplexing
(DWDM), 243

deregulation, cost management, 157

digital

about, 243

VoIP, 24–25

digital networking, 22

digital phones, 25

digital service carrier service
infrastructure, 69

digital service (DS)

about, 243

dedicated CSI, 64, 67, 69–72

networks, 29–32

digital services carrier network, 28–29

digital signal carrier network, 28–29

digital subscriber line (DSL)

about, 93, 243

transport, PSTN, 85–86

VoIP through, 100–104

digital telephony

about, 25–29, 243

area code, 26

PSTN, 25–29

directory feature, hard phones, 146

DIRECTV Group, 236

downtime, multiple locations, 182

DS (digital service)

about, 243

dedicated CSI, 64, 67, 69–72

networks, 29–32

DS0, 29, 114, 243

DS3, 243

DSI, 243

DSL (digital subscriber line)

about, 93, 243

transport, PSTN, 85–86

VoIP through DSL connection, 100–104

DWDM (dense wave division

multiplexing), 243

dynamic bandwidth allocation, 114–115

dynamic channel allocation, 66

dynamically, 170

• E •

edge devices, 14–15
effects, multiple locations, 182–185
eliminated toll service charges, home
 VoIP, 218
eliminating charges, cost management,
 155–158
eliminating phone lines, cost
 management, 156
emergency services
 surcharges, 156
 switched lines, 117
encapsulation, 14, 244
encryption, 244
enhanced Internet access, home
 VoIP, 219
enhanced network management,
 switching reason, 214
E911, 244
Enterprise IP Telephony, 227
errors, PSTN, 88–89
Ethernet
 about, 74, 244
 LANs, 70
 networking, 120
evaluating costs, 199–204
exclusivity, 106
existing networks
 locations, 174–177
 single-location companies, 190–192
expensive features myth, 225–226
extensibility, 244
external calls, 14–15

• F •

FBI, 224
FCC (Federal Communications
 Commission), 43

features
 availability, 212
 cost, 244
 hard phones, 144–146
 soft phones, 149
Federal Communications Commission
 (FCC), 43
federal taxes, 156
fiber optic, 245
fiber to the home (FTTH), 99
fiber-optic cabling systems, 73
financial analysis, single-location
 companies, 196–197
firewalls
 about, 245
 consumer VoIP, 135
 Internet, 134–137
 packet filter, 135
 proxy server, 136
 stateful event monitor (SEM), 136–137
flexibility
 switching reasons, 214
 VoIP (voice over Internet protocol),
 15–16
foundation network, 202
frame relay, 70
frames, 70, 245. *See also* MAC
free call features, cost management,
 157–158
free local service, home VoIP, 218
FTTH (fiber to the home), 99
future needs, cost management, 170

• G •

Gartner, 227
gateway, 245
gathering cost data, 200–201
graphical user interface (GUI), 149

• H •

hard phones
 about, 142–143, 245
 advanced, 144
 basic, 143
 directory feature, 146
 features, 144–146
 intermediate, 144
 phone feature, 246
 Web access, 146

hardware costs, 203

headers, TCP/IP layer, 18

HFC (hybrid fiber-coaxial)
 about, 245
 CSI, 75, 95–100
 dedicated CSI, 64

high-quality calls, dedicated transports, 109

home VoIPs
 about, 217
 eliminated toll service charges, 218
 enhanced Internet access, 219
 free local service, 218
 more bandwidth, 219
 more ports available, 220
 reduced international charges, 219
 reduced toll service charges, 218
 single bill, 218
 single carrier, 217–218
 videoconferencing, 220
 wireless service, 220

hop, 245

hosted telephony, 245

hosted VoIP, 245

hosted VoIP telephony, 245

hotspots, 124

HTTP (hypertext transfer protocol), 126

hybrid fiber-coaxial CSI, 75

hybrid fiber-coaxial (HFC), 245

hypertext transfer protocol (HTTP), 126

• I •

IEEE, 246

IEEE 802.3 standard, 246

IEEE 802.11 standard, 120–121, 246

IEEE 802.16 standard, 123–124, 246

IEEE 802.11a standard, 120

IEEE 802.11b standard, 121

IEEE 802.11g standard, 121

ILEC (incumbent local exchange carrier), 235, 242, 246. *See also* CLEC

implementing
 multiple locations, 181–182
 single-location companies, 192–196
 virtual private network, 139–140

inbound calls, 112

information technology professionals, 3

in-house support, 206–207

in-state toll, 246

integrated networking, cost management, 166

integrated services digital network (ISDN), 83–85, 240, 246

interexchange carriers (IXCs), 242, 246, 248

intermediate hard phones, 144

internal calls, 14

international, 246

international charges, home VoIP, 219

Internet
 about, 129–130, 246
 consumer VoIP, 135
 firewalls, 134–137
 ISPs, 132–133
 network options, 130–131
 protocol layers, 133–134
 virtual private network, 137–140
 VoIP, 78–79

Internet Engineering Task Force, 140

Internet Protocol (IP), 247

Internet service providers (ISPs), 246

Internetwork layer, TCP/IP, 17

interoperability, 13
interoperable telephony services, 13
interstate access surcharge, 157
interstate tolls, 246, 249
intralata tolls, 247, 249, 253
intranet, 130, 247
intrastate tolls, 247
Inter-Tel, 227, 232
investments
 costs, 204–205
 switching reason, 213
IP address, 247
IP Centrex, 245, 247
IP (Internet Protocol), 247
IP soft phones
 about, 247
 pocket PCs, 122
IP telephony (IPT), 11–12, 247
IP-PBX, 114
IPT (IP telephony), 11–12, 247
ISDN (integrated services digital network)
 about, 247
 B channel, 240
 transport, 83–85
ISPs (Internet service providers), 132–133, 248
IXCs (interexchange carriers), 242, 246, 248

• **J** •

jitter, 90
jitter buffer, 90

• **K** •

keeping current technology, costs, 207–208
key telephone system (KTS), 36–37, 159, 164, 248
KTS (key telephone system), 36–37, 159, 164, 248

• **L** •

LANs (local area networks), 12–13, 248–249
last mile, 108, 248
LATA (local access and transport area), 27, 248, 249
leading edge technology, switching reason, 211–212
LEC. *See* ILEC
level three switches, 170
line cost, 248
line features, 145
lines, 248
 T1 lines, 110, 243
 T3 lines, 110, 243
 switched, 116–117
local access and transport area (LATA), 27, 248, 249
local area networks (LANs), 12–13, 248–249
local calling areas, 249
Local Exchange Carriers (LECs), 42, 242
 See also ILEC
local loops, 24, 108, 248, 249
local service, home VoIP, 218
local toll calling areas, 45
local tolls, 249, 253
local unlimited calling areas, 45
locations. *See* multiple-location companies; single-location companies
long distance, 249
long-term plans, single-location companies, 189

• **M** •

MAC (media access control), 13, 120, 249, 250
maintenance, switching reason, 213–214
MAN (metropolitan area network), 250
management, switching reason, 213–214

- managers, 2
 - managing bandwidth, dedicated
 - transports, 113–115
 - manufacturers
 - about, 227
 - Alcatel, 227, 229
 - Avaya, 227, 228
 - Cisco Systems, 227, 228
 - Inter-Tel, 227, 232
 - Mitel, 227, 230
 - NEC, 227, 230–231
 - Nortel, 227, 230
 - Shoretel, 227, 231
 - Siemens, 227, 229
 - 3COM, 227, 231
 - market, broadband, 95
 - MCI, 73, 236
 - media access control (MAC), 13, 120, 250
 - METAspectrum, 227
 - metropolitan area network (MAN), 250
 - Microsoft Outlook, 149
 - Mitel, 227, 230
 - mobile users, 16
 - monthly recurring costs (MRCs), 250
 - moving MAC, 250
 - MRC (monthly recurring costs), 250
 - Multimedia Communication
 - Server 5100, 230
 - multiple locations, 173–174
 - multiple-location companies
 - about, 173
 - bottom-line analysis, 185
 - circuit-switched, 184–185
 - downtime, 182
 - effects, 182–185
 - existing networks, 174–177
 - implementation, 181–182
 - multiple, 173–174
 - network costs, 182–184
 - network features, 182–185
 - plan development, 177–180
 - plug-and-play, 181
 - multiplex (MUX), 110
 - MUX (multiplex), 110
 - myths
 - about, 221
 - calls can be intercepted, 224
 - expensive features, 225–226
 - 911 calls not dependable, 224–225
 - phones are pricey, 223
 - POTS is cheaper, 222
 - POTS is faster, 223
 - runs only on Internet, 222
 - service quality, 223
 - staying power, 225
 - throw out PBX phones, 226
- N •
- narrowband, 93
 - NBX, NEC, 231
 - NEC, 227, 230–231
 - NEC Unified Solutions, 231
 - network access charges, 42–43
 - network contention, broadband, 98–99
 - network convergence, dedicated
 - transports, 111–113
 - network costs, multiple locations,
 - 182–184
 - network delay, PSTN, 90
 - network failure, broadband, 99
 - network features, 182–185, 250
 - network interface cards (NICs), 13, 250
 - network interface layer, TCP/IP, 17
 - network management system (NMS),
 - 250, 251
 - network options, Internet, 130–131
 - network timing protocol (NTP),
 - 19, 250, 251
 - networks
 - about, 14
 - costs, single-location companies, 192
 - soft phones, 147
 - Nextel Communications, 236
 - NICs (network interface cards), 250
 - 911 calls
 - about, 239
 - emergency surcharge, 156

E911, 244
not dependable myth, 224–225
NMS (network management system),
250, 251
nonconverged DS networks, 30
nonconverged PSTN, 30
nonintegrated networks, 32
Nortel, 227, 230
NPA (numbering plan area), 27–28, 251
NTP (network timing protocol),
19, 250, 251
number exchange (NXX), 27–28, 251
numbering plan area (NPA), 27–28, 251
numbers, telephone, 24
NXX (number exchange), 27–28, 251
Nyquist, Harry, 23

• O •

OC (optical carrier)
about, 72–74
network, 251
transports, 11
OC3, 251
OC12, 251
office savings, 53
off-net, 251
off-net calls, 38
OmniPCX communications platform, 229
on-net, 251
optical carrier network, 251
optical carrier (OC)
about, 72–74
network, 251
transports, 11
OS dedicated carrier services
infrastructure (CSI), 64
outbound calls, 112

• P •

packet filters, 135
packets, 252

packet-switched, 12, 29, 252
partnering for support, 207
payload, PSTN, 90
PBX (private branch exchange)
about, 252, 253
cost management, 159, 165–166
model, 36–37
PDAs (personal digital assistants), 13
person receiving VoIP, 19
personal digital assistants (PDAs), 13
personnel
allocation, 215
costs, 204
phones. *See* telephones; VoIP phones
physical layer
about, 252
TCP/IP, 17
plain old telephone service (POTS)
about, 22, 235, 252
cheaper myth, 222
cost management, 158–161
faster myth, 223
line costs, 33–37
line equivalencies, 42
lines, 252
telephones, 252
transport, PSTN, 82
VoIP through DSL connection,
101–104
plan development
about, 177
action of plan, 178–180
solution design, 177–178
plug-and-play, 181
point of presence (POP), 252
poor compression, PSTN, 90–91
POP (point of presence), 252
port speed, 70
portability
switching reasons, 214
VoIP (voice over Internet protocol), 13

- portable computers, 148–149
- ports available, home VoIP, 220
- POTS (plain old telephone service)
 - about, 22, 235, 252
 - cheaper myth, 222
 - cost management, 158–161
 - faster myth, 223
 - line costs, 33–37
 - line equivalencies, 42
 - lines, 252
 - telephones, 252
 - transport, PSTN, 82
 - VoIP through DSL connection,
 - 101, 103–104
- presence, 252
- PRI (primary rate interface)
 - about, 253
 - lines, 193–194
 - PSTN, 83–85
- primary rate interface (PRI)
 - about, 253
 - lines, 193–194
 - PSTN, 83–85
- privacy, 224
- private branch exchange (PBX)
 - about, 252–253
 - cost management, 159, 165–166
 - model, 36–37
- private dedicated transport network, 29
- private DS, 29
- private line networks, 106
- private line service, 66
- private networks, 29–32, 106
- private systems versus VoIP telephony,
 - 37–38
- private telephone systems, 33–37
- productivity applications, switching
 - reason, 215
- protocol layers, 133–134
- protocols, 11, 17
- proxy server, firewall, 136
- PST-VoIP baseline, PSTN, 82
- PSTN (public switched telephone network)
 - about, 12, 22, 24, 81, 240, 253
 - baseline, 253
 - BRI, 83
 - call control, 86–89
 - call control and VoIP, 87–88
 - delays and errors, 88–89
 - digital telephony, 25–29
 - DSL transport, 85–86
 - gateway, 253
 - ISDN transport, 83–85
 - jitter, 90
 - network delay, 90
 - networks, 29–32
 - payload, 90
 - poor compression, 90–91
 - POTS transport, 82
 - PRI, 83–85
 - PST-VoIP baseline, 82
 - quality, 89–91
 - service level agreement, 91
 - signal attenuation, 91
 - signaling system 7 (SS7), 87
 - switched CSI, 64, 67–69
 - VoIP support, 81–86
- public networks, 29–32
- public switched telephone network (PSTN)
 - about, 12, 22, 24, 81, 240, 253
 - BRI, 83
 - call control, 86–89
 - call control and VoIP, 87–88
 - delays and errors, 88–89
 - digital telephony, 25–29
 - DSL transport, 85–86
 - gateway, 253
 - ISDN transport, 83–85
 - jitter, 90
 - network delay, 90
 - networks, 29–32
 - payload, 90

poor compression, 90–91
POTS transport, 82
PRI, 83–85
PST-VoIP baseline, 82
quality, 89–91
service level agreement, 91
signal attenuation, 91
signaling system 7 (SS7), 87
switched CSI, 64, 67–69
VoIP support, 81–86
public telephone network, 29

• Q •

quality, PSTN, 89–91
Qwest Communications, 236

• R •

real-time network management, 109
real-time transport control protocol (RTCP), 19, 253–254
real-time transport protocol (RTP), 19, 253–254
real-time videoconferencing networks, 19
recurring costs, 54–55
recurring usage charges, 203
reduced international charges, home VoIP, 219
reducing phone lines, 156
regional tolls, 249, 253
regulatory fees, 239, 254
ring topology, 99
RJ-11, 143
RJ-45 connector, 142–143
RJ-45 LAN interface port, 245
routers, 254
routing calls from area code to area code, 26–27
RTCP (real-time transport control protocol), 254
RTP (real-time transport protocol), 19, 253, 254
runs only on Internet myth, 222

• S •

savings
 case study, 56–59
 charges, 52–55
 single-location companies, 195–196
SBC Communications, 236
scalability, 171, 254
SEM (stateful event monitor) firewalls, 136–137
servers, 13
service categories
 about, 51–52
 charges, 43–52
 international, 43, 50–52
 interstate, 43, 49–50
 intralata, 43–48
 intrastate, 43–45, 48–52
 local, 43–52
 service level agreement, PSTN, 91
 service quality myth, 223
session initiation protocol (SIP), 126, 127, 254
setup VoIP through DSL connection, 102–103
Shannon, Claude, 23
Shoretel, 227, 231
Siemens, 227, 229
signal attenuation, PSTN, 91
signaling system 7(SS7), 87, 254
single bill, home VoIP, 218
single carrier, home VoIP, 217–218
single-location companies
 about, 187
 billing, 189
 call support, 193–194
 contracts, 188–189
 conversions, 193
 decisions, 187–189
 existing networks, 190–192
 financial analysis, 196–197

- single-location companies (*continued*)
 - implementing, 192–196
 - long-term plans, 189
 - networking costs, 192
 - PRI lines, 193–194
 - savings, 195–196
 - SIP (session initiation protocol), 126–127, 254
 - slamming, 50
 - soft phones
 - about, 16, 146, 254
 - computers, 147
 - features, 149
 - network, 147
 - portable computers, 148–149
 - software, 147
 - stationary computers, 148
 - software, soft phones, 147
 - solution design, plan development, 177–178
 - speed, dedicated transports, 106
 - splitter, 254
 - Sprint, 236
 - SS7 (signaling system 7), 87, 254
 - standards
 - IEEE 802.3 standard, 246
 - IEEE 802.11 standard, 120–121, 246
 - IEEE 802.16 standard, 123–124, 246
 - IEEE 802.11a standard, 120
 - IEEE 802.11b standard, 121
 - IEEE 802.11g standard, 121
 - star topology, 99
 - state taxes, 156
 - stateful event monitor (SEM) firewalls, 136–137
 - stationary computers, soft phones, 148
 - staying power myth, 225
 - support costs, 206–207
 - switched carrier services infrastructure (CSI), 64
 - switched lines
 - dedicated transports, 116–117
 - emergency services, 117
 - switched networks
 - about, 29–30, 81
 - dedicated transports, 111–113
 - switches, 13
 - switching reasons
 - about, 211
 - bandwidth utilization, 215–216
 - cost-effectiveness, 212–213, 216
 - enhanced network management, 214
 - feature availability, 212
 - flexibility, 214
 - investment protection, 213
 - leading edge technology, 211–212
 - maintenance, 213–214
 - management, 213–214
 - personnel allocation, 215
 - portability, 214
 - productivity applications, 215
 - symmetric transmission, 94, 255
 - system features, 145
- 7 •
- taxes, cost management, 156–157
 - TCP, 255
 - TCP/IP
 - about, 255
 - differences, 17–20
 - layers, 17
 - model, 16
 - technology, costs and, 207–208
 - Telecommunications Act (1996), 235, 242, 255
 - telecommunications relay surcharge, 157
 - telephone calls, 1, 11
 - telephone networks, 22
 - telephone numbers, 24
 - telephony
 - about, 13
 - analog and digital, 24–25
 - Centrex model, 34–36
 - circuit-switched networks, 27–28
 - converging networks, 38–39

- digital, 23
 - digital services carrier network, 28–29
 - digital telephony, 25–29
 - expensive myth, 223
 - features, 146
 - KTS model, 36–37
 - PBX model, 36–37
 - POTS line costs, 33–37
 - private systems versus VoIP, 37–38
 - private telephone systems, 33–37
 - session initiation protocol
 - telephones, 127
 - television, broadband, 95–96
 - terrestrial, 110
 - 3COM, 227, 231
 - throughput, 106
 - throw out PBX phones myth, 226
 - toll bypass, 255
 - toll charges, 255
 - toll-bypass charges, 54
 - toll service charges, home VoIP, 218
 - T1 line, 110, 243
 - T1 lines, 71, 255
 - T1 transport, 66
 - T3 lines, 71, 110, 243, 255
 - topology
 - ring, 99
 - star, 99
 - transitions, cost management, 169–170
 - transmission control protocol/Internet protocol (TCP/IP), 256
 - transmission control protocol (TCP), 255
 - transmission methods, broadband, 94–95
 - transport, 248, 256
 - transport layer, 17, 19–20, 256
 - transport lines, 202
 - transport services, 66, 256
 - transports, 65–67
 - triple play, 256
 - troubleshooting VoIP through DSL
 - connection, 103
 - trunking, 126
- U •
- UDP (user diagram protocol), 19–20, 256
 - unified networks, cost management, 166–168
 - uninterruptible power supply (UPS), 203
 - universal service fund, 157
 - upgrading
 - older systems, 150–151
 - wireless networking, 121
 - UPS (uninterruptible power supply), 203
 - user diagram protocol (UDP), 19–20, 256
 - users, broadband, 95
 - using older phones, 152
- V •
- vemail, 15, 256
 - Verizon Communications, 236
 - videoconferencing, home VoIP, 220
 - virtual private networks (VPNs)
 - about, 134–135, 256, 257
 - cost, 137, 139
 - implementing, 139–140
 - Internet, 137–140
 - voice mail, 256
 - voice over Internet protocol. *See* VoIP
 - (voice over Internet protocol)
 - VoIP adapter box, 257
 - VoIP Centrex, 245, 257
 - VoIP phones
 - about, 141–142
 - hard phones, 142–146
 - soft phones, 146–149
 - upgrading older systems, 150–151
 - using older phones, 152
 - wireless phones, 149–150
 - VoIP through DSL connection
 - about, 100
 - POTS, 101, 103–104
 - setup, 102–103
 - troubleshooting, 103

VoIP (voice over Internet protocol)

- about, 1, 11, 256–257
- advantages, 12
- analog and digital, 24–25
- Bell, Alexander Graham, 21–22
- consumers, 79–80
- corporate sector, 79
- flexibility, 15–16
- interoperability, 13
- MAC address, 13
- origins, 21–22
- over DSL transport cost, 86
- over Internet, 78–79
- portability, 13
- providers, 235–237
- support, PSTN, 81–86

VoIP-enabled phones. *See* VoIP phones

VPNs (virtual private networks)

- about, 134–135, 256, 257
- cost, 137, 139
- implementing, 139–140
- Internet, 137–140

• W •

WANs (wide area networks), 14, 244, 257

WAP (wireless access point), 257, 258

Web

- access, hard phones, 146
- surfing, 15

Web sites

- Alcatel, 227, 229
- Avaya, 227, 228
- Cisco Systems, 227, 228
- Internet Engineering Task Force, 140
- Inter-Tel, 227, 232
- Mitel, 227, 230
- NEC, 227, 230–231
- Nortel, 227, 230
- Shoretel, 227, 231

Siemens, 227, 229

3COM, 227, 231

VoIP providers, 236

WEC (wireless extension to cellular),
122–123, 257, 258

wide area networks (WANs), 14, 244, 257

WiFi (wireless fidelity), 93, 100, 257, 258

WiMax (worldwide interoperability for
microwave access), 100, 108,
123–125, 257, 258

wireless access point (WAP), 257, 258

wireless CSI, 75–76

wireless extension to cellular (WEC),
122–123, 257, 258

wireless fidelity (WiFi), 93, 100, 257, 258

wireless labeling, 100

wireless networking

about, 119–120

adding VoIP, 122–123

Ethernet networking, 120

home VoIP, 220

IEEE 802.11 standard, 120–121

IEEE 802.16 standard, 123–124

IEEE 802.11a, 120

IEEE 802.11b, 121

IEEE 802.11g, 121

IP soft phones for pocket PCs, 122

Media Access Control (MAC), 120

upgrading, 121

WiMax, 123–125

wireless extension to cellular, 122–123

WiSIP, 126–127, 150

wireless phones, 149–150

WiSIP (wireless session initiation
protocol), 126–127, 150worldwide interoperability for
microwave access (WiMax), 100, 108,
123–125, 257, 258

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>