

## INDEX

Page numbers of illustrations are printed in *italics*.

- A** Accounting Software Advisor (ASA), 77–78
- aesthetic model, 165, 168, 169
- agile methodologies, 87, 89, 152, 162, 163, 164
- air-traffic control center shutdown, 7–8
- Andersen, Hans Christian, 24
- Andreu, Paul, 143
- anthropologists, role of, 173, 174
- Apple Computer, 15. *See also* iPod; iTunes; Macintosh
  - desktops, 17, 20
  - applications. *See* software: *names of applications*
  - architects, 41–42. *See also* design: architectural
    - and clients, 42, 81–82, 83–84
  - Architecture of Happiness, The* (de Botton), 23
- ATMs (automated teller machines), Citibank, 44–48
- automobile
  - dashboard, 57–58
  - design, 32
  - expectations for, 2, 12–13
  - navigation system, display, 209–210
  - safety features, 206
  - usability, 12–13, 32

- B** Beck, Harry, 72, 74, 210  
 Benjamin Franklin Parkway (Philadelphia), 41  
 Bloomberg L.P. (offices), 43  
 blueprints, 84, 120, 155  
 brand impression, 133–134, 143, 207–208  
 Buchner, Daniel C., 60  
 business analysts, role of, 103  
 business process, 123. *See also* workflow; work process  
   diagramming, 123, 176–177  
   human context, 174  
   understanding, 131–132  
 business requirements. *See* software development process: requirements  
 business systems. *See* software: *names of systems*  
 business technology. *See* software  
 buyers, 31–32
- C** card-sorting exercises, 63  
 Carnegie Mellon University (CMU), 45, 98, 99, 108  
   industrial design modeling shop, 149  
 Cathedral of Notre Dame, 36, 37  
 C-46 Commando, 104, 105  
 change management, 131, 204, 211  
 Chapanis, Alphonse, 104–105  
 Chaplin, Charlie, 54  
 Charles, Prince of Wales, 145  
 Children's Hospital of Pittsburgh (CHP), 93–94, 95, 96  
 Children'sNet, 94, 95, 96  
 Chrysler, Walter P., 152  
 Chrysler Building, 152–153  
 Citibank ATMs, 44–48  
 communication. *See* language; messages  
 computer  
   characteristics, 55  
   software. (*see* software)  
   technology, development, 97–98  
 computer-assisted design (CAD), 108  
 computerized physician order entry (CPOE). *See* software: electronic  
   health records  
 consumer products  
   design, 20  
   market research, 60–61  
 Continuum (design firm), 60

- Cool Hand Luke*, 5
- Copco, 67, 68
- CPOE. *See* software: electronic health records
- customer-relationship management (CRM) software. *See* software:  
customer-relationship management
- customers, 31–32, 112, 115. *See also* users
- D** Daily News Building, 46–47
- dashboard
- automobile, 57–58
  - data management, 58, 122, 147, 148
- data
- access, 131, 145
  - context, 69–70
  - dashboard, 58, 122, 147, 148
  - display, 55–56
  - form, 132, 187, 205
  - interpretation, 57–58, 69, 91–92, 132, 178, 205
  - storage, 91–92
  - visualization, 58, 148, 159
  - warehouse, 91–92, 135–136
- “dead money,” 91
- de Botton, Alain, 23
- decision support, 9, 132, 145, 178
- deliverables, 87
- design, 38. *See also* design process; software development process: design phase
- architectural, 23, 37, 41–42, 52, 120, 127–128, 130, 140, 141, 143–145
  - automotive, 12–13, 15, 32, 37–38, 40, 57–58
  - computer-assisted (CAD), 108
  - of experience, 13, 19, 51–52, 106, 131, 145
  - fashion, 38, 39
  - of form, 19, 106, 108
  - function, 38
  - graphic, 141–142, 171
  - industrial, 41, 171
  - information technology, 33
  - interior, 41
  - product, 13, 20, 22, 42–43, 51–52, 87–88
  - and style, 38
- designers. *See also* software development process: designers
- as communicators, 39
  - contributions, 118

- designers (*continued*)
- fashion, 39
  - goal, 50
  - graphic, 39–40
  - industrial, 40–41, 150
  - information technology, 49, 50
  - as observers, 102–103
  - as problem solvers, 106–107
  - responsibility, 108, 110
  - skills, 108, 110
- design process, 37, 50, 107, 111. *See also* software development process: design phase
- architectural, 32–33, 81–82, 83–84, 120, 127–128, 130, 150
  - automotive, 12–13, 32
  - as business opportunity, 143, 145
  - as collaboration, 108, 110, 120
  - industrial, 150
  - information technology, 33
  - product, 13, 20, 22, 33, 66, 87–88, 89, 150
- design researchers, 115, 173, 174, 196. *See also* designers
- Disguised* (Moore), 66–67
- drawings
- architectural, 82, 83
  - as exploration of form, 109, 171
  - figure, 170–171
  - as software prototypes, 107, 109, 158, 165–166, 169, 177, 200
  - 3-D, 108, 109
- E**
- Ease of Use program (EUP), 100
  - electronic health records (EHR). *See* software: electronic health records
  - “Emperor’s New Clothes, The” (Andersen), 24
  - Empire State Building, 120
  - end users. *See* users
  - engineering psychology, 105
  - enterprise resource planning (ERP) software. *See* software: enterprise resource planning
  - E.ON, 146
  - E-Pass, 51
  - ERP. *See* software: enterprise resource planning
  - error messages, 184–185
  - experience. *See* design: of experience; software: experience of using
  - E-Z pass, 51

- F** Farber, Betsey, 67, 69  
 Farber, Sam, 67, 68–69  
 Farnsworth, Edith, 70  
 fashion design and designers, 38, 39  
 FasTrak, 51  
 First Data Corporation, Health Systems Group, 112, 121, 122  
 Ford Motor Company, 12, 40, 79  
 Forrester Research, ERP survey, 30–31  
 Frankenstein's monster, 163, 164, 165  
 Franklin, Oliver, 56
- G** Gartner, Inc., 91, 92  
 Good Grips utensils, 68–69  
 graphical user interface. *See* software: user interface  
 graphic design and designers, 39–40, 141–142, 171  
 Gréber, Jacques (sketches), 41  
 Guggenheim Museum, 52
- H** *Hamlet* (Shakespeare), 211  
 Han, Yong Y., 94, 95, 96  
 Hardy, Tom, 98  
 health care  
   in America, 92–93  
   records, computerized (*see* software: electronic health records)  
 help function, 184  
 Hershey Foods, 7  
 HR. *See* human resources (HR) software  
 human beings. *See also* software development process:  
   requirements, human  
   behavior and thought processes, 55  
   and machines, 54–55, 96 (*see also* software: user interface)  
   performance criteria, 213  
   persona, 200–201  
   profile, 201–202  
   proxies, 200, 202  
 Human Factors Society of America, 105  
 human factors specialists, role, 49–50, 102–103  
   at Warwick Software Development Laboratory, 99–101  
 human resources (HR) software, 62, 88
- I** IBM  
   Application System (AS), 99  
   Ease of Use program, 100

IBM (*continued*)

OS/2, 99

personal computer (PC), 97–98

Warwick Software Development Laboratory, 99, 100–101, 138, 151

industrial design and designers, 40–41, 171

Industrial Revolution, 54, 55

information technology (IT). *See also* software

eye-tracking, 190, 191

form, diminishing, 19

industry, 43

investment in growth, 91

innovation

in behavior, 208, 209, 210

and design process, 143

in form, 208, 210

human context, 210

investments in, 91

obstacles, 110, 115, 175

opportunities, 77

qualities, 208–209

in software development process, 158

sources, 66, 69

Institute of Medicine (“To Err Is Human”), 92, 93

interface. *See* software: user interface

interior design, 41

Invacare, 7

I-Pass, 51

iPod (Apple Computer), 43, 212

development, 15, 16

IT. *See* information technology

iTunes (Apple Computer), 17

**J** Jobs, Steve, 15

Johnson Wax office (Wright), 42, 43

**L** language. *See also* software: language

ambiguity, 161–162

as business tool, 137

Lawson Software, 30

Leapfrog Group, The, 93

learning curve, 71–72

lemon law, 4

Lexikon 80 (Olivetti), 14

- Lexus (Toyota), 140–141  
Loewy, Raymond, 66, 67  
London Underground, 72  
    map, 72, 73, 74, 210
- M** Macintosh (Apple Computer), 98  
Magnielli, Aldo, 14  
Magnuson-Moss Act, 3  
Mao Tse-tung, 121  
market research, for consumer industries, 60–61  
Martin, Strother, 5  
medical chart, patient's, 126  
medical records, computerized. *See* software: electronic  
    health records  
messages, 59. *See also* language  
    error, 184–185  
    interpreting, 59, 60, 63  
Microsoft, 5, 29, 99, 219  
    Windows, 17  
    Word, 20, 54  
Mies van der Rohe, Ludwig, 70  
MINI Cooper, 15, 17  
model (design), 150, 155, 158. *See also* prototype  
Model T (Ford), 11–12, 110, 183  
*Modern Times* (Chaplin), 54  
Moen Corporation, 60  
Moore, Patricia, 66–67, 68  
Morgan Stanley, 7  
MPI (Olivetti), 13, 14, 16
- N** National Academy of Sciences, 92  
National Centre for the Performing Arts (Andreu), 143  
National Gallery of Art (London), 144–145  
NCR Corporation, 98  
Newman, Paul, 5  
Nizzoli, Marcello, 14  
Notre Dame (cathedral), 36, 37  
Nowalk, Andrew, 94  
Nursing Care Coordinator (NCC), workflow, 116, 117  
nursing flow sheet, computerization, 124–125
- O** Olivetti (typewriters), 13–14, 15, 16  
Olivetti, Camillo, 13, 14

Olivier, Laurence, 19  
 Oracle, 5, 29, 30, 32  
 O/S (Apple Computer), 17  
 OS/2 (IBM), 99  
 OXO, 68–69

- P** password. *See* software: password  
 patient record, 124–125  
 patient transfer report, 178  
 persona, 200–201  
 PikePass, 51  
 “pilot error,” 104–105  
 PJM Interconnection, 146, 147, 148  
 PlatePass, 51  
 Plummer, Daryl, 91  
 prescription bottles, 106  
 product design, 13, 20, 22, 33, 66, 87–88, 89, 150  
 product development process, 89. *See also* software development process  
 product map, 165, 166, 167, 168  
 profile, 201–202  
 prototype, 155–156  
     industrial design, 149–150, 151  
     product, 150, 154  
     software. *See* software development process: prototype  
 prototyping process, 108, 110–111, 150, 154, 157, 168, 169, 177  
 proxies, 200, 202  
 psychologists, role of, 49–50, 103, 113, 118, 173  
     at Warwick Software Development Laboratory, 100–101
- R** radio frequency identification (RFID) technology, 51  
*Raiders of the Lost Ark*, 134, 135  
 rapid methodology, 87, 152, 162–163, 164  
 requirements. *See* software development process: requirements  
 Robin, F. Philip, 124–125  
 Rohm and Haas, 135–136  
 Roscoe, Stanley N., 104, 105
- S** Sainsbury Wing, National Gallery of Art (Venturi Scott Brown), 144–145  
 SAP, 5, 29, 32  
     data warehousing system, 135–136  
     and Waste Management, Inc., 197–198  
 scrum methodology, 87, 152, 162  
 SDLC. *See* software development life cycle

Smart Design, 68

software

advertising, 78

aesthetic treatments, 141–142

applications (*see names of applications*)

aspirations, 153

benchmarks, 61–62

as brand, 133–134

buyers (*see buyers*)

communication (quality), 5, 8, 33, 55, 60, 88, 205–206

consultants, 192

contracts, 3

cost, 5, 8, 77–78, 79, 193

customer-relationship management (CRM), 49

context, 174–175

training, 80

usability, 56–57

customers (*see customers; users*)

data dashboard, 58, 122, 147, 148

data warehouse, 91–92, 135–136

deliverables, 87

demonstrations, 203

design (*see software development process: design phase*)

development (*see software development process*)

electronic health records (EHR), 126

blood bank, 134

blood pressure, 156–157

Children'sNet, 94, 95, 96

computerized physician order entry (CPOE), 93, 94, 95, 96

format, 126

hospital, 121–122

nursing flow sheet, 124–125

patients', 112

pharmacy, 137

usability, evaluation, 113–114

enterprise resource planning (ERP), 29–30

performance survey, 30–31

satisfaction, 32

usability, 24, 30, 113–114

error

messages, 184–185

recovery from, 206–207

software (*continued*)

- expectations (performance), 1–2, 23–24, 29, 181, 212
- expenses, 63
- experience of using, 1–2, 8, 11, 12, 14, 24, 32, 133, 207
- flaws, 7, 8
- form, 50, 153–154, 187
- help function, 184
- human context, 57, 60, 61, 80, 131, 174, 175, 189
- human resources (HR), 62, 88
- icons, 138, 185, 186
- interface (*see* software: user interface)
- intuitive, 77
- language, 137
  - ambiguity, 55–56
  - in ATM displays, 46, 47–48
  - barrier, 62–63, 79, 137
  - as business tool, 137–138
  - configuration, 187
  - jargon, 21, 137
  - on screen, 102, 133, 173–174, 186–187, 194
  - in traffic-tracking software, 65–66
- learning curve, 71, 72
- legacy, 91, 182
- liability limitations, 3
- licensing agreements, 213
- limitations, technological, 5, 129, 130
- marketing, 9, 78, 194
- measurements, performance, 49–50, 133
  - quantitative, 189–191
  - user, 190, 213
- medical (*see* software: electronic health records)
- navigation, 21–22
- obstacles to users, 21
- password
  - security, 33–34
  - setting, 35–36
- as product, 1, 212
- prototype (*see* software development process: prototype)
- reconfiguring, 10, 63, 180, 187
- requirements (*see* software development process: requirements)
- sales revenues, U.S., 6
- satisfaction, 32, 142

- software (*continued*)
  - screen display, 157–158, 187, 188, 194
  - self-evident, 199
  - simulations, 204
  - solutions, 122
  - specifications, 86 (*see also* software development process: requirements)
  - standards, 185
  - toolbars, 138, 185
  - training programs (*see* training)
  - upgrades, 214
  - usability, 3, 9, 11, 12, 23–24, 30–31, 77, 78, 142, 199
  - user interface, 122, 136, 141
    - ATMs, Citibank, 44–48
    - call center, 118–119
    - data warehouse, 136
    - effective, 132
    - graphical, hospital, 122–123
    - human-machine, 96
    - optimal, 132
    - reconfiguring, 180
    - sensitivity, 102
    - usability study, 30–31
  - users (*see* users of software)
- software design process. *See* software development process: design phase
- software development life cycle (SDLC), 87
- software development process, 13, 87–88, 89, 160–161, 162–163
  - anthropologist, role of, 173, 174
  - business analysts, role of, 103
  - collaboration, 50, 82, 120
  - customers, role of, 112–113
  - defect, 160
  - designers, role of, 49, 50, 102–103, 118, 120, 165, 177, 196
  - design phase, 49–50, 82–83, 200–202
  - effective, 84
  - human factor, 20, 49, 123, 200, 201
  - human factors specialists, role of, 49–50, 103
  - limitations, 84, 90, 142, 153, 165
  - market research, 61–62, 63
  - methodology, 87–88
    - agile, 87, 89, 152, 162, 163, 164, 167
    - extreme programming, 87, 152, 162–163
    - rapid, 87, 152, 162–163, 164

- software development process (*continued*)
  - scrum, 87, 152, 162
  - spiral, 87, 152, 162–163
  - sprint, 87, 162–163
  - waterfall, 87, 89, 152, 160, 162, 164
- opportunities, 145
- persona, 200–201
- profile, 201–202
- prototype, 82, 151–152, 154
  - aesthetic model, 165, 168, 169
  - drawings, 107, 109, 158, 165–166, 169, 177, 200
  - product map, 165, 166, 167, 168
  - wireframes, 165, 167–168, 169
  - workflow drawings, 200
- prototyping, 110–111, 150, 151–152, 157, 161, 165–168, 169, 177
  - cost, 158
  - at Warwick Software Development Laboratory, 151
- proxies, 200, 202
- psychologists, role of, 49–50, 103, 113, 118, 120, 173, 174
- requirements, 4
  - balancing, 20, 102
  - business, 4, 78, 122
  - cultural, 174
  - defining, 123
  - document, 156, 195
  - flaw, 110
  - functional, 88, 90, 102, 156
  - human, 5, 9, 20, 49, 61, 78, 90, 123, 131, 174, 175, 181–182
  - prose-based, 153, 156, 161–162
  - researching, 61, 81, 115, 181–182
  - technological, 4, 90, 131, 153
  - usability, 78
  - wants and needs, 102–103, 110, 122, 156
- risk, 21, 43, 152, 156, 157, 161, 164
- testing (*see* testing)
- users, role of, 21–22, 112–113, 140
- software products. *See* names of products
- specifications, 86. *See also* software development process: requirements
- spiral methodology, 87, 152, 162–163
- sprint methodology, 87, 162–163
- Stadelmeier, Steve, 108
- Standish Group, The, 2

- stop sign, 58, 59
  - St. Peter's Basilica, 37
  - Studio 42 (Olivetti), 14
  - style, 38
  - Sullivan, Louis, 52
  - Sydney Opera House (Utzon), 143
  - systems. *See names of software systems*
- T**
- target audiences. *See users*
  - Target prescription bottle, 106
  - technology. *See information technology*
  - Telecom Italia S.p.A., 14
  - Temple, Tony, 100
  - testing. *See also software development process: prototyping*
    - business, 3
    - card-sorting, 63
    - user, 190
    - user acceptance (UAT), 160–161, 162
    - user group, 112–113
  - Thousand Islands, architecture, 127–128, 130
  - “To Err Is Human: Building a Safer Health System”  
(Institute of Medicine), 92–93
  - Toyota, 140–141
  - Traffic.com, 64–66
  - training (for software), 77
    - cost, 77–78, 158, 212
    - effectiveness, 132–133, 204
    - expectations, 24, 71–72
    - fanfare, 211
    - opportunity, 199
    - purpose, 80–81, 199, 212
  - Two Twelve Associates, 45
  - typewriters (Olivetti), 13–14, 15, 16
- U**
- Underground. *See London Underground*
  - Uniform Commercial Code, 3
  - usability, 77. *See also software: experience of using; usability*
    - business requirement, 78
    - prioritizing, 191
  - usability specialist. *See designers; human factors specialists*
  - user acceptance testing (UAT), 160–161, 162
  - user adoption, 29
  - user group, 112–113

- user interface. *See* software: user interface
- users of software, 31–32. *See also* software development process:  
 requirements, human  
 attitudes, 181–182  
 identifying, 61, 78  
 observing, 115, 173, 181–182, 204  
 representatives, 200–201, 202  
 role, 112–113, 114, 118, 140
- Utzon, Jorn, 143
- V** Van Alen, William, 152  
 Venturi Scott Brown and Associates, 144  
 Veterans Administration (V.A.), 8  
 visualization. *See* software development process: prototype
- W** warehouse. *See* software: data warehouse  
 Warwick Software Development Laboratory (IBM), 99, 100–101, 138, 151  
 Waste Management, Inc., and SAP, 197–198  
 waterfall methodology, 87, 89, 152, 160, 162, 164  
 Westcott, Grace, 11–12, 14  
 Westcott, Harold Flavell, 11  
 Windows (Microsoft), 17  
 wireframes, 165, 167–168, 169  
 Word (Microsoft), 20, 54  
 workaround techniques, 75, 182  
 workflow  
 diagrams, 116, 117, 176  
 drawings, 200  
 workplace (influence), 42, 189  
 work process. *See also* business process  
 assessing, 192  
 diagramming, 176–177  
 measuring, 118  
 observing, 118, 173, 192  
 understanding, 172–173  
 and workplace, 183, 189  
 Wright, Frank Lloyd, 42, 43, 52
- Z** Zhang, Ming, 121–122