

A

Accountability, 227–228
 Activity Based Costing movement, 29
 Adopt RPM phase: description and overview of, 132*fig*, 133, 135*t*, 136*t*; IT's role in, 226; pitfalls/success factors matrix, 184*t*; Sterling Publishing case study, 184
 Align RPM phase: description and overview of, 131, 132*fig*, 135*t*, 136*t*, 139*fig*; IT's role in, 225; pitfalls/success factors matrix on, 148*t*; Sterling Publishing case study, 143–144, 147–149
 Allied Signal, 12
 Analysis RPM phase: description and overview of, 131, 132*fig*, 135*t*; “is” versus “should” assumptions, 155*fig*; IT's role in, 225; pitfalls/success factors matrix, 157*t*; “should” design specifications, 154*fig*; “should” macro process design, 156*fig*; Sterling Publishing case study, 149–158
 Automation, 15–16

B

Belding change control management system: benefits of the, 202; change capacity planning phase, 206; change projects portfolio management phase, 206–207; details of the change process, 202–203*fig*; improvement initiatives governing the, 201–202; infrastructure to support, 200*fig*–201; needs identification and assessment phase of, 204; project planning, staging, and scheduling phase, 205–206;

project prioritization phase, 205; project scoping phase of, 204; Value Creation Management Team (VCMT) role in, 200*fig*–207

Belding Engineering Services, Inc.: BPM framework of, 92*fig*–93*fig*; contributing sub-systems of, 57, 58*fig*; Cross-Functional Process Map for, 64*fig*–66; Cross-Functional Value Creation Map (CFVC) of, 59*fig*–61*fig*; EPF (Effective Process Framework) variables of, 127*fig*; organization as processing system, 47–48; organization chart of, 45*fig*; performance management system of, 102–114; process management change, 200–208; super-system map of, 48, 49*fig*; Value Creation Architecture (VCA) of, 83–87, 103–114; Value Creation System choices of, 51–52*fig*; Value-Resource Relationship Map of, 53*fig*–54, 56, 102*fig*
 Belding performance management system (1st VCA iteration): CEO's observations about, 106, 108; description of original pre-VCA, 103; first iteration of VCA process, 103–105; order-to-case process performance data, 107*fig*; performance management routines, 106–108*t*; performance measures of, 104*t*; performance planning process of, 105*fig*–106; pros and cons of the, 108–109; value versus resource dimension of, 104*fig*
 Belding performance management system (current VCA): CEO's observations about, 111, 114; features of the, 114; overview of the, 109–110; performance managed process of, 111; performance planned process of, 110*fig*–111; VCS performance data on, 112*fig*–113*fig*

Note: Page references with *fig* indicate an illustrated figure; page references with *t* indicate a table.

BPMS, 16–17
 Brache, A., 1, 7, 11, 13, 54
 Brache, G., 54
 Build RPM phase, 132*fig*, 133, 135*t*, 136*t*, 139*fig*;
 IT's role in, 226; pitfalls/success factors
 matrix, 183*t*; Sterling Publishing case study,
 181–184
 Business: Functionally Focused Value Resource Map
 of, 214–215*fig*; IT organization's view of the,
 216–217; IT-Business Gap, 216; RPM Methodology
 with roles of IT and, 226*fig*; view of the business by,
 214–216; view of the IT organization by, 217–219.
See also Organizations
 Business Process Management (BPM): assumptions
 of, 9–11; Belding Engineering's framework of,
 92*fig*–93*fig*; characteristics of, 8–9; contributions to
 field of, 8; description of, 2; possible pitfalls of, 74;
 process challenges related to, 17; RPM applications
 for, 189–190; vendor misrepresentation of, 20–21.
See also Management; Process

C

Champy, J., 12
 Change control management system: benefits of the,
 202; change capacity planning phase, 206; change
 projects portfolio management phase, 206–207;
 details of the change process, 202–203*fig*; improve-
 ment initiatives governing the, 201–202; infrastruc-
 ture to support, 200*fig*–201; needs identification
 and assessment phase of, 204; Performance
 Architect role in, 207–208, 231–232, 233; project
 planning, staging, and scheduling phase, 205–206;
 project prioritization phase, 205; project
 scoping phase of, 204; Value Creation Management
 Team (VCMT) role in, 200*fig*–207
 CMMI process maturity scale, 14
 Commit RPM phase: description and overview
 of, 132*fig*, 133, 135*t*, 136*t*, 139*fig*; implementation
 planning agenda, 179*t*; pitfalls/success factors
 matrix, 181*t*; Sterling Publishing case study,
 177–181
 Competitive advantage of process, 41
 Contributing processing sub-systems: of
 Belding Engineering Services, 57, 58*fig*; description
 of, 57
 Cross-Functional Process Map: Process Level (Level 4)
 use of, 63–66; Sterling Publishing case study,
 150*fig*–151*fig*; Sub-Process/Task/Sub-Task (Level 5)
 use of, 68; with technology swimlanes, 67*fig*; VCA
 template for, 81*fig*
 Cross-Functional Value Creation Map (CFVC):
 of Belding Engineering, 59*fig*–61*fig*; description of,
 57, 62–63; VCA template for, 81*fig*
 Customer life cycle, 51

D

Defect reduction methodologies, 196*t*
 Delivered processing sub-systems: Belding's BPM
 framework for, 92*fig*–93*fig*, 94; CFVC map of, 59*fig*,
 61*fig*, 62–63; description of, 48–56; management
 practices of, 75–76; Sterling Publishing case study
 on, 146*fig*
 Design RPM phase: description and overview of,
 132*fig*, 133, 135*t*, 136*t*, 139*fig*; macro implementa-
 tion plan, 173*fig*; pitfalls/success factors matrix,
 174*t*; process management tracking, 168*fig*–169*fig*;
 “should” change requirements document,
 170*fig*; “should” details document, 161*fig*–163*fig*;
 “should” enablers chart, 171*fig*; “should” manage-
 ment domain matrix, 166*fig*; “should” measures
 chain, 165*fig*; “should” role-responsibility matrix,
 160*fig*; Sterling Publishing case study, 158–175
 Desired outputs/results variable, 122, 123*fig*, 124*t*,
 126*fig*–130*fig*

E

Effective Process Framework (EPF): illustrated dia-
 gram of, 122*fig*; implications of eight variables of,
 128; key work process variables of, 122, 124*t*–126*fig*;
 operationalizing as template, 122–123; reviewing
 “big idea” of, 230; VCH and requirements of,
 126*fig*–127*fig*. *See also* Process work
 Enable RPM phase: description and overview of,
 132*fig*, 133, 135*t*, 136*t*, 139*fig*; IT's role in, 226;
 pitfalls/success factors matrix, 183*t*; Sterling
 Publishing case study, 181–184
 Enabling process, 57
 Enterprise resource management (ERM) systems, 16
 Enterprise/Business Model (Level 1): Belding
 Engineering VCA development, 84*t*–85; hierarchy
 of processes in, 43*fig*; illustrated diagram of, 46*fig*;
 key variable requirements of, 126*fig*; management
 practices, 75; organizations as systems, 46–48, 49*fig*;
 overview of, 30–31*fig*; performance goals of, 36*fig*;
 RPM process engagement grid for, 137*t*; super-
 system map tool of, 48, 49*fig*; VCA template for,
 80*fig*; VCA tool set for, 82*t*; work/work manage-
 ment system, 100*fig*–101*fig*

F

Functionally Focused Value-Resource Map,
 214–215*fig*

G

GE (General Electric), 12
 Gore, Inc., 29
 GoreTex, 29

H

Hammer, M., 12
Human factors engineering, 232
Human Performance System (HPS) model: description of, 129*fig*; illustrated diagram of ideal, 130*fig*;
Sterling Publishing case study, 171*fig*
Human resources, 232

I

Improving Performance: How to Manage the White Space on the Organization Chart (Rummler and Brache), 1, 11, 121
Industrial engineering, 232
IT barriers: business view of the business as, 214–216;
business's view of the IT organization as, 217–219;
IT organization's view of business as, 216–217;
IT-Business Gap as, 216; IT's view of itself as, 219–220; listed, 213
IT implication areas: approach to requirements definition, 223–225; depicting process/workflow, 221–222; IT's accountability, 227–228; IT's approach to defining work, 222–223; IT's approach to funding change, 227; IT's role in improvement projects, 225–227; reviewing the, 232; strategic role, 220–221
IT (information technology): barriers to seizing opportunity by, 213–220; as driver of process, 15–16; effective process framework of, 218*fig*; process challenges related to, 17; process performance enabled by, 212; ROI funding model for management of, 227; RPM Methodology with roles of business and, 226*fig*; span of influence of, 212; as strategic advisor of technology, 212; Sub-Process/Task/Subtask (Level 5) functions of, 211; Value Creation Management System enabled by, 212–213; Value Machine implications for, 220–228, 232. *See also* Technology

J

Jobs/roles variable, 122, 123*fig*, 125*t*, 126*fig*–130*fig*

L

Launched processing sub-systems: Belding's BPM framework for, 92*fig*–93*fig*, 94; CFVC map of, 58*fig*, 62–63; description of, 48–56; management practices of, 75–76; Sterling Publishing case study on, 145*fig*
Level 1. *See* Enterprise/Business Model (Level 1)
Level 2. *See* Value Creation System (Level 2)
Level 3. *See* Processing Sub-Systems (Level 3)
Level 4. *See* Processing systems (Level 4)
Level 5. *See* Sub-Process/Task/Subtask (Level 5)

M

Macro implementation plan, 173*fig*
Management: Delivered processing sub-systems practices of, 75–76; and governance over process, 13–14;
Launched processing sub-systems practices of, 75–76; process criteria of effective, 40–41; ROI funding model for IT, 227; Sold processing sub-system practices of, 75–76; TQM (total quality management), 8; Value Creation Architecture (VCA) as tool for, 78–79. *See also* Business Process Management (BPM); Performance Architect; Process management
Maturity models, 196*t*
Methodology. *See* Process improvement methodologies; RPM (Rummler Process Methodology)
Motorola, 2, 8, 13, 21, 121
Motorola Management Institute, 8

N

National Society of Performance & Instruction (NSPI), 7

O

Order life cycle, 51
Organization chart: Belding Engineering Services, Inc., 45*fig*; Sterling Publishing, 143*fig*
Organizational development, 232
Organizations: business process architecture of, 19–20; Functionally Focused Value-Resource Map of, 214–215*fig*; moving from Process-Centered to Value Created-Managed, 197*t*, 231; process-centered, 197*t*; as processing systems, 47, 49*fig*; Six Sigma, 13; understood as systems, 9–11, 24, 46–49; as Value Machine, 27–29, 70–73*fig*, 220–228, 232; value produced by, 24–38. *See also* Business
Owens, S. K., 83–84, 106, 108, 111, 114

P

Performance: effective and efficient process, 40;
Human Performance System (HPS), 129*fig*–130*fig*, 171*fig*; Technology Performance System (TPS), 131, 132*fig*, 171*fig*; three levels of, 11
Performance Architect: business management potential of, 233; change control process role of, 207–208; implications for potential, 231–232; reviewing “big idea” of, 231. *See also* Management
Performance Design Lab (PDL), 1, 2
Performance executed: Belding Engineering, 107*fig*–108*t*, 112*fig*–113*fig*; description of, 98, 99; performance management model role of, 98*fig*, 99*fig*
Performance goals: Enterprise/Business Model (Level 1), 36*fig*; Value Creation System (Level 2), 36*fig*

Performance managed: Belding Engineering process of, 106–108*t*, 111; description of, 98, 99; performance management model role of, 98*fig*, 99*fig*

Performance management models: Belding Engineering, 102*fig*–114; evolution of, 114–115; integrating process management and business management in, 115; Performance Planned and Managed to Performance Executed, 99*fig*–102; three components of, 98*fig*–99; work/work management system, 100*fig*–101*fig*. *See also* Process management

Performance planned: Belding Engineering process of, 105*fig*–106, 110*fig*–111; description of, 98, 99; performance management model role of, 98*fig*, 99*fig*

Pitfalls/success factors matrix: Adopt phase, 184*t*; Align phase, 148*t*; Analysis phase, 157*t*; Build phase, 183*t*; Commit phase, 181*t*; Design phase, 174*t*; Enable phase, 183

Primary (or transforming) sub-systems, 57

Process: automation and information technology drivers of, 15–16; challenges related to, 17–21; components of, 40*fig*; definition of, 39–40, 94; desired outputs/results of, 122, 123*fig*, 124*t*, 126*fig*–130*fig*; documentation and repositories on, 14–15; enabling or supporting, 57; ERP systems locking in approach to, 16; inputs/triggers, 122, 123*fig*, 124*t*–125*t*, 126*fig*–130*fig*; IT (information technology) as enabling, 212; management and governance over, 13–14; possible pitfalls of BPM approach to, 74; resource-centric and value-centric approaches to defining, 70, 71*fig*; scope and range of, 21–22*t*; three specific criteria of, 40–41; Value Creation Hierarchy (VCH) as hierarchy of, 42–45; value perspective of, 23–38. *See also* Business Process Management (BPM); Process work

Process challenges: business process architecture as, 19–20; IT (information technology) and related, 17; organizational improvement wars as, 18–19; organizational process failures as, 19

Process criteria: competitive advantage, 41; effective and efficient performance, 40; effective management, 40–41

Process culture, 197*t*

Process design variable, 122, 123*fig*, 124*t*, 126*fig*–130*fig*

Process documentation/repositories, 14–15

Process governance, 197*t*

Process identification pitfalls, 74

Process improvement methodologies: availability of RPM compatible, 196*t*–197*t*, 198; components of, 195*t*; description of a well-designed, 193–194*fig*; “non-methodologies,” 194–195; possible pitfalls of BPM approach of, 74. *See also* RPM (Rummler Process Methodology)

Process inputs/triggers variable, 122, 123*fig*, 124*t*–125*t*, 126*fig*–130*fig*

Process management: challenges related to, 17–21; description of, 13; effective, 40–41; organizational adoption of, 13–14; possible pitfalls of BPM approach to, 74; RPM Design phase tracking, 168*fig*–169*fig*. *See also* Management; Performance management models

Process measurement model, 197*t*

process notation tools, 197*t*

Process Performance Management System (PPMS), 122, 123*fig*, 125*t*, 126*fig*–130*fig*

Process performance variables: 1. desired process outputs/results, 122, 123*fig*, 124*t*, 126*fig*–130*fig*; 2. process design, 122, 123*fig*, 124*t*, 126*fig*–130*fig*; 3. underlying models, 122, 123*fig*, 124*t*, 126*fig*–130*fig*; 4. resources, 122, 123*fig*, 124*t*, 126*fig*–130*fig*; 5. inputs/triggers, 122, 123*fig*, 124*t*–125*t*, 126*fig*–130*fig*; 6. jobs/roles, 122, 123*fig*, 125*t*; 7. technology, 122, 123*fig*, 125*t*, 126*fig*–130*fig*; 8. process performance management system, 122, 123*fig*, 125*t*, 126*fig*–130*fig*

Process practitioners: key questions for, 21–22; role in VCA development by, 79

“Process relationship maps,” 20

Process work: as defining and management work, 11; IT’s approach to, 222–223; three criteria for organizing, 94. *See also* Effective Process Framework (EPF); Process; Work/work management system

Process-centered organization, 197*t*, 231

Processing Sub-Systems (Level 3): Belding Engineering VCA development, 84*t*, 86–87; Cross-Functional Value Creation Map (CFVC) of, 57, 59*fig*–63; function of the, 56; hierarchy of processes in, 44*fig*; key variables requirements of, 126*fig*; overview of, 32*fig*, 34; performance goals of, 37*fig*; RPM process engagement grid for, 137*t*; transforming (or primary) and contributing types of, 57; VCA template for, 81*fig*; work/work management system, 100*fig*–101*fig*. *See also* Sub-systems; Value Creation Architecture (VCA)

Processing systems (Level 4): Cross-Functional Process Map, 63–67*fig*; hierarchy of processes in, 44*fig*; key variables requirements of, 126*fig*; overview of, 32*fig*, 34; performance goals of, 37*fig*; possible pitfalls of, 74; RPM process engagement grid for, 137*t*; RPM (Rummler Process Methodology) for, 3, 120–121, 135*t*–140; VCA template for, 81*fig*; VCA tool set for, 82*t*; work/work management system, 100*fig*–101*fig*

Product/service life cycle, 51

Project sponsors: Align phase role of, 148; Analysis phase role of, 149; description of, 137

Project team leaders: Analysis phase role of, 149, 152; Commit phase role of, 178–179, 180; description of, 137
Project teams: Analysis phase work by, 152–153, 155; Commit phase role of, 178–179, 180; description of, 137; Design phase role of, 158–160, 164, 167, 171; SMEs (subject matter experts), 222–223

Q

Quality issues, 232

R

Ramias, A., 121

Reengineering, 12

Reengineering the Corporation (Hammer and Champy), 12

Reference models, 196*t*

Resource dimension: Belding value versus, 104*fig*;
description of, 28; Problems with management practices in, 72*fig*, 75; Value Machine viewed in, 72*fig*–73*fig*

Resources: fixation of organization, 25*fig*; managing integration of value-added work system and, 27; to perform value-adding work, 26–27; Value-Resource Relationship Map, 53*fig*–54, 56

ROI funding model for IT, 227

Role-Responsibility Matrix: description and function of, 68, 69*t*; Design phase “should,” 160*fig*; VCA template for, 81*fig*

RPM applications: 1. whole business redesign/multiple processes, 187–188; 2. BPF (Business Process Framework) definition and utilization, 189–190; 3. contributing process, 190–191; 4. support function and contributing processes redesign/multiple processes, 191–192

RPM (Rummler Process Methodology): assumptions of, 135, 137; with business and IT roles, 226*fig*; critical success factors for, 138–140; design dimensions of, 133–134; detailed overview of, 136*t*; EPF variables versus design dimensions of, 135*t*; evolution of, 121; key client roles of, 137; phases of, 131, 132*fig*, 133, 136*t*, 139*fig*; process engagement grid for, 137*t*; project structure and overview of, 131–133; reviewing “big idea” of, 230–231; Value Creation System requirement for, 120–121. *See also* Process improvement methodologies; Sterling Publications case study

Rummler, G., 1, 2, 7, 11, 121, 217, 229

Rummler, R., 121

S

Sarbanes-Oxley Act (SOX) [2001], 15, 19, 87–88

“School of practice,” 196*t*, 198

Section 404 (Sarbanes-Oxley Act), 15

“Should” change requirements document, 170*fig*

“Should” details document, 161*fig*–163*fig*

“Should” enablers chart, 171*fig*

“Should” management domain matrix, 166*fig*

“Should” measures chain, 165*fig*

Six Sigma, 8, 12–13, 128, 196*t*

Six Sigma organizations, 13

SMEs (subject matter experts), 222–223

Sold processing sub-systems: Belding’s BPM framework for, 92*fig*–93*fig*, 94; CFVC map of, 60*fig*;
description of, 48–56; management practices of, 75–76; Sterling Publishing case study on, 146*fig*

Steering teams: Align phase meeting, 147–148;
Analysis phase meeting, 157; Commit phase meeting, 178, 180; described, 137; Design phase meeting, 172, 174–175

Sterling Publishing case study: Adopt phase, 184*t*;
Align phase, 143–144, 147–149; Analysis phase, 149–158; background information on, 142–143; Build and Enable phases, 181–184; Commit phase, 177–181*t*; Cross-Functional Process Map of, 150*fig*–151*fig*; Design phase, 158–175; organization chart of, 143*fig*; project timetable, 184*t*; Value Creation System of, 145*fig*–146*fig*. *See also* RPM (Rummler Process Methodology)

Sub-Process/Task/Subtask (Level 5): Cross-Functional Process Map, 68; hierarchy of processes in, 44*fig*; IT (information technology) functions in, 211; key variables requirements of, 126*fig*; management practices at, 75; overview of, 32*fig*, 34; performance goals of, 37*fig*; possible pitfalls of, 74; resource-centric and value-centric approaches to process definition, 70, 71*fig*; Role-Responsibility Matrix, 68, 69*t*; RPM process engagement grid for, 137*t*; Technology Enabler Chart, 68–70; VCA tool set for, 82*t*; workflow mapping at the, 221*fig*–222; work/work management system, 100*fig*–101*fig*

Sub-systems: contributing processing, 57, 58*fig*; introducing Delivered, 48–56; introducing Launched, 48–56; introducing Sold, 48–56; transforming (or primary), 57. *See also* Processing Sub-Systems (Level 3); *specific sub-system*

Super-system map tool: description and function of, 48, 49*fig*; Value Creation Architecture (ACA) template for, 80*fig*

Supporting process, 57

Systems: organizations as processing, 47, 49*fig*; organizations understood as, 9–11, 24, 46–49

T

Technology: Information technology (IT) as strategic advisor on, 212; possible pitfalls of BPM approach to, 74; as process performance variable, 122, 123*fig*, 125*t*, 126*fig*–130*fig*. *See also* IT (information technology)

Technology development methodologies, 196*t*
Technology Enabler Chart, 68–70
Technology Performance System (TPS): description of, 131; illustrated diagram of, 132*fig*; Sterling Publishing case study, 171*fig*
TQM (total quality management), 8
Training implications, 232
Transforming (or primary) sub-systems, 57

V

Value: four key requirements to provide, 24, 25*fig*; managing integration of resources and work system to produce, 27; relationships required to provide, 24, 25*fig*; understanding, 24; Value-Resource Relationship Map, 53*fig*–54, 56
Value creation: dimension of, 28, 45; implications for organization managers and leaders, 231–233; Performance Architect role in, 207–208, 231–232, 233; perspective of, 29–30; reviewing the “big ideas” for, 230; reviewing the RPM Methodology for, 230–231
Value Creation Architecture (VCA): of Belding Engineering, 83–87, 103–114; business benefits of developing a, 87–88; change control management system using, 200–208; critical success factors for, 91; deciding on the approach to developing, 89; deciding on who should develop the, 88–89; description and functions of, 78, 94–95; making development a low profile/bottom-up effort, 90; as management tool, 78–79; mandating development of, 90–91; overview of, 79–87; process practitioner role in developing, 79; starting point for developing, 91; templates used for, 80*fig*–81*fig*; tool set of, 82*t*; value milestones of, 91. *See also* Processing Sub-Systems (Level 3)
Value Creation Hierarchy (VCH) levels: 1: introducing Enterprise/Business Model, 30–31*fig*; 2: introducing Value Creation System, 31*fig*; 3: introducing Processing Sub-Systems, 32*fig*; 4: introducing Process, 32*fig*; 5: introducing Sub-Process/Task/Subtask, 32*fig*. *See also specific level by name*
Value Creation Hierarchy (VCH) model: description of, 2, 78; EPF (Effective Process Framework) of, 122–125*t*, 126*fig*–127*fig*; key features and benefits of, 34–37*fig*; milestones of, 41–42; overview of the, 30–34; Performance Architect role in, 207–208, 231–232, 233; with performance goals, 36*fig*–37*fig*; retooling function of, 2–3; reviewing “big idea” of, 230; RPM (Rummler Process Methodology) of, 3, 120–121, 135*t*–140, 226*fig*, 230–231; scalability and hierarchy of processes in, 42–45
Value Creation Management Team (VCMT): change control process role of, 201–202; change phases and role of, 204–207; improvement process role of, 202–203*fig*; supporting change process, 200*fig*–201
Value Creation System (Level 2): Belding Engineering VCA development, 84*t*, 85–86; description of, 78; hierarchy of processes in, 43*fig*; key variables requirements of, 126*fig*; Launched, Sold, and Delivered subsystems of, 58*fig*–63; management practices at, 75; overview of, 31*fig*, 33–34; performance goals of, 36*fig*; process management in context of, 97–115; RPM process engagement grid for, 137*t*; RPM (Rummler Process Methodology) required for, 3, 120–121, 135*t*–140; Sterling Publishing case study, 145*fig*–146*fig*; VCA tool set for, 82*t*; work/work management system, 100*fig*–101*fig*
Value Creation–Managed Organization, 231
Value dimension: Belding resource versus, 104*fig*; description of, 28; increasing visibility of, 77–79; problems with management practices in, 72*fig*, 75; Value Machine viewed in, 73*fig*; VCA development as starting in the, 91
Value Machine: components of, 27–29; description of, 27; illustrated diagram of, 28*fig*; IT (information technology) implications for, 220–228, 232; two alternative views of business as, 70–73*fig*
Value milestones: Belding’s BPM framework use of, 91, 92*fig*–93*fig*; description of, 91, 94
Value-adding work systems: description of, 24; designing and maintaining, 24, 25–26; four key requirements of, 24, 25*fig*; managing integration of resources and, 27; resources required for, 26–27
Value-Resource Relationship Map, 53*fig*–54, 56, 102*fig*
Variables. *See* Process performance variables

W

White space: defining the problem of, 2; managing processes by managing, 54
Wiggenhorn, W., 8
Wilkins, C., 121
Workflow modeling tools, 16–17
Work/work management system: Belding Engineering Value-Resource Relationship Map on, 102*fig*; corresponding work management system, 101*fig*; work that must be managed, 100*fig*. *See also* Process work