

- Absolute convergence, 303, 308
 - condition, 308–309
- Absolute cumulative frequency, 41–43
- Absolute data, 20–21
- Absolute deviation, 61–63
- Absolute frequency, 75
 - denotation, 26
 - density, inclusion, 86f
 - obtaining, 84
- Acceptance region, 485
 - determination, 508
- Accumulated frequencies, computation, 42
- Adjusted goodness-of-fit measure, 529
- Adjusted R-squared (adjusted R^2), 529
- Aggregated risk, behavior simulation, 386
- Aitken's generalized least squares (GLS) estimator, 579–580
- Algorithmic trading strategies, growth, 367
- Alpha-levels (α -levels), chi-square distribution, 571
- Alpha-percentile (α -percentile), 56
 - concept, 57–58
 - obtaining, 58–59
 - value, 86, 88
- Alpha-quantile (α -quantile), 380
 - denotation, 296
- Alpha-stable density functions (α -stable density functions), comparison, 287f
- Alpha-stable distribution (α -stable distribution), 8–9, 285–292
 - assumption, 309
 - decay, 286–287
 - second moment, non-existence, 308–309
 - variance, 311–312
- Alpha-stable random variables, parameters, 290
- Alternative hypothesis, 482
 - null hypothesis, contrast, 483f
 - representation, 506
- American call option, 625
- American International Group (AIG), stock price, 292
- Analysis of variance (ANOVA), 528
 - component pattern, 528t
- AR. *See* Autoregressive process
- ARCH. *See* Autoregressive conditional heteroskedasticity
- Area approximation. *See* Integral
 - rectangles, usage, 594–595
- Arithmetic mean, 56
- ARMA. *See* Autoregressive moving average
- Asian currency crisis, 286
- Asset returns
 - cross-sectional collection, 380
 - heavy tails, 379
 - joint distribution, 334–335
 - modeling, log-normal distribution application, 272–274
- Assets
 - dependence, 342
 - structures, complexity, 379
 - duration estimate, 552
 - portfolio, 346–347
- Asymmetric confidence interval, construction, 468–469
- Asymmetric density function, 243f
- Asymmetry, modeling capability, 8
- Atoms, 174
- Augmented regression, 535–536
- Autocorrelation, 156. *See also* Negative autocorrelation; Positive autocorrelation
 - detection, 577–579
 - presence, modeling, 579–580
- Autoregressive conditional heteroskedasticity (ARCH) model, 574–576
 - generalization, 576
- Autoregressive moving average (ARMA) models, 580–581
- Autoregressive of order one, 156
- Autoregressive process (AR) of order p , 580
- Axiomatic system, 168–170
- Bar chart, 78–81
 - usage, 79
- Bayes, Thomas, 371
- Bayes' formula, 9–10
- Bayes' rule, 361, 371–374
 - application, 372–374
- Bell-shaped curve, real-life distribution, 3
- Bell-shaped density, 248
- Bell-shaped yield, 251
- Benchmark, derivation, 504
- Berkshire Hathway
 - pie charts, comparison, 79f
 - revenues, third quarter (pie chart), 77f
 - third quarter reports, 76t
 - third quarter revenues
 - bar charts, 80f, 81f
 - pie chart, 78f
- Bermuda call option, 625

- Bernoulli distributed random variable, mean/variance, 193
- Bernoulli distribution, 192–195
 generalization, 195
 p parameter, estimation, 425–426
 random variables, relationship, 192–193
- Bernoulli population, sample mean (histogram), 426f
- Bernoulli random variables, 250
 distribution, 615–616
- Bernoulli samples, examination, 426
- Bernoulli trials, link, 196
- Bessel function of the third kind, 283
 defining, 597–598
- Best linear unbiased estimator (BLUE), 445–446
- Beta distribution, 247, 269–270
 distribution function, 270f
- Beta factor, 143
- Beta function, 597
- Bias, 428–429. *See also* Sample mean; Sample variance; Squared bias
 determination, 435
 examination, 430
- Bias corrected sample variance
 efficiency, 444–445
 usage, 435
- Bias-corrected sample variance, 431
- Biased estimator, 429
- Binary variables, 12, 549
- Binomial coefficient, 196, 615–621
 definition, 615
 derivation, 615–621
 general case, 621
 $n=3$, special case, 616–617
 $n=4$, special case, 617–621
 usage, 207–208
- Binomial default distribution model, application, 203
- Binomial distribution, 7, 195–203
 approximation, 449
 normal distribution, usage, 251–252
 mean, 303
 P parameter, confidence interval, 475–479
- Binomial interest rate model, binomial distribution application, 202–203
- Binomial probability distribution, 199
 example, 224–226
- Binomial stock price model, 182
 application, 198–202
 Bernoulli distribution, generalization, 195
 extension, multinomial distribution (usage), 213
 periods, example, 200f
- Binomial tree, 200–201
- Biometrics, 2
- Biometry, 2
- Biostatistics, 1–2
- Bivariate distribution function, 387
- Bivariate normal density function, correlation matrix integration, 390
- Bivariate normal distributions (2-dimensional normal distributions), 348–349, 354–355
 joint density function, 350
 mean vector, example, 351f
- Bivariate regression, 132
 model, 568
- Bivariate student's t density function, contour lines, 356f
- Bivariate student's t distribution, density plot, 355f
- Bivariate variables, correlation/dependence (relationship), 122f
- Black Monday, 286
- Black-Scholes option pricing
 formula, 631
 model, 8
 reliance, 4
- BLUE. *See* Best linear unbiased estimator
- Bond default, probability, 264
- Bond portfolio, 265
 credit risk modeling, Poisson distribution application, 218–219
 data, 451
 defaults, time, 305
 observations, 498
- Bond spread application, regression data, 557t–559t
- Borel-measurability, requirement, 234
- Borel-measurable function, 233–234
- Borel σ -algebra, 235
 construction, 175–176
 definition, 176
 origins, 234
- Box plot, 91–95
 counterclockwise movement, 92
 display, 93f–95f
 generation, procedure, 92–93
- Breusch-Pagan-Godfrey test (Lagrangian multiplier test), 573
- British Pound-USD Exchange Rate, returns (contrast), 98f
- Broad-based market index, 568
- Call options, 625
 illustration, 631–632
 predetermined price, 625
 price dependence, 7
 pricing, log-normal distribution (application), 625
 value, 184–185
- Capital Asset Pricing Model (CAPM), 8
- Casualties, number, 217
- Ceiling function, 48–49
- Center, 46–58
 measures, 69–70
 examination, 72t
- Central Limit Theorem, 250
 requirement, 425
- Central moment, 309. *See also* Fourth central moment; Second central moment; Third central moment
- Central moment of order k , 309
- Central tendency, measures, 55
- Certain event with respect to P , 178
- Characteristic exponent, 286
- Characteristic function, 349–350, 598–599
- Characteristic line, 142–147
 goodness-of-fit measure, 147

- Cheapest to deliver (CTD), 148–149
- Chebyshev inequalities, 251, 312, 441
- Chi-square density function, degrees of function, 255
- Chi-square distributed
- degrees of freedom, 473
 - $n-k-1$ degrees of freedom, 530
 - random variable, 254
- Chi-square distribution, 247, 254–256
- asymmetry, 507
 - degrees of freedom, 256–257
 - density functions, 255f
 - statistic, 517
- Chi-square statistic, 571
- Chi-square test statistic, 124–125
- Chow test, 550
- Circle, size/area, 76
- Class bounds, frequency distributions (determination), 43f
- Class data
- quantiles, computation, 88
 - relative frequency density, 233
- Classified data
- interaction, 47
 - IQR, defining, 61
 - median
 - determination, 52–53
 - retrieval, interpolation method (usage), 54f
- Class of incident, 53
- Clayton, David, 399
- Clayton copula, 398–399
- Closed under countable unions, 174–175
- Closed under uncountable unions, 174–175
- Closure under convolution, 357
- Closure under linear transformations, 357
- Coefficient estimate, standard error, 530
- Coefficient of determination (R^2), 138–140
- correlation coefficient, relationships, 140
 - definition, 139
- Coefficient of partial determination, 563–564
- Coefficient of variation, 67–69
- Collateralized debt obligations, 305
- Column vector, 601, 613
- matrix, comparison, 603
 - usage. *See* Matrix
- Common stock, sale price (example), 531
- Common terms, 550
- Company value, random variable function, 587f
- Complement, 171
- Completeness, data class criteria, 33
- Complex numbers, 598
- graphical representation, 599f
 - representation, two-dimensional space, 599
 - set, symbolization, 599
- Complex values, random variable assumption, 350
- Component random variable, marginal density function, 337f
- Component returns, standard deviations, 347
- Component variable, value set, 120–121
- Component vectors. *See* Linearly dependent component vectors
- Composite model, 550
- Conditional distribution, 113–114
- Conditional expectation, 374–376
- Conditional frequencies, 116f
- distribution, 113
- Conditional parameters, 114–117, 374–377
- Conditional population variance, 117
- Conditional probability, 9–10, 361–365. *See also* Unconditional probabilities
- computation, 362–363
 - illustration, 364–365
 - determination, 366
 - expression, 365–366
 - formula, 363–365
 - knowledge, 373–374
- Conditional relative frequency, 114
- Conditional statistics, 114–117
- Conditional value-at-risk, 9–10
- Conditional variance, 376
- Conditioning variable, discrete setting, 375
- Confidence interval, 11, 463–466
- concept, 548
 - construction, 474
 - definition/interpretation, 465–466
 - obtaining, 473, 478
 - realizations, 467f
- Confidence level, 463–466
- definition, 465
- Consistency criterion, demonstration, 496, 496f
- Consistent test, 494–496
- definition, 495
 - illustration, 496f
- Constant derivative, 591
- Constant estimator, 429
- Constant intercept, 522
- Constant risk-free rate, implication, 626
- Constant variance, tests, 573–576
- Contingency coefficient, 124–126. *See also* Corrected contingency coefficient; Pearson contingency coefficient
- Continuity criterion, 585f
- Continuous distribution function, 592
- growth, marginal rate, 235
- Continuous function, 583–586
- continuity, 592
 - illustration, 584f
- Continuously compounded return, 253
- Continuous probability distributions, 7–8, 228
- description, 229–230
 - discrete probability distribution, contrast, 231
 - extreme events, 277
 - statistical properties, 247
- Continuous random variables, 7, 237–238, 309
- covariance, 343
 - density function, 340
 - values, assumption, 237–238
- Continuous random vector, components, 336
- Continuous variable, 32–33
- Contour lines, 10, 332–333
- example, 334f

- Contours, ellipsoids (comparison), 355–356
- Convergence characteristics, 436
- Convergence in probability, 436–438
 expected value, 438
- Convolution
 concept, 340
 integral (h), impact, 340
- Copula (copulae), 379–405. *See also* Gaussian copula; Independence; t copula
 bivariate distribution function, 388
 bounds, 382, 383–384
 computation, 390
 construction, 380–381
 contour lines, 391
 density, 382, 383
 estimation, usage, 401–405
 expression, 386
 function, 381–382
 increments, 382, 383
 invariance, 385–386
 plots, 395
 properties, 382–386
 specifications, 381–382
 two dimensions, 387–399
 usage, 386–387
- Corporate bond issuer, observation unit, 555–556
- Corporate bond market, high-yield bond sector, 556
- Corporation, default, 194
- Corrected contingency coefficient, 125–126
- Corrected sample variance, 431
 obtaining, 63
- Correlated random variables, 341–342
- Correlation, 123–124, 345–347
 covariance, relationship, 341–347
 criticism, 347
 measure, insufficiency, 10
 role, 129–131
 statistical measure, 3
- Correlation coefficient, 10, 123, 345
 absolute value, 563
 coefficient of determination, relationship, 140
 denotation, 391
 matrix, 346
- Correlation matrix
 bivariate normal density function, integration, 390
 denotation, 385
 setting, 399
- Countable additivity, 177
- Countable sets, distinction, 7
- Countable space
 mapping, 181–182
 random variables, 181–183, 188–189
 definition, 182
- Coupon rate, 556
- Coupon securities, 537
- Covariance, 120–123. *See also* Transformed random variables
 aspects, 343–345
 change, 343–344
 computation, 343, 344
 continuous case, 342–343
 correlation, relationship, 341–347
 criticism, 347
 discrete case, 342
 linear shift invariance, 344
 matrix of X , 349
 measure, 341–342
 scaling, 345
 symmetry, 345–346
 weighted sum, 348
- Covariance matrix, 344–345
 aspects, 343–345
 correlation structure, 354
 obtaining, 456
 presentation, 344–345
 value, 352–353
- Coverage ratio, 556
- Cramér-Rao lower bounds, 415, 453–457
- Credit migration tables, 369
 illustration, 370t
- Credit ratings, 18
- Credit risk management approach, 305
- Credit risk modeling, 194
 Poisson distribution, application, 218–219
- Critical region, 485
- Cross hedging, 148–149
- Cross sectional data, time series (relationship), 21
- Cumulative distribution function. *See* Joint cumulative distribution function
 example, 189f
 usage, 331
 values assumption, 56–57
- Cumulative frequency distribution, 27, 41–43
 evaluation, 30
 formal presentation, 30
- Cumulative probability distribution function, 230
- Cumulative relative frequency
 computation, 42
 distribution, 51–52
- Cyclical terms, randomness, 155
- Data. *See* Absolute data; Rank data
 accumulated frequencies, computation, 42
 analysis, 17
 center/location, 46–58
 class centers, usage, 62
 collection, process, 17–18
 comparison, problem, 68
 counting, 22, 24
 distribution, kurtosis, 317
 graphical representation, 75
 information, examination, 18–19
 interval scale, 20
 levels, 19–21, 67
 lower class bound, value selection, 38
 measurement, 20
 median computation, 69–70
 ordered array, usage, 39
 points, distance, 67
 range, usage, 39–41

- ratio scale, 20
- reduction methodologies, 5
- requirements, 47
- scale, 19–21
- scatter plot, 135f
- sorting, 22, 24
- standardization, 68
- transformation, 70
- types, 17–21
- Data classes, 32–42
 - frequency density, 84
 - frequency distribution, determination, 43f
 - range, obtaining, 59
- Data classification
 - formal procedure, 33–34
 - procedures, example, 34–41
 - reasons, 32–33
 - Sturge's rule, usage, 37
- Data-dependent statistics, 238–239
- Data level qualification, 72t
- Datasets. *See* Multimodal dataset; Unimodal dataset
 - comparability, 24
 - minimum/maximum, 59
 - size, 48
 - symmetry, 84
 - variation, 67–68
- DAX
 - closing values, plot, 153, 154t
 - index values, 155f
- d -dimensional elliptical random variable, 357
- Debt obligations, credit ratings, 18
- Decision rule, 481, 483–485
- Decomposition, 492f
 - form, 154–155
- Default intensity, 265
- Default number, null hypothesis (impact), 498
- Default probabilities, 270
- Default rate, 265
- Degrees of freedom
 - estimate, computation, 403, 405
 - indication, 385
 - parameter, 354
 - reduction, 259
- Delta, 588
- Density, Fourier transformation, 599
- Density function, 232–237
 - contour lines, 332
 - definition, 235
 - display, 261–262, 486
 - example, 267f
 - histogram, comparison, 234f
 - means, yield, 241f, 242
 - presentation, 288
 - requirements, 233–237
 - stability, 289f
 - symmetry, 247–248
 - usage, 238–239
- Dependence, 338–341
 - alternative measures, 405–412
 - continuous case, 339–341
 - discrete case, 338–339
 - measures, 379
 - structures
 - detection, 124
 - determination, 349
 - zero covariance, concept, 121–122
- Dependent components, 338
- Dependent variable, 6, 132
- Derivative, 233, 587–591
 - computation, 595–596
 - construction, 590–591
 - function, illustration, 588f
 - gains/losses, 76–77
 - integral, relationship, 595–596
 - setting, 450–451
- Derivative instruments, valuation, 3–4
- Descriptive statistics, 5–6
- Determinants, 609–612
 - computation, 613–614
- Deutsche Bank, absolute deviation, 64
- Diagnostic statistics, usage, 535
- Difference equations
 - components, 159
 - usage, 159
- Difference quotient, 590–591
- Differentiable, term (usage), 591
- Differential calculus, usage, 525
- Discontinuous function, 583
 - illustration, 584f
- Discrete cumulative distribution, 188
- Discrete distributions, list, 223
- Discrete law, 187–192
- Discrete probability distributions, 187
 - continuous probability distribution, contrast, 231
 - examples, 326–327
 - usage, 7
- Discrete random variables, 230
- Discrete random vectors, 326
 - marginal probability, 334
- Discrete uniform distribution, 7, 219–221
 - independent trials, consideration, 220
 - mean/variance, 219
- Discrete variables, 32–33
- Dispersion matrix, 386
- Dispersion parameters, 239–244
- Distributed random vector, dependence structure, 385–386
- Distribution
 - Chebyshev inequalities, 251
 - connectivity, 304–305
 - decays, 288
 - equality. *See* Equality of distribution
 - exponential family, 457–458
 - mean, definition, 302
 - skewness statistic, 572
 - symmetry, objective measurement, 314–315
 - tails, 3
 - VaR computation, 299–300
 - yields, 194–195

- Distribution function, 230–232, 266
 definition, 179
 example, 267f
 mean/variance, 266
 parameters, 322–323
 value, assumption, 387
- Distribution of X , 184
- Disturbance terms
 linear functional relationship, 134f
 randomness, 155
- Diversification, strategy, 348
- Dividend payments, variable, 21
- Dot-com bubble, 286
- Dow Jones Global Titans 50 Index (DJGTI), 22, 24
 list, 25t–26t
 relative frequencies, comparison, 28t
- Dow Jones Industrial Average (DJIA)
 components
 industry subsectors, frequency distribution, 24t
 list, 23t
 component stocks analysis, 22
 relative frequencies, comparison, 28t
 stocks
 empirical relative cumulative frequency
 distribution, 31t, 32f
 share price order, 29t
 value
 consideration, 416
 realizations, 416
- Down market beta, 551
- Down movement, 198–199, 221
 binomial random variable, impact, 303
 occurrence, 252
- Drawing with replacement, 196
- d -tuple, requirements, 382
- Dummy variables
 design, 549
 incorporation, independent variable role, 548–561
 trap, 549
 usage, 549–550. *See also* High-yield corporate
 bond spreads; Mutual fund characteristic lines
 value, 551
- Dummy variables, usage, 12
- Duration, 531. *See also* Empirical duration;
 Regression-based duration
- Durbin-Watson critical value table, 579
- Durbin-Watson d statistic, 578
- Durbin-Watson test, 578
- Earnings
 logarithm, 556
 measures, 556
- Earnings before interest, taxes, depreciation and
 amortization (EBITDA), 556
- Earnings before interest and taxes (EBIT), 556
- Econometrics, 2
- Efficient estimator, 443–444
- Efficient frontier, 353
- Eigenvalue, 608, 612–614
 multiplicity, 613
- Eigenvector, 612–614
 derivation, 612–613
- Electronic communication networks (ECNs), 367
- Electronic trading, importance, 367
- Elementary events/atoms, 174
- Elements
 combination, 170
 marginal distributions, 10
- Elliptical class, properties, 357–358
- Elliptical distributions, 356–358
 closure, guarantees, 357
- Empirical cumulative frequency, 27
 distribution, 27–32, 402
 function, computation, 514–515
- Empirical cumulative relative frequency distribu-
 tion, 90f, 91f
 joint observations, 403f
- Empirical duration, 531
 data, 533t
 estimated regression coefficient, relationship, 532
 estimation, 531–536
 regression parameters, estimation
 multivariate linear regression, usage, 536t
 simple linear regression, usage, 534t
- Empirical relative cumulative frequency distribu-
 tion, 31t, 32f
- Empirical returns/theoretical distributions (com-
 parison), box plots (usage), 98f
- Empirical rule, 67, 250–251
- Engineering, risk analysis, 1
- Engle, Robert, 2
- Equality, denotation, 171
- Equality of distribution, two-tailed Kolmogorov-
 Smirnov test (usage), 513–516
- Equality of means, test, 509–513
- Equal means, null hypothesis, 510
 rejection, impossibility, 511
- Equal tails, 472
 probability of errors, creation, 478
- Equal tails test
 test size partition, 508f
 usage. *See* Normal distribution
- Equation system, 602
- Equidistance, data class criteria, 33
- Equivalent test rule, 497–498
- Erlang distributed statistic, 500
- Erlang distribution, 247, 269
 α quantiles, 478
- Erlang random variable, creation, 478
- Error correction, 161–163
 model, 163
- Error probability, asymmetric distribution, 471
- Error terms
 constant variance, tests, 573–576
 distribution, 133
 standard deviation, 574
 statistical properties, assumption, 570
- Error types, 485–490
- Estimate
 empirical distribution, 432

- population parameter, contrast, 429
- Estimators, 415, 420–421. *See also* Biased estimator; Point estimators
 - asymptotic properties, 436
 - basis, statistics (impact), 460
 - consistency, 438
 - convergence characteristics, 436–438
 - denotation, 421
 - expected value, 441
 - large-sample properties, 436
 - properties, 436
 - assessment, Central Limit Theorem (usage), 436
 - quality criteria, 428–435
 - random sample dependence, 421
 - understanding, 421
 - usage, 432–433
 - variance, Cramér-Rao lower bounds, 415
- Euler constant, 217
- Euro-British pound exchange rate returns, 97
- European banks
 - investment banking revenue ranking, 64t
 - revenue, sample standard deviation (obtaining), 65
- European call option, 625
 - Black-Scholes option pricing formula, 631
 - expected value, computation, 627
 - maximum operator, computation, 627
 - price, derivation, 626–631
 - standardized random variable, 628
 - stock terminal price, 627
- EUR-USD exchange rate
 - daily logarithmic returns, box plot, 93f
 - QQ plot, contrast, 97f
 - returns, box plot, 95f
- Event-driven hedge fund, 372
- Events, 7, 173–176. *See also* Independent events
 - correspondence, 390f
 - defining, 368
 - marginal probability, 334
 - no value, 177
 - origin, determination, 183
 - probability, 231, 367
 - obtaining, 389
 - rectangular shape, 388f
- Excess kurtosis, 286–287, 318
- Excess return, 142–143
- Execution slippage, 367
- Execution time, 367–368
- Exemplary datasets, usage, 84
- Exemplary histograms, 85f
- Exercise price, 625
- Expected inflation, monthly data, 538t–542t
- Expected shortfall, 9–10, 300
- Expected tail loss, 376–377
- Expected value, interpretation, 303
- Exponential data, linear relationship, 141–142
- Exponential density function, 263f
- Exponential distribution, 8, 262–265
 - characterization, 262
 - exponential family, 458
 - λ parameter
 - confidence interval, 477–479
 - one-tailed test, 499–501
 - λ parameter, MLE (impact), 450–451
 - Cramér-Rao bound, 455
 - mean, 262, 304–305
 - no memory property, 264
 - parameter space, computation, 500f
 - Poisson distribution, inverse relationship, 264
 - skewness, 315
 - variance, 262, 310–311
- Exponential family, 457–461. *See also* Exponential distribution; Normal distribution; Poisson distribution
- Exponential function, value yield, 271
- Exponential functional relationship, linear squares regression fit, 141f
- Exponential random variable, observation, 450
- Extreme events, continuous probability distributions, 277
- Extreme value distribution. *See* Generalized extreme value distribution
- Extreme value theory, 278
- Factorial, 596–597
 - operator usage, 615
- Factorization theorem, 460
- Fan, Fianqing, 2–3
- F-distribution, 247, 260–262
 - density function, 261f
- Feasible portfolios, 353
- Federal Reserve, intervention, 209–211
- Finance
 - correlation, 130
 - exponential distribution application, 265
 - multivariate linear regression model application, 531–543
 - probability/statistics dependence, 3
 - regression analysis applications, 142–149
- Financial asset returns, modeling, 9
- Financial econometrics, 2
- Financial quantities, research, 18
- Financial returns, 290
 - modeling, 282
 - simulation, copula (usage), 386–387
- First derivatives, usage, 447–448
- First moment, 239, 302–306
- Fisher's F distribution, 247
- Fisher's Law, 537
- Fitch Ratings, 369
 - credit ratings, 18
- Foreign exchange (FX) markets, electronic trading (importance), 367
- Formal derivation, 585–586
- Forward price, 161
 - innovation, 163
- Fourier transformation. *See* Density
- Fourth central moment, 318
- Franklin Templeton Investment Funds, 12-month returns, 34, 35t–36t
 - ordered array, 37t–38t

- Fréchet distribution, 278, 280
 Fréchet lower bound, 383
 Fréchet type distribution, application, 281
 Fréchet upper bound, 383
 Freedman-Diaconis rule, 33–34
 application, 39
 distribution, fineness, 40
 Frequencies
 accumulation, 27
 formal presentation, 26–27
 Frequency density, 82, 84
 Frequency distributions, 22–27. *See also* Empirical
 cumulative frequency
 Frequency histogram, 82–88
 Frisch, Ragnar, 2
F-statistic, 521
 computation, 528
F-test
 application. *See* Lehman U.S. Aggregate Bond Index
 inclusion, 530–531
 usage, 550
 Full rank, 605
 Full rank $n \times n$ matrix, inverse (definition), 607
 Fully pooled data, regression equation (estimation), 560
 Function
 decrease, absence, 592
 features, 583, 596
 formal expression, 30
 integral, 595
 slopes, measurement, 589f
 Functional relationship, assumption, 141
 Fund returns. *classes*
 centers, 47t
 Freedman-Diaconis rule, usage, 40t
 Sturge's rule, usage, 39t
 Gamma function, 255, 268–269, 354
 density function, 268f
 illustration, 598
 mean/variance, 269
 non-negative value, 397
 GARCH. *See* Generalized autoregressive conditional heteroskedasticity
 Gauss, C.F., 247
 Gauss copula, specification, 385
 Gaussian copula, 383, 385
 concretizing, 390
 contour lines, 395
 d=2 example, 390–393
 contour plots, 393f–394f
 illustrations, 391f, 392f
 d=2 simulation, 399–405
 data, fit, 412
 degrees of freedom, 401f
 example, 409–410
 marginal normal distribution functions, 404f–405f
 returns, computation, 403, 405
 tail dependence, 408–409
 usage, 404f
 values, generation, 400f
 Gaussian distribution, 97, 247
 Gaussian random variables, 418
 General Electric (GE)
 daily return data
 consideration, 439
 sample means, histogram, 424f
 sample variance, histogram, 442f–443f
 daily returns
 bivariate observations, 402f
 empirical cumulative relative frequency
 distribution, joint observations, 403f
 generated returns, 405f–406f
 non-normal distribution, Central Limit
 Theorem (impact), 511
 daily stock returns, 418, 468, 509
 distribution, 423
 mean parameter, confidence interval, 468
 data
 simulation, estimated copulae (usage), 401–405
 Spearman's rho, 410–412
 tail dependence, 410–412
 marginal normal distribution functions, generated values, 404f
 marginal student's *t* distribution functions, generated values, 404f
 monthly returns, 131t
 return data
 observation, 441
 sample mean, 434f
 returns
 conditional frequency data, 120
 conditional sample variances, 117
 examination, 510–511
 usage, 126
 sample means, histograms (comparison), 440f
 stock price
 observations, 419t
 variable, 168–169
 stock returns, 434
 conditional sample means, 118t
 indifference table, 127t
 marginal relative frequencies, 115t
 General Electric (GE) daily returns, 317f
 kurtosis, 318–319
 left tails, comparison, 320f
 modeling, 319f
 skewness, 315–316
 Generalized autoregressive conditional heteroskedasticity (GARCH) model, 574–576
 Generalized central limit theorem, 290
 application, 425
 Generalized extreme value (GEV)
 density function, 279f
 distribution, 277–281, 286
 function, 279
 Generalized Pareto distribution, 8–9, 281–283
 function, parameter values, 280f, 282f
 General multivariate normal distribution, density
 function, 349–350

- Glejser test, 573
- Global minimum-variance portfolio, 353f
- Global minimum-variance portfolio (global MVP) denotation, 353
- GLS. *See* Aitken's generalized least squares
- Goldfeld-Quandt test, 573
- Goodness-of-fit denotation. *See* Regression
- Goodness-of-fit measures, 6, 138–140. *See also*
Adjusted goodness-of-fit measure
coefficient of determination, relationship, 527
improvement, 530
usage, 147, 521–522
- Granger, Clive, 2
- Growth, marginal rate, 232–235
- Gumbel, Emil Julius, 398
- Gumbel copula, 398–399
- Gumbel distribution, 278
distribution function, 278, 280
- Half-open intervals, 327
- Hazard rate, 265
- Heavy-tailed distribution, 572
- Heavy tails, 357–358
modeling capability, 8
presence, 379
- Hedge funds, 372
data, 372–373
- Hedge ratio, refinement, 148
- Hedging. *See* Cross hedging
instrument
shorting amount, 147
usage, decision, 147
regression analysis, application, 147–149
- Heteroscedastic error term, 570
- Heteroskedasticity
advanced modeling, 574–576
modeling, 573–576
- Higher dimensional random variables, 326–327
continuous case, 327
discrete case, 326–327
- Higher order moments. *See* Moments of higher order
- High-yield bond, 555–556
- High-yield corporate bond spreads
prediction, 555–561
regression results, 561t
credit rating classification, dummy variable (usage), 561t
time, dummy variables (usage), 562t
- Histogram. *See* Exemplary histograms; Frequency histogram
absolute frequency density, inclusion, 86f
density function, comparison, 234f
skew, 572
- Homoskedastic error term, 570
- Homoskedasticity, 573–576
- Hypergeometric distribution, 7, 204–211
application, 209–211
approximation, Poisson distribution (usage), 218
random variable, 208–209
representation, 417
- Hyperplane, 524. *See also* Regression; Vector hyperplane
- Hypothesis (hypotheses), 482–485
setup, 482–483
test
alternative use, 484
size, 486–488
testing, 11, 480
examples, 496–518
- IBM
daily returns
bivariate observations, 402f
empirical cumulative relative frequency distribution, joint observations, 403f
generated returns, 405f–406f
non-normal distribution, Central Limit Theorem (impact), 511
data
simulation, estimated copulae (usage), 401–405
Spearman's rho, 410–412
tail dependence, 410–412
marginal normal distribution functions, generated values, 404f
marginal student's t distribution functions, generated values, 404f
returns, examination, 510–511
stock return, 509–510
- Identically distributed Bernoulli random variables, 615–616
- Identity matrix, 608
- Imaginary number, 349–350, 598
- Imaginary signs, matrix (setup), 610–612
- Incident class, 53
- Independence, 117–120
assumption, 196
copula, 384
obtaining, 398–399
definition, 119
discussion, 10
formal definition, 338
- Independent components, 338
- Independent distributed random variables, 616
- Independent drawings, n -fold repetition space, 417
- Independent events, 365–366
probability, multiplicative rule, 368–369
- Independent random variable, distribution, 406
- Independent standard exponential random variables, summation, 478
- Independent variable, 6, 132
calculation, 551
covariance, 121
determination, 562
role, 548–561
significance, testing, 529–530
space formation, 524
usage, excess, 529
- Indicator function, 237, 374, 586–587
expression, 587
usage, 238–239

- Indifference table, 126
- Inductive statistics, 10–11
- Industry Classification Benchmark (ICB), usage, 22
- Inferences, 416. *See also* Statistical inference making, 4
- Infinitum (lowest bound), 296
- Inflation
 - monthly data. *See* Expected inflation rate, information (availability), 537
- Influence, concept, 119
- Information matrix, 454
 - inverse, 456
- Inner product
 - computation, 606
 - definition, 606
- Insurance premiums earned, 77
- Integral, 592–596
 - area approximation, 594f
 - computation, 628–629
 - derivative, relationship, 595–596
 - left-point rule, 595
 - limiting area rule, 594–595
 - right-point rule, 595
- Inter-arrival times, 478–479
 - distribution, 264, 269, 304–305
 - observation, 500–501
- Interest
 - independent variable, 549
 - random variable, 214
- Interest rate
 - changes, 203
 - index, independent variable, 532
- Intermediate statistics, computation, 511
- Interpolation method, usage, 54
- Interquartile range (IQR), 34, 60–61
 - computation, 92–93
 - data representation, 91–92
 - defining, 61
- Intersection operator, usage, 171
- Interval scale, 20
- Invariance. *See* Strictly monotonically increasing transformations
- Investment banking revenue
 - data, standardized values, 69t
 - ranking, 68t
- Investment-grade bonds, consideration, 369
- IQR. *See* Interquartile range
- Irregular term, 155–156
 - coefficient, 158
- Isolines, 332
- Jarque-Bera test statistic, 571–572
- Joint behavior, knowledge, 329
- Joint cumulative distribution function, 328–329
- Joint density function, 332, 339–340
 - expression, 340
- Joint distribution
 - copula, 406
 - function, display, 380–381
 - governance, 409
 - marginal distribution, comparison, 335–336
 - reduction, absence, 382
- Joint frequencies
 - average squared deviations, measurement, 125
 - payoff table, 122t
- Jointly normally distributed random variables, tail dependence (absence), 409
- Joint probability, 366–367
- Joint probability density function, 330
 - contour lines, 333
- Joint probability distributions, 9, 325, 328–338
 - continuous case, 330–332
 - discrete case, 328–329
 - understanding, importance, 329
- Joint random behavior, measures, 325
- Joint randomness (measure), correlation/covariance (criticism), 347
- j -th independent variable, 547
- Junk bond, 556
- k components, pairwise combinations, 346
- k -dimensional elements, 327
- k -dimensional generalization, 340
- k -dimensional random variable, 354
- k -dimensional random vector, 327
 - covariances, 346
 - density function, 355–356
- k -dimensional real numbers, general set, 421
- k -dimensional volume, generation, 330
- Kendall's tau, 407
- X events, Bayes' rule, 372
- k independent variables
 - regression coefficients, 522
 - test, 529–530
- Kolmogorov, Andrei N., 168–169
- Kolmogorov-Smirnov (KS) statistic, 515
- Kolmogorov-Smirnov (KS) test
 - application, 11
 - usage. *See* Two-tailed Kolmogorov-Smirnov test
- k -th moment, 307
- k -tuple, 326
 - representation, 330
- Kurtosis, 317–318, 572. *See also* General Electric excess, 286–287, 318
- Lag, size, 428
- Lagged correlation, 577
- Lagrangian multiplier test, 573
- Lambda (λ) parameter, 427–428, 448–450
 - one-tailed test, 499–501
 - test, 496–499
- Large capitalization mutual funds, characteristic line estimation (data), 144t–146t
- Large capitalization stock funds, 143, 147
- Large sample criteria, 10, 435–446
 - consistency, 436–438
- Law of Large Numbers, 426, 437
- Least squares
 - provision, 136
 - regression fit, exponential relationship values, 142t

- result, 138f
- Left-continuous empirical distribution, 514–515
- Left-point rule, 595
- Left-skewed data, indication, 66
- Left skewed indication, 244
- Left-skewed returns, 316
- Left tails, comparison, 301f
- Lehman U.S. Aggregate Bond Index
 - asset duration estimate, 532, 534
 - F*-test, application, 536
 - regression, analysis, 535–536
- Leptokurtic distribution, 318
- Light-tailed distribution, 572
- Likelihood functions, 446–447
 - computation, 517
 - obtaining, 448, 450
- Likelihood ratio, 516
 - random sample dependence, 516
 - test, 11, 516–518
- Limiting distribution, 425
- Limiting normal distribution, 427–428
 - Poisson population, contrast, 427f
- Limit probability, 235
- Linear estimators, 424–425
 - lags, inclusion, 428
- Linear functional relationship, 134f
- Linearity, tests, 568–569
- Linearly dependent component vectors, 613
- Linear regression, 6. *See also* Simple linear regression
 - creation, 569
- Linear transformation
 - measures, 69–71
 - sensitivity, 72t
- Linear unbiased estimators, 445–446, 570
- Location, 46–58
 - measures, 45, 59, 69–70
 - examination, 72t
- Location parameters, 9, 249, 295. *See also* Right-skewed distribution
 - mode, relationship, 301f
- Location-scale invariance property, 249
- Location-scale invariance, 149
- Logarithmic return
 - normal distribution, 252–254
 - probability, 231
 - usage, 254
- Log-likelihood function, 446–447
 - computation, 448, 450
 - first derivatives
 - obtaining, 452
 - usage, 447–448
 - obtaining, 451–452
 - setup, 447
- Log-normal distribution, 8–9, 247, 271–274
 - application. *See* Call options
 - asymmetry, 314
 - closure, 272
 - density function, 273f
 - impact, 629
 - second moment, 308
- Lognormal distribution, density function, 272f
- Log-normally distributed random variable, 305
- Log-normal mean, presentation, 305–306
- Log-normal random variable, mean/variance, 271
- Long-term corporate bond, risk manager hedge
 - position, 147–148
- Long-term interest rates, short-term interest rates
 - (correlation), 148
- Look-up reference, 611
- Lower limit, 590
 - defining, 92
- Lower quartile, 296–297
- Lower tail dependence, 407–408
 - coefficient, 409–410
 - expression, 408
 - measure, 408
- λ parameter, estimation, 427–428
- MA. *See* Moving average
- Marginal density function, 335–337
 - concept, illustration, 337
 - denotation, 417
 - integration, 338
 - value, 336
- Marginal distributions, 10, 333–338. *See also* Element
 - continuous case, 336–338
 - discrete case, 334–336
 - function, 399
 - heavy tails, 357–358
 - joint distribution, comparison, 335–336
 - values, 339, 382
- Marginal increment, 590
- limit analysis, 590–591
- Marginal probabilities, 362
- Marginal probability distribution, 333
 - obtaining, 335
- Marginal rate of growth, 232–235
- Marginal variances, weighted sum, 348
- Market capitalization, 19
- Market environments, mutual fund characteristic
 - lines (testing), 551–555
- Market excess return, 143
- Markowitz portfolio selection, 353
 - theory, 8
- Matrix (matrices), 601–602. *See also* Square matrix
 - algebra, usage, 525
 - determinant, 609
 - determination, 609–612
 - direction (3×3 matrix), column vectors (usage), 604
 - display, 602
 - examination, 603–614
 - extension, 603
 - full rank $n \times n$ matrix, inverse (definition), 607
 - inverse, 608
 - algebraic derivation, avoidance, 608
 - multiplication, 602–603
 - feasibility, 603
 - $n \times n$ matrix

- Matrix (*Cont.*)
- component vectors, 606
 - determinant, computation, 609
 - operations/concepts, fundamentals, 601
 - reduction, 611–612
 - sizing, 607–608
 - 2×2 matrices, determinants, 609
- Matrix notation
- analogue, 523–524
 - usage. *See* Minimization problem
- Maximum likelihood estimate, 448
- determination, 452
- Maximum likelihood estimator (MLE), 446–457
- examples, 448–453
 - illustration, 449
 - reference, 448
 - sample size, 455
- Maximum operator, computation, 627
- Mean absolute deviation (MAD), 61–63
- analysis, 70–71
 - computation, 62
 - contrast, 66
 - definition, 61–62
 - standard deviation, comparison, 65
- Mean (μ), 46–48, 189–191. *See also* Weighted mean
- computation, original data (usage), 48
 - defining. *See* Sample mean
 - estimator, 421–423
 - example, 306f
 - expected value interpretation, 303
 - first moment, 302–306
 - interpretation, 48–49
- Mean parameter, confidence interval, 476–477
- Mean squared of errors (MSE), 528
- Mean-square error (MSE), 432–433
- MSE-minimal estimators, unavailability, 433
 - square root, 567
- Mean squares of regression (MSR), 528
- Mean-variance portfolio optimization, 353
- Measurable function, 237–238
- definition, 180
 - relationship, 181f
- Measurable space, 176–177
- definition, 176
 - formation, 230
- Measurement level, 19
- Measures, summary, 71–72
- Median, 48–54
- ambiguity, avoidance, 57
 - calculation, 51
 - determination, linear interpolation (usage), 53
 - example, 306f
 - feature, 49
 - percentiles, 58
- Minimization problem, matrix notation (usage), 524–525
- Minimum-variance estimator, discovery, 433
- Minimum variance linear unbiased estimator (MVLUE), 445–446
- Minimum variance portfolio (MVP), 353
- Minimum-variance unbiased estimator, 433
- Mode (M), 54–55, 301–302
- class, determination, 55
 - distribution shape, 317
 - example, 306f
- Moment of order k , 307
- Moments of higher order, 240–244, 307–309
- Monotonically increasing function, 383, 592
- illustration, 593f
- Monotonically increasing value, 230
- Monotonic function, 591–592
- Monthly return data, usage, 140
- Moody's Investors Service, 369
- credit ratings, 18
- Moving average (MA). *See* Autoregressive moving average
- method, 158
- Moving average (MA) process of order q , 580
- MSE. *See* Mean squared of errors; Mean-square error
- MSR. *See* Mean squares of regression
- Multicollinearity. *See* Near multicollinearity
- indicators, 547
 - mathematical statement, 546
 - problem, 545–548
 - procedures, mitigation, 547–548
- Multimodal dataset, 55
- Multinomial coefficient, 214–215, 615, 622–623
- Multinomial distribution, 7, 211–216
- Multinomial random variable, probability distribution, 212
- Multinomial stock price model, 213–216
- discrete uniform distribution application, 220–221
 - example, 216f
- Multiple events, total probability (law), 371
- Multiplicative return (R), 252–253
- Multiplicative rule. *See* Probability
- Multiplicity, 613
- Multivariate distribution function, expression, 381
- Multivariate distributions, 6, 325, 328
- application, 350–353
 - introduction, 384
 - selection, 347–358
- Multivariate linear distribution, 12–13
- models, building process, 12
- Multivariate linear regression
- analysis, estimates/diagnostics, 521
 - usage, 536f
- Multivariate linear regression model, 522–523
- assumptions, 523
 - testing, 567
 - construction, 545
 - techniques, 561–565
 - dependent variable, impact, 531–532
 - design, 526, 545
 - diagnosis, 526
 - diagnostic check, 526–531
 - error term, 567
 - fitting/estimating, 526
 - independent variables, consideration, 546
 - parameters, estimation, 523–525

- significance, 526–531
 testing, 527–529
 specification, 526
 standard stepwise regression model, 564–565
 steps, 526
 stepwise exclusion method, 564
 stepwise inclusion method, 562–564
- Multivariate normal distribution, 347–353
 characteristic function, 350
 properties, 348–349
- Multivariate normally distributed random vector, 399
- Multivariate normal random vector, 349
- Multivariate probability density function, 330
- Multivariate probability distributions, 9
- Multivariate random return vector, density function, 333
- Multivariate t distributions, 354–356
- Municipal bond futures, availability, 148
- Mutual exclusiveness, data class criteria, 33
- Mutual fund characteristic lines
 estimation data, dummy variable (usage), 552t–554t
 regression results, dummy variable (usage), 555t
- Mutual fund characteristic lines, testing, 551–555
- Mutually exclusive events, 368–369
- MVLU. *See* Minimum variance linear unbiased estimator
- Natural logarithm, usage, 451–452, 497, 583
- Near multicollinearity, 546
- Negative autocorrelation, 577
- Negatively correlated random variables, 346
- Nested models, 516
- Neutrality property, 607–608
- New York Stock Exchange (NYSE) stocks, categorization, 18
- Neyman-Pearson test, 499
- NIG distribution
 normal distribution, contrast, 320f
 scaling property, 285
- NIG random variables, 283, 285
 scaling, 285
 skewness, 316
- NIG tails, 318–319
- No default probability, 265
- No memory property, 264
- Nominally scaled data, 19
- Non-decreasing function, 172–173
 hypothesis, 173f
- Nonemptiness, data class criteria, 33
- Noninvestment grade bond (junk bond), 556
- Nonlinear regression, 569
- Non-linear relationship, linear regression, 140–142
- Non-negative integer
 usage, 207
 value, assumption, 217
- Non-negative probability, 178
- Non-negative real numbers, 254
- Non-negative values
 assumption, 261
 gamma function, 597
- Non-redundant choices, usage, 208
- Non-redundant options, usage, 206–207
- Non-redundant outcomes, 205
- Non-redundant samples, 212
- Non-speculative-grade rating, unconditional probability, 371
- Normal distribution, 3, 247–254
 assumption, 291
 exponential family, 459
 finance usage, 8
 mean, 305–306
 NIG distribution, contrast, 320f
 normal inverse Gaussian distribution, contrast, 285
 parameter components, MLE, 451–453
 parameter μ
 equal tails test, usage, 506–508
 one-tailed test, usage, 501–503
 two-tailed test, usage, 505–506
 parameters
 confidence intervals, 475t
 MLE, Cramér-Rao bounds, 456–457
 properties, 248–251
 skewness, 315
 t distribution difference, 410
 usage, 251–252
 variance (σ^2), 311–312
 one-tailed test, usage, 503–505
- Normal inverse Gaussian density function, parameter values, 284f
- Normal inverse Gaussian distribution, 8–9, 283–285
 function
 normal distribution, contrast, 285
 parameter values, 284f
- Normalized sums, asymptotic properties, 436
- Normally distributed data, sample mean (consistency), 438–440
- Normally distributed random variables, tail dependence, 411f
- Normally distributed stock return, 456
- Normal random variable
 mean, confidence interval, 466–469
 unknown variance, 469–475
 variance, confidence interval, 471–473
- Null hypothesis, 482. *See also* Equal means; True null hypothesis
 acceptance, 494
 accounting, 497
 alternative hypothesis, contrast, 483f
 autocorrelation, relationship, 579
 avoidance, 488
 formulation, 509–510
 probability, value, 501–502
 rejection, 485, 505–506, 508
 impossibility, 501, 512
 probability, 492, 495f, 500f
 test statistic, impact, 510
- $n \times n$ matrix. *See* Matrix
- Observation pairs, scatter plot, 137, 138f

- Observed values, frequency, 32–33
- Off-diagonal cells, zero level, 445
- Ogive diagrams, 89–91
- One-day stock price return, 306f, 311, 313
distribution, bounds, 314f
rule of thumb, 313f
- One-dimensional probability distributions, 9
- One-tailed test, 483. *See also* Exponential distribution
usage. *See* Normal distribution
- Open classes, 33
- Open intervals, 327
- Optimality, determination, 135
- Ordered array, length equality, 96
- Ordinally scaled data, 19
- Ordinary least squares (OLS), 135–136
method, usage, 577–578
regression method, 524–525
usage, 141–142, 574
- Outcomes, 7, 173–176
influence, 250
likelihood, null hypothesis (impact), 497
occurrence, 231
probability, 210–211, 231
realization, 196
- Outliers, 92
- Over-the-counter (OTC) business, data inaccessibility, 18
- Pairwise disjoint, 171, 177
- Parallelepiped (three-dimensional space), 609
- Parameters
components, MLE, 451–453
definition, 45
estimation, 257
invariance, 466
statistics, contrast, 45–46
- Parameters of location. *See* Location parameters
- Parameters of scale. *See* Scale parameter
- Parameter space, 416
computation, 500f
interval, selection, 464
probability computation, 502f
- Parameter values
benchmark, 505f
normal density function, 248f
normal distribution function, 249f
- Parametric distributions, 239
- Pareto distribution, 281
 β/ξ parameters, 282
density function characterization, 281–282
- Pareto tails, 286–287
- Park test, 573
- Partial determination, coefficient. *See* Coefficient
of partial determination
- Partial integration method, 305
- Path-dependence, 202
- Payoff table, 122t
- Pearson contingency coefficient, 125
- Pearson skewness, 244
definition, 65–66
- Percentage returns, empirical distribution, 49t, 51t
- Percentage stock price returns, empirical distribution, 50f
even number companies, 52f
- Percentile, 56, 296
- Performance measure estimates, results (estimation), 147
- Pie charts, 75–78
- Platykurtic distribution, 318
- P-null sets, 232
- Point estimators, 415
- Poisson distributed random variable, 307
- Poisson distribution, 7, 216–219
delta parameter, 217
exponential distribution, inverse relationship, 264
exponential family, 458
 λ parameter
estimation, 427–428
MLE, 448–450
sufficient statistic, 461
test, 496–499
mean, 304
parameter, 304, 310
probability, insertion, 497–498
second moment, 307–308
variance, 310
- Poisson parameter, MLE (illustration), 449
- Poisson population, limiting normal distribution (contrast), 427f
- Poisson probability distribution, 227
- Poisson random variable
mean/variance, 217
modeling, 499
- Population
alpha-percentile, 56–59
mean, 114
knowledge, 431
multivariate linear regression model, 522
standard deviation, definition, 64
- Population parameter
estimate, contrast, 429
generation, n -dimensional sample (usage), 419–420
information, 416
statistic, contrast, 419–420
- Population variance
computation, 431–432
definition, 63
estimator replacement, 430–431
examination, 71
unbiased estimator, obtaining, 431
- Portfolio
assets, currency denomination, 346–347
diversification, 408
return, 343–344
computation, 352
mean/variance, 352
selection, multivariate distribution application, 350–353
theory, risk measure (role), 241
value, representation, 351–352
- Positive autocorrelation, 577

- Positive semidefinite matrices, 614
- Positive-semidefinite matrices, 444–445, 454
- Power law, 286–287
- Power of a test, 490–493
 - definition, 491
 - probability line, 491f
- Power set, example, 174t
- Power tails, 287–288
- p parameter, estimation, 425–426
- Price/earnings (P/E) ratio, 364–365
 - list, 364t
- Price process
 - efficiency, 160
 - time series application, 159–163
- Probabilistic dependence, 10
- Probability
 - alternative approaches, historical development, 167–170
 - computation, 197–198
 - density function, usage, 238–239
 - concept, problem, 170
 - congruency, 201–202
 - convergence, 436–438
 - determination, 196, 373
 - double summation, 342–343
 - expression, 408
 - law, 184, 187
 - mass, 241–242
 - models, 4
 - multiplicative rule, 366–371
 - application, 368
 - illustration, 367–368
 - plot, 96
 - relative frequencies, 167–168
 - statistics, contrast, 4–5
 - studying, 4–5
 - theory, 7–10
 - concepts, 167
 - university course, offering, 2–3
- Probability density
 - function, 233
 - understanding, 592
- Probability distributions, 7, 187, 194
 - continuousness, 330
 - moments, 9
 - obtaining, 203
 - values, 198
- Probability measure, 177–179
 - continuous distribution function, 232
 - definition, 177
 - density function, 233–234
- Probability of error, 486
 - creation, 478
- Probability space, 178
 - random variable, definition, 375–376
- Probability-weighted values, sum, 239
- Procter & Gamble (P&G)
 - par value, 148–149
 - trading day, yield/yield change, 150t–152t
- Psychometrics, 2
- p -value, 11, 489–490
 - illustration, 490f
 - reduction, 571
- Pyrrho's lemma, 562
- Quadratic forms, 614
- Qualitative data, 18
 - usage, 22
- Quality criteria, 428–431, 490–496
- Quality grades, consideration, 19
- Quantile-quantile plot (QQ plot), 96–99
- Quantiles, 56–58, 296–301. *See also* 0.25 quantile; 0.75 quantile
 - one-to-one relationship, 632
- Quantitative variable, 19
- Quartiles, 58
 - computation, 297–298
 - example, 306f
- Queue theory, 1
- Radius, attributed meaning, 75–76
- Randomness, inheritance, 259
- Random return vector, 337
 - joint probability density function, contour lines, 334f
 - probability density function, 333f
- Random sample, joint probability distribution, 446
- Random snock, 160
- Random variables, 179–185. *See also* Continuous random variables; Higher dimensional random variables
 - Bernoulli distribution, relationship, 192–193
 - boundary k , 503–504
 - company value function, 587f
 - consideration, 384
 - correlation coefficient, 345
 - countable space, 181–183, 188–189
 - definition, 182
 - density function, 422
 - skew, 471
 - deterministic function, 180
 - distribution, 196
 - exponential distribution, 265
 - independence, definition, 338
 - linear transform, 278
 - link, correlation inadequacy, 3
 - location, parameters, 295
 - mean, 190, 208–209
 - value, 252
 - measurability, 376
 - measurable function, 181
 - moments, 309
 - multiplication, 477–478
 - n degrees of freedom (chi-square distribution),
 - α -quantiles (position), 472f
 - negative correlation, 346
 - obtaining, 504
 - outcomes, 192
 - parameters, 238–239
 - positive correlation, 346
 - probability law, 325
 - relationship, 217

- Random variables (*Cont.*)
 - scale, parameters, 295
 - uncorrelation, 346
 - uncountable space, 183–185
 - usage, 189, 212
 - values, assumption, 389
 - variance, 509–510
 - definition, 191
- Random vectors, 10, 326
 - density function, 350
 - joint distribution, 348
 - function, 381
 - multivariate distribution function, 383
 - probability, 328
- Random walk, 160–161
- Range
 - obtaining, 59
 - variation measure, 59–60
- Rank correlation measures, 406–407
 - symmetry, 407
- Rank data, 19
- Ratio scale, 20
- Real numbers
 - open/half-open intervals, 327
 - three-dimensional space, 605
- Real rate, monthly data, 538t–542t
- Real-valued parameter (λ), 262
- Real-valued random variable
 - usage, 240, 242, 244
- Real-valued random variables
 - gamma distribution, 268
- Real-valued variable, continuous function, 583
- Recession, restricted space, 375
- Rectangular distribution, 266–267
- Rectangular event, 388–389
- Redundant components, 605–606
- Regime shift, occurrence, 561
- Regression
 - analysis, 129
 - finance applications, 142–149
 - hedging application, 147–149
 - equations, examination, 550
 - errors, 570
 - goodness-of-fit denotation, 530
 - hyperplane, 524
 - method. *See* Standard stepwise regression method
 - modeling, 129
 - theory, 12
- Regression-based duration, 531
- Regression coefficients, 524
 - estimates, distribution, 570
 - estimation, 147, 532–534, 556
 - unbiased estimates, 577
- Regression model, 131–132
 - distributional assumptions, 133–134
 - estimation, 134–138
 - evaluation
 - goodness-of-fit measures, usage, 521–522
 - extension, 6
 - industry sectors, consideration, 549
 - misspecification, 570
- Regressor, 132
- Reichenbach, Hans, 167–168
- Rejection region, 485
- Relative frequency, 27, 236
 - comparison, 28t
 - computation, 24
 - density, 233
 - histogram, usage, 88f
 - dependence, 169
 - distributions, usage, 120
 - probability, relationship, 167–168
 - usage, 84, 124–125
- Replacements, 206–208
- Rescaled random variables, generation, 257
- Rescaling effect, 70
- Residuals, 525
 - analysis. *See* Standardized residuals
 - autocorrelation, absence, 576–581
 - correlation, importance, 577
 - distribution, 133
 - observation, 569
 - tests, 570–572
- Residual term, 132
- Restricted model, 516
- Retransformation, 141–142
- Return
 - alternative set, 60t
 - attributes, 56
 - data, sample, 69t
 - density function, 331–332
 - joint distribution, 334–335
 - standard deviations, 347
 - vector, two-dimensional pdf, 332f
 - 0.25 percentile, 57
 - 0.30 percentile, 57f
- Rho. *See* Spearman's rho
- Right-continuity, demonstration, 172f
- Right-continuous empirical distribution, 514–515
- Right-continuous function, 172–173
- Right-continuous value, 230
- Right-point rule, 595
- Right-skewed distribution, location parameters, 316f
- Right skewed indication, 244
- Risk analysis, 1
- Risk-free asset, excess, 142–143
- Risk-free interest rate, 143
 - composition, 344
- Risk-free position, addition, 344
- Risk-free rate
 - implication. *See* Constant risk-free rate
 - market return, relationship, 551
- Risk-free return, 143
- Risk management, variables consideration, 6
- Risk manager, hedge position, 147–148
- Risk measures, 9–10
 - role, 241
- Risky assets, 343
- Rounded monthly GE stock returns, marginal relative frequencies, 115t

- Row vector, 601
form, 606
- R-squared (R^2). *See* Adjusted R-squared
- Russian ruble crisis, 286
- Sample, 415–419
criteria. *See* Large sample criteria
length, increase, 432
- Sample mean
analysis, 429–430
bias, 429–430
computation, 437–440
defining, 48
efficiency, 444
histogram, 423f, 424f, 427f
mean-square error, 433–434
sampling distribution density function, 422f
standardization, 466–467
- Sample outcome, impact, 428–429
- Sample size, 417
Central Limit Theorem, impact, 476
sufficiency, 425
- Sample skewness, definition, 65–66
- Sample standard deviation, definition, 64
- Sample variance
bias, 430–432
definition, 63
histogram, 442f
obtaining. *See* Corrected sample variance
- Sampling distribution, 420
density function, 422f
- Sampling error, 429
- Sampling techniques, 417
- Scale parameter (σ), 288, 295, 306–319
- Scaling invariant, 123–124
- Scaling property, 285
- Seasonal components, 157
- Second central moment, 309
- Second moment, 240. *See also* Log-normal distribution; Poisson distribution
non-existence. *See* Alpha-stable distribution
- Securities, types, 536–537
- Security, return, 143
- Seller, option payment, 625
- Serial correlation, 577
- Serial dependence, 428
- Set countability, 170–171
- Set operations, 170–177
- Set value, assumption, 328
- Shorthand notation, usage, 329
- Short hedge, 147
- Short rates, 255–256
dynamics, 256
- Short-term interest rates
modeling, application, 255–256
- Short-term interest rates, long-term interest rates (correlation), 148
- Sigma algebra (σ -algebra), 175, 327, 420
definition, 176
- Significance level, 488
determination, 510, 513
- Simple linear regression, 6, 132, 521
model, 532
regression parameter estimation, 534t
- Simultaneous movements, observation, 402
- Skewness, 65–67, 242–244, 314–317. *See also* Exponential distribution; General Electric; Normal distribution
computation, 315
probability distribution, knowledge, 316
definition, 65, 66. *See also* Pearson skewness; Sample skewness
formal definition, 315
indication, 244, 288
parameter β , impact, 288
parameter, 244
statistic, 572
- Sklar's Theorem, 381
- Slippage, occurrence, 368
- Space (Ω), 173–179. *See also* Countable space; Measurable space; Uncountable space
mapping, 217
occurrence, 180
- Spearman's rho, 407
- Special Erlang distribution, 247
- Speculative grade rating, 370
unconditional probability, 370–371
- Spherical distribution, 355
- Spread measures, 45
- Spurious regression, 130
- Squared bias, 433
- Squared deviations, variance (impact), 576
- Square matrix, 603–604
eigenvalues/eigenvectors, 612–614
- SSE. *See* Sum of squares errors; Unexplained sum of squares
- SSR. *See* Sum of squares explained by the regression
- SST. *See* Total sum of squares
- Stability property, 290
- Stable distributions, 285
characterization, 286
- Stand-alone probabilities, 362
- Standard deviation (std. dev.), 191–192, 242, 312–314
definition. *See* Population standard deviation; Sample standard deviation
outcomes, relationship, 193f
usage, 68
variance, contrast, 63–65
- Standard error of the coefficient estimate, 530
- Standard error of the regression, 530. *See also* Univariate standard error of the regression
- Standard error (S.E.), 432–433
- Standardization, 67–69
- Standardization of X, 249
- Standardized data, 278
- Standardized random variable, value, 628
- Standardized residuals, analysis, 572
- Standardized transform, 385
- Standard normal distribution, 247–248, 298
distribution function, 271

- Standard normal distribution (*Cont.*)
 mode, 302f
 α quantile, 510
 returns, contrast, 98f
 0.2 quantile, determination, 299f
- Standard normal population, observations, 515–516
- Standard & Poor's 500 (S&P500)
 daily returns, distribution test, 517
 equity index, value, 375
- Standard & Poor's 500 (S&P500) index
 asset correlation, 501
 commercial bank sector, asset duration estimate, 532, 534
 daily returns, 503
 zero mean, determination, 505–506
 electric utility sector, asset duration estimate, 532, 534
 prices, 83t
 stem and leaf diagram, 82f
 returns, 568
 examination, 506–507
 time series application, 157–158, 161
- Standard & Poor's 500 (S&P500) logarithmic returns, 177
 class data, 87t
 daily returns (2006), 89t
 frequency densities, 87t
 probability, 179
- Standard & Poor's 500 (S&P500) returns, 375–376
 empirical cumulative relative frequency distribution, 90f
 QQ plot, contrast, 97f
- Standard & Poor's 500 (S&P500) stock index
 534–536
 closing prices, consideration, 82
 daily logarithmic returns, 86
 daily returns, 157f
 logarithmic returns, box plot, 94f
 marginal relative distributions, 114
 monthly returns, 131t
 prices, changes (vertical extension), 158f
 usage, 143, 147
 values/changes, 162t
- Standard & Poor's 500 (S&P500) stock index returns
 box plot, 95f
 classes, 90t
 conditional, 116t
 empirical cumulative relative frequency distributions, 91f
- Standard & Poor's (S&P), 369
 credit ratings, 18
 assignation, 49
 empirical distribution, 50f
 index, cross sectional data (obtaining), 21
 ratings
 attributes, 56
 empirical distribution, 49t, 51t
 even number companies, 53f
- Standard stepwise regression method, 12, 562, 564–565
- State space (Ω'), 237–238
 probability, 188
- Statistic, 415, 419–420
 definition, 45
 degrees of freedom ratio, 512
 empirical data, 4
 parameters, contrast, 45–46
 population parameter, contrast, 419–420
 probability, contrast, 4–5
 university course, offering, 2–3
- Statistical independence, 159
- Statistical inference, 416
- Statistical noise, 133
- Statistical physics, 1
- Statistical significance, determination, 527
- Stem and leaf diagram, 81–82
- Stepwise exclusion method, 12, 564
- Stepwise inclusion method, 12, 562–564
- Stepwise regression, usage, 12
- Stochastic terms, 155–156
- Stochastic variable, 180
- Stock price
 changes, joint movements, 409
 dynamic, 627
 evolution, 199–200, 291
 expected value, relationship, 163
 pricing process, evolution, 200–201
 probability, 253–254
 correspondence, 221
 random variable, 221
 ratio, 308
 bounds, 313
 variation, 21
 volatility, 198–199
 parameter, 627
- Stock price to free cash flow per share (PFCF), ratio, 372–373
- Stock return illustration, 340–341
 modeling, 418
 properties, application, 251
 regression, application, 6, 130
 regression model, application, 136–138
 skewness, example, 315–316
 student's t distribution application, 259–260
- Stocks
 characteristic line, 143, 147
 index futures, availability, 148
 logarithmic return, 229
 performance, 364
 portfolio
 benchmark, 361
 consideration, 251
 relative performance, 364t
- Strictly monotonically increasing transformations, invariance, 382, 384–386
- Strictly monotonic function preserves, natural logarithm, 447f
- Strictly monotonic increasing function, 592
 illustration, 593f
- Strike price (exercise price), 625

- Student's t distributed
 $n-1$ degrees of freedom, 469–470
 statistic, 512
- Student's t distributed random variables, tail
 dependence, 411f
- Student's t distribution, 247, 256–262
 assumption, 291
 cumulative distribution function, 260
 degrees of freedom, 470–471
 density function, 258f
 α -quantiles, $n-1$ degrees of freedom, 470
 returns, 300
 shape, 257
- Student's t observations, generation, 401f
- Student's t random variable, mean, 259
- Sturge's rule, 33, 47
 usage, 37
- Subprime mortgage crisis, 286
- Subsets, 174
- Sufficiency, 457, 459–461
- Sufficient statistic, 11, 461
 distribution, 476
- Summation, infeasibility, 595
- Sum of squares errors (SSE), 139
- Sum of squares explained by the regression (SSR),
 13, 527
- Support, term, 237
- Supremum
 comparison, 515
 selection, 513–514
- Survival time, 264
- Symmetric confidence intervals, advantages, 11
- Symmetric density function, 243f
 zero skewness, 244
- Symmetric matrix, 608, 614
- Symmetric $n \times n$ matrix, 608
- Tail dependence, 347, 407–412
 absence, 409
 measure, 407
- Tail index, 286
- Tails, 3
- t copula, 383, 385–386
 $d=2$ example, 394–398
 contour plots, 397f–398f
 illustration, 395f–396f
 degrees of freedom, estimate (computation),
 403, 405
 joint distribution, 410
 tail dependence, 409–410
- t distribution, 247, 256. *See also* Multivariate t
 distributions
 density function, 258f
 normal distribution, contrast, 410
 obtaining, 394–395
 probability mass, attribution, 395
- t -distribution, tabulation, 530
- 10-year Treasury note, 537
- 10-year Treasury yield
 forecasting, regression results, 543t
 monthly data, 538t–542t
 prediction, 536–537
- Test power. *See* Power of a test
- Test quality criteria, 490–496
- Test size, 486
 determination, 487f
 partitioning, 508f
 value, 501–502
- Test statistic
 basis, 495
 computation, 513
 density function, 487f
 obtaining, 509–510
 usage, 506–507
- Theoretical distributions/empirical distributions
 (comparison), box plots (usage), 98f
- Third central moment, 314
- 30% quantile (determination), histogram (usage), 88f
- Three-dimensional real numbers, span, 606
- Time
 deterministic functions, 155
 variance, 575
- Time series, 6
 analysis, 153–176–577
 serial correlation/lagged correlation, 577
 cross sectional data, relationship, 21
 data, 21
 model, description, 575
 decomposition, 154–158
 components, 156f
 definition, 153–154
 obtaining, 55–56
 representation, difference equations (usage), 159
- Tinbergen, Jan, 2
- Total probability, law, 369
 illustration, 369–371
 multiple events, 371
- Total sum of squares (SST), 139, 527
- Transformed data
 median computation, 69–70
 range, computation, 70–71
- Transformed random variables, covariance, 343–344
- Treasury bill futures, availability, 148
- Treasury bond futures, availability, 148
- Treasury yield
 changes, 535
 prediction. *See* 10-year Treasury yield
- True null hypothesis, 527–528
- t -statistic, 521
 application, 550
- t -test
 $n-k-1$ degrees of freedom, 529–530
 results, 548
- Turned vectors, 607f
- 2-dimensional normal distributions, 349
- Two-dimensional copulas, 387–399
 maps, 387
- Two-dimensional random variable, usage, 331
- Two-dimensional space, complex number repre-
 sentation, 599

- Two-dimensional variable, 524
- Two-period stock price model, probability distribution, 215t
- Two-tailed Kolmogorov-Smirnov distance, computation, 514f
- Two-tailed Kolmogorov-Smirnov test, usage. *See* Equality of distribution
- Two-tailed test, 483
usage. *See* Normal distribution
- Type I errors, 11, 485–486
- Type II errors, 11, 485–486
probability, 490–491
- UMP test. *See* Uniformly most powerful test
- Unbiased efficiency, 443–444
- Unbiased estimator, 453–454
obtaining, 431
- Unbiased test, 494
- Unconditional probabilities, 362
product, 368
- Uncorrelated random variables, 341–342, 346
- Uncorrelated variables, regression, 137f
- Uncountable real-valued outcomes, 184
- Uncountable sets, 170–171
distinction, 7
- Uncountable space, 229–230
random variables, 183–185
- Unexplained sum of squares (SSE), 528
degrees of freedom, determination, 530
- Uniformly most powerful (UMP) test, 491–493
size α , 493
comparison, 493f
- Unimodal dataset, 55
- Univariate data, 17
- Univariate distributions, 6, 325
- Univariate normal distribution, density function, 349
- Univariate probability distributions, 9
- Univariate random variable, probability, 328
- Univariate regression, 521
- Univariate standard error of the regression (s^2), 530
- Unknown mean (normal random variable), variance (confidence interval), 473–475
- Unknown variance (normal random variable), mean (confidence interval), 469–475
- Up market beta, 551
- Up movement, 198–199, 221
binomial random variable, impact, 303
occurrence, 252
- Upper limit, 590
defining, 92
- Upper quartile, 296–297
- Upper tail dependence, 408
- μ -quantile, 388
- U.S. dollar, appreciation, 209–211
- U.S. Treasury bond, comparison, 555
- Value-at-risk (VaR), 298–299, 376–377
computation, 299–300
equivalence, 300
measure, 295
- Variables
inclusion, F -test (usage), 530–531
linear functional relationship, 131–132
- Variance inflation factor (VIF), 547–548
- Variance (σ^2), 189, 191, 240–242, 309–312. *See also* Analysis of variance
contrast, 66
definition. *See* Population variance; Sample variance
elimination, 433
estimator
comparison, 431
consistency, 441–443
mean-square error, 435
knowledge, 501
non-existence, 290
one-tailed test, 503–505
parameter, estimation, 255, 631–632
proxy risk, 574
reduction, 443–444
square root, 192, 312
standard deviation, comparison, 63–65
yield, 311
- Variation, 59–69. *See also* Coefficient of variation
measures, 59, 67, 70
examination, 72t
- Vector, 601–602. *See also* Column vector; Row vector; Turned vectors
dimensionality, 601
linear composition, 605f
three-dimensional space, 604
- Vector hyperplane, 525f
- Vector notation, usage, 522
- Venn diagram, 362
example, 363f
- VIF. *See* Variance inflation factor
- Volatility clustering, 574–575
- von Mises, Richard, 167–168
- Waiting time, 269
- Weibull distribution, 280
- Weighted least squares (WLS) estimation technique, 573–574
- Weighted least squares (WLS) estimators, 574
- Weighted mean, 55–56
mean, form, 55
- Whisker ends, 93
- White's generalized heteroskedasticity test, 573
- WLS. *See* Weighted least squares
- Writer, option payment, 625
- Yield beta, 148–149
- Yield spread, difference (test), 560
- 0.2 quantile, 297
determination, 297f, 299f
- 0.25 quantile, 34
- 0.75 quantile, 34
- Zero-coupon securities, 536–537
- Zero covariance, concept, 121–122
- Zero-one distribution, 193