

# Index

- Absolute risk aversion, 180n
- Active portfolio management
  - Black-Litterman model (relationship), 154–159
- After-burn-in simulation, 76
- Alpha, 120–121
  - distribution, posterior moments, 157–158
  - forecast, 158–159
  - perspective, 157–158
- Arbitrage Price Theory (APT), 118, 163, 281
  - certainty equivalent returns, 173–174
  - distributional assumptions, 172–173
  - posterior distributions, 172–173
  - predictive distributions, 172–173
  - testing, 171–174
- ARCH. *See* Autoregressive conditionally heteroskedastic
- ARMA. *See* Autoregressive moving average
- Asset pricing models, 118
  - confidence, 123
  - preliminaries, 119–121
  - relationship. *See* Prior beliefs
  - validity, confidence (incorporation), 128–129
- Asset pricing relationship, validity, 145n
- Asset returns
  - covariance matrix, 143
  - nonnormality, 188–189
  - time-series regression, usage, 164–165
- Asymmetric Student's  $t$ -distributions, 250–251
- Asymmetric volatility, 189, 195
- Asymmetry parameter, 297
- AT&T stock, transaction data (consideration), 16–17
- Autocorrelations, impact. *See* Convergence
- Autoregressive conditionally heteroskedastic (ARCH)
  - ARCH-in-mean model, 190
  - ARCH-type model, 186, 194
    - selection, 200
  - ARCH-type volatility models,
    - Bayesian estimation, 202
    - distributional setup, 204–206
  - terms, usage, 187
- Autoregressive moving average (ARMA). *See* Multivariate ARMA
  - ARMA(1,1)-GARCH(1,1) model, estimation, 193
  - ARMA(1,1) process, 215
  - return model, 190
- Autoregressive process,
  - time-reversibility (usage), 233
- Auxiliary model, 196–197
- Bayesian decisions, Greenspan outline, 3
- Bayesian empirical tests. *See* Mean-variance efficiency

- Bayesian estimation. *See* Stochastic volatility model
- Bayesian hypothesis, comparison, 32–34
- Bayesian inference process, 22
- Bayesian intervals, 32
- Bayesian linear regression model, 43
- Bayesian methodology, 165
- Bayesian methods  
 application, 4n  
 introduction, 1  
 overview, 4–5  
 selection, 200–201
- Bayesian model averaging (BMA), 131–134  
 methodology, 130–131  
 portfolio selection, 133–134  
 posterior model probabilities, 132–133  
 posterior parameter distributions, 132–133  
 predictive distribution, 133–134  
 prior distributions, 131–132
- Bayesian numerical computation, 61
- Bayesian paradigm, 6
- Bayesian portfolio problem, 177
- Bayesian portfolio selection, 101–108  
 advanced techniques, 247  
 illustration, 106–108  
 problem, solution, 173
- Bayesian predictive inference, 34–35
- Bayes' Theorem, 6, 10–21  
 classification, relationship, 14–15  
 continuous version, 19  
 discrete version, consideration, 11  
 model selection, relationship, 14
- Benchmark efficiency, confidence, 157
- Benchmark inefficiency, 156
- Benchmark parameters, posterior distributions, 125–126
- Benchmark portfolios, 122  
 efficiency, 169
- Benchmark timing, 156
- Berger, James, 12n, 23n, 25n
- Bernardo, José, 12n, 25n
- Bernoulli-distributed random variable, 242
- Bernoulli likelihood function, 132n
- Beta  
 definition, 127n  
 distribution, basis, 237–238  
 estimation. *See* Stocks marginal (unconditional) distribution, 47  
 posterior densities, 56e  
 posterior inference, 55e
- Beta conditional, posterior distribution, 46
- Beta-distributed random variable, 25
- Beta distribution, 17n  
 conjugate prior distribution, 20
- Beta function, 18
- Binary data, analysis, 82n
- Binary dependent variable, Bernoulli distribution, 83
- Binomial parameter, prior distributions (density curves), 18e
- Binomial probability  
 Bayesian inference, 15–21  
 informative prior elicitation, 25
- Black-Litterman (BL) approach, extension, 263–270  
 stable distribution, usage, 270–272
- Black-Litterman (BL) framework, extension (consideration), 255

- Black-Litterman (BL) model, 94, 118  
market equilibrium, usage, 264  
perspective, 157–158  
relationship. *See* Active portfolio management  
trading strategies, incorporation, 153–154
- Black-Litterman (BL) optimal allocation, illustration, 149–152
- Black-Litterman (BL) portfolio selection framework, 141  
absolute view, 144  
distributional assumptions, 144–146  
investor perspective, 144  
market information, 144–145  
preliminaries, 142–146  
relative view, 144  
subjective views, 145–146  
values, selection, 147–148
- Black-Scholes option-pricing formula, constant volatility (assumption), 194n
- Block structure M-H algorithm, 72–73  
extension, 73
- B/M. *See* Book value to market value ratio
- BMA. *See* Bayesian model averaging
- Book-to-market (BM) ratios, 53, 175, 282
- Book-to-market (BM) value, 134
- Book value to market value ratio (B/M), 163
- Broad-based index, 165–166
- Burn-in fraction, 75. *See also* Markov chain
- Burn-in simulation. *See* After-burn-in simulation
- Buy-and-hold investor, 178
- Candidate-generating density, 67
- Candidate model, likelihood function, 138–140
- Capital Asset Pricing Model (CAPM), 118, 163  
assumptions, 120  
deficiency, 280  
distributional assumptions, 168–169  
empirical analogue, 120  
equilibrium pricing model, 166  
extension, 257n  
implication, 119, 165  
inference, usage, 134  
posterior distributions, 168–169  
testing, inefficiency measures (usage), 167–171  
usage, 128  
validity, uncertainty, 129e
- Cash flow/total debt ratio, 86
- CLF. *See* Cumulative distribution function
- Certainty-equivalence scenario, 105, 107–108
- Certainty equivalent returns. *See* Arbitrage Price Theory
- Common-factor risk component, 290–291
- Conditional densities, product, 192
- Conditional distribution. *See* Unobserved volatility  
expression, 240  
sampling, 261
- Conditional log-posterior distribution, kernel, 222
- Conditional mean, modeling, 189–190
- Conditional posterior distribution. *See* Gamma  
elicitation, 227–228  
obtaining, 221  
usage, 209–210, 219–222

- Conditional value-at-risk (CVaR),  
 268, 274–275  
 decomposition, 289–292  
 definition, 289  
 minimization, usage, 269  
 optimization, 276–277  
 usage, 280
- Conditional variance parameters  
 posterior draws, histograms,  
 212e  
 vector, prior means (elicitation),  
 223
- Conditional volatility dynamics,  
 regimes (existence), 211
- Confidence  
 cases, 150–151  
 cross-sectional momentum  
 strategy (representation),  
 154  
 incorporation. *See* Asset pricing  
 models  
 interval/level, 148  
 relative views, effect  
 (comparison). *See*  
 High-confidence relative  
 view
- Conjugate prior distributions,  
 27–28. *See also* beta  
 distribution
- Constant relative risk aversion  
 (CRRA), 180n
- Contemporaneous stock return, 175
- Contour plot, usage. *See* Normal  
 distribution
- Convergence  
 autocorrelations, impact, 74–75  
 diagnostics, 74–77  
 illustration, 81e  
 monitoring. *See* Cumsum  
 convergence monitoring;  
 Parallel chains convergence  
 monitoring
- Copulas. *See* Student's *t*-copulas  
 estimation, 278–279  
 opinion pooling, 263–270  
 overview, 277–279
- Corporate defaults, Poisson  
 distribution, 8
- Coskewness, 257–258  
 definition, 257n
- Country index, volatility, 153–154
- Covariance  
 maximum likelihood, 98–99  
 return matrix, calculation,  
 172–173  
 returns, 160
- Covariance matrix. *See* Asset  
 returns; Maximum likelihood  
 estimate; Proposal distribution  
 combined-sample MLE, 115  
 computation, 159–160  
 determinant, 58  
 estimation, 159–161  
 knowledge, 31  
 truncate MLE, 113–114
- Criterion function, value  
 (computation), 198
- Cross-sectional regression, 165  
 estimation, 287, 293
- CRRA. *See* Constant relative risk  
 aversion
- Cumsum convergence monitoring,  
 75
- Cumulative distribution function  
 (CDF)  
 computation, 227, 278  
 inversion method, 228  
 usage. *See* Inverse-fitted  
 univariate CDFs
- Cumulative excess return,  
 prediction, 178
- Cumulative risk-free return, 181
- Current assets/current liabilities  
 ratio, 86

- Current assets/net sales ratio, 86
- CVaR. *See* Conditional value-at-risk
- Data-generating process, 130  
value, estimation. *See* True data-generating process
- Data precision, 37
- Debt/equity ratios, 189n
- Decaying weights, usage, 160
- Decision theory, loss functions (usage), 30n
- Decomposition, usage, 186
- Default, probability  
denotation, 82  
predictors, usage, 86
- de Finetti, Bruno, 1n
- Degrees-of-freedom parameter, 26, 107–108. *See also* Student's *t*-distribution  
calibration, 205  
low value, 71  
posterior results, 219  
prior mean, setting, 211
- Density function, term (usage/assumption), 7n
- Dependent simulation, 63
- Dependent variables  
Bernoulli distribution. *See* Binary dependent variable  
observations, 44–45  
prediction, 50–51
- Diffuse improper prior, 46–48  
usage, 58–60
- Diffuse priors. *See* Noninformative priors
- Dirichlet distribution, 218n  
kernel, logarithm, 220
- Dispersion parameter. *See* Scale parameter
- Distributional assumptions. *See* Capital Asset Pricing Model moments, relationship, 259
- Distributional return assumptions, 248–255
- Dividend yield (D/P), 163, 175  
correlation, 176
- Earnings-to-price ratio (E/P), 163
- Efficiency, hypothesis, 174
- Efficient frontier, 94, 97. *See also* Mean-variance efficient frontier  
certainty-equivalence setting, comparison, 107e  
illustration, 98e  
optimal portfolio, relationship, 105–106
- Efficient Market Hypothesis (EMH), 162
- Efficient Method of Moments (EMM), 196–198  
estimation, selection, 198
- EGARCH. *See* Exponential GARCH
- Elliptical distributions, 254, 273
- EMH. *See* Efficient Market Hypothesis
- EMM. *See* Efficient Method of Moments
- Empirical Bayesian analysis, 28–30
- Endogenous regime-switching models, 214
- End-period portfolio value, utility, 96
- E/P. *See* Earnings-to-price ratio
- Equilibrium returns, 142–144  
nonnormality, impact, 270–272
- Ergodic averages, standardization, 79–80
- Error, source, 130
- Errors-in-variables problem, 165
- Estimation error, capture, 93
- Estimation risk, 93  
consideration, 99

- Euclidean norm, 147n
- Evolutionary algorithms, 262n
- Ex ante, reference, 121n
- Ex ante efficiency, 166n
- Excess returns, predictive  
distribution (derivation), 177
- Excess stock returns, potential  
predictors, 131n–132n
- Expected equilibrium risk  
premiums, 142–143
- Expected returns, 271
- Expected return-standard deviation  
pairs, 108
- Explanatory variables  
calculation, 83  
company-specific characteristics/macro-  
economic variables, 82–83
- Exponential distribution, mean, 205
- Exponential GARCH (EGARCH),  
189
- Extra market information, 119
- Extreme value distributions, 252
- Factors (factor portfolios), 119  
covariance matrix, estimates  
(obtaining), 285  
marginal contribution. *See* Total  
risk  
returns  
covariance matrix, 283  
prediction, 288  
sensitivities, estimation, 120–121
- Fama and French (FF) three-factor  
model, 118  
equivalence, 174  
inference, 134
- Federal Reserve Board, Regulation  
T, 169
- Filtered volatility estimate, 244
- Financial time series, variability,  
185
- Frequentist statistics, frequentist  
interpretation, 1
- Full conditional log-posterior  
distribution, expression,  
239
- Fundamental factor models, 282
- Future excess returns, predictive  
moments, 115–116
- Gamma  
conditional posterior  
distribution, 208–209  
distribution, 206  
multiplicative property. *See*  
Inverted gamma  
distribution  
function, 238
- Gaussian distribution, 9
- Gaussian linear state-space model,  
defining, 231n
- Gaussian stable distributions, 251n.  
*See also* Non-Gaussian stable  
distributions
- Generalized autoregressive  
heteroscedasticity (GARCH),  
160–161. *See also* Exponential  
GARCH  
component, presence, 216  
effect, 202  
GARCH(1,1) estimation, MH  
algorithm (usage), 208–211  
GARCH(1,1) model  
Bayesian estimation. *See* Simple  
GARCH(1,1) model  
estimation. *See* Markov  
switching (MS)  
GARCH(1,1) model  
illustration. *See* Student's  $t$   
GARCH(1,1) model  
GARCH(1,1) process,  
properties/estimation,  
190–193

- models. *See* Markov  
 regime-switching GARCH  
 models; Volatility  
 parameters, 192  
 Student's  $t$ -distributed  
 disturbances, 203  
 SV models, distinguishing, 229  
 process, changes, 215  
 process persistence parameter,  
 191
- Generalized error distribution  
 (GED), 193
- Generalized hyperbolic distribution,  
 250n
- Gibbs sampler, 67, 73–74, 203. *See*  
*also* Griddy Gibbs sampler  
 posterior summary, 79e  
 usage, 261  
 possibility. *See* Griddy Gibbs  
 sampler
- Global Industry Classification  
 Standard (GICS), usage,  
 294n
- Global-minimum-variance  
 portfolio, return, 109–110
- Greenspan, Alan, 4n  
 uncertainty, comment, 2–3
- Griddy Gibbs sampler, 226–228  
 usage, possibility, 210
- Half-life, 160
- Heavy-tailed multifactor model,  
 estimation (illustration),  
 294–297
- Heavy-tailed prior distributions,  
 elicitation, 27
- Hessian computation, 70–71
- Hessian matrix. *See* Inverse Hessian  
 matrix
- Heuristic (nonquantitative)  
 allocation schemes, 141
- Hidden Markov process, 219
- High-confidence relative view,  
 low-confidence relative view  
 (effects, comparison),  
 151–152
- Highest posterior density (HPD),  
 32n  
 intervals, 54n
- High minus low (HML), 134
- High-volatility state, 215–216
- Holding period, 154
- Hume, David, 1n
- Hyperparameters (prior  
 parameters), 22–23  
 values  
 computation, 29  
 selection, 25n
- IC. *See* Information coefficient
- Identity matrix, 122
- Importance sampling, 65–66
- Independent chain M-H algorithm,  
 70–72
- Independent simulation, 63
- Independent variables,  
 observations, 44–45  
 matrices, 52
- Inefficiency, hypothesis, 174
- Inefficiency measures, 167n  
 distribution, 170e  
 illustration, 170–171  
 usage. *See* Capital Asset Pricing  
 Model
- Information coefficient (IC), 158
- Information ratio (IR), 158
- Informative prior, 48–50  
 beliefs, introduction, 106  
 elicitation, 23. *See also* Binomial  
 probability; Location  
 parameter; Scale parameter
- Interval bounds, determined, 32
- Intervals, credibility, 54
- Intrinsic time, 194n

- Inverse-fitted univariate CDFs,  
usage, 279
- Inverse Hessian matrix, 86  
evaluation. *See* Negative inverse  
Hessian matrix
- Inverted gamma distribution  
multiplicative property,  
234–235  
product, 235–236
- Inverted Wishart distribution,  
41–42, 260
- Inverted  $\chi^2$  distribution, 39–40  
parameters, 48–49
- Investment constraints, 156  
efficiency, 169
- Investment (holding) restrictions,  
167
- Investment horizon  
relationship. *See* Predictability  
return variance scales, 162
- Investor, risk-return trade-off, 146
- IR. *See* Information ratio
- Jacquier, Polson, and Rossi (JPR),  
estimation results. *See* New York  
Stock Exchange  
sampling scheme, usage, 237
- James-Stein estimator, form, 108
- Jeffreys, Harold, 12n
- Jeffreys' prior, 26  
usage, 58–59
- Joint density function, 7
- Joint hypothesis problem, 163
- Joint posterior density, 101  
closed form, absence, 206
- Joint posterior view distribution,  
267
- Joint predictive covariance,  
137–138  
matrix, 137
- Joint predictive distribution,  
sampling/simulation, 136
- Joint predictive mean, 137  
obtaining, 127
- JPR. *See* Jacquier, Polson, and Rossi
- Jump extension. *See* Simple SV  
model
- Jump size, regulation, 69
- Kalman filter  
algorithm, 244–246  
integration. *See* Markov Chain  
Monte Carlo  
ease, 239–240
- Kalman filtering, 244–246  
prediction stage, 245  
updating stage, 245–246
- Kalman smoothing, 244  
algorithm, 246  
prediction stage, 245  
updating stage, 245–246
- Kronecker product, direct  
multiplication operator, 59n
- Kurtosis  
increase, 186  
value, 248–249
- Laplace approximation, 89–90
- Laplace method, 90
- Last-period return observation, 190
- Law of Large Numbers, 62
- Least-squares estimate, 209  
denotation, 125  
variance, 239
- Leverage effect, 189n
- Likelihood function, 6–10,  
122–123. *See also* Normal  
distribution likelihood  
function; Poisson distribution  
likelihood function  
example, 9e  
formula, 7  
representation, 192  
usage, 204. *See also* Stochastic  
volatility models



- Lindley, Dennis, 1n
- Linear regression, semiconjugate  
 prior (usage), 77–81  
 illustration, 78–81
- Location parameter, 25n, 251, 254n  
 informative prior elicitation,  
 23–24
- Logistic regression, 82–90  
 data, 87e
- Log-likelihood function, 207  
 expression, 238
- Log-normal distribution  
 kernel, 234  
 multiplicative property, 234–235  
 popularity, 234n
- Log-posterior  
 approximation, 85  
 distribution  
 expression. *See* Full conditional  
 log-posterior distribution  
 proposal distribution,  
 210–211  
 writing, 207–208
- Log-volatility values, 233
- Long-run variance (unconditional  
 variance), 187. *See also*  
 Returns
- Long-short portfolio, 153
- Loss functions, usage. *See* Decision  
 theory
- Lower partial moment (LPM), 273
- Low-order multivariate  
 autoregressive structure, 288
- Low-volatility state, 215–216
- Macroeconomic factor models, 282
- Manager portfolio, squared active  
 risk, 285
- Marginal contribution of factor  $k$  to  
 total risk (MCFTR $_k$ ), 286
- Marginal contribution of stock  $i$  to  
 total risk (MCTR $_i$ ), 286
- Marginal posterior distributions,  
 density curves, 90
- Marginal posterior view  
 distributions, 266
- Market  
 calmness, 186  
 capitalization positions, vector,  
 143–144  
 efficiency, 162  
 equilibrium, investor views  
 (combination), 146–147  
 realizations, posterior  
 distribution, 267–268  
 views, combination, 266
- Market-implied information,  
 264–265
- Market portfolio, 122  
 market-capitalization weights,  
 143  
 risk, 165
- Market risk  
 factor, 164–165  
 risky asset, sensitivity, 132
- Markov chain  
 construction, 74–75  
 impact, 75  
 simulation, burn-in fraction, 75
- Markov Chain Monte Carlo  
 (MCMC)  
 algorithm  
 Kalman filter, integration,  
 231n  
 usage. *See* Stochastic volatility  
 models
- approach, focus, 230  
 computations, 292  
 methodology, 216  
 methods, 64, 66–81  
 sampling algorithm, 240–241  
 simulations, 62n  
 algorithms, facilitation, 250  
 toolbox, 200–201

- Markov process. *See* Hidden Markov process
- Markov property  
analytic expression, 216  
possession, 67n
- Markov regime-switching GARCH models, 214–225  
preliminaries, 215–217  
prior distributional assumptions, 217–218
- Markov switching (MS)  
GARCH(1,1) model  
estimation, 218–222  
parameters, sampling algorithm, 222  
posterior regime probabilities, 225e
- Markov switching (MS) model, 214  
three-regime switching setup, 220
- Markowitz, Harry, 1n
- Maximum likelihood. *See* Quasi-maximum likelihood method, 7  
procedure, 240
- Maximum likelihood estimate (MLE), 7, 105  
computation, 111–112  
covariance matrix, 71  
determination, 71  
feed-through effect, 113  
usage, 46n
- MCFTR<sub>k</sub>. *See* Marginal contribution of factor *k* to total risk
- MCMC. *See* Markov Chain Monte Carlo
- MCSE. *See* Monte Carlo Standard Error
- MCTR<sub>i</sub>. *See* Marginal contribution of stock *i* to total risk
- Mean, combined-sample MLE, 114–115
- Mean/covariance  
diffuse/improper priors, usage, 102–103  
proper priors, usage, 103–105
- Mean-reversion, 162  
exhibition, 163
- Mean-variance analysis, 92  
grounding, 94
- Mean-variance efficiency  
Bayesian empirical tests, 166  
tests, 164–166
- Mean-variance efficient frontier, 97–99
- Mean-variance frontier, 97
- Mean-variance optimal portfolio, portfolio constraints, 99–100
- Mean-variance optimization, concave utility function (assumption), 103n
- Mean-variance portfolio optimization, 280
- Mean vector, likelihood function, 102
- Median, measurement, 23n
- Methods of moments (MM), 196.  
*See also* Efficient Method of Moments
- Metropolis-Hastings (M-H)  
algorithm, 67–68, 203. *See also* Block structure M-H algorithm; Independence chain M-H algorithm; Random walk M-H algorithm  
posterior summary, 79e  
usage. *See* Generalized autoregressive heteroscedasticity
- Meucci model, 264  
illustration, 269–270
- MiniMax, 274
- Mixing variables, 206  
posterior results, 219

- Mixture components, empirical determination, 240n
- MLE. *See* Maximum likelihood estimate
- MM. *See* Methods of moments
- Model risk  
sources, 130  
treatment, 129n
- Model uncertainty, 129–134
- Modern Portfolio Theory (MPT), 92
- Moment-matching procedure, 240
- Moments, methods. *See* Methods of moments
- Momentum, 153
- Monte Carlo integration, 61–63  
approximation procedure, 62  
usefulness, 63
- Monte Carlo simulation, 93
- Monte Carlo Standard Error (MCSE), 62–63
- MS. *See* Markov switching
- MSCI Canadian returns/squared return innovations, 211
- MSCI Canadian returns/VaR, 199e
- MSCI country indexes  
daily excess returns, 106  
monthly returns, 100e
- MSCI European country indexes, excess returns, 99
- MSCI Germany, daily returns (sample mean impact), 108
- MSCI sample/equilibrium-implied information, 150e
- MSCI World Index, 153  
realized returns, 155e  
realized volatilities, 155e
- Multifactor equity risk models, 280  
preliminaries, 281–282
- Multifactor models  
analysis, 114  
Bayesian methods, 292–294
- Multimove algorithm setting, filtered/smooth volatility estimates, 242e
- Multi-move MCMC algorithm, usage. *See* Stochastic volatility models
- Multinomial distribution, parameters (conjugate prior distribution), 218n
- Multiplicative property. *See* Inverted gamma distribution; Log-normal distribution
- Multivariate ARMA, 288
- Multivariate asymmetric Student's *t*-distribution, 264
- Multivariate distributions, marginal distributions (form similarity), 265
- Multivariate linear regression  
model, 56–60  
estimation, 60
- Multivariate normal distribution, 40  
assumption, 57n, 101, 112
- Multivariate normal likelihood, 260
- Multivariate regression analysis, 125n
- Multivariate regression estimation, 57
- Multivariate skew-normal distribution, usage, 253
- Multivariate statistical distributions, definitions, 38–42
- Multivariate Student's *t*-distribution, 40–41, 181  
degrees of freedom, 103  
parameter, 47  
obtaining, 49–50
- Multivariate theory, application, 254

- Multivariate uniform distribution, 278
- Natural conjugate priors, 28n  
scenario, posterior parameters, 30
- Negative exponential utility  
function, usage, 180
- Negative inverse Hessian matrix,  
evaluation, 86–87
- Net income/total assets ratio, 86
- New York Stock Exchange (NYSE)  
increasing-with-horizon  
allocation, 182–183  
stocks, value-weighted index  
(JPR estimation), 236–237
- Next-period benchmark returns,  
126
- Next-period excess return data, 101
- Next-period returns  
covariance, 112  
predictive density,  
mean/covariance, 113
- Non-Gaussian distributions,  
assumptions. *See* Stocks
- Non-Gaussian stable distributions,  
251n
- Noninformative diffuse prior,  
assertion, 52
- Noninformative prior distributions,  
25–27
- Noninformative priors (vague  
priors // diffuse priors), 25
- Nonnormality. *See* Asset returns;  
Returns  
presence, 193
- Normal approximation. *See*  
Posterior density  
quality, visual evaluation, 87–88
- Normal distribution, mixture,  
249–250
- Normal distribution, parameters  
likelihood function, 11e  
contour plot, usage, 11e  
writing, 179–180
- Normal distribution likelihood  
function, 9–10
- Normal likelihood, noninformative  
improper prior (combination),  
36
- Normally distributed random  
variable, consideration, 234n
- Normal mean parameter. *See*  
Posterior trade-off
- Normals  
continuous mixtures, 249  
location-scale mixture, 249  
scale mixture, 249
- Normal variance, unbiased sample  
estimator, 31
- Notation, explanation, 3–4
- Null hypothesis, comparison, 33
- Objective information, 146
- Observation equation, 231n
- Off-diagonal elements, nonzero  
characteristic, 56
- OLS. *See* Ordinary least squares
- One-month T-Bill, return, 170–171
- One-period investment decisions,  
120
- One-step-ahead realization, 35
- Optimal portfolio  
allocation, 148–152  
positions, vector, 148–149  
shrinkage, 110  
weights, 100e  
computation, 127  
views, 152e
- Optimal weights, sensitivity, 109e
- Optimized momentum strategy  
realized returns, 155e  
realized volatilities, 155e
- Ordinary least squares (OLS)

- estimates, 54
- estimator, 48
- method, usage, 46
- regressions, 111
- Over-underestimation error, 115
- Parallel chains convergence
  - monitoring, 75–77
- Parameter restrictions, 79n
- Parameter uncertainty,
  - incorporation, 106, 292
- Parameter vector
  - decomposition, 208
  - estimation, 197
  - posterior density function, 85
- $p$ -dimension integration/integrals, 84
- Percentage contribution of stock  $i$  to total risk (PTCR <sub>$i$</sub> ), 286
- Percentage marginal contribution of stock  $i$  to total risk (PMCTR <sub>$i$</sub> ), 292
- Persistence measure, posterior draws (histograms), 212e
- Perturbed model, 121–122
- PFCF. *See* Stock price to free cash flow per share
- PMCTR <sub>$i$</sub> . *See* Percentage marginal contribution of stock  $i$  to total risk
- Point prediction, 34–35
- Poisson distribution
  - function, 9e
  - usage, 8n
- Poisson distribution likelihood
  - function, 7–9
- Poisson process, 8n
- Portfolio
  - acceptable risk, 96
  - allocation, 141
    - Bayesian framework, 92
  - Bayesian setup, 112–113
  - construction, 98, 268
    - risk measures, usage, 273–275
  - expected return, LPM (ratio), 275
  - exposures, vector, 284
  - managers, views, 266
  - mean-variance efficiency, testing, 171
  - optimization, 112, 293. *See also* Mean-variance portfolio optimization
    - problem, 96
  - paradigm (Markowitz), 248
  - performance, 275
  - resampling, 93
  - risk, stock contribution, 291–292
  - skewness, 258
  - variance, measurement, 92
  - weights, 271
- Portfolio selection, 94–100
  - nonnormality, impact, 255–256
  - problem
    - formulations, 95–97
    - solution, 180–182
  - relationship. *See* Predictive distribution; Predictive moments
- Posterior density
  - approximations, 88e
  - curve, points (correspondence), 65
  - envelope, determination, 64
  - examples, 295e
  - logarithm, Taylor expansion, 84–85
  - normal approximation, 84–89
- Posterior distribution, 54. *See also* Benchmark parameters; Capital Asset Pricing Model
  - computation, 169
  - conditions, 124–126
  - usage, 19–21, 206

- Posterior inference, 30–34  
 illustration, 53
- Posterior information, 22
- Posterior mean, 20
- Posterior model probabilities,  
 posterior parameter  
 distributions (relationship),  
 132–133
- Posterior moments, 262
- Posterior odds (PO) ratio, 34
- Posterior optimal allocations, 270e
- Posterior probability, 2, 11  
 computation, 33
- Posterior simulation, 293–294  
 algorithms, 63–81  
 categories, 63  
 regime path, drawing, 221  
 illustration, 78–79  
 posterior distribution, impact,  
 80e
- Posterior trade-off, normal mean  
 parameter (example), 35–37
- Predictability, investment horizon  
 (relationship), 182–183
- Predictive covariance, 126–127
- Predictive density, known (closed)  
 form, 35n
- Predictive distribution  
 numerical simulation, 135–138  
 portfolio selection, relationship,  
 126–127, 133–134  
 sampling, 136–138  
 writing, 135
- Predictive inference, 22  
 example, 53  
 usage, 74
- Predictive mean  
 computation, 112  
 weighted average, 104–105
- Predictive moments, portfolio  
 selection (relationship), 262
- Price dynamics, 194n
- Price-to-earnings-to-growth ratio,  
 282
- Pricing model validity,  
 quantification, 121
- Prior beliefs, 118  
 asset pricing models, relationship,  
 119–129  
 preliminaries, 119–120
- Prior densities, integration changes,  
 26
- Prior distributions, 123–124,  
 131–132  
 informativeness, 104  
 uninformative, 104  
 usage, 205–206, 217–218
- Prior information, 22–30  
 translation process, 23
- Prior optimal allocations, 270e
- Prior parameter elicitation,  
 127–128
- Prior precision, 37
- Prior probability, 1, 11
- Probability  
 objectification, 12n  
 subjectivist interpretation, 1
- Probability density function,  
 expression, 10
- Proportionality  
 constant, 64  
 symbol, usage, 3–4
- Proposal density, 67
- Proposal distribution, covariance  
 matrix, 69
- PTCR<sub>*i*</sub>. *See* Percentage contribution  
 of stock *i* to total risk
- p*-value, interpretation, 165
- Quadratic utility function, 95
- Quantitative Resources Group,  
 model development, 119, 141
- Quasi-maximum likelihood (QML),  
 196

- Ramsey, Frank, 1n
- Randomness, source, 16
- Random variable, 252. *See also*  
Bernoulli-distributed random variable  
transformation, 24n  
unconditional (marginal) distribution, 19
- Random walk M-H algorithm, 68–70  
simplicity, 69
- Recursive substitution, usage, 188
- References, 298–309
- Regime switching, 204  
GARCH models. *See* Markov regime-switching GARCH models  
models, 130, 232. *See also*  
Endogenous regime-switching models  
inclusion, 178  
parameter, deterministic permanent switch (introduction possibility), 214n
- Regression coefficients  
posterior results, 219  
prior, assumption, 86–87  
vector, prior mean, 124
- Regression disturbance, 43–44
- Regression parameter  
normal prior, assumption, 205  
vector, 73
- Rejection sampling, 64–65  
algorithm, example, 65e
- Relative risk aversion, coefficient, 271
- Residual return, computation, 154
- Return dynamics equation, jump, 241–242
- Return-generating process, 111
- Return predictability, 162, 175–182  
posterior inference, 177–180  
predictive inference, 177–180
- Returns  
autocorrelation, 191  
covariance matrix, 147–148  
distribution  
default assumption, 192–193  
stationarity, assumption, 178  
empirical features, 248n  
expressions, 204  
facts, 188–189, 195  
heavy-tailed characteristics, 247n  
heavy-tailedness, 229–230  
joint modeling, 254–255  
approaches, dichotomy, 265n  
long-run variance, 191  
nonnormality, 195. *See also* Asset returns  
normality  
absence, 247  
assumption, 271  
prediction, relationship. *See* Volatility  
predictive (co)skewness, 258  
scenario, generation, 287–292, 294  
stacking, 283  
unequal histories, 110–116  
volatility, 185–186
- Reverse optimization, 271
- Risk  
analysis, multifactor equity model (usage), 283–286  
decomposition, 285–286  
error, 130  
measures, 185n, 268
- Risk-aversion parameter, interpretation, 143–144
- Risk-free asset, allocation, 119
- RiskMetrics Group, 198n

- Risky asset  
 allocation, increase, 128–129  
 excess return, 121–122  
 sensitivity. *See* Market risk
- Safety risk measures, 273
- Sampling. *See* Importance sampling;  
 Rejection sampling
- Savage, Leonard, 1n
- Scaled Student's  $t$ -distribution, 27
- Scale matrix, 254n
- Scale parameter (dispersion  
 parameter), 9–10, 26, 251  
 informative prior elicitation,  
 23–24
- Scenario-based setting, risk  
 analysis, 288–289
- Scenario generation, 279
- Second-order Taylor expansion,  
 application, 89–90
- Semiconjugate prior scenario, 77
- Semistandard deviation,  
 measurement, 256n
- Semistrong efficiency, 163
- Sharpe ratio, 97, 255
- Short series, long series dependence,  
 112
- Shrinkage estimators, 108–110
- Shrinkage intensity, 108
- Simple GARCH(1,1) model  
 Bayesian estimation, 203–214  
 forecasting power/inaccuracy,  
 213  
 parameters, posterior means,  
 212e
- Simple SV model  
 estimation, 195–198  
 jump extension, 241–243
- Simulation-based methods,  
 196
- Single-move algorithm, multimove  
 algorithm (comparison), 238e
- Single-move MCMC algorithm,  
 usage. *See* Stochastic volatility  
 models
- Single-move sampler, 230
- Single-move SV model estimation,  
 posterior results, 236e
- Size effect, 167
- Skewness. *See* Portfolio  
 parameter, 251
- Skew-normal distributions,  
 253–254, 259  
 usage. *See* Multivariate  
 skew-normal distribution
- Slice sampler, 261n
- Small-cap/small-BM portfolio,  
 return (variability), 55
- Small minus big (SMB), 134
- Smoothed volatility estimate, 244
- Special purpose vehicle, 196–197
- Split-normal distributions, 70n
- Split-Student's  $t$  distribution, 70n
- Stability, index, 251
- Stable distributions, 251–252. *See*  
*also* Gaussian stable  
 distributions; Non-Gaussian  
 stable distributions  
 mixture-of-normals  
 representation. *See*  
 Symmetric stable distribution
- scenario, factor daily returns  
 (posterior means), 296e  
 usage. *See* Black-Litterman  
 approach
- Standard deviation, 10
- STARR ratio, 275
- State equation, 231n
- State-space models  
 Bayesian treatment, 230  
 defining. *See* Gaussian linear  
 state-space model
- State variable, 231n






- Stationarity, 190–191. *See also*  
 Strict stationarity  
 assumption. *See* Returns  
 measure, 202
- Stationary volatility distribution,  
 233n
- Statistical analysis, usage, 1
- Statistical factor models, 281–282
- Stochastic volatility (SV) filtered  
 residuals, 200
- Stochastic volatility (SV) models,  
 186, 202  
 Bayesian estimation, 229  
 estimation. *See* Simple SV model  
 multi-move MCMC algorithm,  
 usage, 237–241  
 preliminaries, 230–232  
 prior/posterior distributions,  
 237–239  
 likelihood function, usage,  
 231–232  
 prior/posterior distributions, 232  
 selection, 200  
 single-move MCMC algorithm,  
 usage, 232–237  
 usage, 194–198
- Stock excess return, 175
- Stock prices, irrational bubbles, 176
- Stock price to free cash flow per  
 share (PFCF) ratio, example,  
 13
- Stocks  
 beta, estimation, 164–165  
 daily returns, HLLM approach,  
 263  
 marginal contribution. *See* Total  
 risk  
 returns, non-Gaussian  
 distributions (assumptions),  
 292
- Stock-specific component, 290
- Stock-specific return, 281  
 independence, 288  
 prediction, 288
- Stock-specific risk component, 291
- Strict stationarity, 191n
- Structural parameters, vector,  
 196–197
- Student's  $t$ -copulas, 279
- Student's  $t$ -distribution, 27n  
 degrees-of-freedom parameter,  
 227n  
 heavy-tailed characteristic, 71n  
 normals representation, mixture,  
 206–208  
 preference, 70  
 quantile, degrees of freedom, 199  
 representation, 207  
 VaR $_{\alpha}$ , obtaining, 272n
- Student's  $t$  GARCH(1,1) model,  
 illustration, 211–214
- Student's  $t$  MS GARCH(1,1) model  
 illustration, 222–225  
 parameters, posterior means,  
 224e  
 posterior parameter, 223–224
- Subjective expected returns vector,  
 149–150
- Subjective information, 264–265
- Sufficient statistics, 29n
- SV. *See* Stochastic volatility
- Symmetric distribution, 24
- Symmetric stable distribution,  
 mixture-of-normals  
 representation, 252n
- Tail parameter, index, 251
- Taylor expansion. *See* Posterior  
 density  
 application. *See* Second-order  
 Taylor expansion  
 usage, 85n
- Taylor series, 84n
- Test statistic, realization, 33n


- Three-factor model. *See* Fama and French three-factor model
- Three-regime switching setup. *See* Markov switching model
- Time-invariant behavior, assumption, 288
- Time-varying behavior, assumption, 288
- Time-varying conditional volatility, 186
- Total risk  
   factor, marginal contribution. *See* Marginal contribution of factor  $k$  to total risk  
   stocks, marginal contribution. *See* Marginal contribution of stock  $i$  to total risk
- Tracking error, 156, 285
- Trade-by-trade consecutive price increases, 16–19  
   probability, scenarios (consideration), 17–18
- True data-generating process, value (estimation), 197–198
- Truncated MLE, usage, 114
- Two-pass regression, 163
- Two-step forward prediction, usage, 233
- Unconditional distribution, 198
- Unconditional predictive distribution, 181n
- Unconditional variance. *See* Long-run variance
- Unequal variance, 51–53
- Univariate linear regression model, 43–56  
   example, 53–56
- Univariate normal distribution, 39
- Univariate regression model, Bayesian estimation, 45–53
- Univariate statistical distributions, definitions, 38–42
- Univariate Student's  $t$ -distribution, 39
- Unobserved volatility  
   block simulation, 239–240  
   component-by-component simulation, 235  
   conditional distribution, 233–234  
   joint distribution, 238  
   simulation, 234–236
- Utility, higher moments (usage), 258
- Utility functions, usage, 95n
- Utility maximization  
   higher moments, usage, 255–263  
   likelihood/prior assumption/posterior distributions, 259–262
- Vague priors. *See* Noninformative priors
- Value-at-risk (VaR), 274. *See also* Conditional value-at-risk definition, 289  
   forecasting, 198–199
- Value-weighted NYSE index, 176–177
- VAR. *See* Vector autoregressive
- Variance. *See* Unequal variance computation, 159–160  
   overestimation, 51  
   weighted estimators, 160
- Vector autoregressive (VAR), 176  
   setup, 183–184
- Vectorized OLS estimator, 59
- View matrix, 149–150
- Views-implied expected returns, 151e




- Views (view distributions),  
265–266  
combination. *See* Market  
dependence structure, 267
- Volatility. *See* Asymmetric volatility  
clustering, 185–186, 195  
usage, 188  
distribution. *See* Stationary  
volatility distribution  
dynamics, expressions, 204  
estimation, 213e  
methods, usage, 292  
forecasting, return prediction  
(relationship), 243  
forecasts, 214e  
GARCH models, 187–193  
logarithm, dynamics  
(assumption), 230–231  
models, 178  
overview, 185  
predictions, usage, 198–199  
persistence, control, 194–195  
preference, 256  
process, variation (squared  
coefficient), 236–237  
updating expression, 187  
variability, source, 229–230
- Weak efficiency, 163
- Weighting matrix, 198
- Wishart distribution, 41. *See*  
*also* Inverted Wishart  
distribution
- Within-model parameter  
uncertainty, 14
- Within-model uncertainty,  
130–131
- Within-sequence variation,  
estimation, 76
- Zero-investment view portfolios,  
means, 144
- Zero-mean random variable,  
distribution, 69

<http://www.pbookshop.com>








<http://www.pbookshop.com>





<http://www.pbookshop.com>





<http://www.pbookshop.com>

