

Index

- ABMs (automated banking machines), 794
- Abstraction-based intrusion detection, 411
- Abstract job objects, 51
- Abstract Syntax Notation One (ASN.1), 719
- Acceptable use policy (AUP), 483
- Acceptance rate, 98
- Access, 43
- Access control, 43, 68, 70, 345–346
 - authentication services and, 572
 - concepts/features supported by, 522–523
 - in database management systems, 527–530
 - desiderata for, 522–523
 - discretionary access control policies, 519
 - for Internet-based solutions, 530–536
 - leaky-bucket algorithm, 346
 - mandatory access control policies, 519–521
 - in operating systems, 523–527
 - policies, 518–521
 - role-based access control policies, 521
 - traffic classification, 345–346
 - traffic contracts, 345
 - traffic regulation, 346
 - traffic shaping, 346
- Access control list, 496
- Accessibility standards, 774
- Access management, VPNs and, 495–496
- Access methods, 664
- Access policing, 335–336, 337, 342, 351
- Access-regulated sources, 335–336
 - bounding-interval-length-dependent model, 336
 - leaky-bucket-regulated sources, 336
- Access regulation (policing), 340
- Account fraud, 795
- Accounting and charging, 116
- Accounting management, 717
- Account management, 728
- Accredited Standards Committee X12, 863–864
- Accuracy, 328
- Acknowledgment message (ack), 289
- Acquirer, 873, 883, 886
- Activation, 687
- Active application, 986, 988, 990, 1009
- Active Badge system, 921
- Active (dynamic) schemes, 273
- Active Messages, 86–87
- Active networking, 985–1009
 - active networking encapsulation protocol (ANEP), 989, 993–994
 - analysis of active networks, 1003–1004
 - architecture, 991–997
 - Atropos, 1005–1006
 - background, 987
 - end-to-end considerations, 994
 - execution environment, 989, 991, 997–1000
 - framework, 987–991
 - goal of, 985
 - hardware and network processors, 1002–1003
 - implementation of components of, 997–1000
 - node operating system, 991, 992–993, 1000–1003
 - security, 994–997
 - selected applications, 1004–1009
 - self-healing communication network, 1006–1007
 - temporal overlay, 1005–1006
- Active networking encapsulation protocol (ANEP), 989, 993–994
- Active Network Node (ANN), 1002
- Active Networks Assigned Numbers Authority, 993
- Active packets, 994–996
- Active queue management, 337, 348, 351
- Active Server Pages, 7
- Active tag, 920, 978, 983
- Active transport, 1046–1048
 - using biological molecular motors, 1046–1047
 - using DNA walkers, 1047–1048
- ActiveWork Security Center, 726
- Active X, 10
- ActiveXperts Network Monitor, 726
- Activity monitor, 452
- Activity monitoring (behavior-based), 450–451
- Activity rules, 403
- Actuators, 1027
- Adaptable application, 27–28
- Adaptable real-time misuse-detection system (ARMD), 411
- Adaptation unit (AU), 241
- Adaptive application, 27
- Adaptive differential pulse code modulation (ADPCM), 763
- Adaptive enterprise, 127
- Adaptive Enterprise (HP), 122–123
- Adaptive network storage architecture (ANSA), 199
- Addiction, to Internet use, 968
- Additive increase multiplicative decrease (AIMD), 336
- Address filtering, 556, 568
- Address resolution protocol, 215, 318
- Ad hoc communication, 135
- Ad hoc network, 466
- Ad hoc wireless network mode, 578
- Adleman, Leonard, 442, 466, 512
- Admission control, 329, 340, 351
 - bandwidth brokers, 343, 344–345
 - deterministic bounds, 345
 - end-point/edge, 343, 344
 - hop-by-hop, 343–344
 - measurement-based, 345
 - stochastic bounds, 345
- Advance fee fraud, 385, 479, 483
- Advanced Communications Technologies and Services (ACTS) project INSIGNIA, 238–239
- Advanced Encryption Standard (AES), 253, 508, 515
- Advanced Intelligent Network standards, 235
- Advanced Research Projects Agency Network (ARPANET), 110
- Advanced reservation, 121–122
- Advanced Technology Attachment (ATA), 83
- Advanced video coding standard, 763
- AdventNet OpManager, 726
- Advertising, mobile, 916
- Advertising, online, 948
- Advertising business model, 918
- Adware, 445, 702
- AES (advanced encryption standard), 253, 508, 515
- Affinity maturation, 1014
- Age of Spiritual Machines, The* (Kurzweil), 827
- Agile software development, 22
- AIMD (additive increase, multiplicative decrease) algorithm, 349
- Air gap architecture, 567–568
- Air gap technology, 561, 568
- Airlines, 946
- Akamai, 771
- Akonix Systems, 738
- Akyildiz, I.F., 295
- Alan, R.A., 769
- Alarms and detectors, 612–614
- Alchemi, 116
- Alert, 938
- Algorithm-based fault tolerance, 277–278
- Algorithm(s). *See also* Distributed algorithms
 - AIMD, 349
 - asynchronous, 287, 288–289, 295, 296
 - congestion-avoiding, 350
 - cryptographic, 495
 - data encryption standard, 253
 - Diffie-Hellman, 499
 - Dijkstra, 213
 - dynamic programming, 303
 - encryption, 506
 - flooding, 291
 - genetic algorithm for service composition, 1007
 - global-state recording, 291, 296
 - leader-election, 286, 287, 291, 296
 - leaky-bucket, 342, 346
 - location-independent, 295

- Algorithm(s) (*cont.*)
 maximum-flow, 173
 Message Digest, 584
 pricing, 116
 Secure Hash Algorithm 1, 584
 self-limiting congestion-avoidance, 336
 synchronous, 293–294, 296
- Aliases, 135
- Alice and Bob. *See* Authentication;
 Cryptography
- Alien Technologies, 976
- Allman, Eric, 733
- All-or-nothing rule, 37
- Alternate site, 677–678, 687
- Alternative interconnection
 technologies, 94
- Altruism, 168, 186
- AMANDA, 639
- Amazon.com, 806, 818, 845, 851
- AMD (Advanced Micro Devices), 90, 106
- American Express, 873
- American Memory, 809, 818, 827
- American National Standards Institute
 (ANSI)
 fibre-channel specifications, 205
 storage area networks and, 199
- Americans with Disabilities Act
 of 1990, 706
- America Online, 733, 928
 AOL News, 934
 chat rooms, 736
 IM service, 736
 merger with Time Warner, 929
- Analagnostakis, K.G., 177
- Analysis, 637
- Anchored channels, 992
- Anderson, J.P., 403
- Anderson, R., 626
- Anderson, T., 836
- Anderson's penetration matrix, 430
- AND nodes, 656
- Andragogy, 832, 833, 834, 840
- Animal identification, 975
- Annualized failure rate, 663
- Annualized rate of occurrence, 657
- Annual loss expectancy, 657
- Anomaly detection, 403, 404–409, 417
 audit data analysis and mining
 (ADAM), 406–407
 computer immunological approach,
 407–408
 limitation of, 409
 machine-learning and data-mining
 techniques, 405–407
 neural network, 406
 statistical models, 404–405
- Anomaly detectors, 434
- Anomaly records, 403
- Anonymity, 134–135, 148, 294, 295, 871
- Answer to reset, 254
- Anthill, 1016
- Antiforensics, 426
- Antiviral technologies, 449
- Antivirus software, 398, 437, 738, 739
- AntNet, 1016
- ANTS (Active Network Toolkit), 998
- Apache Access Control, 531–534
 host- and user-based interactions, 534
 host-based, 531–533
 .htaccess files evaluation, 534
 user-based, 533
- Apache Axis, 66
- Apache Jakarta Tomcat, 66
- Apache Lucene, 817
- Apache Web server, 817
- Apache WSRF, 54
- APDU (application protocol data
 unit), 266
- API. *See* Applications programming
 interface (API)
- Appeal to authority attack, 589
- Apple Computer
 employee disclosure of company
 secrets, 699
 iTunes, 158
- Applets, 259
- Application, 753
- Application communication
 middleware, 43
- Application cryptogram, 265
- Application data, 316–317
- Application development framework,
 1018–1019
- Application failures, 672–673
- Application gateways, 559
- Application-layer VPNs, 496
- Application-level framing, 764
- Application-level gateway, 568
- Application-level multicast, 148, 759, 764
- Application programming interface
 (API), 9, 36, 40, 43
- Application protocol data unit (APDU),
 253, 266
- Application server, 7, 8, 747
- Application service providers (ASPs),
 742–753
 business models, 742–746
 defined, 753
 determinants of customer ASP choice,
 749–750
 feasibility assessment of, 752–753
 infrastructure elements necessary
 for, 748
 model elements and related vendors,
 748–749
 network components and ASP
 configurations, 746–748
 one-to-many model, 744, 745–746
 risks in, 751–752
 taxonomies of, 745–746
 vendor-client relationship, 743–745
- Application service provisioning, 753
- Application service provisioning
 grid, 112
- Application services, 4
- Application sharing, 17
- Application specific integrated circuit
 (ASIC), 102, 323, 1002
- Application-specific models, 334–335
 peer-to-peer traffic, 335
 video, 335
 Web traffic, 334–335
- Applications programming interface
 (API), 266
- Application testing, 324
- Application user interface, 25
- Applied probability, 326
- Appropriation, 28
- Arbitrated loop, 213–214, 216, 220–221
- Arbitrated-loop topology, 208–9
- Arbitrate primitive, 213
- ARB (x), 213
- Archival server security, 436
- Archived storage/collections, 662, 824
- Archive image, 811
- ARIMA (autoregressive integrated
 moving average) models, 333
- Arithmetic coding, 275, 763, 764
- Arithmetic log units, 279
- Arms, W.Y., 822, 824
- ARPANET, 153, 582, 593, 733, 734, 903
- Artificial immune systems
 (ARTIS), 1015
- Ashby, W.R., 1013, 1014
- ASPnews.com, 746
- Assessment, 354
- Asset-tracking, 979
- Association of Research Libraries, 807
- Assured pipelines. *See* Application
 gateways
- Asurfing, 909
- Asymmetric, 515–516
- Asymmetric fault, 375, 382
- Asymmetric key cryptography, 68, 511
- Asymptotic availability, 270
- Asynchronous, 970
- Asynchronous algorithm, 287, 288–289,
 295, 296
 computational complexity, 292–293
- Asynchronous collaboration, 16, 18, 30
- Asynchronous communication, 39, 769,
 770, 775
 molecular communication, 1038
 in molecular communication
 network, 1050–1051
 textual, 840
- Asynchronous model of distributed
 computation, 288, 296
- Asynchronous remote procedure call, 39
- Asynchronous transfer mode (ATM), 85,
 90, 238, 322
- Asynchronous Transfer Mode (ATM)
 network, 47
- ATA (Advanced Technology
 Attachment), 83
- AT&T, 756, 928
- AT&T Bell Lab's UNIX platform, 769
- AT&T videophones, 29
- Atlantic Power and Light, 37
- ATM. *See* Asynchronous transfer
 mode (ATM)
- ATMs (automated teller machines), 793,
 874, 886
- Atomic action, 296
- Atomicity, 37
- ATP (adenosine 5'-Triphosphate),
 1038, 1051
- Attacker-side defenses, 460
- Attacking hosts, 456
- Attack library, 431
- Attack Net (McDermott), 432
- Attack signatures, 411–413
- Attack trees, 431, 656, 657
- Attiya, H., 286

- Attribute affinity matrix, 302
- At-will employment, 694–695, 707, 708, 709
- Auction, 169, 175–177, 186
- Auction models, 953
- Auction pricing, 855
- Audioconferencing, 16
- CoMeCo, 23
- ITU-T H.323 standard, 29
- Audio representations, 763
- Audit data analysis and mining (ADAM), 406–407
- Auditing, 627
- Audit records, 403
- Audit trail, 866, 870, 886
- Authentication, 43, 68, 71, 437, 570–580, 724, 739, 796–798, 866
- credentials, 571–573
- defined, 580
- guidelines, 579
- host authentication, 575–579
- of packets, 996
- VPN users, 495
- Web authentication, 573–575
- Authentication module, 723
- Authentication services, 572
- Authority, and social engineering, 386–387
- Authorization, 43, 68, 70, 71–72, 580
- Autoanaplasia, 1009–1010
- Autograph, 412
- Auto-ID, 983
- Automated banking machines (ABMs), 794
- Automated Clearing House (ACH), 792, 798, 875, 882, 886
- Automated network configuration, 716
- Automated teller machines (ATMs), 793, 874, 886
- Automated toll collection, 975
- Automatic speaker recognition, 541
- Autonomic computing and networking, 1013–1–14
- Autonomic nervous system, 1013, 1020
- Autonomy, 148, 168
- Autoregressive moving average (ARMA), 337, 345
- Autoregressive process, 333
- Availability, 43, 134, 270, 284, 377, 378–380, 382, 536
- Availability block diagrams, 379
- Avizienis, Algirdas, 277, 281
- Avocation communities, online, 906
- Awareness building blocks, 24
- Awareness information, 29–30
- Axon, 1040, 1051
- Baby Boomers, and travel, 948
- Back-propagation network, 406
- Backup
- defined, 687
- of storage media, 601
- storage media requirements, 662
- using object replication, 679
- zero-time-windows backup, 189
- Backup and recovery system requirements, 639–648. *See also*
- Business requirements of backup systems
- business requirements, 653
- comparison of backup methods, 642–643
- compression decision, 653
- data types, 639–641
- operating systems, 639
- outsourcing, 646–647
- requirements planning team, 639
- solution options, 643–648
- Backup flight software, 281
- Backup tapes, 635
- Backward/forward explicit congestion notification, 350
- Backward recovery, 276
- Bacteria, 621
- Badges, forgery of, 391
- Bad-packet filtering, 555–556
- Baird, John Logie, 974
- Ballistic transistors, 1029
- Ban, 896
- Bandwidth, 80–81, 90, 98, 325, 970
- function, 315, 316
- tele-immersion and, 764
- utilization, 317
- Bandwidth brokers, 344–345
- Banerjee, S., 180, 861
- Banking, online. *See* Online banking
- Bank of America, 589, 778
- Banner, 938
- Bantu's Presence Platform, 738
- Barbosa, V.C., 286
- Barcodes, 975
- Barnes & Noble, 806
- Barracuda Networks, 735
- Barron's* online, 937
- Basic call state model (BCSM), 236
- Basic call unrelated state model (BCUSM), 236
- BasicCard, 260
- Basic encoding rules (BER), 719
- Basic risk formula, 361
- Basic Support for Cooperative Work (BSCW), 19
- Bastion host, 557–558, 568
- Batch processing, 882, 886
- Bates, A.W., 965
- Bathub curve, 270
- Baxter, W.F., 791
- Bayesian spam filter, 735
- B cells, 1014, 1020
- BEA Tuxedo, 9
- Becker, J.U., 174
- Behrens, S.G., 354
- Belanger, F., 886
- Bell, B.S., 782
- Bell, D., 520
- Bell, Genevieve, 773
- Bellcore standard, 666
- Bellotti, V., 772
- Bell Relay Computer, 279
- Benford, X., 774
- Beowulf-CLASS System, 90, 107
- Beowulf cluster, 81
- Beowulf commodity PC cluster, 93
- Berentsen, A., 798
- Beresford, A.R., 924
- Berger codes, 275, 279
- Berkeley Digital Library SunSITE, 817
- Berners-Lee, Tim, 769, 775
- "Bernz's Social Engineering Tips," 391
- Bertillon, Alphonse, 541
- Berube v. Fashion Centre Ltd.* (1989), 707
- Best Buy, 786
- Best-effort traffic, 340
- Betarte, G., 261
- B-Frame, 762, 764
- Bicompatibility, in molecular communication, 1038
- Bigdoli, H., 886
- Bidirectional authentication, 571
- Biham, Eli, 510
- Binding element, 65
- Biological cells, modified, 1042
- Biologically inspired networking, 1012–1020
- ant colonies, 1015–1017
- application development framework, 1018–1019
- autonomic computing and networking, 1013–1014
- cellular systems, 1018–1019
- evolution through natural selection, 1017–1018
- future work in, 1019
- immune systems, 1014
- middlework framework, 1017–1018
- nervous systems, 1013–14
- network intrusion detection, 1015
- network routing, 1016–1017
- Biological systems, 1038–1041
- active transport-based molecular communications in, 1041
- biological nanomachines in, 1039
- communication processes in, 1039–1040
- molecular communication networks in, 1041
- passive transport-based molecular communications in, 1040–1041
- Biometric devices, physical security and, 610
- Biometric reference, 540, 549
- Biometrics, 398, 539–550, 572–573, 593, 796, 797
- computer network security and, 546–547
- data collection, 542
- decision, 543–544
- defined, 539, 549
- exception-handling mechanisms, 544
- false positives and false negatives, 573
- forgeries and, 547
- fundamental concepts, 539–541
- National Physical Lab Tests, 546
- performance testing, 544–545
- privacy and, 548–549
- Purdue Employees Federal Credit Union example, 548
- reference storage, 544
- religious objection to, 548–549
- San Jose State University example, 547–548
- signal processing, 543
- suggested rules for secure use of, 549

- Biometrics (*cont.*)
 system description, 541–544
 technical tests, 545–546
 transmission, 543
- Biometric sensor, 542
- Bio-Networking Architecture, 1017
- Birthday paradox, 585, 593
- Bisectional bandwidth, 98
- Bishop, M., 423
- Bit-rate transparency, 105
- BitTorrent, 157, 161–162, 170, 770, 771
- Black-box testing, 423
- Blacklisting, 483
- Blacklists/blacklisting, 469
- Blackouts, 602
- Blakey v. Cont'l Airlines, Inc.* (2000), 705
- Blocker tag, 921
- Block-mode data mechanism, 198
- Blocks extensible exchange protocol (BEEP), 415
- Blog/blogging, 389–390, 770, 771, 787, 853, 900, 901, 930–931, 939
 employee, 699
 training and, 964, 969
- Bloom, B.S., 965
- Blue-laser technology, 968
- Bluetooth, 847
 -based payment systems, 879
 technology, 918, 920
- Blumenthal, U., 723–724
- Bodleian Library of Oxford University, 809
- Boehm's generic risk taxonomy, 354
- BOINC, 165
- Bolt, 629
- Boot sector infectors, 440, 470
- Boot-sector viruses, 446
- Bootstrap entity, 181
- Borbinha, J.L.B., 818
- Border gateway protocol, 502
- Border router, 556
- Boston Globe*, 937
- Bots and botnets, 445, 456, 457, 466, 471, 473, 896
- Bounding-interval-length-dependent model, 336
- Bowman, 1001
- Box-Jenkins method, 333–334
- B_Port, 207
- Brain virus, 440
- Brand, 938
- Brandau virus, 451
- Brand certification authority, 880
- Breach, 637
- Breadth-first numbering, 287
- BRICKS, 827
- Bridge certificate authority, 71
- Bridge protocol data units, 318
- Bridges, 194
- Bridging firewalls, 558
- Briggs, L., 963
- British Library, 825, 827
- Broadband, 929, 967
- Broadband-based TV, 967
- Broadband call control function, 239
- Broadband call unrelated service function, 239
- Broadband INAP protocol, 239
- Broadband integrated services digital network, 237
- Broadband multimedia services, 238
- Brocade Communication Systems, Inc., 197
- Brochureware, 950
- Brodley, C.E., 405, 406
- Brownout, 629
- Bruckman, A., 911
- Brute force attack, 507–508, 509, 584, 586, 592, 593
- Brynjolfsson, E., 771, 772
- BSCW (Basic Support for Cooperative Work), 19
- Buchegger, S., 183
- Buffer management, 342, 348–349
 loss priorities, 348
 push-out schemes, 348
 random early detection (RED), 348–349
- Buffer-to-buffer flow control, 214, 223
- Bugtraq mailing list, 424
- Bulk data transfer, 720
- Bulk eraser, 629
- Bulletin boards, newsgroup, 624
- Bureau of Labor Statistics, 783
- Burstiness, 326, 327, 330, 337, 345
- Business Continuity Institute, 650
- Business continuity management (BCM), 650–651, 660, 673–675, 687
 business impact analysis, 673–674
 disaster recovery planning, 673
 loss evaluation, 674
 modular solutions, 685
 understanding company business, 673
- Business Continuity Management—Good Practice Guidelines*, 673
- Business continuity plan, defined, 687
- Business continuity planning (BCP), 651, 654–660, 658–659, 660, 671–687
 alternate sites strategy, 677–678
 backup and recovery, 676–677
 business continuity laws/regulations, 683, 684
 business continuity management, 673–675
 business impact analysis, 655–658
 business resilience and, 685–686
 from disaster recovery to, 672–673
 downtimes in business services, 672–673
 initiation, 654
 investment decisions and, 683, 685
 recovery objectives, 658–659
 risk management, 675–675
 storage technologies, 678–682
 trade-offs in offsite location choice, 678
 training and testing, 682–683
- Business drivers, 316
- Business impact analysis, 423, 654–658, 671, 673–674, 687
 business process analysis, 655
 IT infrastructure mapping, 655
 qualitative risk analysis, 656
 quantitative risk analysis, 656–657
 risk analysis, 655–656
- risk (rating) matrix, 656
 threat (attack) trees, 656
- Business networking sites, 389
- Business process analysis, 655
- Business Process Execution Language, 121
- Business requirements of backup systems, 650–660
 backup guidelines, 652–653
 business continuity management, 650–651
 business continuity planning, 651, 654–660, 658–659
 data recovery, 653
 high availability, best practices for, 654
 implementing/testing the plan, 660
 monitoring/improving the procedures, 660
 risk management, 651–652
 scope for decisions, 653–654
 training and awareness program, 659–660
- Business resilience, 685–686
 attribute classes of, 686
 object layers related to, 686
- Business source providers (BSPs), 742
- Business-to-business (B2B) electronic commerce, 860. *See also* Electronic data interchange
- Buttayan, L., 183
- Byzantine failure, 269
- Cable News Network (CNN), 934
- Cache poisoning, 428
- Caddy, 24
- CAFE (Conditional Access for Europe), 880, 883–884
- Cairncross, Francis, 770–771
- Call control function, 237
- Calling tree, 682
- Call unrelated switching function, 236
- Cambridge Multiple Access System (CMAS), 584
- CANes (Composable Active Network Elements), 998–999
- CA*net 4, 969
- CAN-SPAM, 702, 703
- Capability filtering, 463
- Capacity-planning, 315–325
 application categories, 319–320
 capacity defined, 315, 325
 information gathering, 316–318
 network traffic pattern analysis, 318–20
 resources, 316, 324
 solutions, developing potential, 320–324
 terminology, 315–316
- Capsule approach, 987
- Carbon nanotubes, 1026–1027
- Card, 886
- Cardholder certification authority, 881
- Carey, L., 963
- Carlson, David, 930
- Carlson, J., 780
- Carrier sense multiple access/collision detection (CSMA/CD) protocol, 99

- Carrier wave, 255
- Cascading failures, 375
- Cash card, 886
- Caspi, A., 834
- Castro, L.N., 1012
- Caswell, C., 833
- CAVEcomm, 47
- CCMP (counter-mode/CBC-mac protocol), 925
- CDMA, 918
- CD-ROM media backup, 645
- Cell-based programming, 1018–1019
- Cell loss priority bit, 348
- Cell of origin, 921
- Cellular phone(s)
 - applications, 786
 - distribution to the poor, 969
 - health risks with, 621
 - online news/information and, 927
 - RFID readers and, 978
 - tracking and, 982–983
 - use, in U.S., 697
- Cellular services, security shutdown of, 602
- Censorship, 162
- Central Bank, 798
- Centralized conferencing architecture, 757–758
- Central nervous system, 1020
- Central reservation systems, 943
- Cerf, Vinton, 733
- Certificate, 516, 580, 887
- Certificate authority (CA), 43, 69, 849
- Certificates, 514–515, 574
- Certification authorities, 574
- Chain letter/chain mail, 477–478, 481–482, 483
 - classes of, 478
 - with Web bug technology, 445
- Challenge handshake authentication protocol (CHAP), 500, 502
- Challenge-response authentication, 515, 585
- Chan, S.C., 863
- Chandra, T.D., 295
- Chandy, K.M., 292, 295
- Change control system, 778
- Change detection (integrity checking), 450, 452
- Change trigger approach, to backup, 641
- Channel, 890, 896, 990, 992, 1010
- Channel reservation, 214
- Channel taking, 895
- Chanops, 892, 896
- Chapman-Kolmogorov equations, 272
- Charge card, 873, 887
- Chariot (NetIQ), 350–351
- Charron, F., 406
- Chat, 16, 20, 390, 787. *See also* Internet relay chat
- Check, 887
- Check card, 887
- CheckFree, 880
- Check guarantee system, 887
- Checklist testing, 683
- Check-pointing, 276
- Checksumming, 669
- Checksums, 275
 - virtual private networks and, 495
- Chem eStandards, 867
- Chemical Industry Data Exchange (CIDX), 867
- Chen, Y., 833, 834
- Chicago Tribune, The*, 928
- Child pornography, 703
- Children, and IRC, 894–895
- Children's Online Privacy Protection Act of 1998 (COPPA), 702–703
- Chilling Effects Clearinghouse, 810
- China Research and Development Environment Over Wide-Area Network, 55–56, 60
- China Wireless Telecommunications Standards, 919
- Chinese remainder theorem, 253
- Chip card. *See* Smart cards
- Chip-level multiprocessing, 82, 105
- Chip manufacturing, 974
- Chip-to-Chip SPINet, 103–104
- Chord, 140
- Chowdhury, G., 801, 802, 824
- Chowdhury, S., 801, 802, 824
- CHRISTMA exec, 451
- Chu, Y., 180
- Chuang, J., 179
- CHUM, 185
- Chunking, 931
- Churn, 760, 764
- CIA triad, 43
- CinemaNow, 854
- Cipher, 593
- Cipher block chaining mode, 510, 653
- Ciphertext, 43, 506, 516, 593
- Circuit-level gateways and proxies, 559, 568
- CISCO Corporation, 579
- CISCO IOS, 459
- Cisco Systems, 321
- Clarke, Ian, 162
- Clarke, R.E., 657
- Class A, B, and C fires, 616, 629
- Classic cost model, 304
- Classification, 407
- Class of service, 224–225
- Clean agent, 629
- Clearing/clearance, 887
- Clearinghouse runs, 798
- Cleartext, 506
- Clement, M., 174
- Click, 1001
- Client, 131, 148, 896
- Client-based computing, 5–6
- Client process, 14
- Client/server-based architectures, 166, 299, 300
- Client/server computing, 3–15
 - disadvantages, 4
 - enabling technologies, 9–13
 - extranet, 13–14
 - Internet and intranet, 13
 - peer-to-peer computing compared, 3
 - practical motivations, 3–4
 - software, 3, 4–9
 - structural motivations, 3
- Client/server groupware, 18–19, 30
- Client/server software architecture, 14
- Client/server system architecture, 14
- Client/server tier, 14
- Client system, 14
- Client-vendor relationship, 743–745
- Closed-circuit television (CCTV), 612
- Closed-loop systems, 873
- Closed-set test, 545
- Clothing, and RFID tags, 976
- Clover architecture, 24
- Cluster computing, 79–90, 110, 117–118
 - application development, 87–89
 - cluster architectures, 80–82
 - cluster defined, 80
 - emerging trends, 89–90
 - hardware components, 82–85
 - next-generation, 90
 - software components, 85–87
- Clustering, 192, 195, 1017
- Cluster interconnect, 83
- Cluster management tools, 86
- Cluster nodes, 82
- Clusters, 110, 117–118
- CMOS electronics, 106
- CNET, 388
- CNN, 934
- COAST (COoperative Application Systems Toolkit), 25
- CoCoDoc, 23
- Code disjoint, 278
- Code distance, 274
- Code division multiple access (CDMA), 878, 925
- Code Red, 449
- Codes of conduct, 482
- Code word, 274
- Cohen, Bram, 161, 162
- Cohen, Fred, 356, 440, 441, 449
- Colasoft EtherLook, 726
- Cold failover, 373
- Cold site, 677
- Cold standby sparing, 273, 281
- Coliseum system, 764
- Collaboration, social influence theory and, 780
- Collaboration awareness, 24
- Collaboration culture, 772
- Collaborative Digitization Program, 816
- Collaborative e-commerce, 855, 857
- Collaborative filtering, 851
- Collaborative work online communities, 907
- Collaborative writing, 20
- Collett, D., 833
- Collision, 584
- Colored petri automata, 410–411
- COM. *See* Component object model (COM)
- Combinatorial models, 271–272
- Combustible, 629
- CoMeCo Groupware Service Architecture, 23, 24
- Commerce service providers (CSPs), 742
- Commercial solicitations, 703
- Commit protocols, 304
- Committee of European Postal and Telephone (CEPT), 322

- Commodity off-the-shelf (COTS)
hardware, 79, 90
- Common channel signaling
network, 235
- Common condition online
communities, 907
- Common Criteria Evaluation Assurance
Level 4, 561
- Common Gateway Interface, 7
- Common gateway interface scripts, 46
- Common information model (CIM), 202
- Common Internet file system (CIFS),
202, 233
- Common management information
protocol (CMIP), 714, 728
- Common object policy service protocol,
240–241, 728
- Common Object Request Broker
Architecture (CORBA), 10, 37–38,
43, 58, 63, 235, 239–240,
239–241, 248
- Common services, 225
- Commons problem, 29
- Common vulnerabilities and exposures
(CVEs), 424, 587–588
- Communication. *See also* Molecular
communication
clusters and, 86
nanoscale communication
devices, 1029
satellite communication, 1026–1027
security breaches and, 634
telework and, 779–780
- Communication Authorization
Service, 71
- Communication/collaboration building
block, 24
- Communication model, 715
- Communications interception, 784
- Community bulletin board site
model, 937
- Community Name, 719
- Compact disk, 665
- Comparison score, 550
- Compatible time-sharing system,
582, 593
- Competing dependent risks, 367
- Complementary assets, 856
- Complementary Metal Oxide
Semiconductor (CMOS), 94, 1030
- Complex networks, computing on, 295
- COM+, 10
- Component, 14
- Component-based middleware, 10–11
common object request broker
architecture (CORBA), 10
component object model (COM), 10
Enterprise Java Beans, 10
Web services, 10–11
- Component database, 309
- Component environment, 14
- Component model, 14
- Component object model (COM), 10, 37
- Compound risks, 370
- Compressing data in backup, 653
- Compromised computers
(zombies), 457
- Compromising emissions, 625–626, 629
- Compulsory tunneling, 493
- CompuServe, 928
- Computational complexity, 292–293
- Computational grid, 112, 164
- Computational grid brokering, 119–120
- Computational objects, 241
- Computational power grids, 110
- Computer-assisted learning, 840, 965
- Computer banking, 798. *See also* Online
banking
- Computer conferencing, 768–775,
831–832
collaborative computing, 769
designing with users in mind,
773–774
disabled users and, 774
evolution of, 771
implementation challenges, 772–773
interactive digital networks, 769–770
multidisciplinary design teams
for, 771–772
open source, 773
protocols, 768
security and privacy threats, 774
synchronous, distributed, 26
technology evolution, 770
workplace transformation, 770–771
- Computer crime, 441
- Computer Emergency Response Team
(CERT), 358, 424, 590, 593,
632, 637
- Computer Emergency Response Team/
Coordination Center, 632
- Computer forensics, 692, 704, 706, 709
- Computer Fraud and Abuse Act
of 1984, 702, 896
- Computer hacking/cracking, 702, 703
- Computer immunological
approach, 407
- Computer-mediated communications,
894, 964, 970
- Computer Network Technology
Corporation, 198
- Computer security audit, 627
- Computer security incident response
teams (CSIRTs), 632–637
after the attack, 636–637
during the attack, 635–636
decision to prosecute, 634
justifying, 632–633
organizing, 633
technology base, 634
- Computer Security Institute, 397, 632
- Computer-supported collaborative
argumentation system
(CSCA), 839
- Computer Supported Cooperative Work
(CSCW), 25, 30
- Computer support for collaborative
learning (CSCL) systems, 839
- Computer-to-computer calls, 20
- Computer-to-phone calls, 20
- Computing element, 52
- Concern communities, online, 907
- Concurrency, 24
- Concurrent backup, 654
- Conditional entropy, 408
- Condor, 74
- Conference-management building
block, 24
- Conference management grouplet
services, 23
- Confidentiality, 43, 355, 537, 739
agreements, 701
e-mail and, 735
medical, 706–707
- Configuration data backup, 641
- Configuration management, 716, 728
- Congestion-avoidance algorithm, 350
- Congestion control, 349–350
predictive congestion avoidance, 350
reactive, 349–350
- Congestion-dependent flows, 336
- Connection allegiance, 232
- Conrad, D., 839
- Consensus recovery block, 277
- Consequence, 416
- Conservative time optimization, 120
- Consistency, 387
- Consolidator model payment
system, 872
- Constitutional rights of employees,
respecting, 707
- Constructware, 745
- Consumer-generated media, 952
- Consumer online communities, 906
- Contactless protocols, 255–256
- Contactless smart cards, 252
- Containment, 372, 382, 635, 637
- Content distribution network, 759, 764
- CONTENTdm, 813
- Content management system, 970
- Contingency, 373, 382
- Continuous data protection, 676
- Continuous replenishment process, 861
- Continuous time, 272
- Continuous-time Markov model, 272
- Continuous time-source models,
331–333
fractional Brownian motion, 333
Markov modulated Poisson
process, 332
simple on/off model, 332
stochastic fluid model, 332–333
traditional Poisson process, 331–332
- Contracts
defined, 709
respecting, 707–708
- Controlled-load service, 318, 344
- Controlling the Assault of Non-Solicited
Pornography and Marketing Act of
2003 (CAN-SPAM), 701, 703
- Convergence, 928–930, 938
- Conversation, 833
- Conversational theory of education, 835
- Cookies, 445
- Cooperative processing. *See* Client/
server computing
- CooPS groupware architecture, 24, 25
- Coordinated attacks, 422
- Coordinated strategy, 381
- Coordination building block, 24
- Coordination grouplet services, 23
- Copland v. United Kingdom* (2007), 698
- Copyright, 691, 697, 699, 703–704, 710
digital libraries and, 810

- fair use exception, 703, 710
 infringement, 910
 Copyrighted material, downloading, 703–704
 CORBA. *See* Common Object Request Broker Architecture (CORBA)
 Corcoran, David, 257
 Core, Richard, 935
 Core grid middleware layer, 113
 Core Wars programming contests, 440
 Correctness proofs, 295
 Correspondence education, 840
 Cost-benefit analysis (CBA), 423
 Cost optimization, 119
 Cost sharing, 132–133
 Cost-time optimization, 119–120
 COTS (Commodity Off-The-Shelf), 79, 90
 Counter-mode/CBC-mac protocol (CCMP), 925
 Coupled simulations, 58
 Courcoubetis, C., 172
 Coverage, 270
 CPay, 171
 Crack, cracking, 593
 Crackers, 384–385, 386, 393, 592
 Crash failure, 269
 Crawlers, 473
 “Create Change” campaign, 807
 Creative Commons, 810
 Credential management, 70
 Credentials, 76, 530, 536, 537, 571–573, 580
 authentication services, 572
 biometrics, 572–573
 Credit card, 388, 887
 Credit-card-based electronic payment, 872–874, 880–882
 Credit card company, 887
 Cretu, G., 412
 Crime prevention through environmental design (CPTED), 612
 Critical discourse, 834, 835, 837, 839, 840
 Critical functions list, 682
 Critical mass problem, 28
 Crossbow Technology, 981
 Crossover, 1017, 1020
 Crossroads Systems, Inc., 197
 CROWN Grid, 55–56, 60
 CRUMPET, 952
 Cryptanalysis, 516
 Crypt function, 585
 Cryptocards, 497
 Cryptographic key, 574
 Cryptography, 505–516, 516, 784, 870
 application cryptogram, 265
 digital signatures, 514–515
 public-key, 511–514
 quantum cryptography, 1025
 symmetric-key, 506–511
 virtual private networks and, 495
 Cryptosystem, 516
 CSI/FBI Computer Crime and Security Survey, 394
 CTS (clear-to-send), 466
 Cults, 909
 Cumming, N., 612
 Cunha, M.B., 802
 CU-SeeMe system, 756
 Customer brand loyalty, 907, 908
 Customer Information Control System (CICS), 9
 Customer list, 682
 Customer proprietary network information, 924
 Customer relationship management (CRM), 745, 947, 949
 Customers’ personal data, protecting, 702
 Customized application for the mobile network enhanced logic (CAMEL), 237
 Cut-through channels, 992
 Cyberattack, 623
 Cybercrime, 733
 Cyberdefense, 596
 Cyber-entities, 1017
 Cyberguide, 921
 Cybernetics, 4, 835
 Cybersecurity, 596
 Cyberspace History List-Server, 582
 Cyberstalking, 894
 Cyber threat, 596
 Cyclical redundancy check (CRC), 211, 318, 669

 Daemen, Joan, 508
 Daemon (IRC daemon/IRCD), 889, 896
 Daemons, 448
 DAISGR, 308
Daniels v. Worldcom Corp. (1998), 705
 Data. *See also* Database management systems, access control and; Storage media requirements
 compression, 648
 compromise of, 428
 confidentiality, 68
 continuous protection of, 676
 encryption standard, 495, 508, 516
 files, restoration of, 636
 forwarding, 182–183
 growth rate of, 663
 inspection, 556
 integrity, 68, 537, 663, 866
 localization, 303
 management, 72–73
 transfer rate, 663
 virtualization of, 120
 Data backup and recovery system requirements. *See* Backup and recovery system requirements
 Database management systems, access control and, 527–530
 access control enforcement, 528
 administration, 528–529
 SQL security features, 527–530
 views and invoked routines, 529–530
 Databases, RFID, 978
 Data centers, 110
 Data center services, 748
 Data classification policy, 397
 Data exchange, middleware and, 33
 Datagrids, 112, 120, 307–309
 database access, 308–309
 data transfer, 308
 general grid data management techniques, 307–308
 metadata-related functions, 308
 replica management, 308
 Data Interchange Standards Association (DISA), 864, 867
 Data-link-layer VPNs, 496
 Data mining framework for attack models, 411–412
 Data mirroring, 687
 Data Protection Directive (EU), 693
 Data protection laws, 692–696
 Data recovery/restoring, 652, 653
 Data replication service, 73
 Data salvaging, 653
 Data security, 751
 Data services, 4–5
 Data sink (“data store”), 319
 Data source, 319
 Data storage, 598. *See also* Storage area networks (SANs)
 Data transfer rate, 669
 Data Vortex, 100–102, 106
 Davies, Roy, 886
 Dead links, 826
 Dean, D., 408
 Dean, Howard, 930
 “Death of Distance, The,” 771
 Debit card, 887
 Debit-card based electronic payment, 874
 DeBonis, L., 806
 Debugger tools, 87, 88
 DEC, 769
 Decentralized conferencing architecture, 758
 Decentralized object location and routing (DOLR), 164
 Decision, 543–544, 550
 Decision error tradeoff curve, 545
 Decoding, 274, 1037
 Decoherence, 1029
 Decoy attacks, 422
 Decryption, 516
 Defensive cooperative overlay mesh (DefCOM), 464
 Degaussers, 400, 600, 629
 Degrading attacks, 459
 De Laat, M., 836
 Delay characteristic, of molecular communication, 1038
 Delayed debit card, 887
 Delegation, 70
 Delgado, J.C.M., 818
 Delivery-risk factors, 114
 Delphi study, 369
 Delphi technique, 656, 733
 Demilitarized zone (DMZ), 491, 559, 564–565, 568, 739
 Dendrimer, 1022, 1029, 1032
 Denial of service, 428, 454–466, 469, 483, 635
 bad-packet filtering and, 555
 daemon programs, 416–417
 DDoS defenses on Internet, 459–464
 defenses using overlay networks, 464
 defined, 466
 distributed denial of service (DDoS), 425, 427
 Internet relay chat and, 896

- Denial of service (*cont.*)
 overview, 454–457
 RFID and, 983
 success of, 457
 taxonomy of, 458–459
 wireless network defenses, 464–465
- Denning, D.E., 384, 403
- Dense wavelength division multiplexing (DWDM), 202
- Department of Defense, 976
 Advanced Research Projects Agency (DARPA), 986
- Department of Labor, 783
- Dependability, 269–270, 284
- Derived horizontal fragmentation, 301
- DES (data encryption standard), 516
- DES algorithm, 253
- Design patterns from biology, 1018
- Desktop computer backup and recovery requirements, 645, 677
- Desktop exercise, 637
- Desktop workstation security, 436
- Destination management system, 949
- Destination-marketing organizations, 947
- Detection, 372, 382
- Detection points, 236
- Detectors and alarms, 612–614
- Device configuration, 716
- Dewan, P., 22, 23
- Dewey, J., 963
- DeYoung, R., 793
- DHCP Client, 33
- Dialogue, 833
- Di Caro, G., 1019
- Dick, Steven J., 928
- Dick, W., 963
- Dictionary attack, 509, 570–571, 584, 585, 593
- Differencing, 333–334
- Differential backup, 643, 648, 679
- Differential cryptanalysis, 510
- Differential power analysis, 252
- Differentiated admission control protocol (DAC_{p2p}), 178
- Differentiated services (Diffserv), 344, 351
- Differentiated services approach, to QoS, 502
- Differentiated services codepoint (DSCP), 319
- Diffie, Whitfield, 511
- Diffie-Hellman (D-H), 499, 511–512, 516
- “Diff” program, 902
- Digest, 68–69
- Digest authentication, 573
- Digg, 827
- DigiCash, 883
- Digital Book Index, 805
- Digital certificate, 536, 739
- Digital collections, 801
- Digital Collections Registry, 801
- Digital diode technology, 561
- Digital divide, 781, 962
- Digital libraries, 801–828
 book-oriented, 803–807
 constructing, 809–821
 continuity of, 826
 copyright and, 810
 defined, 801, 827
 digitization of materials for, 811–813
 electronic journals (e-journals), 807–808
 electronic theses and dissertations, 808–809
 future of, 826–827
 image-oriented, 802–803
 indexing and retrieval in, 816–818
 manuscripts and ephemera, 809
 material selection for, 810–811
 metadata and, 815–816
 multimedia, audio, and video, 809
 networking and, 818–821
 newspaper collections, 808
 preservation and, 823–826
 security and, 821–823
 software for, 813–815
Digital Libraries (Arms), 822, 824
 Digital Library eXtension Service, 816
 Digital Library Federation, 801
Digital Library Toolkit, 815
 Digital Millennium Copyright Act of 1998, 587, 703, 810
 Digital object identifier, 826
 Digital phone. *See* VoIP (voice over Internet protocol)
 Digital preservation, 827
 Digital rights management, 515, 815, 827, 853
 Digital security cameras, 612
 Digital signatures, 514–515, 516, 574, 784
 certificates, 514–515
 Digital stream, 322
 Digital versatile disk (DVD), 665
 Digitization, 827
 DigiTool, 814
 Dijkstra algorithm, 213
 Dilger, M., 423
 DIMM (dual in-line memory module), 82, 90
 Direct access file system, 198
 Direct attached storage, 652, 680
 Direct client connection, 891, 896
 Direct deposit, 798, 874–875
 Directed acyclic graph (DAG), 999
 Direct harvest attack, 483
 Direct model payment system, 872
 Directories, 771
 Direct payment, 799
 Direct-sequence spread spectrum (DSSS), 925
 Disability/disabled persons
 computer conferencing and, 774
 defined, 710, 775
 emergency egress and, 614
 of employees, 706–707
 DISA (Data Interchange Standards Association), 867
 Disaster, 687
 Disaster preparedness, 620–621. *See also* Facilities, physical security for
 Disaster recovery, 671, 678, 687
 planning, 628
 storage area networks and, 226–228
 Disaster Recovery Institute International, 683
 Discard eligibility bit, 348
 DISCIPLÉ (DIstributed System for Collaborative Information Processing and LEarning), 25–26
 Disclaimer, 695, 708, 710
 Discover, 873
 Discovery, 637
 Discrete approach, 986
 Discrete cosine transform, 762, 765
 Discrete time, 272
 Discrete-time source models
 Box-Jenkins method, 333–334
 time series, 333
 Discrete wavelet transform (DWT), 331
 Discretionary access control policies, 519
 Discrimination, 694, 705–706
 and enforcement of e-mail/Internet use policy, 700
 telework and, 786
 Discussion forum, 16
 Disintermediation, 854, 857
 Disk-based storage, 644
 Disk striping, 282
 Disk-to-disk backup, 680
 Disk volume, 669
 Disruptive attacks, 459
 Dissertations, electronic, 808–809
 Distance learning, 831, 832
 defined, 840
 discussion, 837–840
 Garrison and community of inquiry, 834–835
 Gunawardena et al. and meaning making, 836
 Holmberg and guided didactic conversation, 832–833
 Laurillard and conversational framework, 835–836
 mediated interaction in, 832–837
 Moore and dialogue, 833–834
 Murphy and solving problems in collaborative environments, 836–837
 videoconferencing and, 755
 Distinct Network Monitor, 726
 Distributed algorithms, 286–296
 applications, 295
 asynchronous building block, 289
 asynchronous model, 288
 computational complexity, 292–293
 computing on anonymous systems, 294
 consensus problems, 294–295
 correctness proofs, 295
 distributed computations for resource sharing example, 291–292
 events and global states, 289–290
 global-state recording, 291
 leader election, 291
 lower bounds and impossibility results, 294
 quintessential asynchronous algorithm, 288–289
 self-stabilization, 294
 synchronizers, 293–294
 synchronous model, 287–288
 topological awareness, 294

- unifying theory, 295
- vector clocks, 290
- Distributed application logic, 5
- Distributed broadband intelligent networks, 238–239
 - in era of network and service convergence, 244–245
 - reference architecture for, 242
- Distributed Component Object Model (DCOM), 43, 239
- Distributed Computing Environment (DCE), 9–10, 58
- Distributed database systems, 298–309
 - architectures, 298, 299–301
 - and centralized DBMSs
 - compared, 298
 - client/server-based architectures, 299
 - datagrids, 307–309
 - design, 298, 301–302
 - distributed query processing, 298, 302–304
 - interoperability, 298, 305–307
 - multidatabases, 300
 - peer-to-peer-based architectures, 300
 - reliability, 298, 304–305
 - typology of failures in, 304
- Distributed data services, 5
- Distributed denial of service (DDoS), 425, 427, 445, 454, 459–464
 - defense technologies in deployment, 459–460
- Distributed directory service, 215
- Distributed DMZ architecture, 566–567
- Distributed functional plane, 236
- Distributed hash table, 139
 - based overlay networking storage system, 173
- Distributed intelligent broadband network (DIBN), 235
- Distributed intelligent networks, 235–248
 - basics, 235–238
 - common object request broker architecture, 239–241
 - distributed processing technologies, 239
 - dynamic code deployment, 241
 - IN protocol stack, 236–237
 - intelligent broadband networks, 238–239
 - Java and, 247–248
 - mobile agents, 241–242
 - open service architecture/parlay, 244–245
 - Parlay Group, 244–245
 - Parlay/SPIRITS approach, 247
 - STARLITE approach, 245–246
- Distributed management task force, 199
- Distributed object sharing, 300
- Distributed presentation, 5
- Distributed processing
 - environment, 241
- Distributed processing principles, 241
- Distributed processing technologies, 239
- Distributed-reliability protocols, 304–305
- Distributed search, 143–144
- Distributed-services model, 215
- Distributed shared-memory systems, 87
- Distributed storage, 118–119
 - examples of, 118
 - P2P applications for, 162–164
- Distributed transaction processing (DTP) protocol, 9
- Distribution, 24
- DLXS, 814
- DNA (deoxyribonucleic acid), 1034, 1036
- Document shredding, 392
- Document type definitions, 65
- Domain agent, 184
- Domain filtering, 556, 569
- Domain hijacking, 428, 795
- Domain-independent metadata, 308
- Domain-level mining, 407
- Domain name services (DNS), 716
- Domain name system blacklist, 469
- Domain name system (DNS), 154
- Domain name system query, 318
- Domain-related metadata, 308
- Dome resonator, 1028
- Domino effect, 277
- Dongarra, J.T., 80
- Dorigo, M., 1016, 1019
- Dot.com, 911
- Dot-com financial boom, 771
- Double data rate (DDR), 82
- Double spending, 875
- Down time, 372, 382
 - zero down time, 679, 687
- Down times, in business services, 672–673
- Dowrick, P.W., 774
- Draft Charter on the Preservation of the Digital Heritage*, 825
- Dragonflies, 327
- Drug delivery system, 1052
- Drury, D.H., 772
- Druschel, P., 179
- DShield, 415
- Dsniff, 391
- D'souza, A., 834
- DSpace, 814, 817–818
- Dual-homed host, 569
- Dual in-line memory module (DIMM), 82, 90
- Dual interface cards, 252
- Dublin Core metadata best practices, 816
- Dumpster diving, 391–392, 397, 400, 589, 600
- Dust, 607
- Duty cycle, 663–664, 669
- DVD media backup, 645, 665, 968
- D-WARD, 460
- Dye thinning, 666
- Dynamic code deployment, 241
- Dynamic data authentication, 265
- Dynamic host configuration protocol (DHCP), 8–9, 318, 716
- Dynamic packet filtering, 726
- Dynamic programming algorithm, 303
- Dynamic taint analysis, 412
- Earliest due date/earliest deadline first discipline, 348
- EarlyBird, 412
- Early Motion Pictures of the American Memory collection, 809
- Earthquake preparedness, 620
- EAS (electronic article surveillance), 974, 980, 984
- Eavesdropping, 390–391, 469, 572, 871, 982
 - RFID and, 982–983
- eBay, 855, 882–883, 968
- Ebsco, 807
- EBSI (Enhanced Backup Solutions Initiative), 680
- E-business, 672
- e-business on-demand* (IBM), 124
- ebXML (electronic business XML), 867
- ECheck, 885
- E-commerce. *See* Electronic commerce
- Economic Espionage Act of 1996, 700
- Economides, Nicholas, 771
- Edgar P. Benjamin Healthcare Center* (1996), 708
- Edge network, 381
- EDI (electronic document interchange), 844
- eDonkey, 157, 160–161
- Education. *See* Distance learning; Training
- EDVAC, 279
- EEPROM. *See* Electrically erasable and programmable memory (EEPROM)
- Efstathiou, E.C., 184
- EGEE project, 46, 52
- eGranary Digital Library Appliance, 821
- Egress edge router, 343, 344
- 8B/10B encoding, 210–211, 216
- 801.1x, 579
- 802.11a, 919
- 802.11b, 919, 925
- 802.11g, 919–920
- 802.11i, 579, 920
- 802.11n, 920
- 802.1(X), 787
- Einstein, A., 286
- EJB. *See* Enterprise Java Beans (EJB)
- Elasticity, 760–761, 765
- ElcomSoft, 587
- Eldred, Eric, 810
- Eldritch Press, 810
- E-learning. *See* Distance learning
- Electrical access control (EAC) systems, 610
- Electrical anomalies, 603–606
 - electromagnetic interference, 606
 - electrostatic discharge, 605–606
 - lightning precautions, 603–604
 - power conditioning, 603
 - surge protectors and line filters, 604
 - uninterruptible power supply, 604–605
- Electrically erasable and programmable memory (EEPROM), 254, 266
- Electrical noise, 629
- Electromagnetic interference (EMI), 606, 629
- Electromagnetic radiation, 625–626

- Electronic article surveillance (EAS), 974, 980, 981, 984
- Electronic bill presentment and payment, 792, 798, 799, 872, 880
- Electronic business XML, 865
- Electronic cash, 875–876, 883–886
- Electronic check conversion, 799, 875
- Electronic checks, 877–878, 885
- Electronic code book mode, 510
- Electronic commerce, 843–857
- applications, 951
 - broadband wired/wireless networks and, 847–848
 - business models, 849–851
 - business-to-business e-commerce, 852–853
 - buyer-seller relations, 855
 - current status, 845–846
 - defined, 844
 - direct e-mail/viral/multichannel marketing, 852
 - economic impacts of, 854–856
 - effects on markets/prices, 854–856
 - encryption methods in, 848–849
 - global trends, 846
 - history of, 844–845
 - incentive and loyalty programs, 851–852
 - Internet and e-commerce standards, 848
 - online content distribution, 853–854
 - online retail marketing strategies, 851–852
 - personalization/customization/recommendation systems, 851
 - pricing, 855
 - trust/security/privacy, 856
- Electronic communications
- defined, 784
 - evolving forms of, 696–697
- Electronic Communications Privacy Act, 695, 784
- Electronic community, 899
- Electronic data interchange, 860–867
- applications, 866–867
 - benefits of using, 861–862
 - business applications of, 860–861
 - business strategies supported through, 861
 - implementation and best practices, 865
 - industry conventions, 865
 - Internet-based, 863
 - motivation for using, 860–861
 - potential problems/limitations of, 862
 - security, 865–866
 - standards, 863–865
 - traditional EDI communications, 862–863
 - UN/EDIFACT standards, 864–865
 - X12 standard, 864
- Electronic detection, 974
- Electronic forms exchange, 863
- Electronic fund transfer system, 874–875, 882–883, 887
- Electronic journals (e-journals), 807–808, 827
- Electronic libraries. *See* Digital libraries
- Electronic mail alert services, 931
- Electronic money, forms of, 871–872
- Electronic Monitoring & Surveillance Survey (AMA)*, 689
- Electronic payment system(s)
- credit-card-based, 872–874, 880–882
 - debit-card-based, 874
 - defined, 887
 - electronic bill presentment/payment, 872, 880
 - electronic cash, 875–876, 883–886
 - electronic checks, 877–878, 885
 - electronic funds transfer, 874–875, 882–883
 - electronic purse/stored-value card, 876, 885
 - electronic wallets, 877, 880
 - fair exchange, 871
 - micropayment, 876, 884–885
 - mobile payment system, 878–879, 886
 - network requirements, 870
 - privacy for payer/payee, 871
 - representative technologies, 880–883
 - requirements for, 869–871
 - security requirements, 870–871
 - types of, 871–879
- Electronic product code (EPC), 976, 981, 984
- Electronic purse, 875, 876, 885, 886, 887
- Electronic surveillance, 704
- Electronic tape vaulting, 679
- Electronic theses and dissertations, 808–809, 827
- Electronic vaulting, 687
- Electronic voting systems, 505
- Electronic wallet, 877, 880, 887
- Electronic workplace monitoring, 710.
- See also* E-mail and Internet use policies
- Electrostatic discharge, 605–606
- Elementary time unit (ETU), 266
- Elencica, 867
- Elephants, 327
- Elliptic curve cryptography (ECC), 923–924
- Elsevier, 807
- E-mail, 733–736. *See also* E-mail and Internet use policies; E-mail security
- acceptable use of, 481
 - advantages and features of, 734
 - awareness information, 30
 - backup and recovery, 640
 - components, 734
 - current systems, 734
 - defined, 733, 739
 - disadvantages and vulnerabilities of, 734–735
 - documents as matter of federal record, 784
 - e-commerce and, 852
 - filters and usage policies, 735–736
 - history of, 733
 - mandatory parts of, 733
 - phishing and, 392–393
 - publicly available Web-based providers of, 734
 - security breaches and, 634
 - security issues and practices, 738
 - virtual work and, 779–780
 - viruses, 734–735
 - viruses, avoiding, 448
 - virus scanners and, 399
- E-mail and Internet use policies, 481, 624, 627–628, 689–711
- balancing business needs and employee privacy rights, 692–696
 - children's personal data, protecting, 702–703
 - communicating, to employees, 700
 - constitutional rights, protecting, 707
 - coordinating with other policies, 699–700
 - disability and medical confidentiality concerns, 706–707
 - disciplining employees for misuse, 705
 - discrimination and harassment concerns, 705–706
 - drafting, 690–692
 - employee blogging, 699
 - employment contracts, respecting, 707–708
 - enforcing, 700
 - federal labor law protections, 707
 - multinational employers and, 696
 - policy implications, 702
 - protecting computer networks, 701, 702
 - protecting personal data of third parties, 702–703
 - protecting proprietary information, 700–701
 - purpose and function of, 690–692
 - scope of, 696–699
 - spam, 700–702
 - virtual workplaces and, 697–699
- E-mail-based person-to-person payment, 875
- E-Mail Rules, Policies and Practices Survey (AMA)*, 689
- E-mail security, 469–484
- anti-hoax and chain mail policy, 481–482
 - anti-spam policies, 482
 - attachment risk level categories, 475–476
 - chain letters, e-mails, and hoaxes, 477–478
 - codes of conduct, 482
 - fraud, 478–480
 - policy-based solutions, 480–481
 - social and antisocial issues, 469–474
 - spam and related abuse, 474–482
 - threats and extortion, 480
 - viruses and worms, 441, 471–473
- E-mail server, 8
- E-mail worms, 458
- EMI (electromagnetic interference), 606
- Emotion, and social engineering, 385
- Employeease 2006, 745
- Employees
- awareness of security threats, 785
 - disciplining, for Internet misuse, 705
 - electronic monitoring of, 704

- express or implied employment rights, 707–708
- government, 707, 708–709
- preventing criminal activity by, 703–704
- respecting constitutional rights of, 707–708
- security breaches and, 636
- security policies and, 396
- union-represented, 708
- Employee's Guide to Security Responsibilities*, 392
- Employment, growth of, 966
- Employment laws (U.S.), 705–709
 - constitutional rights, respecting, 707
 - disability/medical confidentiality concerns, 706–707
 - discrimination/harassment concerns, 705–706
 - employment contracts, respecting, 707–708
 - federal labor law protections, 707
 - union-represented employees and, 708
- Employment Practices Data Protection Code* (UK Information Commissioner), 694
- Emulation, 824
- Enabling Grids for E-science (EGEE) project, 46
- Enabling responses to anomalous live disturbances (EMERALD), 410
- Enabling technologies, 9–13
 - middleware, 9–10
 - networking, 11–13
- Enabling technology, 14
- Encapsulating security payload (ESP), 499
- Encoding, 274, 719, 1036
- Encryption, 43, 68, 398, 437, 647–648, 648, 653, 724, 735, 738, 739, 871
 - defined, 516
 - e-commerce and, 848–849
 - malicious code transfer and, 474
 - removable media and, 669
- Encryption algorithm, 506
- Encyclopedia Titanica, 817
- End of frame (EOF), 233
- End of frame delimiters, 211
- Endoplasmic reticulum, 1036, 1052
- End-point/edge admission control, 344
- Endpoint element, 65
- End-point reference, 67
- End-to-end considerations, 994
- End-to-end flow control, 214, 223–224
- End-to-end performance, 340
- End-to-end tunneling, 493
- Energy efficiency, and molecular communication, 1038
- Enhanced Backup Solutions Initiative (EBSI), 680
- Enhanced observed time difference (E-OTD), 921
- enLeague, 786
- EnrichUK program, 802
- Enrollment, 550
- Enrollment record, 540
- Entangled photon pairs, 1026
- Enterprise application integration, 34, 43
- Enterprise ASP, 753
- Enterprise Java Beans (EJB), 10
- Enterprise resource planning applications, 743, 745
- Enterprise risk management, 651
- Enterprise solutions, 189
- Entertainment, mobile, 915, 916
- Entropy, 593
- Entropy coding, 765
- Enveloping, 516
- Environmental conditions, 606–608
 - foreign substances, 607
 - inappropriate forces, 607–608
 - ruggedization of equipment, 608
 - temperature and humidity, 606–607
- Environmental control, 614–618
 - emergency egress, 614–615
 - fire detection, 615–616
 - fire preparedness, 614
 - fire prevention, 615
- Environmental hazards, and personnel, 621–622
- Environmental threat sources, 356
- EPC (electronic product code), 976, 981, 984
- EPCglobal, 976, 981
- Ephemeris, digital, 809
- Ephemeral ports, 569
- E-policy, 760, 765
- E_Port, 207
- Erbium-doped fiber amplifier, 96, 1022, 1029, 1032
- eReader, 806
- Ergonomics, 4, 622
- ERIC database, 826, 827
- Ericsson, 756
- Erlang, A.K., 326, 329
- Error, 269, 284
- Error-correcting codes, 274
- Error-detecting, 274
- Error recovery, 276
- Escalation, 637
- Espionage, 982
- ESPIRIT program, 886
- Ethereal protocol analyzer, 390
- Ethernet, 83, 90, 576
 - sniffing attacks and, 429
- Ethernet, industrial, 608
- Ethernet link aggregation, 321
- Ethics, 482, 483
- Europay, 264–266
- Europe, mobile phone usage in, 697
- European Data Protection Directive, 710
- European Digital Hierarchy, 322
- European Sixth Framework Programme, 52
- European Technical Standards Institute, 262
- European Telecommunications Standards Institute, 235
- European Union
 - employee privacy/data protection and, 696
 - privacy and data protection, 692–693
 - workplace-specific laws, 693
- Evans, D.S., 791
- Eve, 506, 510
- Event, 290, 296
- Event-distribution network (EDN), 145
- Evidence-collecting technology, 634
- EVOLVE tailoring platform, 25, 26
- Exchange, 186, 212–213, 216, 223
- Exchange-based mechanisms, 169
- Exchange-based P2P file-sharing systems, 177–178
- Exclusive news site model, 938
- Execution, 290, 296
- Exchange, 210
- Exhaustive search attack, 507, 586
- eXist, 814
- Expedia, 947
- Experience industry, 956–957
- Explicit congestion notification, 351
- Explicit forward congestion indication (EFCI), 350
- Exponential weighted moving average, 760, 765
- ExSourcers, 742
- Extended STEPS, 22
- Extensible authentication protocol (EAP), 579
- Extensible markup language. *See* XML (extensible markup language)
- Extensible messaging and presence protocol (XMPP), 155, 166
- Extensible stylesheet language transformation (XSLT), 74
- Extension-by-inheritance philosophy, 999
- External disk drive, 667
- Extortion, e-mail, 480
- Extranet, 13–14, 14
 - hybrid extranet, 491
 - private extranet, 491
 - public extranet, 491
 - service provider, 491
- Extranet VPNs, 491, 492, 502
- Extremely Reliable Operating System (EROS), 1001
- ExxonMobile Speedpass, 886, 975
- e-zines, 928, 938
- Fabric log-in, 215
- Fabric shortest path first (FSPF), 198, 202, 213
- Face-to-face social engineering, 391
- FaceTime Communications, 738
- Facilitated Risk Assessment Program (FRAP), 358, 360–361
- Facilities, physical security for, 609–621
 - access control components, 611
 - access control for spaces, 609–614
 - barriers and openings, 609–612
 - detectors and alarms, 612–614
 - other disaster preparedness, 620–621
 - wind, seismic, and explosive forces preparedness, 619–620
- Facility, 687
- FAFNER, 46–47
- Failover, 372–373, 382
- Fail-safe circuit, 278
- Fail-silent fault, 375, 382
- Failure, 269

- Failure-to-acquire rate, 543, 550
 Failure-to-enroll rate, 543, 550
 Failure rate, 270, 375, 382
 Failure rate of function, 270
 Fair exchange, 871
 Fair information practices, 693
 Fair queuing, 347
 Fair use, 710, 806
 Fake Web site attack, 589
 False acceptance rate, 543, 544, 546, 550
 False alarms, 434
 False match rate, 545, 550
 False negative, 452
 False nonmatch rate, 545, 550
 False positive, 452, 483
 False rejection rate, 543, 545, 546, 550
 Family Educational Rights and Privacy Act of 1974, 392
 Family and medical leave, 706, 710
 Fan, R., 295
 Fan clubs, 906
 Fanning, Shawn, 152, 157
 Faraday, Michael, 974
 Faraj, S., 901
 Farhoomand, A.F., 772
 Fast Ethernet, 83, 90
 Fast Internet traceback, 462
 FastTrack, 152, 158, 159, 161
 Fault, 284
 Fault, defined, 269
 Fault avoidance, 270, 284
 Fault containment, 270
 Fault detection, 270, 273, 274
 Fault location, 270
 Fault management, 716, 728
 Fault masking, 270, 273, 274
 Fault recovery, 270, 273
 Fault resilience, 373
 Fault-secure circuit, 278
 Fault tolerance, 270, 274, 284, 373
 defined, 269
 Fault-tolerant building block
 computer, 279
 Fault-tolerant computing, 269, 284
 Fault-tolerant multiprocessor, 279
 Fault-tolerant spaceborne
 computer, 279
 Fault-tolerant systems, 269–285
 defined, 269
 hardware redundancy, 273–274
 information redundancy, 274–275
 modeling, 270–273
 need for, 269
 networking, 283
 self-checking design, 278–279
 software redundancy, 275–278
 survey of, 279–283
 terminologies, 269–270
 time redundancy, 275
 Fault-tolerant TCP, 283
 Fax server, 8
 FDIC, 798
 Feasibility assessment, 753
 Features, 549, 550
 Feature vectors, 405
 Feaver, Douglas, 936
 Federal Bureau of Investigation (FBI),
 541, 632, 895
 Federal Express Corp. v. *Dutschmann*
 (1993), 708
 Federal Records Act, 784
 Federal Reserve System, 798
 Federated database systems, 300
 Federated fabric, 195
 Federated storage, 119
 Feedbacks, 1020
 Feldman, M., 172, 173
 Felegyhazi, M., 183
 FeliCa card, 886
 Fennelly, L.J., 612
 Ferguson, P., 488
 Feynman, R.P., 286
 Fiber-optic cabling, 322
 Fiber optic technologies, 95
 Fibre Alliance, 200
 Fibre channel, 85, 205–216, 233
 addressing, 209–210
 classes of service, 214
 defined, 216
 development of, 196
 distributed services, 215–216
 elements, 207
 fabric routing, 213
 flow control, 214–215
 information transmission hierarchy,
 210–213
 mapping other protocols to, 215
 media access control, 213–214
 protocol architecture, 205–7
 technology, 189
 topologies, 208–209
 transmission media, 208
 Fibre channel arbitrated loop
 standard, 193
 Fibre-channel-based SANs, 193
 Fibre-channel ID, 209
 Fibre Channel Industry Association,
 200, 208
 Fibre-channel over IP (FCIP), 198
 Fibre channel over TCP/IP, 228, 233
 Fibre-channel topologies, 196–197
 Fich, F., 294
 Field programmable gate array (FPGA),
 89, 103, 1002
 Figueiredo, D., 171
 Filament, 1047, 1052
 File allocation table, 266
 File and application servers backup,
 645–646
 File and boot viruses, 470
 File-infecting viruses, 446
 File-integrity checkers, 634
 File sharing, 17, 144, 166, 170–178, 186
 auction-based, 175–177
 BitTorrent, 170
 cost of sharing, 171–172
 exchange-based, 177–178
 game theoretic modeling, 174–175
 hierarchical P2P systems, 170
 payment-based, 170–171
 penalty-based approaches, 173–174
 P2P applications for, 157–162
 File transfer, 43
 File transfer protocol (FTP), 9, 90, 153
 File type, 483
 File viruses, 470
 Filter, 739
 Filters, photonic crystals and,
 1023–1024
 Financial services, mobile, 916
 Financial Services Technology
 Consortium, 886
 Fingerprint biometrics, 541, 548, 797
 Fingerprints (hash function), 584
 Finger table, 140
 Fire preparedness
 detection, 615–616
 emergency egress, 608, 609, 614–615
 environmental control, 614–618
 fire preparedness, 614–618
 flood preparedness, 618–619
 gaseous alternatives to halon,
 617–618
 halon, 617
 lighting and surveillance, 612
 mitigation, 616
 preparedness, 614
 prevention, 615
 recovery, 618
 suppression, 616–617
 total flooding with gaseous
 agents, 617
 water-based suppression, 618
 Firewall(s), 8, 398, 553–569, 739
 advantages/disadvantages of, 554
 air gap architecture, 567–568
 architecture design elements, 564
 defense in depth design philosophy,
 562–564
 defined, 569
 denial of service attacks and, 459
 enterprise firewall architectures,
 562–564
 functionality, 553–557
 multitiered/distributed DMZ
 architecture, 566–567
 packet-filtering routers, 564
 perimeter firewall architecture,
 564–565
 perimeter security, 563–564
 screened subnet (DMZ) architecture,
 565–566
 security and, 427
 server/host firewall architecture, 565
 technology analysis, 561–562
 types of, 557–561
 virtual private networks and, 497
 FireWire, 669
 First Internet Bank of Indiana, 792
 First Network Bank, 791
 Fischer, M.J., 294
Fischer v. Mt. Olive Lutheran Church
 (2002), 696
 Fixed spoofing, 459
 Flaming, 469
 Flammable, 629
 Flash, 938
 Flash drives, 645, 667
 FlexiBeans, 25
 Flexibility, client/server, 3
 Flickr, 827
 Flocchini, P., 294

- FLOGI (fabric log-in), 215
 Flooding, 138, 896
 ICMP smurf flooding, 455
 intermittent flooding, 455–456
 TCP SYN flooding, 455
 user datagram flooding, 455
 Flooding algorithm, 291
 Flood preparedness, 618–619
 anticipation, 618–619
 detection and mitigation, 619
 recovery, 619
 Floor control, 765
 Flow, 327
 Flow control, 214–215, 223
 FL-PORT, 207
 Fluid Dynamics software, 817
 Fluid model, 337
 Folding@home, 164
 Fong, M., 415
 Fonseca, R., 295
 Food and Drug Administration, 976
 Foreign function interfaces, 257
 Forensics, 637
 Forgery, 391
 RFID and, 983
 Forrest, S., 407, 1015, 1019
 Forward error correction, 763, 765
 Forwarders, 142
 Forwarding attacks and defenses, 465
 Forward recovery, 276
 Foster, I., 66, 307
 Foundation for Information Policy
 Research, 261
 Foundation for Intelligent Physical
 Agents (FIPA), 242
 4-Gbps technology, 193
 4G, 919
 Fourier transform, 331
 419 scam, 479, 483
 Fourth Amendment rights, 708
 Fox, E., 818
 Fox News Channel, 935
 F_port, 207, 220, 233
 Fractional Brownian motion, 333, 337
 Fragment allocation, 302
 Fragmentation, 301, 309
 Frame, 210, 211–212, 216
 Framework of Guidance for Building
 Good Digital Collections, 826
 Framing protocol, 222–223
Frampton v. Central Indiana Gas Co.
 (1973), 694
 France Telecoms Orange division, 778
 Frankel, Justin, 159
 FRAP, 360–361
 Fraud, 795
 Freenet, 146, 162–164
 Free-nets, 907
 Free-riding, 168, 169, 173–174, 186
 Free traffic, 333
 Freeware programs, 445
 Freshness, 572
 Friis, Janus, 155, 158
 FTP (file transfer protocol), 90
 Full backup, 642, 648
 Full-duplex Ethernet, 321
 Full-interruption testing, 683
 Full-service providers (FSPs), 742
 Full volume backup, 679
 Functional entity actions (FEAs), 236
 Functional line managers, 633
 Functional model, 715
 Functional recovery steps, 682
 Gafni, E., 295
 Gagne, R., 963
 Galegher, J., 901
 Galinsky, E., 772
 Gallica, 816
 Galton, Sir Francis, 541
 Games
 commercial online game industry, 905
 multiplayer, 903
 Game theoretic modeling, 174–175
 Game theory, 29
 Gannett Newspapers, 934, 936
 Gannon, Jeff, 931
 Gap-junction channel, 1040, 1052
 Garcia-Molina, H., 171, 173
 Garfinkel, S., 606, 608
Garner v. Loomis Armored, Inc.
 (1996), 694
 Garrison, D.R., 834
*Garrity v. John Hancock Mutual Life
 Insurance Company* (2002), 694
 Gates, Bill, 395, 775
 “Gateway,” 928
 Gaze awareness, 764, 765
 Gbps, 90
 General inter-object request broker
 protocol (GIOP), 239, 248
 General inter-ORB protocol (GIOP), 38
 General Motors Company (GMC), 693
 General packet radio service (GPRS),
 918, 925
 General Purpose Processors (GPPs), 1002
 Generational backup, 643
 Generic Active Messages, 86–87
 Generic collaborative architecture,
 23–24
 Generic query, 303
 Generic routing encapsulation
 (GRE), 502
 Genome@home, 164
 Geographical information systems, 952
 Geo-location software, 797
 Geopolitical certification authority, 881
 George, S., 1019
 Gerke, K., 606
 Ghosh, A.K., 406, 423
 Gift cards, 876
 Gigabit Ethernet, 83–84, 90, 94, 99–100,
 106, 321
 Gigabit interface converter (GBIC),
 222, 233
 Gilder, George, 770
 Gillette, 976
 Glaser, R., 963
 gLite, 52, 60
 Global conceptual schema, 309
 Global distribution systems, 943
 Global Exchange Services, 863
 Global Grid Forum, 48, 66, 307. *See also*
 Open Grid Forum (OGF)
 Global intrachip communications
 infrastructure, 105
 Global loops, 1014
 GlobalPlatform, 261–262
 Global positioning system (GPS), 921,
 925, 952
 Global schema multidatabases, 300
 Global service logic (GSL), 236
 Global state, 296
 Global-state recording algorithm,
 291, 296
 Global system for mobile
 communications (GSM), 266, 878,
 918, 925
 Globus project, 67–68, 76, 307, 308
 Globus Toolkit, 49, 50–51, 73, 115
 GL_Port, 207
 G-Monitor, 116
 GNU, 90
 Gnutella, 131, 136, 147, 159–160
 Goat machines, 450
 Gonzalez, M.G., 769
 Good, R., 772
 Google, 154, 387–389, 806
 Google News, 934
 maps, 388
 newsgroups, 388
 phone listings, 388
Google Hacks (Calishain and
 Dornfest), 388
 Gordon, L., 627
 Gorsky, P., 834
 Gossip protocol, 138
 Government employees, 707, 708–709
 G_Port, 207
 Gragg, D., 396, 397, 400
 GRAM (Grid Resource Allocation
 Manager), 68, 75–76
 Gramm-Leach-Bliley Act of 1999,
 392, 797
 Graphical user interface (GUI), 390,
 561, 891
 GUI-based e-mail clients, 734
 Graphic interchange format (GIF)
 files, 811
 Green Book, 583, 593
 Green fluorescent protein, 1044, 1052
 Greenstein, D., 801
 Greenstone Digital Library, 814
 Greenwald, M.B., 177
 Grid, 90
 Grid applications layer, 113, 116
 Grid Bank, 116
 Grid book, 307
 Gridbus broker, 116, 119
 Gridbus project, 116
 Grid computing, 45–59, 63–77, 127,
 308–309
 Apache WSRF, 54
 concepts and components, 48–50
 CROWN, 55–56
 early experiences in, 47
 evolution of, 46
 FAFNER, 46–47
 features summary, 59
 grid defined, 45–46
 infrastructure, 63–68
 instantiations, 50–51
 I-WAY, 47
 OMII_2, 57

- Grid computing (*cont.*)
 - PyGridWare, 57
 - resource management, 72–74
 - security, 68–72
 - software components for, 67–68
 - standards, 66–67
 - UNICORE, 51–53
 - user interface/workflow management, 74–76
 - Web services, 63–66
 - WSRF::Lite, 53–54
 - WSRF.NET, 54–55
- GriddleS library, 76
- Grid fabric software layer, 113
- GridFTP, 68
- Grid Information Services, 68
- Grid Interoperability Project, 51
- Grid-map file, 76
- Grid market director, 115
- Grid Market Directory, 116
- GridMedia, 147
- Grid middleware, 115
- GridNexus, 75
- Grid portals, 74, 76
- Grid Quality of Service Management, 1211
- Grid Resource Information Service, 68
- Grids. *See* Utility computing; specific type of grid
- GridSAM, 57
- Gridscape, 116
- Grid Security Infrastructure, 51
- Grid service, 49, 66
- Grid users, 115
- Grid Web Service Description Language, 67
- Grimoires, 57
- GRIP model, 781, 782
- Groove, 20, 21, 135, 156–157
- Groove Workspace, 26
- Gross, Ben, 801
- Group, 537
- Group calendar, 17
- Group decision support systems, 17, 20
- GroupKit, 26, 27
- Grouplet service classes, 23
- GroupSystems, 20
- Groupware, 16–30, 166
 - application classifications, 17–19
 - application examples, 19–21
 - architectures, 23–24
 - component platforms and toolkits, 25–27
 - defined, 30
 - designing, 21–27
 - functionality, 16–17
 - “soft side of,” 29–30
 - tailorability, 27–29
 - trust/privacy and, 29
 - types of, 16
- Groupware reference model, 30
- Groupware service module elements (GSMs), 24
- Groupware service modules (GSMs), 24
- Grudin, J., 17
- Grueskin, Bill, 937
- G.711 standard, 763
- G.722 standard, 763
- G.728 standard, 763
- Gu, Q., 465
- Guan, B., 657
- Guaranteed service, 318
- Guessing attack, 570
- GUMS (Grid User Management System), 72
- Gunawardena, C.N., 836
- Gupta, R., 175, 183
- Gupta, U.G., 657
- Gwertzman, Bernard, 936
- Ha, Ju-Yong, 928
- Habib, A., 179
- Hackers, 384, 737
- Hacking, 633, 635, 637
- Hajek, B., 176
- Half-duplex 10-Mbps Ethernet, 321
- Halford v. United Kingdom* (1997), 692, 698
- Hallam-Baker, Phillip M., 886
- Halon (halogenated agent), 617, 629
- Hammer, J., 306
- Hamming code, 280
- Hamming distance, 274, 1015, 1020
- Hamming weight, 253, 266
- Hancock, W.M., 613
- Hand geometry readers, 547–548
- Handoff management, 725
- Handshake protocol, 575
- Handwriting analysis, 541
- Happened-before relation, 295
- Harassment, 705–706, 894
- Hard disk technology, 665–667
- Hardening, 636, 637
- Hardware
 - cluster computing and, 89
 - costs, and media storage, 664
 - Hardware redundancy, 273–274
- Hardy, Norman, 582
- Hariri, S., 1013, 1014
- Honey-Davidson, 908
- Harrison, V.M., 769
- HARTs (high availability with redundant TCP stacks), 283
- Hash function, 148, 509–510, 516
- Hashing, 584–585
- Hasle, H., 400
- Hate speech, 894
- Hausheer, D., 177
- Haystack, 404
- Hazard function, 270
- Hazardous materials, housing, 620
- Headline, 938
- Head-of-line blocking, 323, 325
- Health Insurance Portability and Accountability Act (HIPAA), 200, 392, 650, 681, 706, 784
- Heating ventilation air conditioning (HVAC)
 - defined, 629
 - environmental control and, 614
 - fire mitigation and, 616
 - temperature and humidity and, 606–607
 - water damage and, 603
- Hellman, Martin, 511
- Henderson, S., 775
- Herring, S., 894, 901
- Herschel, William, 541
- Hertz, Heinrich Rudolf, 974
- Herzberg, A., 822
- Heterogeneity, 413
- Heuristic scanning, 450, 452
- Hewlett-Packard, 122, 764
- HF (high frequency), 984
- Hierarchical networks, 321
- Hierarchical P2P systems, 170
- Hierarchical topology, 321
- High availability, 373
- High-availability clusters, 81, 202
- High Availability Linux project, 81
- High Availability OSCAR Project, 81
- High frequency (HF), 979, 984
- High-performance computing clusters, 81
- High-performance computing systems, 94
- High Performance Debugging Forum, 88
- High speed connections, 929
- HIPAA, 706
- History and Politics Out Loud, 809
- Hitlist scanning, 458
- HMAC protocols, 728
- Ho, P., 133
- Hoaxbusters Web site, 477
- Hoaxes, 444, 477–478
- Hofmeyr, S.A., 407, 1015, 1019
- Hole-assisted fibers, 1024
- Holey fibers, 1024
- Holmberg, B., 832–833
- Home location register (HLR), 725
- Home offices/worksites, regulations and laws governing, 783
- Homeostasis, 1013, 1020
- Homogenization, 306–307
- Honeypots, 434
- Hop-by-hop admission control, 343–344
- Hop-by-hop performance, 340
- Hop-by-hop source authentication, 465
- Horizontal ASP, 745, 753
- Horizontal fragments, 301–302
- Hose model, 502
- Host authentication, 575–579
 - interactive media, 579
 - Internet protocol security, 578
 - Kerberos, 577
 - one-time passwords, 576–577
 - pretty good privacy, 577–578
 - remote log-in, 575–576
 - secure shell, 576
 - wireless networks, 578–579
- Host-based attacks, 456
- Host-based computing, 5
- Host-based intrusion detection, 413–415
- Hosted backup services, 647
- Hostile work environment, 689, 696, 703, 705, 706, 710
- Hosting service, 745
- Hostname, 410
- Hotel industry, 945–946
- Hotelling, 777–778
- Hot failover, 373

- Hot site, 659, 677
 Hot standby sparing, 273
 Hot-swappable drive configuration, 667
 Hot vs. cold backups, 642
 HP OpenView, 726
 H.323 protocol, 579
 HTTP (hypertext transfer protocol), 63
 Hu, Y.C., 465
 Hubaux, J.P., 183
 Hubs, 194
 Human-borne information, 623
 Human-computer interaction, 4
 Human factors analysis, 4
 Human identification science. *See*
 Biometrics
 Human threat sources, 356
 Humidity, 596, 606–607, 607
 Hummer project, 415
 HummingBird, 415
 Hunt groups, 206
 Hurricane Katrina, 626
 Hurricane preparedness, 619–620
 Huston, G., 488
 Huxley, John, 664
 Hybrid attacks, 586, 593
 Hybrid extranet, 491
 Hybrid malware, 471, 483
 Hybrid money, 871–872
 Hybrid services, 245
 Hype and dump spam, 479
 Hyperion Digital Media Archive,
 814–815
 Hypermedia, 938
 Hypertext, 933, 938
 Hypertext markup language (HTML),
 7, 64
 Hypertext transfer protocol (HTTP), 63
- ibiblio, 809, 827
 IBM, 1013, 1014
 business resilience framework for, 686
 DES cipher, 508
 e-business on demand, 124
 Lotus Sametime, 738
 Tivoli, 726
 videoconferencing and, 756
 Websphere, 66
 IBM 650, 279
 iChat, 756
 ICQ, 896
 Identification
 RFID and, 980
 types of, 581–582
 Identifier, 550
 Identify friend or foe (IFF), 944, 974
 Identity, 540, 574
 Identity-based encryption (IBE), 515
 Identity theft, 469, 702, 737, 795
 IDIAN1415
 IDLEs, 211, 213
 Idle time, 38–39
 IEEE Link Aggregation Task Force, 321
 IETF Audio/Visual Transport Working
 Group, 761
 IETF Integrated Services, 344
 IFF, 974, 984
 I-frame, 762, 765
 IIOP (Internet Inter-ORB protocol), 10
- Ileri, O., 182
 Ilgun, K., 410
 Ilium Software, 880
 IM-Age, 739
 Image backup, 678
 IMAP (Internet Message Access
 Protocol), 8
 IMlogic, 738
 Immediate failover, 373
 Impact, 356, 422
 Impact attacks, 459
 Impersonation, 391, 395–396, 469, 589
 Improved-efficiency business model,
 917–918
 IN application protocol, 236
 Incentives, 186
 Incident, 637
 Incident response, 399, 438, 637
 Incoming request queue (IRQ), 177
 Incremental backup, 642–643, 648,
 654, 679
 Independent, 938
 Index/index mechanisms, 143–144
 Indexing, 827
 Index of dispersion workload (IDW), 330
 Index middleware, 147
 Inductive generalization, 405
 Industrial engineering, 4
 Industrial Ethernet, 608
 Industry Standard Architecture
 bus, 82
 Infeld, L., 286
 Infinera, 97
 InfiniBand, 84–85, 90, 94, 197
 Information
 government requests for, 704–705
 security of, 781, 784
 Information and Communications
 Technology (ICT), 775, 787
 cognition/social activity and, 780
 virtual work and, 779
 Information gain, 408
 Information mining, 623–624
 Information model, 715
 Information overload, 385, 772
 Information-processing equipment,
 601–609
 electrical anomalies, 603
 environmental conditions, 606–608
 physical access control for, 608–609
 utilities, 601–603
 Information provisioning, mobile, 916
 Information redundancy, 274–275
 Information richness theory, 779
 Information Society Technologies
 Advisory Group, 952
 Information technology, 637. *See also*
 Business requirements of backup
 systems
 ASPs as alternative to departments
 of, 742
 infrastructure mapping, 655
 Information theory, 583–584
 Infosecurity Europe, 393–394
 Infrared communications-based
 protocols, 879
 Infrared technologies, 915
 Infrastructure attack, 459
- Infrastructure wireless network
 mode, 578
 Ingress edge router, 343, 344
 Ingress policing, 342
 Inheritance model, 999
 Inhibit signals, 1019
 Initia TEK, 786
 Initiator, 291, 296
 Innocent Images program, 895
 IN protocol stack, 236–237, 236–238
 INRIA Videoconferencing System, 756
 Insider studies, 910
 Insight, 815
 INSIGNIA, 238–239
 Insourcing, 646
 InspireD project, 261
 Instance-based learning, 405
 Instant messaging, 16, 166, 390, 733,
 736–738
 advantages and features of, 737
 awareness information, 30
 current systems, 737
 defined, 736, 739
 disadvantages and vulnerabilities
 of, 737
 Groove Workspace, 26
 history of, 736–737
 safeguards and usage policies,
 737–738
 security issues and practices,
 738–739
 Skype, 20
 virtual work and, 779
 Institute of Electrical and Electronics
 Engineers (IEEE) 802.5
 protocol, 213
 Institute for Museum and Library
 Services, 802, 826
 Intrusion-detection system, 637
 Intrusion prevention systems, 400
 Insurance, 676
 Intangible costs, 674–675
 Integrated approach, 987
 Integrated circuit card, 266
 Integrated services (Intserv), 351
 Integrated services digital network
 (ISDN) user part, 236
 Integrity, 43, 361, 387
 Integrity checksums, 495
 Integrity violations (data), 663
 Intel Corporation, 106, 910
 Intellectual property infringement,
 624, 910
 Intellectual property rights, 810
 Intelligent agents plane, 26
 Intelligent broadband networks, 235,
 238–239, 239
 mobile agents and, 241–242
 reference architecture for, 242
 service execution, 242–244
 Intelligent network applications part
 (INAP), 249
 Intelligent Network Conceptual
 Model, 235
 Intelligent network (IN), 248
 Intelligent peripheral, 238
 Intel ProShare, 756
 Intel's PC camera, 786

- Interaction grid, 112
- Interactive functionality, 7
- Interactive marketing, 955
- Interactive media, 579
- Interactivity, 929, 931, 938
- Intercomponent relationships, 27
- Interface, 65
- Interface definition language (IDL), 10, 14, 36, 239
- Interface description language, 63
- Interface device, 257, 266
- Interface layer, 225–226
- Intermediary, 854, 857
- Intermittent failures, 269, 375
- Intermix, 214
- Internal firewalls, 560, 569
- International Committee for Information Technology Standards (INCITS), 193
- International network standards, 235
- International Organization for Standardization (ISO), 665, 981
- accounting management, 717
- configuration management, 716
- fault management, 716
- OSI reference model, 715
- performance management, 717
- security management, 716–717
- International resource identifier, 64
- International Standards Organization, 979
- International Telecommunication Union, 69, 235, 756
- International Visa, 261
- Internet, 13, 14. *See also* E-mail; E-mail and Internet use policies; Internet relay chat; Online communities
- authentication, 570–571
- basic foundations, 4
- chat and instant messaging, 390
- defined, 970
- denial of service attacks, 454–457
- e-commerce standards adn, 848
- EDI communications and, 863
- e-mail standards, 8
- fibre-channel protocol, 228–229
- impact of, on travel behavior, 953–954
- networking categories and components, 11–12
- personal information available on, 387–388
- programming implementation and, 35
- social networking sites, 389
- travel/tourism and, 949–954
- Internet2, 969
- Internet Architecture Board (IAB), 714
- Internet Archive, 809, 824, 827
- Internet Assigned Numbers Authority, 993
- Internet-based backup, 653
- Internet-based EDI, 867
- Internet-based solutions
- access control for, 530–536
- XML-based access control languages, 530–531
- Internet-based threats, 676
- Internet control message protocol, 428
- Internet domain naming service, 978
- Internet Engineering Task Force (IETF), 9, 72, 197, 199, 489, 756, 924
- Internet fibre-channel protocol (iFCP), 198, 233
- Internet inter-ORB protocol (IIOP), 38
- Internet key exchange, 499, 502, 578
- Internet mail access protocol (IMAP), 734
- Internet-only banks, 792
- Internet protocol (IP), 381. *See also* Voice over Internet protocols (VoIPs)
- link aggregation and, 321
- request for address, 318
- Internet protocol security, 578
- Internet protocol stack, 12–13, 14
- application layer, 13
- data-link layer, 12
- networking security vulnerabilities, 13
- network layer, 12
- and OSI model compared, 12
- physical layer, 12
- transport layer, 12–13
- Internet Public Library, 808
- Internet relay chat, 390, 736, 768, 889–896, 911
- behavioral features of, 894
- children and, 894–895
- client software, 891
- common user commands, 892, 893
- conversational dynamics and, 892, 894
- defined, 896
- future of, 896
- hate and harassment on, 894
- IRcops/chanops/users, 891–892
- linguistic features of, 894
- security and legal issues, 424–425, 894–896
- servers/networks/channels, 889–891
- Internet security association key management protocol, 499, 578
- Internet service provider (ISP), 748
- Internet telephony. *See* VoIP (voice over Internet protocol)
- Internet use policies. *See* E-mail and Internet use policies
- Internetworking device capacity, 323
- Interoperability, 30, 133, 239. *See also* Internet protocol stack
- client/server, 3
- Groupware and, 22
- Interoperability Specifications for Integrated Circuit Cards and Personal Computers, 256
- Interorganizational information system, 860
- Interpacket communication (IPC), 991
- Interrupted Poisson process (IPP), 332, 345
- Interworking object (IwO), 241
- Intranet, 13, 14, 970
- Intranet VPNs, 490–491, 492, 502
- Introduction to Digital Libraries* (Chowdhury and Chowdhury), 824
- Intrusion, 403, 438
- Intrusion-detection exchange protocol, 415
- Intrusion detection in our time (IDIOT), 411
- Intrusion-detection message exchange format, 415
- Intrusion-detection sensors, 613
- Intrusion-detection systems, 400, 403–417, 438, 557, 634, 739
- abstraction-based, 411
- anomaly detection, 404–409
- biologically inspired, 1015
- host-based, 413–415
- information-theoretic measures, 408
- intrusion-alert correlation, 415–417
- misuse detection, 409–413
- sharing information with, 414–415
- specification-based methods, 408
- Intrusion-prevention systems, 398
- Inventory control, 976
- Inventory of Canadian Digital Initiatives, 802
- Iomega, 667
- IP address, 8–9
- IP-based extension solutions, 228
- IP multicast, 765
- I-policy, 760, 765
- IP security (IPSec), 499–500, 502–503
- IP storage technologies, 198
- IP telephony. *See* VoIP (voice over Internet protocol)
- IP traceback, 462–463
- IRC client, 891
- IRC daemon (IRCD), 889, 896
- Ircl, 891
- IRcops, 892, 896
- Iris recognition systems, 541
- iSCSI (Internet SCSI), 198, 205, 216, 228, 230–233, 682
- address and naming conventions, 231–232
- error handling, 232–233
- network architecture, 230–231
- protocol-layer model, 231
- security, 233
- session management, 232
- iSCSI (Internet SCSI) standards, 197
- iSLIP, 323
- ISO. *See* International Organization for Standardization (ISO)
- ISO 14443-based proximity devices, 878–879
- ISO 15693-based vicinity devices, 879
- Isolation, 780
- iSuppli Corporation, 200, 202
- Itao, T., 1017
- Item tracking, 979
- IT outsourcing, 633
- IT security, 637
- IT security staff, 633, 637
- IT security tripod model, 469
- iTunes, 158, 854, 932
- ITU-T H.323 standard, 29

- ivs* (INRIA Videoconferencing System), 756
 i-WAT, 171
 I-WAY, 47

 Jabber, 155
 JAIN service logic execution environment (JSLEE), 247
 Jajodia, S., 411
 Jamcracker 2006, 745
 Janos, 1001–1002
 Java, 35
 distributed intelligent networks and, 247–248
 Remote Method Invocation, 239
 Java 2 Enterprise Edition, 66
 Java 2 Micro Edition (J2ME), 258–259
 Java 2 Platform, Enterprise Edition (J2EE), 9
 Java 2 Security Model, 534–536
 access control, 535–536
 permissions, 535
 security policy, 535
 JavaBeans, 25
 Java Card, 259–260
 Java Card Forum, 259
 Java Developer Connection, 907
 Java Message Service (JMS), 9
 Java RMI, 63
 Java Server Pages, 7
 Java Servlets, 7
 Java Virtual Machine (JVM), 10, 35
 Jayaram, N., 430
 Jayaram and Morse's network security taxonomy, 430
 JBOD (just a bunch of disks), 202
 Jet Propulsion Laboratory, 281
 Jha, S., 413
 JIGSAW, 415
 Jiro, 200
 Jitter, 318, 325, 757, 760, 765
 Jitter buffer, 761, 765
 Jitter control, 760–761
 Job management system, 52
 Job scheduling, 73–74, 648
 Job Submission Description Language, 57
 Johns Hopkins University Press, 808
 Johnson, K., 469
 Joint Photographic Experts Group (JPG), 811
 Jones, S., 819
 Jonsson, E., 430
 Jordan, Eason, 931
 Journaling, 642
 JPEG 2000, 811
 JSR 168 Portlet Specification, 74
 JumpDrive, 667
 Junk mail, 474. *See also* Spam
 Just a bunch of disks (JBOD), 202
 Just-in-time (JIT) inventory management, 861
 JViews, 26–27
 JXTA versions, 138, 143

 Kabay, Michel, 469
 Kablelink, 778
 Kademia (Kad), 161

 Kang, S.S., 184
 Kanuka, H., 833, 836, 839
 Karp, B., 412
 Kazaa, 158–159
Kelleher v. City of Reading (2002), 708
 Keller, F.S., 963
 Keller's Individually Programmed Instruction (Keller Plan), 963
 Kelsey, K., 834
 Kemmerer, R.A., 410
 Kepler, 76
 Kerberos, 34, 43, 72, 495, 574, 577, 593
 Kerberos ticket, 43
 Kerckhoffs, Auguste, 507
 Kern, T., 749
 Kernel transport network, 241
 Kesselman, C., 66, 307
 Key, 68, 506, 516
 KeyGhost, 390
 Key logging, 390, 702
 Key pair, 516
 King, Stephen, 805
King Soopers, Inc. (2003), 708
 Kleinrock, L., 110, 760
 K-line, 890
 KMi Stadium, 786
 Knight-Ridder newspaper group, 928
 Knowledge Forum, 839
 Knowledge grid, 112
 Knowles, M., 834
 kN redundancy, 374
 Ko, C., 408
 Kohonen, T., 406
 Kolmogorov complexity, 994, 1003, 1006, 1007
Konop v. Hawaiian Airlines (2002), 695
 Kozierok, C.M., 605
 Kozłowski, S.W., 782
 Krishna, K., 261
 Kruegel, C., 414
 Kryder's law, 662
 Kryptonite, 931
 Kubiawicz, John, 164
 Kumar, R.L., 861
 Kumar, S., 410, 411
 Kurzweil, R., 827
 KU SmartPackets, 1000
 Kwok, Y.K., 184

 Labor law protections, 707
 Lacity, M., 749
 Laflamme, E., 839
 Laforet, Vincent, 936
 Lag, 891, 896
 Lagoze, C., 816
 Lai, K., 172, 173
 Laiserin, J., 769
 Lamport, L., 290, 295
 LAN bandwidth, 321–322
 Land attack, 434
 Landslides, 620
 Lane, T., 405, 406
 LAN (Local Area Network), 14, 90, 205
 La Padula, L., 520
 Laptop computers, 609, 622, 770
 Large, J.A., 801

 Late fees and penalties (downtime and), 674
 Latency, 80, 81, 90, 98, 269, 757
 Laurillard, D., 835–836
 Law enforcement agencies, 633
 Law of diminishing returns, 380
 Lawsuits, 636
 Layered many-to-one streaming, 178–179
 Layer three firewalls, 558
 Layer two tunneling protocol (L2TP), 498–499, 503
 LC connector, 202
 Leader-election algorithm, 286, 287, 291, 296
 Leaky bucket, 351
 Leaky-bucket algorithm, 342, 346
 Leaky-bucket-regulated sources, 336, 337
 Lean media, 779–780
 LEAP, 579
 Learning management system, 970
 Least privilege principle, 522
 Le Boudec, J.Y., 183
 Lee, W., 408, 411, 412
 Legacy National Tobacco Documents Library, 816–817
 Legacy packets, 989
 Legacy proprietary fabric switch phase, 193
 Legal costs (in downtime), 674
 Legal department, security breaches and, 633
 Legionnaire's disease, 621
 Lego Corporation, 907
 Leighton, R.B., 286
 Lesk, M., 802, 822
 Levi, D., 723
 Levitt, K., 408
 LF (low frequency), 979, 984
 Li, B., 176, 183
 Libra, 116
 Library of Congress/Ameritech National Digital Library Competition, 818
 Lightning precautions, 597–598, 603–604
 Lightwave systems, 105
 Lightweight Directory Access Protocol, 68
 Limewire, 159
 Lin, J., 411
 Lindqvist, U., 430
 Lindqvist's extension, 430
 Linear barcode, 984
 Line filter, 604, 629
 Link aggregation, 321
 Linked collections, 824
 Linux, 85–86, 89
 access control in, 523–525
 files and privileges, 524
 IP-based security, 524–525
 password issues, 590
 security-enhanced, 525
 security specifications, 524
 user identifiers and group identifiers, 523–524
 Liposome, 1039, 1052
 Lip-synch problem, 21

- Liquid software, 1000
- Listserv, 911
- Live rehearsal, 632, 633–634, 637
- Load balancing, 81–82
- Lobby runs, 798
- Local application logic, 5
- Local area network (LAN), 14, 90, 205
- Local bus, 90
- Localization, 309
- Localization program, 303
- Local loops, 1014
- Local presentation, 5
- Local reliability manager, 304
- Local replica catalog, 73
- Local resource management system, 52
- Location-based services, 917
- Location-independent algorithms, 295
- Location management, 725
- Location technologies, 921–922
- LOCKSS, 824
- Log files, 641
- Logging, 277
- Logical file name, 73
- Logic bombs, 444
- Long-range dependence, 330, 337
- Long tail, 849
- Los Angeles Times*, 928, 935
- Loss, defined, 687
- Loss evaluation
 - intangible costs, 674–675
 - tangible costs, 674
- Loss priorities, 348
- Lotus Notes, 19, 20
- Low delay code excited linear prediction (LD-CELP), 763
- Lowe, C., 836
- Low frequency (LF), 979, 984
- L0phtcrack, 586, 590
- L_port, 220, 233
- Lucent Technologies, 23
- Luxtera, 97
- Lynch, N.A., 286, 294, 295

- Ma, R.T.B., 175
- MacGregor, G., 802
- Mach-Zehnder modulator, 1030
- MAC-layer attacks and defenses, 465
- Macro- and micro-bending of optical cable, 625
- MacroList, 447
- Macro viruses, 446–447, 452, 470
- MADAMID, 412
- Mager, R., 963
- Magician, 999
- Magician Active network, 1007
- Magnetic ink character recognition, 875, 887
- Magnetic remanence, 600
- Magnetic storage media, physical
 - security for, 597–598
- Magnetic stripe cards, 251
- Magnetic tape, 665
- Magneto-optical WORM, 653
- Mail application programming interface, 441
- Mail bombing, 480
- Mail scams, 385
- Mailing lists (e-mail), 734

- Maintainability, 284
- Makedon, F., 181
- Making of America* (U. of Michigan), 803
- Malicious party, 570–571, 580
- Malware, 441, 442, 452, 470, 483, 739, 796, 967, 970. *See also* Virus(es)
 - spam and, 477
 - writers of, 472
- Managed object, 728
- Managed service providers (MSP), 742, 746, 753
- Management Information Base (MIB), 715, 718–719, 728, 1000
 - objects contained in MIB-II, 720
 - structure, 719
 - versions, 719
- Management safeguards, 357
- Management services, 215–216
- Manager-to-manager capability, 720
- MAN bandwidth, 322–323
- Mandatory access control policies, 519–521
- Mandayam, N.B., 182
- Man-in-the-middle attacks, 571
- MAN (metropolitan area network)
 - bandwidth, 316
- Mans, B., 294
- Manuscripts, digital, 809
- Manybooks, 806
- Mapping, 215
- Marbach, P., 183
- Marchionini, G., 818
- MARINE, 242–244
 - B-SS&CP, 242–243
 - service execution mode, 243–244
- Marker messages, 291
- Market, 938
- Market-based resource allocation, 127
- Marketing business model, 917
- Markov modeling, 272–273
- Markov modulated Poisson process, 332, 337, 345
- Markup languages, 64, 970
- Marshaling, 66
- Marsland, T.A., 290
- Mash-ups, 771
- Mason, R., 837
- Massey, D., 283
- Mass mailer, 470, 471–472, 483
- MasterCard, 264–266, 874, 880
- Master.com, 817
- Matsuo, M., 1017
- Mau, S.C., 182
- Maximum flow algorithm, 173
- Maximum transmission units (MTUs), 494
- Maxion, R., 407, 408
- Maxwell, James Clerk, 974
- Mbps, 90
- McCarthy, C., 802
- McCloghrie, K., 724
- McDaniel, L.D.D., 628
- McDermott, J., 432
- McGraw-Hill, 806
- McHugh, J., 417
- MCI videophones, 29
- McLaren v. Microsoft Corporation* (1999), 708

- McLeod, D., 306
- McNab, R.J., 819
- McNamara, J., 626
- MD5, 466
- MD5 (message digest 5), 509
- Mean time between failures (MTBF), 270, 317, 375, 382, 663, 666
- Mean time to failure (MTTF), 270, 375, 382
- Mean time to recovery (MTTR), 377, 382
- Mean time to repair (MTTR), 270, 317–317
- Measurement-based admission control, 345
- Metadata Catalog Service, 308
- Media. *See also* Storage media requirements
 - confidential data and, 400
 - evolution of, 968–969
 - interactive, 579
 - rotation, 662, 668
 - storage and portability improvements, 968–969
- Media access control, 321, 578
- Media-Builder, 23
- Media (data storage), 648, 653
- Media General, 929
- Media jitter, 757
- Media recovery, 644
- Media richness theory, 29
- Media streaming, 186
- Media-streaming systems, 178–182
 - layered many-to-one, 178–179
 - multicast one-to-many streaming, 179–182
- MediaWiki, 20
- Medical confidentiality, 706–707
- Medium grouplet services, 23
- Melissa virus, 447, 471
- Memory, 82, 89
- Memory-based detection, 1015
- Memory cards, 256
- Memory cards with logic, 252
- Memory-only cards, 252
- Memory pool, 992
- Memory stick, 667
- Merchant certification authority, 881
- Merkle, Ralph, 511
- Mesh topology, 321, 380
- Message authentication, 570
- Message authentication code (MAC), 510, 516, 593
- Message complexity, 296
- Message of the day (MOTD), 890, 892, 896
- Message delivery, 43
- Message digest, 495, 514, 516, 584
- Message Digest Algorithm, 584
- Message headers, 483
- Message ID field, 138
- Message integrity, 509–510, 739
- MessageLabs, 632, 738
- Message-oriented middleware (MOM), 9, 43
- Message passing, 87, 88, 90
- Message passing interface, 47
- Message Passing Interface Chameleon (MPICH), 84

- Message Passing Interface (MPI), 80, 81, 87–88, 91
- Message server, 8
- Message transfer part, 236
- Message types (msg), 288
- Messaging application programming interface (MAPI), 734
- Metacomputing Directory Service, 68
- Metadata, 148, 827, 970
- digital libraries and, 815–816
 - types of, 816
- Metadata middleware, 147
- Meta learning, 411
- MetaMachine, 160
- Metaschedulers, 74
- Metcalfe, Robert, 29, 99, 770
- Metcalfe's law*, 770
- Metro Ethernet, 322
- Metropolitan area network. *See* MAN (metropolitan area network)
- bandwidth
- MFORTH, 1000
- Mice, 327
- Microelectromechanical system (MEMS), 1022, 1027–1028, 1032
- Microfilm, 823
- Micromechanics, 1027
- Micromodule, 266
- Micropayment, 887
- Microprocessor cards, 252
- Microsoft. *See also* Microsoft Windows
- Component Object Model (COM), 10
 - Message Queue (MSMQ), 9
 - Messaging Application Programming Interface (MAPI), 8
 - MSNBC, 935
 - .NET, 10, 66
 - NetMeeting, 756
 - .NET Framework, 35
 - Passport, 574, 880
 - security account manager, 584
 - server message block protocol, 202
 - Simple SAN Program, 195
 - storage area networks and, 200
 - viruses and Microsoft Office documents, 474
 - Volume Shadow Copy Service, 647
 - on Web services, 10–11
- Microsoft Outlook, viruses and, 441
- Microsoft Transaction Server (MTS), 10
- Microsoft Windows, 85, 86, 89
- access control in, 525–527
 - access token, 526
 - evaluation of ACLs, 526
 - impersonation and restricted tokens, 527
 - inheritance, 527
 - password cracker, 395
 - password issues, 586, 590–591
 - SAM, 586
 - security descriptor, 525
 - for Smart Cards, 260
 - SYSKEY, 594
 - systems privileges, 526–527
- Microstructure fibers, 1024
- Microsystem technology, 1027
- Microwave tags, 980
- Middle-tier functionality, 6
- Middleware, 9–10, 15, 33–44, 127, 148
- abstractions in programming, 35, 36
 - application programming interfaces, 43
 - architecture and services, 33–34
 - authentication and, 41–42
 - authorization and directories, 42–43
 - component-based, 10–11
 - concepts, 35
 - core and industry-specific solutions, 34–35
 - as infrastructure, 33, 35–40
 - message-oriented middleware, 9, 38–40
 - procedural middleware, 9–10
 - processes, 35–40
 - service-oriented, 40
 - services, 40–43
 - transaction middleware, 9
- Middleware framework, 1017–1018
- MIFARE smart card, 256
- Migration, 824, 827
- Milgram, Stanley, 386
- Milgram experiment, 386
- MIL-HDBK (Military Handbook for Reliability Prediction of Electronic Equipment), 666
- Miller, B.P., 413
- Miller, George, 591
- Miller, Jim, 886
- MilliCent, 884–885
- Mills, Elinor, 388
- Minimum-weight spanning trees, 286
- Minitel, 844
- MIRADOR, 415
- mIRC, 891
- Mirrored collections, 824
- Mirrored site, 678
- Mirroring, 645–646, 679–680, 687
- Misra, J., 292, 295
- Mission-critical activities, 673, 687
- Mission-critical data, backup of, 639
- Missouri Historical Newspapers Collection, The, 808
- Misuse detection, 404, 409–413
- abstraction-based, 411
 - automatic attack signatures, 411–413
 - automatic signature generation/intrusion prevention, 412–413
 - colored petri automata, 410–411
 - rule-based languages, 409–410
 - state-transition analysis toolkit, 410
- Mitnick, Kevin, 384, 386, 387, 396, 589
- Mixed fragments, 301
- Mobile agents, 241–242, 249
- Mobile agent technology, 241
- Mobile carriers, payment system by, 879
- Mobile-code, 427
- Mobile commerce, 915–925
- application protocols, 921
 - applications, 915–917
 - architectural components, 922–923
 - business models in, 917–918
 - classes of, 915–16
 - defined, 915
 - enabling technologies, 918–922
 - location technologies, 921
 - revenues, 915
 - security and privacy issues, 923–925
 - semantic web technologies, 922
- Mobile devices, 918
- Mobile entertainment, 915
- Mobile learning (M-learning), 962, 970
- Mobile phone units, 770
- Mobile site, 677
- Mobile technology, tourism and, 952
- Model identification, 333
- Modeling tools, 320
- Models, 545, 550
- Model-View-Controller design pattern, 27
- Modular arithmetic, 511, 513
- Modular exponentiation, 511–512
- M-of-n codes, 275
- Mojo Nation, 118
- Molecular communication, 1034–1052.
- See also* Biological systems
 - active transport, 1046–1048
 - addressing mechanism, 1049
 - applications, 1035
 - asynchronous communication, 1050–1051
 - characteristics of, 1037–1038
 - communication interface, 1049
 - encoding, 1036
 - engineering of, 1042–1048
 - engineering cells using biological materials, 1042–1043
 - network creation techniques, 1049–1050
 - network engineering, 1048–1051
 - overview, 1035–1037
 - passive transport, 1043–1044
 - propagation, 1036
 - receiving/decoding, 1037
 - sending, 1036
- Molecular motor, 1039, 1052
- MONDEX, 885
- Money laundering, 479
- Monitoring & Discovery System, 60
- Monolithic millimeter-wave integrated circuits, 1024
- Montgomery, M., 260–261
- Moore, A.P., 431
- Moore, M., 833–834
- Moore's Law, 106, 584, 593, 954
- Morse, P., 430
- Mosaic, 843
- MOTD (message of the day), 890, 892, 896
- Motes, 981
- Motion compensation, 762, 765
- Motion vector, 762
- Mouftah, H., 133
- Mount, I., 862
- MPI (message passing interface), 80, 91
- MPICH, 87
- MPI Forum, 87
- Msg, 288, 291
- MSNBC, 934, 935–936
- M-TCP (migratory TCP), 283
- MUD (and MUDding), 787
- MUD Object-Oriented (MOO), 911
- Mudslides, 620

- Mule recruitment, 479
- Multi-Application BasicCard, 260
- Multi-application smart cards, 259–260
- Multicast, 141–143, 206, 759–760
- Multicasting, 134
- Multicast one-to-many streaming, 179–182
- Multicast routing, 1017
- Multichannel e-commerce, 852
- Multicore Networks-on-Chip, 104–105
- Multidatabase systems, 299, 300–301, 309
- Multifactor authentication, 572, 799
- Multilayered DMZ, 565, 569
- Multi-Level Defense against Social Engineering* (Gragg), 396, 397
- Multilevel marketing, 479
- Multimedia digital library, 828
- Multiobjective portfolio selection, 657–658
- Multipartite viruses, 452, 470
- Multipathing, 191
- Multi-Person Prisoner's Dilemma, 174
- Multiple description code, 180
- Multiple fabric configuration, 195
- Multiple-stage interconnection network (MIN), 101
- Multiple user dimension (dungeon/dialogue), 787
- Multipoint control unit, 758, 765
- Multipolar malware, 471
- Multiprotocol label switching, 501
- Multipurpose Internet mail extensions (MIME), 559, 734, 863
- Multiresolution time scale, 331
- Multitechnique strategic methods, 364–365
- Multitiered DMZ architecture, 566–567
- Multi-User Dungeon/Domain/Dimension (MUD), 911
- Multi-view systems, 26–27
- MULTOS operating system, 260
- Mungi, 118
- Municipal utilities, 602
- Murningham, J.K., 779
- Murphy, E., 836–837
- MUSCLE (Movement for the Uses of Smart Card in a Linux Environment), 257
- MuSigs, 411
- Mutation, 1008, 1017, 1020
- Mutka, M.W., 184
- Mutual authentication, 571
- MyDoom virus, 457
- MyProxy, 70
- Myrinet, 84, 94
- MySpace.com, 389, 900
- Name server, 215
- Namespace mechanism, 64
- Nanoantennas, 1028–1029
- Nanocrystal field-effect light-emitting device, 1031
- Nanoelectromechanical systems (NEMS), 1027–1028
- Nano-electro-optical-mechanical systems (NEOMS), 1028
- Nanomachines, 1042, 1043
- engineering of, using chemical reactions, 1043
- logic functions, 1045
- Nanoscale communication devices, 1029
- Nanotechnology, 1022–1032
- carbon nanotubes, 1026–1027
- dendrimers, 1029
- erbium-doped fiber amplifier, 1029
- Mach-Zehnder modulators, 1030
- MEMS and NEMS, 1027–1028
- nanoantennas, 1028–1029
- nano transistors, 1029–1030
- photonic crystals, 1023–1024
- quantum computing, 1024–1025
- quantum dots, 1022, 1025–1026, 1032
- silicon photonics, 1030–1031
- single-photon devices, 1025
- terahertz lasers, 1031–1032
- vertical-cavity surface-emitting laser, 1022–1023
- Nanotubes, 1022, 1026–1027, 1028, 1029, 1032
- Nanowires (quantum wires), 1027
- Napster, 131, 147, 152, 157–158
- Narada, 143
- Nardi, B.A., 773
- Nash equilibrium, 170, 174, 186
- National Archives and Records Administration (NARA), 784
- National Automated Clearing House Association (NACHA), 792
- National Digital Information Infrastructure and Preservation Program, 824
- National Industrial Security Program Operating Manual*, 392
- National Information Standards of Organization, 826
- National Institute of Standards and Technology, 656, 1025
- National Labor Relations Act, 707, 708
- National Labor Relations Board, 707
- National Library of Australia, 825
- National Library of Medicine, 810
- National Physical Lab tests, 546
- National Science Foundation Digital Libraries Initiative, 802
- National Security Agency (NSA), 591
- National security concerns, 700, 704
- National Storage Industry Consortium, 200
- National Vulnerability Database, 424
- National Yiddish Book Center, 806
- Natural threat sources, 356
- Naylor, W.E., 760
- NBC News, 935
- NCE (nonresponsive commercial e-mail), 476
- Needham, Roger, 584
- Negative authorizations, 523
- Negative claim of identity, 540, 544, 550
- Negative filters, 554
- Nelson, M., 816
- Nest, 1016
- NetIQ software agents, 350
- NetLibrary, 805
- NetMeeting, 769
- NetOp Desktop Firewall, 726
- Netperf, 350
- NetScript, 998, 999–1000
- Netsourcing, 742, 749, 753
- Netsplit, 891, 896
- NetVideo, 756
- Network, 15
- modeling tools, 319
- monitoring tools, 317
- upgrades, 316
- Network access sharing, 184–185
- Network address translation, 155, 166, 492, 503, 556, 569, 756
- Network application programming interface, 991
- Network-assisted GPS, 921
- Network attached storage (NAS), 217, 218, 230, 644, 647, 680
- Network attacks, 421–438
- access attack, 459
- alert, 422
- analyzing attack objectives, 424–428
- attack information, 423–424
- attack/service relationship, 424–425
- basic features of, 422–423
- buffer-overflow, 429
- correlating attack complexity/severity, 425
- countermeasure-selection guidelines, 435–437
- flooding, 428–429
- incident response, 434–435
- intrusion, 422
- major challenges, 437
- monitoring, 433–434
- need for models of, 430–431
- preventive models, 431–432
- reactive models, 432
- routing, 429–430
- scanning, 429
- security policy, 432–433
- sniffing, 429
- spoofing, 429
- strategy for attack response, 432–435
- structural models, 431–432
- taxonomies of, 430
- threat, 421–422
- trends in, 425–428
- Network based firewall services, 560–561
- Network configuration, 716
- Network data management protocol, 647
- Networked Digital Library of Theses and Dissertations, 808
- Network externalities, 845
- Network file system (NFS), 217, 233, 647
- Network games, 17
- Networking, 11–13. *See also* Active networking
- Internet protocol stack, 12–13
- network access, 11
- network core, 11–12
- network edge, 12
- Networking layer attacks/defenses, 465

- Networking paradigms, biological
inspiration for. *See* Biologically
inspired networking
- Networking sites, 389
- Network interface controller (NIC), 91
- Network-layer performance
monitoring, 350
- Network-layer VPNs, 496
- Network management, 714–729
ISO functions, 716–717
layers, 715–716, 727
mobility management in wireless
networks, 725
network monitors, 725–726
network scanners, 726
OSI model, 714–715
policy-based, 726–728
protocols, 717–725
RMON, 724–725
SNMP, 717–724
systems, 726
tools and systems, 725–726
typical architecture, 715
- Network Management System (NMS),
714, 728
- Network monitoring, 728
- Network monitors, 726
- Network news transfer protocol, 153
- Network Node Manager (NNM), 726
- Network outage, 687
- Network performance, verifying under
specific traffic controls, 329
- Network performance metrics, 340
- Network processor (NP), 1002
- Network reliability and fault tolerance,
372–382
design considerations, 380
fundamental principles, 372–373
network architecture, 380–381
network failure, 374–375
network protection, 373–374
network protocols, 381–382
network recovery, 376–377
network tolerance, 373
redundancy, 374
reliability and availability, 377–382
- Network Reliability and Interoperability
Council, 641
- Network resources, appropriate
use of, 624
- Network routing, 1016–1017
- Network scanners, 728
- Network security, 354–370, 399. *See also*
Physical security; Security; Social
engineering
practical risk exposure estimation,
369–370
practical strategic risk models, 364
risk assessment, 355–356, 358–359
risk control, 356–357
risk management in practice, 357–358
risk models, 361–369
strategic decision making and
competing risks, 365–367
strategic network security
planning, 368
strategic risk management methods,
363–364
strategic risk models, 362–363
unsuitable sweet spots, 368–369
usability risk, 367–368
- Networks-on-Chip, 104–105
- Network-to-network signaling
protocols, 237
- Network topologies, 320–321, 380–381
- Network traffic, broadcast vs.
unicast, 318
- Network voice protocols (NVPs), 768
- Neubauer, T., 658
- Neumann, P., 430
- Neumann and Parker's method, 430
- Neural network, 406
- Neuron, 1039, 1052
- Newbie, 896
- New-generation networking, 248
- NEWPRED, 763
- Newsgroups, 16, 388
security and, 624
- Newsome, J., 412
- NewspaperArchive, 808
- Newspapers, digital collections of, 808.
See also Online news
- New York Times*, 932, 934, 936
- New Zealand Digital Library, 819, 820
- Next-generation cluster networks,
93–107
case study 1: 100-Gigabit Ethernet,
99–100
case study 2: Optical ShuffleNet, 100
case study 3: Data Voronoi, 100–102
case study 4: OSMOSIS, 102
case study 5: OPSNET, 103
case study 6: Chip-to-Chip SPINet,
103–104
case study 7: Multicore Networks-on-
Chip, 104–105
comparison of approaches, 105–106
interconnection networks, 94–95
optical interconnection networks,
95–99
realization prospects, 106
trends, 106–107
- Ngan, T.W.J., 179
- Nicholls, C., 837, 839
- Nicholson, D., 802
- Nick, J.M., 66
- Nickname, 890, 896
- NIC (network interface controller), 91
- NIDES/STAT, 404
- Nigerian scam, 385, 479, 483
- Niksun, 739
- Nimda, 449
- Nimrod, 74
- Nimrod-G resource broker, 119
- Ning, P., 411
- Nippon Telegraph and Telephone, 756
- Nishan Systems Corporation, 198
- N+K redundancy, 374
- NL_Port, 207
- N-modular redundancy, 273
- Node architecture, 991
- Node operating system, 991, 992–993,
997–1000, 1000–1003
- Nodes, 207
- Node-to-node tunneling, 493
- No Electronic Theft Act of 1997, 703
- Nokia, 978
- Nonbanks, 798
- Nonbinary encoding, 1038
- Nonce, 585, 593
- Noncompetition agreements, 701, 710
- Nondigital storage media, 599
- Nondisclosure agreement (NDA), 629,
701, 710
- Non-IP VPNs, 496
- Nonrepudiation, 739
- Nonresponsive commercial e-mail
(NCE), 476
- Nordahl-Hagen, Petter, 587
- Nordea Bank, 796
- North American Digital Hierarchy, 322
- Notational money, 871–872
- N_Port, 207, 220, 233
- n*-tier system, 7, 15
- Nukes, 896
- Numbered Field Sieve, 46
- N-version programming, 277
- OAIster, 816
- Oanh Ha, 773
- OASIS, 60, 72, 865
- Object, 44, 403, 995
- Objectification, 780, 781
- Object linking and embedding (OLE),
10
- Object management architecture
(OMA), 38
- Object Management Group (OMG), 10,
58
CORBA standard, 37–38
- Object naming service, 978
- Object orientation, 239
- Object replication, 679
- Object request broker (ORB), 37, 44,
239
- Object syntax, 719
- Obsolescence, 664
- OCC, 798
- Occam's razor, 994
- OceanStore, 118–119, 164
- OCLC, 811
- O'Connor v. Ortega* (1987), 708
- OCTAVE (Operationally Critical
Threat, Asset, and Vulnerability
Evaluation), 358, 359–360, 423
- Octopus card, 256
- Oechslin, Philippe, 586, 594
- Offline digital coins, 883
- Offsite storage facility, 682, 687
- O'Grady v. Superior Court* (2006), 699
- OGSA-DAI, 74, 308
- OGSA-DQP, 308
- Oikarinen, Jarkko, 889
- Olive ActivePaper, 815
- OMII_2, 57
- OMII_2 server stack, 56–57
- Omission failure, 269
- On demand computing, 127
- One-copy protocol, 87
- 1G, 918
- 1000-Mbps Ethernet, 321
- One-time pad, 507, 508
- One-time passwords, 576–577, 585, 593
- One-to-one verification system, 544

- One-way hash, 593
 Online backup, 653
 Online banking, 791–799, 875
 costs of, 793
 defined, 791–793
 financial institution regulation, 797–798
 future of, 798
 risk and security issues, 794–798
 users of, 793–794, 795
 Online Books Page, 805
 Online communities, 898–911
 aggregation mechanisms/
 management processes, 901–902
 alternate names for, 899
 attributes and processes, 901–903
 benefits to members, 908–909
 benefits to societies, 909
 benefits to third parties, 908–909
 characterizing attributes, 899
 defined, 898–900
 examples of, 905–906
 history of, 903–905
 microcontributions and, 901
 negative effects of, 909–910
 norms and motivations of, 902–903
 peer review of content, 903
 research methods/issues, 910–911
 social psychology of, 901
 supporting technologies, 900–901
 timeline, 904
 types by member interest, 905–907
 types by sponsor interest, 907–908
 Online customer support, 951–952
 Online cybercrime, 894–896
 Online destination management
 systems, 949
 Online fraud, 856
 Online journalism, 927, 938. *See also*
 Online news
 Online mapping technology, 954
 Online news, 927–939
 competitive dimension of, 933–934
 convergence of mass media, 928–930
 defined, 938
 economic model, 932–933
 leading sites, 934–937
 markets and service models, 937–938
 origins of, 927–928
 Web logs and wikis, 930–931
 writing and content, 931–932
 Online retail. *See* Electronic commerce
 Online vs. offline backup, 642,
 646–647
 On/off model, 337
 On-site shopping, mobile, 916
 Ontology, 306
Onuf v. Nikon (2001), 705
 Open, 44
 Open architecture, 194
 Open Archives Initiative, 816
 openBC, 389
 OpenCard Framework, 258
 Open Content Alliance, 806–807, 811
 Open Grid Forum (OGF), 48, 60
 Open grid services architecture, 48, 60,
 66, 76, 120
 data access and integration, 60
 Open Grid Services Infrastructure,
 49, 66
 Open Group, 9–10
 Open Library Project, 807
 Open-loop systems, 873
 Open Middleware Infrastructure
 Institute (OMII), 56–57
 Open Mobile Alliance, 922
 Open Network Computing Remote
 Procedure Call (ONCRPC), 9
 Open Platform initiative, 261
 Open-set test, 545
 Open shortest path first (OSPF),
 198, 213
 OpenSig community, 987
 Open standards, 769, 775
 Open system interconnection (OSI)
 model, 554
 Open system interconnection (OSI)
 model for mobile Internet, 922
 Open system interconnection (OSI)
 network management model,
 714–716
 layers and functions, 716
 Open systems interconnection, 381
 Open 2-Gb fibre channel, 193
 Open Video Project, 809
 Operating systems, 85
 access control and, 523–527
 Operational recovery, 376
 Operational safeguards, 357
 Operational test, 515–516
 Operational transformations, 22
 Opportunities, lost (in downtime), 675
 OPSNET, 103
 Optical antenna, 1022
 Optical burst switching, 95
 Optical character recognition, 812
 Optical disks, 665–666
 Optical fibers, 1024
 Optical interconnection networks, 94
 Optical networks, 1027–1028
 Optical packet switching, 95, 96
 Optical ShuffleNet, 100
 Optical signal encoding, 106
 Optical signal transmission, 94
 Optical storage media, 598–599
 Optical time-domain reflectometry, 625
 Optical waveguides, 1023
 Oracle, 813
 Oracle On Demand, 125
 Orange Book, 593
 Ordered set, 211, 222
 Oregon Software Development Process
 (OSDP), 22–23
 Organizational culture, 772
 Organization and technology
 development (OTD), 22
 Organization for the Advancement of
 Structured Information Standards.
 See OASIS
 Organization model, 714
 OR nodes, 656
 Orphan books, 810
 OSA/Parlay, 245
 OSCAR, 80
 OSDP (Oregon Software Development
 Process), 22–23
 OSHA, 783
 OSI model, 15
 and Internet protocol stack
 compared, 12
 OSMOSIS, 102
 OTD (organization and technology
 development), 22
 Ottem, E., 193
 Outlook for Microsoft Exchange, 734
 Out-of-profile packets, 346
 Outsider studies, 910
 Outsourcer, 633, 637
 Outsourcing, of backup/recovery
 systems, 646–647, 676
 Overlay network, 148–149, 466
 defenses using, 464
 Overloading, 385
 Overnet, 161
 Owens, C., 686
 Oyster card, 256
 Oyster Optics, 625
 Ozier, W., 423
 Özsu, T., 302
 Ozzie, Ray, 156, 157
 PAC architectural model, 24
 Package, 938
 Packet, 44, 327
 Packet authentication, 499–500
 Packet capturing, 726
 Packet classification, 345–346
 Packet-filtering firewalls, 558, 564
 Packet-filtering gateway, 569
 Packet filters, 726, 728
 Packet networks, 326
 Packet scheduling, 342, 346–348
 deadline scheduling, 347–348
 fair queueing, 347
 priorities, 347
 round robin, 347
 Packets-per-second (PPS), 323, 324, 325
 Packet switching, 44
 Packet-switching technology, 900, 918
 PAD architecture, 15
 Padding, 514
 Pande, Vijay, 164
 Pandelios, G.P., 354
 PANDORA, 825
 Papadimitriou, C., 173
 Parallel iterative matching (PIM), 323
 Parallel processing, 79, 654
 Parallel programming support, 87–88
 Parallel strategy, 381
 Parallel system, 271
 Parallel testing, 683
 Parallel Tools Consortium, 88
 Parallel virtual machine (PVM), 80,
 87, 91
 Parameterized synchronizer, 294
 Parameter-sweep applications, 74
 Parameter sweeps, 58
 PARASCAN, 445
 Parashar, M., 1013, 1014
 Parasitic viruses, 470
 PARC, 921
 Pareto-optimal, 658
 Pareto probability distribution, 334
 Parity, 646, 648

- Parker, D., 430
 Parkinson, C. Northcote, 324
 Parkinson's law, 324
 Parlay, 249
 Parlay Group, 244–245
 Parlay/SPIRITS, 247
 Parlay-X, 248
 Partially self-checking circuit, 278
 Partition, 669
 Partitioning source data, 654
 Pask, G., 835
 Paskin, Norman, 826
 PassFaces, 592
 Passive (static) schemes, 273
 Passive tag, 920, 977, 978, 984
 Passive transport, 1043–1044
 using free diffusion, 1044
 using impulse-based communication, 1044–1046
 Passlogix, 592
 Password(s), 393–399, 570,
 581–594, 796
 aging and reuse, 588–589
 bypassing security of, 587
 common password categories, 394
 cryptographic password
 protection, 584
 guessing and dictionary attacks,
 570–571
 hashing, 584–585
 length, 591–592
 one-time passwords, 576–577
 password-cracking tools,
 585–587, 587
 password history, 582–583
 password-retrieving approaches, 586
 personnel security, 623
 security, 478, 583–591
 selection guidelines, 588
 shadow password file, 571
 sniffing, 576, 586–587
 synchronization, 589–590, 593
 “Ten Commandments” of, 583
 types of, 581–582
 Password authentication protocol,
 500, 503
 Password-based Web access, 573
 Password-generating tokens, 796–797
 Pastry, 140–141, 142, 179
 “Patch” files, 902
 Patch management, 739
 Paterson, M.S., 294
 PATRIOT ACT 2001, 704–705
 Pattern recognition, 541
 Pattern type, 410
 Pay-by-phone systems, 875
 Payload, 452
 Payment, 887
 Payment-based systems, 170–171
 Pay-per-click, 933
 PayPal, 791, 798, 882–883
 P-BEST, 409, 410
 PBX hacking, 603
 PCI-bus, 83
 PCI (peripheral component
 interconnect), 91
 PC (personal computer), 91
 PDAs (personal digital assistants), 918
 Peace virus, 451
 Pedophiles, 895
 Peer, 131, 149, 166
 Peer discovery, 149
 Peer-to-peer-based architectures,
 137–148, 299, 300, 309
 application layer, 148
 application-level multicast, 141–143
 base overlay layer, 137–143
 middleware layer, 143–148
 overlay network construction,
 138–141
 peer discovery, 137–138
 publish and subscribe, 144–146
 security middleware, 146–147
 Peer-to-peer computing, 3
 Peer-to-peer groupware, 18–19, 26, 30
 Peer-to-peer (P2P) incentive issues,
 168–186
 classes of techniques, 168–169
 file-sharing systems, 170–178
 media-streaming systems, 178–182
 network access sharing, 184–185
 wireless information sharing systems,
 183–184
 wireless P2P systems and, 182–185
 Peer-to-peer (P2P) network, 756, 758,
 759, 765. *See also* Peer-to-peer (P2P)
 network applications; Peer-to-peer
 (P2P) network architecture
 application development framework
 for, 1016
 cheating/selfish behaviors on,
 136–137
 defined, 132, 149, 152–153
 maintenance of, 135–136
 service guarantee, 136
 standards, 136
 Peer-to-peer (P2P) network applications,
 152–166
 for communication and collaboration,
 154–157
 for distributed storage, 162–164
 for file sharing, 157–162
 historical roots of, 153–154
 for massively parallel computing,
 164–165
 Peer-to-peer (P2P) network architecture,
 131–149
 application layer, 148
 base overlay layer, 137–143
 benefits of P2P networks, 132–135
 definitions, 131–132
 limitations of P2P networks, 135–137
 middleware layer, 143–148
 Peer-to-peer traffic, 335
 Pei, D., 283
 Peleg, D., 286
 Peltier, T.R., 423
 Pena-Shaff, J., 837, 839
 Pen drive, 667
 Penetration matrix, 430
 Penetration testing, 627
 Penny stocks, 479
 Pepper, Tom, 159
 Performance analysis tools, 88–89
 Performance management, 717, 728
 Performance profiling tools, 87
 Periodic approach, to backup, 641
 Peripheral component interconnect
 (PCI), 82–83, 91
 Peripheral nervous system, 1013, 1020
 Permanent failure, 269
 Permanent protection, 450
 Permutation scanning, 458
 Perret-Clairmont, A., 834
 Perseus Digital Library, 820
 Personal area networks (PANs), 920
 Personal computer (coinage of
 term), 769
 Personal computer banking, 875
 Personal computer smart card
 specification, 256–258
 Personal data protection, 692
 children, 702–703
 customer, 702
 Personal digital assistants (PDAs), 918
 Personal identification number (PIN),
 251, 266, 874, 887
 Personal trusted device, 916
 Personal Web sites, 771
 Personnel, as threats, 622–624. *See also*
 Personnel, physical security for
 Personnel, physical security for,
 621–624, 627–628
 environmental hazards, 621–622
 ergonomics, 622
 personnel as resources, 621–622
 Persons with disabilities, 774, 775
 Pervasive computing, 970
 Peterson, A. Padgett, 447
 P-frame, 762, 765
*In re Pharmatrak, Inc. Privacy
 Litigation*, 695
 Pharming attacks, 735, 795–796
 Philips Semiconductor, 976, 979
 Phishing, 392–393, 400, 478–479, 589,
 593, 701, 735, 795
 Phone-to-computer calls, 20
 Phone service security, 603
 Photonic crystal, 1032
 Photonic crystal fiber, 1024
 Photonic crystals, 1022, 1023–1024
 Photonic integrated circuit, 103
 Photonic integration, 103
 Physical asset identification, 626
 Physical file name, 73
 Physical security, 596–629
 disaster recovery planning, 628
 for facilities, 609–621
 information-processing equipment,
 601–609
 measure identification, 627
 passwords, 623
 for personnel, 621–624
 personnel as threats, 622–624
 physical threat assessment, 626
 planning, 626–628
 practice, 626–628
 social engineering, 623
 for storage media, 597–601
 for transmission media, 624–626
 “Physiology of the Grid, The: Open Grid
 Services Architecture . . .” (Foster
 et al.), 66
 Piaget, J., 833, 834

- PictureAustralia, 818
 PictureTel system, 756
 Piggybacking, 490
 PIN, 887
 Ping echo and echo response messages, 350
 PKINIT, 72
 Place-based online communities, 906–907
 Plaintext, 44, 506, 516, 593
 “Plain view” doctrine, 784
 PLAN, 1000, 1001
 Planar antennas, 1024
 Platform, 44
 PLATO, 769
 Platters, 666
 Playout delay, 760, 765
 Plenoptic function, 764, 765
 PLOGI (port log-in) procedure, 215
 Pluggable authentication module (PAM), 590
 Pocket drive, 667
 Podcasting, 933
 training and, 964, 969
 Poe, Edgar Allan, 506
 Points in call (PICs), 236
 Point-in-time recovery, 601
 Point-to-point protocol, 503
 Point-to-point topology, 208, 209, 213, 220
 Point-to-point tunneling protocol, 497–498, 503
 Poisson arrival process, 331–332, 345
 Poisson process, 337
 Policy-based network management (PBNM), 726–728, 728
 architecture of, 727–728
 benefits, 727
 Policy communication protocols, 728
 Policy decision point, 728
 Policy enforcement point, 728
 Policy management, 727
 Policy management console, 727
 Policy repository, 727
 Pollution, 621
 Polygraph, 412
 Polymorphic viruses, 446, 452
 Polyzos, G.C., 184
 Ponzi schemes, 483
 POP (Post Office Protocol), 8, 483
 Pornography, workplace access to, 703
 Porras, P.A., 410, 415
 Portability, 44, 216
 Portable Batch System, 73–74
 Portals, 74, 76, 929, 938
 Port elements, 65
 Port filtering, 556, 569
 Portlets, 74
 Port log-in procedure, 215
 Positive claim of identity, 540, 544, 550
 Positive filters, 554
 Postel, Gert, 395–396
 Postmortem analysis, 637
 Post office protocol (POP), 483, 734
 Power conditioning, 603
 Power spectral density function, 329
 PPay, 171
 Pranks, 445
 Preconsumption, 950–952
 Predators, 909
 Predictive congestion avoidance, 350
 PREDICT project, 415
 Preimage resistance, 509
 Prelinger Archives, 809
 Prepaid card, 876, 887
 Prerequisite, 416
 Prescription drug industry, 976
 Presence awareness information, 16, 20
 Presence Platform, 738
 Presentation-application-data (PAD) architecture, 4
 Presentation services, 4
 Presuhn, R., 724
 Pretty good privacy, 574, 577–578
 PrettyPark worm, 473
 Price-discrimination approach, 855
 Pricing algorithms, 116
 Pricing-risk factors, 114
 Primary avionics software set (PASS), 281
 Primary horizontal fragmentation, 301
 Primitive sequences, 211
 Primitive signals, 211
 Principal, 44, 994, 996, 1010
 Printed circuits, 983
 Prisoner’s dilemma, 29, 174
 Privacy, 134–135
 biometrics and, 548–549
 biometrics and computer network security, 546
 computer conferencing and, 774
 digital library users and, 823
 e-commerce and, 856
 electronic payment systems and, 871
 employee expectation of, 784
 groupware and, 29
 informational, biometrics and, 549
 location privacy, 924
 mobile commerce and, 923–925
 RFID and, 982
 Privacy module, 723
 Privacy rights (employee)
 balancing business needs with, 692–696
 EU model of, 693–694
 U.S. perspective on, 694–696
 Private arbitrated loop, 209
 Private industrial networks, 852–853
 Private key, 44, 68, 511, 516, 574
 Private loop, 216
 Private server security, 436
 Probability, 422
 Probability distributions, 326
 Procedural middleware, 9–10
 Process, 15
 Process errors, 372
 Processing engine, 1002
 Processing functionality, 7
 Processors, 82
 Procom Technology Corporation, 199
 Prodigy, 935
 Producer, 938
 Production-based expert system tool set (P-BEST), 409, 410
 Productivity, loss of
 (downtime and), 674
 Profiles, 403
 Programming abstractions, 35
 Programming tools, 81
 Progression failure, 432
 Project Gutenberg, 803, 810, 812, 820, 827, 828
 Project Muse, 808
 Project risk management, 651
 Promiscuous mode, 593–594
 Propagation, 1036
 Proprietary architecture, 194
 Proprietary information, protecting, 700–701
 Proprietary radio-frequency technology systems, 879
 Prosecution, 636, 637
 Protection technology, 634
 Protein, 1039, 1052
 Protocol, 44, 381–38
 Protocol analyzers, 319, 320, 390, 726
 Protocol data units (PDUs), 718, 720, 721
 Provider, 887
 Prox cards, 975
 Proximity cards, 255–256
 Proxy certificates (“proxies”), 70, 76
 Proxy objects, 25
 Proxy server, 8, 569, 739
 pseudo-Bayes estimator, 407
 Ptolemy, 76
 Public arbitrated loop, 209–10
 Public domain, 810
 Public key, 44, 68, 511, 516, 574
 Public key certificates, 574
 Public key cryptography, 68, 511–514, 576
 Diffie-Hellman key exchange, 511–512
 RSA cryptosystem, 512–514
 use of, explained, 514
 Public-key encryption/ cryptography, 511
 Public key infrastructure (PKI), 68, 71, 76, 437, 514, 574, 796
 e-commerce and, 849
 mass mailer/spam control and, 474
 Public Library of Science, 807
 Public loop, 216
 Public relations, 633, 637
 Public server security, 436
 Public switched telephone network (PSTN), 235, 488
 Publish and subscribe, 144–146, 149
 PubMed, 810, 827
 PubScience, 826
 Pulse code modulation (PCM) scheme, 763
 Pump and dump fraud, 479
 Punishment, 637
 Punitive damages, 636
 Purchase card, 873
 Purdue Employees Federal Credit Union, 548
 Pure-play ASP, 753
 Purpura, P., 625
 Pushback, 462

- Push-out schemes, 348
- Puzzles, defenses against DDoS, 461–462
- PVM (parallel virtual machine), 80, 87, 91
- PWDUMP2, 586
- PyGridWare, 57
- Pyramid schemes, 479, 483
- Qcheck (NetIQ), 350–351
- Qiu, Y., 183
- QSNNet II, 84
- Quadrics, 84
- Qualitative coverage, 270
- Qualitative risk analysis, 656
- Quality metrics, 757
- Quality of service (QoS), 326, 329, 337, 340–341, 351
 - dimensions of, 121
 - “hard” and “soft,” 341
 - metrics, 340
 - metrics for IP networks, 341
 - monitoring, 350–351
 - parameters, 341
 - virtual private networks and, 494
- Quantitative coverage, 270
- Quantitative risk analysis, 656–657
- Quantum bits (qubits), 1024
- Quantum cryptography, 1025
- Quantum-dot laser, 1025
- Quantum dots, 1022, 1025–1026, 1032
- Quantum entanglement, 1024–1025
- Quantum interference effect transistors, 1029–1030
- Quantum wires, 1027
- Query decomposition, 302–303
- Query optimization, 303–304
- Questia, 805
- Queuing theory, 326
- RADAR, 974
- Radio-frequency identification (RFID), 251, 256, 266, 974–983
 - applications of, 975–977
 - auto-identification and, 975
 - e-commerce and, 848
 - economic challenges, 982
 - functionality, 980–981
 - future technologies, 983
 - microwave tags, 980
 - mobile commerce and, 915, 918, 920–921
 - operating frequencies, 978–980
 - origins, 974–975
 - physical access control for storage media, 599
 - power sources, 978
 - principles, 977–981
 - security and privacy, 974, 982–983
 - shortcomings, 975–976
 - standards, 981
 - system essentials, 977–978
 - tags, 977
 - technical challenges, 981–982
 - ultrawide band, 980
- Radio-frequency interference (RFI), 606, 629
- Radio-frequency MEMS, 1028
- RAID. *See* Redundant array of inexpensive disks (RAID)
- RainbowCrack, 395, 586
- Rainbow table, 586, 594
- Raman amplifier, 96
- Raman effect, 1031
- Rambus DRAM, 82
- Ramen worm, 449
- Random access memory (RAM), 91, 266
- Random early detection (RED), 336, 348–349, 351
- Random House, 805, 806
- Random scanning, 458
- Ranganathan, K., 174
- Rational rose (RR), 245
- Raynal, M., 295
- RCANE, 1001
- RC4, 508, 516
- Reactive congestion control, 349–350
- Reactive models, 432
- Reader, 977–978, 984
- Read-only EPC, 981
- Realtime blackhole list (RBL), 483
- Real-time control protocol, 756, 761, 765
- Real-time protocol, 756, 761, 765
 - header fields, 761
- Real-time scanning, 450
- Real-time traffic, 340
- Real-time transport protocols (RTPs), 768
- Receiving, 1037
- Receptors, 1040, 1052
- Reciprocation, 385–386, 400
- Reciprocity, principle of, 29, 172–173, 186
- Reciprocity-based mechanisms, 169
- Recombination, 1008
- Reconfigurable antennas, 1028
- Reconfiguration, 270
- Recording Industry of America (RIAA), 158
- Recovery, 382
- Recovery access objective, 376, 382
- Recovery block, 276–277
- Recovery point, 276
- Recovery point objectives, 376–377, 382, 642, 648, 658–659, 660, 673
- Recovery product requirements, 643–644
- Recovery protocol, 305
- Recovery (repair), 635
- Recovery team alert list (calling tree), 682
- Recovery time objectives, 376, 382, 642, 648, 650, 658–659, 660, 672, 673
- Redundancy, 269, 273–276, 374
 - electronic payments and, 870
 - hardware redundancy, 273–274
 - information redundancy, 274–275
 - software redundancy, 275–278
 - time redundancy, 275
- Redundant array of inexpensive disks (RAID), 200, 202, 218, 233, 279, 282–283, 645, 648, 679, 824
- Reed Elsevier, 807
- Regional disaster, 672
- Registered state-change notifications (RSCNs), 216
- Regression testing, 324
- Regulatory environment, for virtual workplaces, 783–785
- Reinstallation, 636
- Relational databases, 58
- Relative entropy, 408
- Reliability, 134, 270, 284, 377–378, 382
- Reliability block diagrams, 377
- Reliability models, 271, 272
- Reliable file transfer service, 68, 72, 308
- Remote-access bandwidth, 323
- Remote-access trojans, 445
- Remote-access VPNs, 492, 503
- Remote authentication dial-in user service (RADIUS), 500, 503
- Remote backup, 653
- Remote disk mirroring, 679
- Remote log-in, 575–576
- Remote Method Invocation (RMI), 10, 239, 266
 - object request broker and, 37
- Remote mirroring, 679–680
- Remote network monitoring (RMON), 724–725, 728
- Remote operations service element (ROSE) protocol, 236
- Remote procedure call (RPC), 9–10, 35, 36, 43, 63, 266
 - asynchronous, 39
 - transactional, 36–37
- Remote shopping, mobile, 916
- Removable disks, 667
- Removable media, handling, 668–669
- Removable media capacity, 663
- Rendezvous point, 149
- Repair, 373, 382, 637
- Repair rate, 270
- Replay, 572
- Replay attack, 594
- Replica location index nodes, 73
- Replica location service, 73, 308
- Replicate signal, 1019
- Replication, 24, 166, 308
- Repository component, 27
- Reprisal attack, 636–637, 637
- Reputation, 856
- Reputation-based mechanisms, 169
- Reputation-based systems, 172–173
- Reputation information, 29
- Request/response model, 38
- Research, online, 910–911
- Resilience. *See* Business resilience
- Resilient packet ring architectures, 381
- Resonators, 1028
- Resource Directory Description Language, 64
- Resource management
 - data management, 72–73
 - job schedulers and resource managers, 73–74
 - metaschedulers, 74
 - tools, 81
- Resource managers, 73–74
- Resource reservation protocol (RSVP), 344, 351

- Resource sharing, distributed
 - computations for, 291
- Resource-sharing computations, 295
- Response failure, 269
- Response time
 - measuring, 318
 - recovery procedures and, 870
- Resumption, 373, 382
- Retinal identification, 541
- Return_code, 410
- Reusable learning objects, 970
- REV drives, 667
- Revenge spamming, 477
- Revenue, lost (downtime and), 674
- Revenue-sharing business model, 918
- Reverse social engineering, 393, 396
- Reverse turning tests, 572
- REXX, 451
- RFID. *See* Radio-frequency identification (RFID)
- RFI (radio-frequency interference), 606
- RF-MEMS, 1028
- R-GMA, 52
- Rheingold, Howard, 910
- Riding the Bullet* (King), 805
- Rijmen, Vincent, 508
- Rijndael, 508, 515
- Ring topology, 380–381
- Risk, 361
- Risk analysis, 356
- Risk assessment, 687
- Risk evaluation, business impact analysis, 658
- Risk exposure, 356
- Risk exposure estimation, 369–370
 - empirical approaches, 369–370
 - qualitative methods, 369
- Risk management, 651–652, 660, 671, 675–676, 687
 - risk analysis, 675
 - risk mitigation, 675
 - risk transfer, 675–676
 - threat and alert analysis, 423
- Risk model, 362
- Risk prioritization, 356
- Risk profiling, 363
- Risk reduction leverage, 361
- Risk resolution, 357
- Risk with respect to usability, 367
- Risks due to uncertainty, 362
- Rittinghouse, J.W., 613
- Rivest, Ronald L., 466, 508, 509, 512, 584
- Robinson, S.R., 624, 627
- ROCKS, 80
- Rockwell International, 281
- Role, 537
- Role-based access control policies, 521
- Rollback, 276
- Rolling failures, 375
- Romiszkowski, A., 839
- Root certification authority, 880
- Root keys, 515
- Rootkit, 452
- Rosetta Books, 805
- Round robin, 347
- Round-trip time (RTT), 318
- Rourke, L., 839
- Router plugins, 1001
- Routers, 194
 - as attack platforms, 428
 - virtual private networks and, 497
- Routing, 182–183
 - attacks and defenses, 465
 - fibres-channel fabric routing, 213
- Routing table updates, 318
- RSA, 516
- RSA algorithm, 466
- RSA Factoring Challenge, 46
- RTS (ready-to-send), 466
- Rubin, S., 413
- Ruggedization techniques, 608
- Rule-based languages, 409–410
- Rule-based sequence evaluation language (RUSSEL), 409
- Rules of correctness, 301
- Run-time environment, 266
- Ruppert, E., 294
- Ruschitzka, M., 408
- RUSSEL (rule-based sequence evaluation language), 409
- Ryu, Seung Kwan, 928
- Saba, F., 834
- Sabin, Todd, 586
- Safari Tech Books Online, 805
- Safeguards, 356
- Safe Harbor Agreement, 693–694
- Safes, 610
- Sag, 629
- Salem, N.B., 182
- Salt, 584, 594
- SAML (Security Assertions Markup Language), 72
- Sample, 542, 550
- Sanctions, 636
- Sandbox, 534
- Sands, M., 286
- Sanghavi, S., 176
- San Jose Mercury News*, 928
- San Jose State University, 547–548
- SANS Institute, 632
- SANS Security Policy Project (SANS 2005), 785
- SANs (storage area networks). *See* Storage area networks (SANs)
- Santoro, N., 294
- Sarbanes-Oxley Act, 200, 650, 681, 784, 797
- Satellites, 968, 1026–1027
- S-box, 266
- Scalability, 133, 149, 413
 - client/server, 3
 - core routers and, 344
- Scalable coherent interconnect (SCI), 84, 91
- Scalable High-Performance Really Inexpensive Multi-Processor (SHRIMP) system, 87
- Scaling, 331
- Scams, 385, 484. *See also* Social engineering
- Scan, 466
- Scanner, 452
- Scanning, 450, 458
- SCard Application Programming Interface, 257
- SC connector, 202
- SCCP inter-ORB protocol (SIOP), 241
- Scenario test, 545
- Scheduling middleware, 147
- Schema integration, 305–306, 309
- Schemas, 65
 - structural conflicts between, 306–307
 - types of possible relationships between, 307
- Schema translation, 305–306, 309
- Schmalensee, R., 791
- Schmidt, Eric, 388
- Schneider, G.P., 886
- Schneier, B., 431
- Schumacher, M., 432
- Schwartz, Candy, 801
- Schwenn v. Anheuser-Busch, Inc.* (1998), 705
- SciELO, 807
- Science Direct, 807
- SCI (scalable coherent interconnect), 91
- Scout operating system, 1001–1002
- Screened subnet, 569
- Screen-savers, 702
- Screen scraping, 771
- Screen sharing, 17
- Scribe, 142
- Scrip, 884, 887
- Script kiddies, 895
- Scripts, 895, 896
- Script viruses, 470
- SCSI (small computer system interface), 83, 205, 215, 216
- Searches and seizures, 708
- Secrecy, 537
- Secret, 580
- Secret paths, 135
- Sectors, 666
- Secured data transfers, 34
- Secure electronic transaction (SET) protocol, 880–882
- Secure Hash Algorithm 1, 584
- Secure multipurpose Internet mail extension, 574
- Secure shell, 576, 594
- Secure sockets layer, 69, 574–575, 594, 796, 887
 - SOCKS v5 and, 500–501
- Security, 537. *See also* E-mail security; Network attacks; Physical security; Social engineering
 - active networking, 994–997
 - biometrics and, 546–547
 - computer conferencing and, 774
 - of data, and ASPs, 751
 - digital libraries and, 821–823
 - documents and data, 785
 - e-commerce and, 848, 856
 - electronic data exchange and, 863, 865–866
 - electronic payment and, 870–871
 - employee awareness of threats to, 785
 - firewalls, 8
 - grid computing, 68–72
 - Internet relay chat and, 894–896
 - mobile commerce and, 923–925

- national threats to, 700
- network intrusion detection, 1015
- online banking, 794–798, 798
- online communities and, 909–910
- password, 583–591
- peer-to-peer (P2P) networks, 136
- protecting trade secrets/proprietary information, 700–701
- removable media and, 668–669
- smart cards and, 262–266
- storage area networks and, 195
- storage media, 668–669
- technologies, 785
- Web-based training, 967
- Security account manager, 594
- Security Algorithms Group of Experts (SAGE), 263
- Security Assertions Markup Language (SAML), 72, 530
- Security awareness, 397–399
- Security data backup, 640
- Security guards, 612–613
- Security incident (breach), 632, 637
 - containment, 635
 - postmortem analysis, 637
 - restoration of data files, 636
 - types of, 635
- Security management, 716–717, 729
- Security mechanism, 537
- Security monitoring, 726
- Security policy, 422, 438, 537
- Security services, mobile, 916
- Seeder, 162
- Seeding, evolutionary growth, and reseeded (SER), 22
- Seed value, 577
- Seelye, Katharine, 932
- Sega, 866–867
- Seismic forces preparedness, 620
- Sekar, R., 414
- Self-checking capability, 278
- Self-encryption, 446
- Self-garbling, 446
- Self-healing failure, 375, 382
- Selfish Link-based InCentive, 173
- Self-launching malware, 472, 484
- Self-limiting congestion-avoidance algorithm, 336
- Self-management, 783
- Self-organizing map, 406
- Self-similarity, 330, 334, 337
- Self-stabilization, 294, 295
- Self-testing circuit, 278
- SELinux, 537
- Semantic heterogeneity, 306–307
- Semantic Web, 775, 922
- Semiconductor laser amplifier, 96
- Semiconductor optical amplifier (SOA), 96
- Semijoin, 303–304, 309
- Semipassive tag, 978, 984
- SEMPER project, 886
- Sending, 1036
- Seneviratne, A., 176
- Seniornet, 908
- Sense of direction, 294
- Sensor tags, 981
- Separability, 274
- Separation of duty, 522
- Sequence, 210, 212–213, 216, 223
- Sequence-number spoofing, 429
- Sequential strategy, 381
- Serial interconnect technology, 205
- Series system, 271
- SER (seeding, evolutionary growth, and reseeded), 22
- Served collections, 824
- Server, 44, 131, 149
 - functionality, 7–9
- Server application attack, 459
- Server clustering, 191
- Server-hosting hardware platform, 747
- Server image backup, 678
- Serverless backup. *See* Storage area networks (SANs)
- Server message block (SMB), 318
- Server process, 15
- Server system, 15
- Service control function, 237
- Service control point, 237, 249
- Service creation environment, 238
- Service data point, 238
- Service element, 65
- Service execution mode, 243–244
- Service features, 236
- Service independent building blocks (SIBs), 236
- Service level agreements, 114, 127, 341–342, 351, 650, 676–687, 744–745
- Service logic programs (SLPs), 236, 237, 242
- Service-oriented architecture (SOA), 35, 48, 49, 63, 127, 676
- Service recovery, 376
- Service set identifier, 587
- Service switching point, 237, 249
- Session, 327
- Session description protocol (SDP), 29
- Session initiation protocol (SIP), 29, 768, 769
- Session management, 18
- SETI@home, 164, 165
- Settlement, 887
- Sexual harassment, 894
- Shadow password file, 571, 594
- Shamir, Adi, 466, 510, 512
- Shannon, Claude, 315, 507, 583
- Shannon's law, 315
- SHA-1, 509–510
- Shapiro, J., 171
- Shared memory, 87
- Shared whiteboard, 17
- Shared workspace, 17
- Shareware, 445
- Shearer, R., 834
- SHF (super high frequency), 980
- Shibboleth, 822
- Shim program, 565
- Shock, 607
- Shopping Assistant (AT&T), 921
- Shopping business model, 917
- Shortest processing time discipline, 348
- Shoulder surfing, 390, 395, 400
- Shovelware, 929, 939
- Shredding of documents, 392, 600
- SHRIMP system, 87
- Shrivastava, V., 180
- Shuanglei, Zhu, 586, 594
- Sick building syndrome, 621
- Side channel analysis, 252–253
- Signaling protocol, 351
- Signaling-protocol (FC-2) level, 210
- Signaling system no. 7 (SS7), 235, 249
- Signature-based debit cards, 874
- Signpost scanning, 458
- Silicon, 607
- Silicon Industry Association (SIA), 106
- Silicon lasers, 1031
- Silicon modulators, 1031
- Silicon nanocrystals, 1031
- Silicon photonics, 1030–1031, 1032
- Silicon waveguides, 1030–1031
- Simmons, U.S. v.* (2000), 708
- SIMM (single in-line memory module), 91
- SimpleCA, 70
- Simple gateway monitoring protocol (SGMP), 714
- Simple identification, 540
- Simple mail transfer protocol (SMTP), 16, 29, 484, 734
- Simple network management protocol (SNMP), 328, 714, 717–719, 729, 1000
 - abstract service interfaces, 722
 - applications, 722–723
 - architecture, 717–718, 721
 - entities, 720, 721
 - management information base, 723
 - management information structure, 718–719, 720–721
 - message fields, 718
 - message formats, 718
 - primitives, 722
 - protocol specifications, 718, 720
 - security enhancement, 723
 - security weaknesses, 719, 721
 - SNMPv2, 720–721
 - SNMPv3, 721–724
 - user-based security model (USM), 723–724
- Simple object access protocol (SOAP), 35, 60, 65
- Simple on-off model, 345
- Simple power analysis, 253
- Simple Web Indexing System for Humans, 817
- Simplex failures, 375
- Simulation testing, 683
- Singh, M.P., 172
- Single-bit parity check, 274–275
- Single in-line memory module (SIMM), 82, 91
- Single loss expectancy, 657
- Single-photon detector, 1026
- Single-photon devices, 1025
- Single-photon source, 1025–1026
- Single point of failure (SPOF), 166, 374, 380, 382
- Single program multiple data (SPMD), 91
- Single sign-on, and password synchronization, 589–590

- Single sign-on (SSO) technology, 34, 44, 573–574, 594
- Single-source multicast, 759, 765
- Single-source publishing, 771
- Single-user architecture, 24
- Sistla, A.P., 183
- SiteKey, 589
- S/Key system, 576, 585
- Skills requirements, 966
- Skimming, 984
- Skinner, B.F., 963
- Sklyarov, Dmitry, 587
- Skype, 20, 155–156, 756, 786, 787
- Slamming, 795
- Slow time, 372, 382
- Small computer system interface (SCSI), 83, 205, 215, 216
- Small office, home office firewalls, 561
- SmallState, 990, 991
- Smarr, Larry, 46
- Smart Card Alliance, 886
- Smartcard.NET, 260
- Smart cards, 251–266, 571–572, 793, 796–797, 799, 887
- application security, 262–266
 - communication protocols, 253–256
 - Europay/Mastercard/Visa (EMV), 264–266
 - interfacing with applications of, 256–259
 - managing multiple applications of, 259–262
 - multi-application platform attacks, 260–261
 - multi-application security mechanisms, 261–262
 - OpenCard Framework, 258
 - tamper resistance feature, 252–253, 264
 - types of, 252
- Smart dust motes, 981
- SmartPackets, 991, 999
- Smart phones, 918
- Smart shelf, 978
- Smith, Steve, 932
- Smoke, 607, 629
- SMP (symmetric multi-processing), 91
- SMTP (Simple Mail Transfer Protocol), 8, 484
- Smurf attack, 428
- Smyth v. Pillsbury Co.* (1996), 698
- SNAM/SSAM, 360
- Snapshots, 647, 676, 678–679
- “Sniffer” application, 390–391
- Sniffing attacks, 576, 586–587, 594
- SNMP. *See* Simple network management protocol (SNMP)
- Snyder, F.W., 16
- SOAP (simple object access protocol), 35, 60, 65, 76
- Social computing, 772, 775
- Social engineering, 384–401, 472, 484, 589, 594, 623
- authority and, 386–387
 - deceptive relationships, 386
 - defense against, 385, 396–400
 - defined, 384
 - e-mail and, 738
 - example (postman as senior physician), 395–396
 - guidelines, 400
 - instant messaging and, 737
 - integrity and consistency, 387
 - motivation behind, 384–385
 - overloading and, 385
 - password problems, 393–395
 - reciprocation and, 385–386
 - reverse social engineering, 393, 396
 - social proof, 387
 - strong emotion and, 385
 - techniques, 387–393
 - testing countermeasures, 400
- Social identity theory, 780
- Social influence theory, 780
- Social networking sites, 389, 852, 956
- Social proof, 387, 401
- Social psychology, online communities and, 901–903
- Social-technical design, 30
- Social validation, 387
- Socks, 559
- SOCKS v5, 500
- SOFTNET, 987
- SoftNet, 1000
- Software. *See also* Groupware; Middleware
- abstractions in programming and, 25
 - agile software development, 22
 - antivirus, 473, 739
 - conferencing, 769
 - contractors, 633
 - for digital libraries, 811–815
 - e-mail filtering, 735
 - free server-based, 29
 - geo-location, 727
 - grid computing, 67–68
 - malicious (malware), 796
 - online communities and, 902
 - process and service compared, 33
 - rented, 743
 - RFID support, 982
 - Web services, 63–66
- Software architecture (client/server). *See* Client/server computing
- Software Engineering Institute's risk taxonomy, 357–358
- Software-implemented fault-tolerance computer, 279
- Software redundancy, 275–278
- algorithm-based fault tolerance, 277–278
 - error recovery, 276
 - N-version programming, 277
 - recovery block, 276–277
- SoIP, 202
- Solaris, 1001
- Solicitations, commercial, 703
- Solid-state storage media, 599
- Somani, A.K., 175, 183
- Somatic nervous system, 1013, 1020
- Somayaji, A., 407
- SONET optical carrier levels, 322
- Song, D., 412
- Sonny Bono Copyright Term Extension Act (1998), 810
- SONY Corporation, 886
- Source identifier error option, 993–994
- Source traffic statistics, 329–331
- burstiness measures, 330
 - long-range dependence and self-similarity, 330
 - multiresolution time scale, 331
 - scaling, 331
 - simple statistics, 329
- Southern Methodist University, 810
- Space-shared mode, 121
- Space shuttle computer, 281
- Spafford, E.H., 410, 411
- Spam, 474–477, 484, 632, 700–702, 703, 734, 739
- anti-spam policies, 482
 - categories, 476
 - filters, 735
 - malware and, 477
 - revenge spamming, 477
 - spam bots, 445
- Spanner, 1000
- SPARC, 807
- Spector, 390
- Speech-recognition software, 918
- SPICE (solving problems in collaborative environments), 836–837
- Spike, 606, 629
- SPINet, 103–104
- Spintronic transistors, 1029
- SPIRITS, 246
- SplitStream, 179
- SPMD (single program multiple data), 91
- Spoofing, 458–459, 466, 470–471, 472, 547, 576, 738
- Spooking, 795
- Sprocket, 1000
- Sproull, L., 901
- Spying, 390
- Spyware, 445, 701–702, 703, 739, 967
- SQL (standard query language), 43
- SSETI@home, 911
- Stajano, F., 924
- Standard access points, 625
- Standard Generalized Mark-Up Language (SGML), 64
- Standard query language (SQL), 43
- Standby sparing technique, 273
- Stanford Archival Repository, 118
- STAR (self-testing and repairing computer), 279, 281
- Stardust@home, 164
- STARLITE approach, 245–246
- service creation, 245–246
 - service deployment, 246
- Start of frame delimiters, 211
- Star topology, 321
- State, 272
- Stateful firewalls, 560, 569
- Stateful inspection, 726
- State-transition analysis toolkit (STAT), 410
- State transitions, 272
- Static data authentication, 265
- Static electricity, 605
- Static memory, 667–668

- STATL, 415
 Steady-state availability, 270
 Stealth, 440, 452
 Steffan, J., 432
 Sterling, Thomas, 93
 STIDE (sequence time-delay embedding), 407
 Stigmergy, 1020
 Stiller, B., 177
 Stochastic behavior, of molecular communication, 1037
 Stochastic fluid model, 332–333, 345
 Stock fraud, 479
 Stockman, Henry, 974
 Stodden, R.A., 774
 Stolfo, S.J., 411, 412
 Storage, 83
 Storage area networks (SANs), 85, 205, 217–233, 316, 644, 647, 652, 680–681
 applications, 192
 architecture and infrastructure, 193–194
 benefits of, 191–192
 common services, 225
 data encoding, 222
 data replication and backup, 227–230
 defined, 189–191, 216
 design and management issues, 194–195
 direct attached storage, 217
 emerging technologies, 197–199
 FC protocol suite, 219–220
 FC topologies, 220
 fibre-channel SAN applications, 226–227
 fibre-channel SAN overview, 218–219
 generations of, 193
 implementing (key reasons for), 191
 interface layer, 225–226
 iSCSI, 230–233
 market/vendors/service providers, 200–202
 network attached storage, 217–218
 as networked high-speed enterprise infrastructure, 190
 operating system software components, 195
 organizations, 199–200
 physical layer options, 222
 SAN overview, 189–195
 security issues, 681–682
 segments, 190
 standards, 199
 technologies and solutions, 195–197
 Storage-centric information-processing paradigm, 190–191
 Storage consolidation, 226
 Storage media. *See also* Storage media requirements
 disposal and reuse, 600–601
 magnetic, 597–598
 nondigital, 599
 optical, 598–599
 physical access control for, 599–600
 physical security for, 597–601
 redundancy of, 601
 solid-state, 599
 Storage media requirements, 662–669, 968–969
 handling removable media, 668–669
 hard disks, 666–667
 magnetic tape, 665
 media options, 665–668
 optical disks, 665–666
 removable disks, 667
 security, 668–669
 selection issues, 662–664
 static memory, 667–668
 Storage Networking Industry Association, 198, 199–200
 Data Management Forum, 676
 Storage over IP, 198
 Storage replication, 191
 Storage resource management, 199
 Storage security, 436
 Storage service providers (SSPs), 667, 742
 Storage solution providers, 191
 Storage Systems Standards Working Group, 199
 Storage technologies, for backup/recovery, 678–682
 disk-to-disk backup, 680
 established technologies, 678–679
 remote mirroring, 679–680
 SAN security issues, 681–682
 storage area networking, 680–681
 Stored program control (SPC) switching systems, 235
 Stored-value card, 733, 799, 876, 885
 StrataLink, 281
 Strategic risk models, 362–363
 Stratus, 281
 Strauss, C., 657–658
 Stream cipher, 508
 Streaming Web seminars, 771
 Streptichron, 1005
 Stress, 759, 765
 Stretch, 759, 765
 Strike, 629
 String search (signature based), 449–450
 Striping, 72, 282, 646, 648
 Stripping, 206
 Structured overlay network, 141, 149
 Structured query language (SQL), 302
 Structure of management information (SMI), 729
 Stummer, C., 657–658
 Sturges, P., 823
 Su, W., 295
 Subject, 44, 403, 537
 Subject-matter expert, 965
 Subnet spoofing, 458–459
 Subscriber identity module (SIM), 262
 Subscription bombing, 480
 Substitution cipher, 506
 Substrate, 291
 Suda, T., 1017
 Sullivan, R.J., 794, 797
 Sulzberger, Arthur Jr., 932
 Sun, O., 173
 Sun Microsystems, 259
 Enterprise Java Beans (EJB), 10
 Jiro, 200
 Sun Grid, 125–126
 SunSITE, 801, 824
 Sunspot activity, 603
 Supercomputers, 80
 Super high frequency (SHF), 980
 Super-lambda services, 100
 Supernodes, 152
 Superpeers, 170
 Superposition, 1025
 Suppes, P., 963
 Supplementary news site model, 937–938
 Supply-chain management, 861, 976, 979
 Surface plasmons, 1031–1032
 Surge, 629
 Surge protectors, 603, 604
 Surveillance, 784
 Survivability, 134
 Survivable Network Analysis Method (SNAM), 360
 Sustainability, 828
 Sustainability, of digital libraries, 826
 Sutton v. United Airlines, Inc. (1999), 706
 Swarm intelligence, 1015, 1020
 Switch, 207
 Switched fabric, 210, 213, 214, 216, 221
 Switched fabric topology, 209
 Switched firewalls, 561
 Switches, 194
 virtual private networks and, 497
 Switching costs, 851, 852
 Switching function, 237
 Switching state model, 236, 242
 SwitchWare, 998
 Symmetric, 516
 Symmetric encryption, 506
 Symmetric fault, 375, 382
 Symmetric-key cryptography, 506–511
 encryption and passwords, 509
 hash functions/message authentication codes, 509–510
 security of, 510–511
 symmetric-key encryption, 506–509
 Symmetric multi-processing (SMP), 91
 Synchronization phenomenon, 348
 Synchronizers, 293–294, 296
 basic, 293–294
 parameterized, 294
 Synchronous, 970
 Synchronous algorithm, 293–294, 296
 Synchronous collaboration, 16, 18, 24, 30
 Synchronous digital hierarchy (SDH), 322
 Synchronous dynamic random access memory (SDRAM), 82
 Synchronous model of distributed computation, 287–288
 Synchronous optical network, 229, 381
 Synchronous transport signal level 1, 322
 SYN flood, 428
 SYSKEY, 594
 System aging, 270
 System area network (SAN), 91
 System bus, 82–83

- System errors, 372
 System interdependencies, analysis
 of, 655
 System monitoring, 438
 System outage, 687
- 10-Gbps Ethernet, 84, 89, 321
 Tabletop exercise, 683
 Tag, 984
 Tagged image file format (TIFF), 811
 Tags, 64, 977
 Tail drop, 348
 Tailorability, 28, 30
 Tailoring, 28–29
 TaintCheck, 412
 Talk program, 889, 900
 Talkspurt, 327, 761, 765
Tampa Tribune, The, 929
 Tan, L., 407, 408
 Tandem computers, 279–281
 Tangible costs, 674
 Tapestry, 164
 Tape *versus* disk backup,
 644–645
 Target, 459
 TARP computer, 281
Tasini decision (2001), 810
 Task-technology fit, 27
 Taxonomies, 770, 771
 Tax overload, 772
 T cells, 1014, 1020
 TCP/IP
 fibre channel over, 228
 reference model, 715–716
 TCP (transmission control protocol), 91
 congestion-avoidance algorithm, 336
 TCPdump, 406
 TCP flows, 327
 TCP SYN flooding, 455
 TCPWrapper, 565
 Team recovery steps, 682
 Teardrop, 434
 Technical safeguards, 356
 Technological characteristics
 perspective, 840
 Technological determinism, 840
 Technological intermediation, 781
 Technology
 acceptance/adoption of, 4
 Web-based communication tools, 770
 Technology media, 779
 group identity and, 780
 Technology test, 545
 Tedd, L.A., 801
 Tel, G., 286
 Telecommunication services
 mobile, 916
 security of, 602–603
 Telecommunications Information
 Networking Architecture
 (TINA), 241
 Telecommunication Standardization
 Sector of ITU, 335
 Telecommuting/telework, 777–786
 advantages/disadvantages of,
 778–779, 781
 ambiguity and, 780–781, 782
 collaboration, 779–780
 employee agreements, 785–786
 employee development, 783
 implications and directions, 786
 managerial oversight, 781–783
 nature of, 780–781
 regulatory compliance/laws/corporate
 policy, 783–785
 rise of, 778–779
 security, 785
 solitude and, 780, 782
 theory foundations, 779–780
 virtual work, forms of,
 777–778
 “Telecooperation” skills, 783
 Tele-immersion, 764, 765
 Telemedicine, 755
 Telephone communications
 employee privacy and, 695–696
 social engineering attacks, 391
 Telepresence, 786
 Teletraffic theory, 326
 Telnet, 153
 Tempest, 626, 629
 Template, 543, 550
 Terabyte, 968
 Terahertz lasers, 1031–1032
 ter Hofte, G.H., 23
 Termination protocol, 305
 Terrorism, 704
 TESLA, 465
 Test and repair processor (TARP)
 computer, 281
 Tewksbury, David, 929
 Texas Instruments, 979
 Text messaging, 20–21, 787
 Textual communication, 831, 840
 Theses, electronic, 808–809
 “Thin clients,” 19
 Third-generation network security,
 262–264
 Third-Generation Partnership Project
 (3GPP), 245, 918
 Third-party backup, 643–644
 Third-party sponsored
 communities, 907
Third Wave, The (Toffler), 777
 Thomas, M., 836
 Thompson, K., 772
 Thorin, S.E., 801
 Thorndike, R.L., 963
 Thörner, Jan, 248
 Thread-level parallelism (TLP), 82
 “Threads,” 902
 Threat, 361, 438
 Threat assessment, 739
 Threats, e-mail, 480
 Threat/threat source, 356
 Threat trees, 656, 657
 3G, 263, 787, 919, 925
 3G cellular phones, 786
 Three-layer client/server
 classification, 4–5
 application services, 4
 architectural framework, 5
 data services, 4–5
 presentation services, 4
 Three-tier system, 6–7, 15
 Threshold detection, 434
 Throughput, 98, 315–316, 325
 Thumb drives, 645, 667
 Thumbnail image, 811
Tiberino v. Spokane County (2000), 709
 Ticketing, mobile, 916
 Tidwell, T., 431
 Tier-based client/server
 classification, 5–7
 TIFF (tagged image file format), 811
 Time-based inductive machine, 405
 Time complexity, 296
 Time-division multiple access
 (TDMA), 918
 Time-division multiplexed (TDM)
 header, 96
 Time division synchronous CDMA, 919
 Timeliness module, 723
Time magazine, 934
 Time of arrival (TOA), 921
 Time-of-check-to-time-of-use errors, 423
 Time optimization, 119
 Time-place matrix, 17–18
 Time redundancy, 275
 Time request, 254
 Time series, 333, 337
 Time-shared mode, 121
 Times Link, 935
 Time-to-live (TTL) field, 138, 466
 Timing failure, 269
 Tippett, Peter, 592
 “Tit for tat” strategy (social
 engineering), 386
 TL_Port, 207
 Toffler, Alvin, 777, 779
 Toigo, J.W., 683, 685
 Token money, 871–872
 Tolerance, 373
 Tollbooths, RFID and, 978
 Tomlinson, Ray, 733
 Top-down content management, 771
 Topic maps, 902
 Tornados, 619–620
 Tort, 694, 696, 701, 702, 710
 Tortoises, 327
 Torvalds, Linus, 85
 Total access communication system
 (TACS), 266
 Total cost of ownership (media), 664
 Totally self-checking circuit, 278
 Toueg, S., 295
*Toussaint v. Blue Cross & Blue Shield of
 Michigan* (1980), 707–708
 Towsley, D., 171
 Toxic mold, 621
 TracePlus Ethernet, 726
 Traceroute, 350
 Tracking software, 596
 Tracks, 666
 Trade Data Exchange, 864
 Trade secrets
 defined, 711
 protecting, 700–701, 704
 theft of, 597
 Trade server, 116
 Trading partner agreement, 865
 Traffic conditioning agreement
 (TCA), 346
 Traffic contract, 351

- Traffic logging, 557
- Traffic management, 340–351. *See also*
 Capacity-planning
 access control, 345–346
 admission control, 342–345
 buffer management, 348–349
 congestion control, 342, 349–350
 general principles, 342
 overview of methods, 342
 packet scheduling, 346–348
 QoS monitoring, 350–351
 quality of service (QoS), 340–341
 service-level agreements, 341–342
- Traffic matrices, 502
- Traffic modeling, 326–337
 access-regulated sources, 335–336
 application-specific models, 334–335
 congestion-dependent flows, 336
 continuous-time source models, 331–333
 discrete-time source models, 333–334
 packets, flows, and sessions, 327
 process, 328
 source traffic statistics, 329–331
 use of traffic models, 328–329
- Traffic monitoring, 557, 726
- Traffic patterns, 318–319
 background vs. transactional, 318–319, 324
 traffic behavior, 319–320
 traffic flow, 319
 traffic load, 320
- Traffic shaping, 351
- Traffic trace, 328
- Training
 business continuity planning, 682–683
 defined, 970
 security awareness, 397–398, 399
 security technology, 785
 Web-based, 962–970
- Transaction, 550
- Transactional distance, 834
- Transactional RPC, 36–37
- Transactional traffic, 318
- Transaction capabilities application part (TCAP), 236
- Transaction costs, 854
- Transaction middleware, 9
- Transaction-processing (TP) monitoring server, 7–8
- Transaction processing (TP) technology, 37
- Transceiver, 26
- Transient failures, 269
- Transient services, 66
- Transient or transient voltage surge, 629
- Transistors, 279, 1029–1030
 miniaturization of, 1030
- Transit networks, DDoS defenses and, 461–463
- Transmission control protocol (TCP), 91, 283, 319, 337, 381, 406
- Transmission control protocol/Internet protocol (TCP/IP), 714
- Transmission media, 624–626
 incidental compromising emissions, 625–626
 standard access points, 625
 wiretapping guided, 625
- Transparency feature (of DDBMSs), 298, 309
- Transparent firewalls, 558
- Transport/application-layer performance monitoring, 350–351
- Transportation Data Coordinating Committee, 860, 863
- Transport layer protocols, 559
- Transport layer security, 796
- Transport model tunneling, 493
- Transport protocol data unit (TPDU), 255, 266
- Transport protocols, 761
- Trap, 718, 720, 721, 722, 729
- Trash, personal information in, 391–392
- Travel and tourism, 943–957
 airlines, 946
 customer relationship management, 949
 destination-marketing organizations, 947
 e-commerce activities, 948–949
 emerging marketing/management strategies, 948–949
 experience as foundation of, 956–957
 hotels, 945–946
 information technology and, 954–955
 Internet and, 949–954
 network technology implications, 957
 network technology role in, 944–948
 online destination management systems, 949
 richness and reach, 955
 tourism consumer, 956
 travel agencies/online intermediaries, 946–947
 travel search engines, 947–948
 trends, 954–957
- Travel-decision support systems, 951
- Traveling salesman problem, 1017
- Travelocity, 947
- Treasury Department, 798
- Tree-building procedure, 289
- Tree-constructing algorithm, 296
- TReno*, 350
- Tribe flood network (TFN), 429
- Triple DES, 495
- Triple-duplex architecture, 274
- Triple modular redundancy (TMR), 273
- Trizetto, 745
- Trojanize, 637
- Trojan/trojan horse, 393, 443, 452, 470, 472–473, 739, 795, 895, 967
 anti-trojan software, 474
 mandatory access control policies and, 519–521
 remote-access trojans, 445
- Trust
 e-commerce and, 856
 groupware and, 29
- Trust-Aware Multicast (TAM) protocol, 181
- Trust-building techniques (virtual workplaces and), 783
- Trust-E, 856
- Trusted gateway, 559–560, 569
- Trusted hosts, 575
- Trusted service provider, 495
- Trusted third party, 571, 577, 580
- Trust management, 536
- Tsunamis, 619
- Tuecke, S., 66
- Tunneling, 489–490, 492–494
 characteristics for tunneling mechanism, 493–494
- Tunnel servers, virtual private networks and, 497
- Turban, E., 886
- Turing, Alan, 506
- Turing test filter, 735
- Turkle, S., 901
- Tutors, 840
- Tuvi-Arad, I., 834
- Twain, Mark, 541
- Twenty-four-hours-a-day continuous news model, 937
- 24-hour tellers, 874
- 2G, 918
- Two-node loop topology, 208
- Two phase commit, 304–305
- Two-phase commit, 37, 309
- 2.5G, 918
- Two-rail checker, 278
- Two-tier system, 6, 15
- TypeID, 993
- UBE (unsolicited bulk e-mail), 476, 484
- UCC (Uniform Code Council), 975, 984
- UCE (unsolicited commercial e-mail), 474, 484
- UDDI (Universal Description, Discovery and Integration), 60, 65
- UHF (ultra high frequency), 978, 979–980, 984
- Ultrahigh frequency, 978, 979–980, 984
- Ultrapeers, 152
- Ultrawide band, 980, 984
- UMI Dissertation Publishing, 808
- UMTS (universal mobile telecommunications system), 925
- Unchoking, 170
- Understanding Digital Libraries* (Lesk), 822
- UN/EDIFACT, 867
- U-net network interface architecture, 87
- Unfinished Revolution, The* (Dertouzos), 954
- Unicast routing, 1017
- Unicast transmission, 759
- UNICORE, 51–52, 60
 server tier, 51–52
 user tier, 51
- Unidentified risks, 362
- Unified modeling language (UML), 245
- Uniform Code Council (UCC), 975, 984
- Uniform resource locator (URL), 63, 64, 76
- UniGrids project, 51
- Uninterruptible power supply (UPS), 604–605, 629, 645
- Union-represented employees, 695, 708
- United Nations
 Economic Commission for Europe (UNECE), 865
 EDIFACT, 864

- UNITY, 295
 - Universality, 328
 - Universal mobile telecommunications system (UMTS), 919, 925
 - Universal product code (UPC), 975, 984
 - University of Virginia Electronic Text Center, 805, 806
 - UNIX passwords, 570, 590
 - UNIX platform, 85, 769, 889, 891
 - Unlawful Conduct Using the Internet (Executive Order 13133), 894
 - Unmarshaling, 66
 - Unsolicited bulk e-mail (UBE), 476, 484
 - Unsolicited commercial e-mail (UCE), 474, 484
 - Unstructured overlay network, 149
 - Untrusted service provider, 495
 - UPC (universal product code), 975, 984
 - Uplink time of arrival (UL-TOA), 921
 - Up time, 372
 - URL (uniform resource locator), 63, 64, 76
 - U.S. Patriot Act, 704–705, 784
 - Usability risk, 367–368
 - Usage monitoring, 557
 - USA Today*, 934, 936–937
 - USA Weekend*, 936
 - USB drives, 645, 667, 796
 - security threats and, 393
 - Usenet, 16, 153–154, 911
 - Use policies, 739
 - e-mail, 735–736
 - instant messaging, 737–738
 - User, 537
 - User application (UAP) objects, 241
 - User-based access control model (UACM), 729
 - User-based security model (USM), 723–724
 - User community, 319
 - User datagram protocol (UDP), 718
 - User-fee business model, 917
 - User files, 640
 - User interface components, 26
 - User interface framework, 25
 - User-launched malware, 472, 484
 - User-level middleware layer, 113, 116
 - Username, 410
 - User-to-network interface, 237
 - User-to-user applications, mobile, 917
 - Utilities, 601–603
 - municipal, 602
 - telecommunications service, 602–603
 - water, 603
 - Utility computing, 110–127, 127
 - benefits of, 110–111
 - challenges, 113–115
 - grid potential as environment for, 111–112
 - industrial solutions for, 122–126
 - layered grid architecture, 113, 116–117
 - standards organizations, 114
 - utility-based resource allocation, 117–122
 - utility grids, 115–117
 - Utility grids, 112, 115–117
 - UUCP (Unix to Unix copy protocol), 153
 - UUHash, 158
 - UWB (ultrawide band), 980, 984
 - Vaccination, 450
 - Valdes, A., 415
 - Valduriez, P., 302
 - Value-added network (VAN), 863, 867
 - Van de Sompel, H., 816
 - Van Hove, Leo, 886
 - van Slyke, H., 886
 - VAN (value-added network), 867
 - Varian's analysis, 171–172
 - Vcc, 254
 - Vector clocks, 290
 - Vendor-client relationship, 743–745
 - Vendor list, 682
 - Ventilation, 621
 - Verduyn, Bruce, 441
 - Verification, 540, 550
 - Verifier, 261
 - VeriFone, 880
 - VeriSign CA, 574, 856
 - Verma, D.C., 133
 - Version control, 17
 - Versioning, 24
 - Versioning backup, 678–679
 - Vertical ASP, 745, 753
 - Vertical cavity surface emitting laser
 - 104, 1022–1023, 1032
 - Vertical fragments, 301, 302
 - Very-large-scale integration designs, 278
 - VIA (virtual interface architecture), 91
 - Vibrations, chronic, and equipment damage, 607–608
 - Vicinity cards, 256
 - Vickrey-Clarke-Groves based analysis, 183
 - Victim-side defenses, 460–461
 - Video compression, 762–763
 - Videoconference, 769. *See also*
 - Computer conferencing;
 - Videoconferencing
 - defined, 16
 - employee monitoring via, 784–785
 - multi-user technologies, 786
 - right to privacy vs. right to know, 784
 - single-user systems, 786
 - telework and, 779–780
 - wireless, 917
- Videoconferencing, 755–764
 - audio representations, 763
 - CoMeCo, 23
 - conferencing architectures, 757–758
 - defined, 755
 - gaze awareness, 764
 - history of, 756
 - human factors, 757
 - ITU-T H.323 standard, 29
 - networking issues, 759–761
 - potential uses of, 755
 - tele-immersion, 764
 - video representations, 762–763
 - Video Electronics Standards Association (VESA) local bus, 82
 - Video over Internet protocols, 970
 - Videotex, 844
 - Video-traffic modeling, 335
 - Video weblogs (vlogs), 853
 - Viega, J., 423
 - Vienna Grid Environment, 121
 - View-based access control model (VACM), 724
 - “Viewtron,” 928
 - Vigna, G., 412
 - Villalba, C., 839
 - Violence, in workplace, 700
 - Virtual communities, 952
 - Virtual currency, 183
 - Virtual Data Grid, 120
 - Virtual firewalls, 560–561
 - Virtual interface architecture (VIA), 84, 86, 87, 197–198, 202
 - Virtualization, defined, 781
 - Virtual libraries. *See* Digital libraries
 - Virtual link, 139
 - Virtual meeting rooms, 764
 - Virtual Memory-Mapped Communication (VMMC), 86, 87
 - Virtual message, 1004–1005
 - Virtual organization, 46, 60, 122, 127
 - Virtual private networks (VPNs), 323, 437, 488–503, 739, 747–748, 753, 759
 - defined, 488, 503
 - extranet VPNs, 491, 492
 - firewall functionality and, 557
 - gateway, 489–490
 - hardware components, 496–497
 - implementations, 496
 - intranet VPNs, 490–491, 492
 - manageability of, 489
 - performance of, 489–490
 - protocols used by, 497–501
 - quality of service support, 501–502
 - remote-access VPNs, 492
 - security, 488, 489, 494–496
 - tunneling, 492–494
 - types of services, 490–492
 - workforce mobility and, 489
 - Virtual reality (VR), 911
 - Virtual routers, 490
 - Virtual teams, 777, 778
 - closed and open, 783
 - managerial oversight of, 781–783
 - relationship interdependencies, 782–783
 - Virtual topology control, 139
 - Virtual tours, 950–951
 - Virtual work. *See also* Telecommuting/telework
 - international, 784
 - records and e-mail, 784
 - Virtual workplaces, and e-mail/Internet use policies, 697–699
 - Virus(es), 444, 632, 635, 734, 735, 739, 787, 795. *See also* Worms
 - decreases in, 425–426
 - defined, 438, 441–442, 484
 - detection techniques, 449–451
 - determining computer infection, 442
 - e-mail and, 447–449, 470
 - first-generation viruses, 446
 - history of, 440–441
 - Internet relay chat and, 895
 - macro viruses, 446–447

- network resource exhaustion, 283
- non-PC-platform viruses, 451
- prevention and protection techniques, 451
- RFID and, 983
- scanners, 399, 557
- virus-creation kits, 446
- virus-to-e-mail ratio, 967
- Virus-specific scanner, 484
- Visa, 264–266, 880
- Visitor location register (VLR), 725
- Vixie, Paul, 476–477
- Vocation communities, online, 906
- Vocoder, 765
- Voice over Internet protocols (VoIPs), 16, 20, 30, 755–756, 768, 770, 787, 967, 970. *See also* Skype; Vonage
- Voicemail, 20
- Voice over protocol (VoIP) technology, 244
- Volatility, 639–640, 648
- Volcanic ash, 620
- Volonino, L., 624, 627
- Voluntary tunneling, 493
- VOMS (Virtual Organization Membership Service), 72
- Vonage, 786, 787
- Von Zuben, F.J., 1012
- VSGI, 786
- Vulnerability/vulnerabilities, 356, 361, 484, 739

- WAE (wireless application environment), 923
- Wager, W., 963
- Wagner, D., 408
- Waldbusser, S., 724
- Wallach, D.S., 179
- Wallclock, 1005
- Walled garden approach, 844
- Wall Street Journal*, 932, 937
- Wal-Mart, 867, 976
- WAN. *See* Wide area network (WAN)
- Wang, K., 412
- Wang, M., 1017
- Wang, W., 176, 183
- Wang, X.S., 411
- Wanken, J., 406
- WAP identity model (WIM), 924
- WAP (wireless access protocol), 921, 922–923, 925
- “Wardriving/warwalking/wardialling,” 391
- Warm failover, 373
- Warm site, 677
- Washington Post*, 936
- Wasko, M.M., 901
- Watchdog timers, 273–274, 281
- Watermarks, 822
- Water utilities, 603
- Watson-Watt, Robert, 974
- Wavelength-division multiplexing (WDM), 229–230
- Wavelet functions, 331
- Wayback Machine archive, 824
- Web, 962, 970
 - blog rings, 900
 - mail, 484
 - as training tool, 969
- Web 2.0, 849
- Web application, 770, 774, 775
- Web authentication, 573–575
 - certificates, 574
 - password-based Web access, 573
 - secure sockets layer, 574–575
 - single sign-on, 573–574
- Web-based training, 962–970
 - bandwidth and access, 967–968
 - best instructional practices in, 964–965
 - challenges, 962
 - defined, 970
 - development costs, 965
 - economic factors, 965–967
 - evolution of media, 968–969
 - fundamental training principles and, 963
 - materials and instructional activities, 964
 - multimedia enhancement of, 964
 - potential advantages of, 962
 - roles, practices, tools, 964
 - security issues, 967
 - trainees with special learning needs, 966–967
- Web-based worm, 458
- Web browsers, 7
- Web browser security certificates and, 515
- Web bugs, 445
- Web cams, 388
- Webcast, 939
- Web collaboration, 769
- WebEDI, 863
- Web edition, 932
- Weber, R., 172
- WebGlimpse, 817
- Web logs, 389–390, 853, 930–931, 939
- Web of trust, 580
- Web page spoofing, 429
- Web portals, 929
- Web server, 7, 8
- Web Service Description Language, 65
- Web Service Resource Framework, 307
- Web services, 10–11, 63–66, 76
 - namespace mechanism, 64
 - putting it together, 65–66
 - schemas, 65
 - SOAP, 65
 - XML (extensible mark-up language), 64
- Web Services Definition Language, 49, 63, 77
- Web services deployment descriptor, 66
- Web Services Description Language, 60
- Web Services Resource Framework (WSRF), 60, 76
 - specifications, 49–50
- Web Services Security (WS-Security), 44
- Web services standard (W3C 2005), 248
- Web sites
 - development of, 948
 - personal, 771
 - social networking, 900 (*See also* Online communities)
- WebSphere MQ, 9
- Weibull probability distribution, 334
- Weighted fair queuing, 347
- Weinstein, I.M., 773
- Welch, J., 286
- Wellman, B., 774
- Wells Fargo, 791
- Whiteboard, 769, 770, 774, 775
- White-box testing, 423
- Whitelisting, 474
- Whitewashing, 169, 185
- Whois database, 624
- Wide area network (WAN), 91, 747, 753
 - bandwidth, 205, 316, 322
 - edge network and, 381
 - remote mirroring and, 679
- WiderNet, 820–821
- Wide sense stationary (WSS) process, 329
- Widup, S., 683
- WiFi, 918, 919, 925
- Wiglaf Beowulf cluster, 79
- Wijnen, B., 723–724
- Wiki, 900–901, 902, 911, 939
- Wikimedia, 931
- Wikinews, 931
- Wikipedia, 901, 902, 931
- Wikis, 17, 20, 770, 771, 931
- Wikitorials, 935
- Wild, in the, 452
- WildPackets’ Etherpeek, 726
- Willcocks, L., 749
- Williams, R.C., 354
- Willits, F., 833, 834
- WiMAX, 786, 787
- Wind damage, 602
- Wind forces preparedness, 619–620
- Windows. *See* Microsoft Windows
- Windows for Smart Cards, 260
- Window sharing, 17
- Windows Messenger, 20–21
- Windward (Alpharetta, GA), 786
- Winzelberg, A., 901
- Wired equivalent privacy protocol, 578
- Wireless access protocol (WAP), 921, 922–923, 925
- Wireless application environment (WAE), 923
- Wireless application PKI (WPKI), 924
- Wireless application protocol (WAP), 878
- Wireless centers, 927
- Wireless devices, and nanotechnology, 1028
- Wireless enablers, 7
- Wireless Ethernet Compatibility Alliance, 919
- Wireless fidelity (WiFi), 919, 925
- Wireless gateways, 7
- Wireless information sharing systems, 183–184
- Wireless LANs (WLANs), 321, 919–920, 925
 - security, 436–437
- Wireless markup language (WML), 7, 921, 923, 925
- Wireless networks, 578–579, 918
 - computing on, 295
 - denial of service attacks, 454
 - e-commerce and, 847–848
 - mobility management in, 725

- Wireless personal mobile computing systems, 786
- Wireless server, 7, 8
- Wireless systems, 967–968
- Wireless technology
 - mobile payment systems, 878–879
 - security and, 738
 - trends, 786
- Wireless telephony application interface (WTAI), 923
- Wireless transport layer security (WTLS), 923–924
- Wireless videoconferencing, 917
- Wireshark protocol analyzer, 390
- Wire-speed forwarding, 323, 325
- Wiretapping, 625, 695, 704
- Witteman, M., 261
- Witten, I.H., 819
- Wizard, 448
- WLA (wireless LANs), 925
- WML (wireless markup language), 925
- Wolff, E., 769
- Wolfson, O., 183
- Wongrujira, K., 176
- Wooley, David, 769
- Woolley v. Hoffmann-La Roche, Inc.* (1985), 708
- Work area recovery, 673, 687
- Worker nodes, 52
- Worker's Compensation, 783
- Workflow editors, 74–76, 77
- Workflow management, 17
- Workflow scheduling, 120–121
- Workload management system, 52
- Workplace
 - computer conferencing
 - implementation, 772–773
 - hostile work environment, 689, 696, 703, 706, 710
 - violence, 700
- Workplace access to pornography, 703
- Workplace privacy
 - employee's right to privacy, 692–696
- EU model of, 693–694
- U.S. perspective on, 694–696
- World Customs Organization, 864
- Worldwide interoperability for microwave access. *See* WiMAX
- Worldwide name (WWN), 209
- World Wide Web, 334, 769, 962
- World Wide Web Consortium, 65
- World Wide Web Virtual Library, 808
- Worms, 412, 425, 438, 442, 443–444, 471, 472, 484, 739, 895, 967. *See also* Virus(es)
 - first and third generation, 448–449
 - history of, 440–441
 - outbreaks, 635
 - trends in, 427–428
 - worm disks, 653, 665
- Wrappers, 55, 257
- Write-once-read-many (WORM), 665, 977
- WS-Addressing, 50
- WS-BaseFaults, 50
- WS-BaseNotification, 50
- WS-BrokeredNotification, 50
- WS-Inspection Language, 65
- WS-Notification, 50
- WS-Resource, 76
- WS-ResourceLifetime, 50
- WSRF::Lite, 53–54
- WSRF.NET, 54–55
- WS-ServiceGroup, 50
- WS-Topics, 50
- Wylder, J., 628
- XACML (eXtensible Access Control Markup Language), 530–531, 532
- XA standard, 37
- Xerox Labs, 921
- Xerox PARC, 99
- X 400, 8
- XHTML, 925
- Xiang, D., 408
- XML (extensible markup language), 64, 77, 774, 775, 921
 - and electronic data exchange, 863, 865
 - XML-based Web services, 7, 774, 775
 - XPAT search engine, 816
 - XSD (XML schema definition)
 - language, 65
 - xSP, 753
 - X12 standard, 864
 - Xu, B., 183
 - Xu, D., 178, 412
 - Yagan, Sam, 160
 - Yahoo! News, 934
 - Yamauchi, Y., 773
 - Yang, B., 171
 - Yang, Z., 290
 - Ye, F., 465
 - Ye, S., 181
 - Yeung, M.K.H., 184
 - Yield-management information systems, 946
 - YouTube, 827, 854
 - Ytalk, 889
 - Yu, B., 172
 - Zamboni, D., 408
 - Zatko, Peiter “Mudge,” 586
 - ZeitControl, 260
 - Zennström, Niklas, 155, 158
 - Zero-copy protocol, 87
 - Zero down time, 679, 687
 - Zero-effort imposter, 544, 545, 550
 - Zero-time-windows backup, 189
 - Zhang, H., 180
 - Zhang, L., 283
 - Zhu, S., 465
 - Zines, 928, 938, 939
 - Zip disk, 667
 - Zmud, R., 780
 - Zombies, 456, 457, 473
 - Zone Labs, 738
 - Zone services, 215
 - ZoomInfo, 389

<http://www.pbookshop.com>

<http://www.pbookshop.com>