

# Index

---

- Abbreviations, 709
- Active and passive behaviors of Al and its alloys, 102
  - active and passive behaviors, 105
  - E–pH diagram of Al, 102
  - pitting corrosion of Al alloy 5086, 108
- Active and passive behaviors of Mg and its alloys, 110
  - E–pH diagram of Mg, 110
  - passive Mg layers, 113
  - passive properties and stability, 114
  - temperature influence, 116
- Active behavior and polarization, 84
  - overpotentials, 84
- Activity and concentration, 16–19
- Aluminum as sacrificial coating, 483
  - aluminum powder coating, 485
- Aluminum matrix composites for nuclear dry waste storage, 247
- Anodic treatments of Mg, 521
- Anodizing approaches for Mg, 521
  - industrial and developing processes, 526
  - kinetics, 523
  - properties and chemical composition, 526
- Anodization of Al, 496–503
  - cerium nitrate and sol gel, 500
  - coloring, 498
  - modified anodizing, 502
  - morphology, 497
  - pitting resistance of anodized Al, 502
  - plasma coating, 501
    - keronite, 501
  - sealing, 499
  - soft and hard anodizing, 496
- Aqueous environments, 53
- ASTM Standards, 702
- Atmospheric media, 49
  - atmospheric contaminants, 51
  - types of corrosion, 50
- AZ91D and AM Mg alloys, and oil inhibitors, 443
- AZ91D  $\beta$  and Mg  $\alpha$  phases, 371
  - microstructure, 415
- AZ Mg alloys (31, 60, 61 and 80) and corrosion fatigue, 440
- Bimetallic corrosion, *see* Galvanic
- Biodegradable Mg stent, 425
- Biodegradation testing of Mg, 688
- Bulging “pillowing”, 206
- Cast chamber processes of Mg, 411–421
  - cold chamber processes, 411
  - corrosion resistance of thin plates, 418
  - hot chamber processes, 418
- Cathodic corrosion of Al, 365
- Cathodic protection of Al alloys, 485
  - bonded Alclad coatings, 485
  - impressed current, 485
  - sacrificial Zn anodes, 485
- Cavitation, 268
- Chemical analysis, 575
  - surface chemical analysis, 577
- Chemical cells with and without transport, 31–34
  - concentration cells, 34–41
  - difference in electrode activity, 35
  - difference in solution activity, 35
  - junction potential and transport number, 37–41
- Chemical conversion treatments of Mg surface, 516
- Chemical interactions, 47
  - film-free, 47
- Chemical and physical vapor deposition, 539
- Coatings description of Al, 479–511
  - conception and alloy selection, 480
  - joint sealing compounds, 480
  - plasma ablation, 480
  - surface preparation, 479
- Coating description of Mg, 512–564
  - approach and surface preparation, 512
- Coating galvanic effect of Al, 186
- Complexing agent cells, 42

- Concentration cells, *see* Chemical cells
- Conductance and conductivity, 19–23  
 electrolytic conduction, 19  
 ion transport number, 21  
 potential of decomposition, 24
- Constants, 703
- Constant and degree of electrolyte, 14–16
- Construction of Pourbaix diagrams, 79  
 E–pH diagram, 81  
 Pourbaix predictions, 82–83
- Conventions, 704
- Conventional and electrochemical performance,  
*see* Corrosion resistance
- Conversion coating, 486  
 chromate alternatives, 491  
 chromate–phosphate treatments, 490  
 phosphates and chromates, 487
- Corrosion behaviors, E–pH active  
 and passive, 79–102
- Corrosion creep, 393–397, 461
- Corrosion creep of high-strength AE42  
 and MEZ, 397
- Corrosion data of materials performance, 701
- Corrosion evaluation, *see* Testing
- Corrosion fatigue, 271–278, 310, 435–450, 508, 647,  
 689. *See also* Mechanically assisted corrosion
- Corrosion fatigue of Al alloys, 278  
 AA7017-T651, 279  
 AA7075-T6, 281  
 Al–Mg–Si and Al–Mg alloys, 281  
 modeling CF crack propagation in Al alloys, 285  
 prevention of CF, 287
- Corrosion fatigue of cast Mg alloys, 436  
 corrosion fatigue of high-strength Mg alloys, 440  
 crack propagation of wrought extruded alloys, 440
- Corrosion fatigue of susceptible Al–Mg–Si alloy,  
 281–285
- Corrosion fatigue testing of Al, 647
- Corrosion fatigue testing of Mg, 689
- Corrosion fatigue and welding of AZ31, 446  
 mechanisms of corrosion fatigue, initiation and  
 propagation, 448  
 prevention of corrosion fatigue, 449
- Corrosion forms, *see* Forms of corrosion for Al or Mg
- Corrosion forms of anodized or converted  
 surfaces, 533
- Corrosion fundamentals, 1–77
- Corrosion media, 49–76
- Corrosion prevention and protection, 53
- Corrosion reactions (chemical and  
 electrochemical), 44–46
- Corrosion resistance data, 577
- Corrosion types, *see* Types of corrosion for  
 Al or Mg
- Cracking overlapping phenomena of Al, 297
- Crevice corrosion, 203, 374, 640
- Deposition corrosion, 187
- Displacement cell, 41
- Dissociation constant, 14  
 coefficient of dissociation, 14  
 theory of concentrated solutions, 17
- EIC, *see* Environmentally induced cracking; Stress  
 corrosion cracking (SCC)
- EIC testing, *see* Stress corrosion cracking (SCC) testing
- Electrochemical cells, 31–41
- Electrochemical cells reactions and potentials, 706
- Electrochemical corrosion, 46
- Electrochemical testing, 579  
 corrosion potential measurements, 580  
 EIS terms and equivalent circuits, 585  
 impedance plots, 589  
 electrochemical noise measurements, 594–613  
 historical and definition, 594  
 electrochemical noise generation and data  
 acquisition, 596  
 data analysis, 600  
 potentiodynamic, potentiostatic, and galvano-  
 static studies, 612  
 galvanodynamic methods, 583  
 microsystems and atomic force microscopy, 616  
 microsystems and wire beam electrode, 616–617  
 potentiodynamic methods, 580  
 cyclic voltammetry and pitting, 583  
 potentiostatic, galvanostatic, electrochemical  
 impedance spectroscopy, 584  
 scanning reference electrode technique, 613
- Electrochemical forms of corrosion in solutions,  
*see* Forms of corrosion
- Electrochemical testing of coated metal, 507
- Electrode types, *see* Types of electrodes
- Electrode potentials of cations, 707
- Electrodeposited resins, 506  
 e-coat, 506
- Electron beam welds of Al, 241–243
- Environment-enhanced creep and SCC of Mg alloys, 461
- Environmentally induced corrosion of Mg and its  
 alloys, 452–475  
 alloy composition and impurities, 453  
 effect of stress and environment 456  
 electrochemical dissolution models, 463  
 environment-enhanced creep and SCC  
 of Mg alloys, 461  
 hydrogen embrittlement, 464  
 influence of corrosion forms or types on  
 SCC, 459  
 key parameters, 453

- microstructure and crack morphology, 454
- propagation mechanisms of corrosion, 463
- SCC–HE of Mg alloys, 467
- SCC prevention, 473
- stress corrosion cracking failures, 452
- welded material and SCC, 460
- Environmentally influenced corrosion testing
  - of Al, 650–659
  - fracture morphology and SCC, 657
  - SCC testing, 651
  - stressors, 654
  - test specimens, 653
- Environmentally induced cracking (EIC) of Al and its alloys, 289–316
  - cracking initiation and propagation, 300
  - definition of SCC or EIC, 289
  - influence of heat treatments on corrosion forms, 304
  - overlapping of cracking phenomena, 297
  - SCC of aluminum alloys, 301
  - SCC mechanisms, 297
  - SCC parameters of Al alloys, 294
    - influence of stress, 294
    - role of environment, 295
  - SCC resistance of aluminum alloys, 302
  - significance of the magnitude of strain rates, 299
  - stress and environment, 291, 292
- Erosion corrosion, 264, 272, 433, 646
- Evaluation of corrosion forms, *see* Testing
- Exfoliation, 224, 392, 642
- Filiform corrosion, 208, 375, 641
- Filiform corrosion and bare Mg, 375
- Finishing, *see* Al and Mg coatings
- Forms of corrosion in aqueous solutions, *see*
  - individual types of corrosion*; Environmentally induced corrosion; Environmentally induced cracking; Galvanic corrosion; General corrosion; Localized corrosion; Mechanically assisted corrosion; Metallurgically influenced corrosion; Microbiologically influenced corrosion
- Fouling, 257
- Fracture morphology of Al alloys (SCC), 657–659
- Fretting corrosion, 271
- Fretting fatigue corrosion, 271, 433, 435
- Friction stir welded Al alloys, 243–247
- Galvanic corrosion, 181–189, 306, 362–369, 388, 625, 677
- Galvanic corrosion form testing of Mg, 677
- Galvanic corrosion of Al, 181–189
  - Al–Cu galvanic cell, 189
  - coating galvanic effect, 186
  - considerations, 181
  - Cu–Al galvanic cell, 185
  - deposition corrosion, 187
  - galvanic series of Al alloys, 181
  - mechanisms, 185
  - Mg–Al galvanic cell, 186
  - prevention, 188
  - stray current corrosion, 188
- Galvanic corrosion of Mg, 362–369
  - cathodic polarization of Al, 365
  - cathodic damage to coatings, 366
  - composite coat for molten Mg, 366
  - joining to nonmetals, 369
  - joining to other metals, 368
  - metal matrix composite, 367
  - prevention of galvanic corrosion, 367
  - resistance of alloyed magnesium, 364
- Galvanic corrosion testing of Al, 625
  - chemical composition and microstructure, 627
  - electrochemical evaluation, 627
- Gas inhibitors of Mg ( $\text{BF}_3$  or  $\text{SF}_6$ ), 344
- General corrosion of Al and its alloys, 177–180
  - considerations, 177
  - description, 177
  - mechanisms, 179
  - prevention, 179
    - corrosion control, 180
    - design considerations, 179
    - surface pretreatment, 179
  - resistance of Al alloys, 180
- General corrosion of Mg and its alloys, 348–362
  - corrosion potential, 348
  - determination of corrosion rates, 351
  - electrochemical noise measurements, 358
  - negative difference effect, 353
  - passive behavior of Mg alloys, 352
  - prevention, 361
  - rates in different media, 349
  - resistance of passive Mg, 349
- General corrosion form testing of Mg, 666
  - electrochemical methods, 671
  - immersion testing and corrosion rate, 666
  - salt spray test, 669
- General corrosion testing of Al, 624
- General uniform and nonuniform corrosion, 177–178
- H-coat and Mg hydrides, 541–546
  - characterization of the interface, 549
  - formation of magnesium hydroxide, 546–548
- Heat-treated tempers of Al alloys, 171–172
- High temperature corrosion, 65–76
  - behaviors of some alloys, 72
  - kinetics of formation, 70
  - Pilling–Bedworth ratio (PBR), 66

- High-temperature corrosion  
of Mg, 344–346
- High-temperature oxidation of AZ91D, 117
- Hormoconis resinae*, 256
- Hydrogen electrode, 13
- Hydrogen embrittlement (HE), 464
- Hydrogen overpotentials of Mg, 363
- Impedance measurements of Mg, 550  
surface film and inductive loop, 552
- Impingement, 264, 269
- Implants and bone surgery, 426
- Inhibitors of Al, 481
- Intergranular corrosion, 218, 391, 641
- International units, 703
- Joining of Mg to materials, 368
- Key equations, 704
- Kohlrausch law of additivity, 20
- Localized corrosion of Al, 190–212  
corrosion of cathodes in Al, 202  
crevice corrosion, 203  
considerations and description, 203  
mechanisms, 206  
poultice corrosion, 205  
filiform corrosion, 208  
Al alloys, 209  
considerations, 208  
kinetics, mechanism, and prevention, 210  
occurrence, 211  
pitting corrosion, 191  
kinetics, 191  
mechanisms, 194  
occurrence and morphology, 191  
pitting potential, 193  
possible stages of pitting, 195  
prevention of pitting, 201  
water stains on AA3XXX, 206
- Localized corrosion of Mg, 369–377  
crevice corrosion, 374  
filiform corrosion, 375  
initiation and kinetics parameters, 375  
mechanism of propagation, 376  
pitting corrosion, 369  
electrochemical noise and pitting, 358  
pitting potential determination, 370  
pitting of AXJ ally, 372
- Localized corrosion testing of Al, 628–641  
crevice corrosion, 640  
filiform corrosion testing of Al, 641  
pitting corrosion, 628
- Localized corrosion testing of Mg, 678  
electrochemical noise measurements, 680  
open circuit potential and pitting, 678  
pitting corrosion studies, 678  
scanning reference electrochemical  
technology (SRET), 684
- Mechanically assisted corrosion of Al and its  
alloys, 263–288  
corrosion fatigue, 272  
definition and morphology, 272  
parameters, 273  
cyclic stresses, 274  
environmental considerations, 273  
erosion corrosion of Al, 264  
cavitation, 268  
impingement with suspended solid  
particles, 264  
water drop impingement, 269  
fretting corrosion, 271  
fretting fatigue corrosion, 271  
material factors, 277  
mechanisms of corrosion fatigue, 277. *See also*  
Corrosion fatigue  
prevention of erosion corrosion, 272
- Mechanically assisted corrosion of Mg and its  
alloys, 433–450  
corrosion fatigue of magnesium alloys, 435  
erosion corrosion, 433  
fretting fatigue corrosion, 433  
fretting fatigue corrosion, 435. *See also* Corrosion  
fatigue
- Mechanically influenced corrosion testing of Al,  
646–650  
erosion corrosion, 646
- Mechanical testing, 575
- Metallic coatings of Al, 481–486  
conventional plating, 482  
electroless plating of Al, 482  
thermal spraying and surface preparation, 482
- Metallic coatings of Mg, 514
- Metallic and conversion coatings of Mg, 514
- Metallurgically influenced corrosion of Al and its  
alloys, 216–248  
dealloying (dealuminification), 218  
exfoliation, 224  
fundamentals, 216  
intergranular corrosion, 218  
metallurgical and mechanical treatments, 217  
types of metallic, 218
- Metallurgically influenced corrosion of Mg and its  
alloys, 381–421  
casting alloys and alloying elements, 381

- Mg–rare earths, Mg–Th, and Mg–Ag, 382
  - tolerance limits of alloying elements, 382
- exfoliation corrosion of Mg, 392
- galvanic corrosion and secondary phases, 388
- high-temperature corrosion and creep deformation of Mg, 393
- influence of metallurgical properties, 388
- intergranular corrosion of Mg, 391
- microstructure and corrosion creep of Mg die-cast alloys, 393
  - aging, 396
  - corrosion creep of Mg, 395
  - corrosion rate  $i_{\text{corr}}$ , 395
  - open circuit potential (OCP), 395
- Metallurgically influenced corrosion testing of Al, 641–643
  - intergranular corrosion, 641
  - exfoliation, 642
  - joining and welding, 643
- Metallurgically influenced corrosion testing of Mg, 688
- Microbiologically influenced corrosion (MIC) of Al and its alloys, 249–260
  - aerobic bacteria, 252
    - co-action of anaerobic and anaerobic bacteria, 251
  - biofilms and passive behavior of Al, 258
  - corrosion inhibition by microorganisms, 258
  - corrosion mechanisms, 256
  - fungi and bacteria (space), 254
  - geotrichum (tropical atmosphere), 254
  - cyanobacteria and algae (polluted freshwater), 254
  - Hormoconis resiniae* (kerosene), 256
  - rod-shaped bacteria and algae (polluted seawater), 255
  - SRB (industrial and seawater), 255
  - mechanisms of MIC and inhibition, 256
  - microorganisms, 249
    - algae (Eukaryotes), 249
    - bacteria (Prokaryotes), 249
    - fungi and yeast (Eukaryotes), 249
    - lichens, 250
  - natural and artificial media, 250
    - air media, 250
    - aqueous media, 250
    - soils, 250
  - prevention and control, 259
- Microbiologically influenced corrosion (MIC) inhibition by bacteria, 258
- Microbiologically influenced corrosion (MIC) of Mg and its alloys, 421–429
  - control of biodegradation, 424
    - alloying, 424
    - surface treatment (anodizing), 426
  - rational biocorrosion in human body, 423
    - stress corrosion cracking and implants, 424
  - rational degradation, 422
    - sacrificial magnesium, 422
- Microbiologically influenced corrosion (MIC) testing of Al, 643–646
  - MIC and biodegradation, 643
- Microbiologically influenced corrosion (MIC) testing of Mg, 688
- Microstructure and welding, 397
  - different phases and heat treatments, 397
  - influence of microstructure of Mg alloys, 401
  - rapid solidification, 399
- Mobility of ions, 19
- Modeling of corrosion fatigue (CF) propagation of Al, 285–286
- Nuclear dry waste storage, 247–248
- Organic finishing of Al, 503–507
  - coatings pigments, 505
    - Mg rich primer, 505
    - more active metal, 505
  - moisture coatings, 504
  - oil and epoxy coatings, 503
  - thermoplastic coatings or liquors, 503
- Organic finishing of Mg, 554
  - polymer development, 555
  - resin-sealed hard anodizing, 555
- Organic solvent media, 55
- Overlapping of corrosion cells, 43
- Oxidation at high temperatures, *see* High-temperature oxidation
- Oxidation reactions at high temperatures, 47
- Passive behavior, 94
  - breakdown of passivity, 100
  - passivation phenomenon, 94
  - passive film studies, 101
  - passive layers formation, 97
- Performance of Al and its alloys, 157
  - acid and alkaline solutions, 162–166
  - atmospheric corrosion resistance, 157
    - important factors, 158
  - dry and aqueous organic compounds, 167
  - gases, 168
  - high temperature corrosion, 172

- Performance of Al and its alloys (*Continued*)
- mercury, 168
  - performance of cast series, 169
  - performance of wrought series, 171
  - water corrosion, 160
    - seawater, 161
    - soil corrosion, 162
- Performance of Mg and its alloys, 338
- atmospheric corrosion of Mg, 338
    - factors affecting atmospheric corrosion,
      - effect of sulfites and sulfates, 340
  - dry corrosion of Mg, 343–344
    - acid and alkaline solutions, 343
    - aqueous organic compounds, 343
    - dry gases at 25 to ~100 °C, 344
    - dry organic compounds, 343
    - high temperature corrosion, 344
  - water corrosion of Mg, 340
    - salt solutions, 341
    - solutions, 341–344
    - wet gases, 344
- Periodic table, 708
- Physical testing of corroded materials, 571
- nondestructive techniques, 573
  - visual microscopic techniques, 571
- Pitting, 108, 191–195, 201, 358, 369–372, 502, 583, 628, 678
- Polarization, *see* Electrochemical testing
- Polarization of metal-oxide interface and open circuit potential (OCP), 549
- Poultice corrosion, 205
- Properties of Al and its alloys, 124
- Al matrix composites and P/M-MMCs, 142
  - Al matrix composites formation 150
  - Al mmc particles, 147
  - Al powders, 140
  - alloying elements, 128, 131
  - cast alloys, 125
  - cast alloys series, 129
  - description of wrought alloys series, 136
  - designation of cast, alloys, and ingots, 126
  - designation of wrought alloys, 130
  - physical and general properties, 124
  - rapid solidification processing, 142
  - wrought alloys series, 133
- Properties of Mg and its alloys, 322
- alloying elements, 324
  - cast alloy series, 325
  - magnesium composites, 333
  - magnesium powder, 333
  - particles reinforcing magnesium alloy matrix, 334–335
  - SiC and Mg<sub>2</sub>Si, 334
  - nanosized alumina particulates, 335
  - physical and general properties, 322
  - properties of cast alloys, 323
  - wrought alloys, 328
- Reference electrodes and metallic and ionic reduction symbols, 709
- Resistance of Mg to HF and chromic acid, 342
- Sacrificial Mg, 424–429
- Sensitization of Al to intergranular and SCC, 296
- SCC, *see* Stress corrosion cracking
- Skin and bulk of cast Mg, 411–421
- Solvent corrosion cells, 41–43
  - cathodic oxidoreduction reaction, 41
- Stray current corrosion, 43, 188
- Stray current corrosion cells, 43
- Stress corrosion cracking and electrode potential, 295
- Stress corrosion cracking (SCC), 289, 294–302, 459–473, 651–657, 690–696. *See also* Cracking: Environmentally induced cracking (EIC) or corrosion
- “knife-line attack” of Al, 307
  - HE crack propagation of Mg alloys, 467–472
  - HF of Mg alloys and water drop impingement, 467
- Stress corrosion cracking (SCC) of welded
- Al alloys, 306–313
  - corrosion fatigue, 310
  - design and stresses, 313
    - environmental considerations, 313
    - metallurgical considerations, 314
    - surface modification, 315
  - friction stir welding, white zone, 310
  - galvanic corrosion and SCC of welded assemblies, 306
  - localized corrosion and SCC of LBWAA6013, 308
  - mechanically influenced corrosion and SCC of welds, 310
  - prevention of hydrogen damage, 316
  - prevention of SCC, 313
  - SCC knife-line attack, 307
  - SCC of friction stir welded AA7075 and 6056, 311
  - SCC of FSW of AA7075-T651, 7050-T451, 312
- Stress corrosion cracking (SCC) of welded assemblies, 306–313, 460
- Stress corrosion cracking (SCC) testing of Mg alloys, 690–696
- SCC specimens, 690
  - solutions and operational conditions, 691
  - static loading, 690
  - stress tests, 693–696
    - constant extension rate CERT, 693

- constant extension rate CERT, 693
- linearly increasing strain rate (LIST), 694
- Sulfate reducing bacteria SRB, 255
- Surface modification of Mg, 539
- Surface modification techniques of Mg, 540
- Temperature differential cells, 43
- Testing, 567–620
- Testing approaches, 568
  - categories of corrosion testing, 568
  - removal of corrosion products, 570
  - testing duration and modes, 569–570
- Testing of coated Al alloys, 507–509
  - conventional testing, 508
  - corrosion fatigue of sprayed Al coating, 508
  - electrochemical testing of coatings, 507
  - environmentally assisted cracking of Al sprayed coatings, 509
  - fatigue loading, 509
- Testing of coated Mg, 556
  - corrosion performance of painted material, 558
  - hardness, adhesion, and abrasion, 556
- Testing of corrosion forms of Al and its alloys, 621–662
- Testing of corrosion forms of Mg and its alloys, 663–698
  - buffered solutions, 665
  - chloride, sulfate, hydroxide solutions, 664
  - corrosive water, 665
- Thermodynamic considerations, 3
  - electric double layer, 8
    - chemical potential of species, 12
    - double layer equivalent circuit, 9
    - Nernst equation, 9
    - positive and negative potentials, 13–14
    - standard potentials, 12
  - electrolytic conductance, 4
  - Faraday laws, 5
  - interface, 7
  - tendency to corrosion, 6
- Types of corrosion of Al or Mg. *See also* Forms of corrosion
  - Types of electrodes, 24
    - alloyed electrodes, 25
    - copper ion-selective electrodes, 30
    - electrodes of oxidation–reduction, 28
    - gas electrodes, 24
    - glass electrodes, 29
    - metal–insoluble oxide electrodes, 27
    - metal–insoluble salt electrodes, 26
    - metal–metal ion electrodes, 25
    - selective ion electrodes, 29
  - Underground media, 56
  - Use of cast Al alloys, 152
  - Use of Mg and its alloys, 335
    - applications of cast alloys, 335
    - applications of wrought alloys, 337
    - automotive and aerospace applications, 336
    - other uses, 337
    - refractory material application, 336
  - Use of wrought Al alloys, 154
    - aerospace applications, 154
    - automotive sheet and structural alloys, 154
    - building and construction, 156
    - electrical conductor alloys, 156
    - packaging, 156
    - shipping, 156
  - Water and oil stains, 204–208
  - Water media properties, 57–62
    - composition, 58
    - oxidizing power, 61
    - scale formation, 62
    - water indexes, 62
  - Welding and joining of Al, 231–247
    - brazed, soldered, and bonded, 231
    - welding fundamentals, 233
    - welding influence on behavior, 236
      - corrosion resistance of wrought and cast Al alloys, 241
      - corrosion types of welded Al alloys, 239
  - Welding and joining of Mg, 408–410
    - welding and joining influence, 408
  - Welds, *see* Mechanically influenced corrosion

<http://www.pbookshop.com>