

Index

• A •

access control, 46, 71, 92–93, 214–215. *See also* Access Control List

Access Control List (ACL), 173, 243

account management, user, 48

Active Directory (AD)

- authentication with Host Profiles, 243–244
- domain controllers, 177–178, 244
- ESX 4.1 features, 48
- vCenter Server requirement, 93, 95
- vCenter Server use, 100–101
- vSphere 4.1 features, 47

Active network adapter selection, 136

active/passive clustering features, 272

admission control, 283–284

Advanced Edition, vSphere, 62

affinity rules, 178

alarms, 221, 222–224, 230. *See also* notifications, event

alert events, 221

alerts, sending via e-mail, 226, 227–229

Annotations, virtual machine, 212–214

application errors, in Fault Tolerance-enabled configurations, 279

applications

- considerations for sizing new virtual machine, 56
- with identities, cloning with, 203
- monitoring, 285

author's Web site, 5

automation

- Distributed Resource Scheduler, 177, 319
- scheduling tasks, 237–240
- startup/shutdown process, 318
- tools, 239, 303–307, 309–312, 313
- troubleshooting, 288

• B •

backups

- data recovery, 43, 62
- of NAS volumes, 154
- tools, 280
- virtual machine, 36, 57, 279

balloon driver, 30–31

bare-metal hypervisors, 24, 26, 90, 288

basic support, 64

Beacon probing network failure detection, 134–135

blade servers, 68, 173, 178, 294

block allocation, VMFS, 151

Boot-from-SAN virtual machines, 41

bridge loops, 136

Brown, Doug A., 313

BusLogic Parallel SCSI controllers, 185

BusLogic SCSI hard disk adapter option, 40

• C •

capacity, exceeding resource, 54

CD/DVD drives, in virtual machine, 186, 187

Cisco Discovery Protocol (CDP), 132

Cisco Nexus 1000V virtual switch, 35, 67

cloned virtual machines

- creating, 195–198, 199–202
- customizing, 199, 202–203
- described, 31–32, 195
- differences between, 203
- disk space issues, 195
- inappropriate environments, 203, 280
- licensing, 203
- moving between clusters, 196
- network communication issues, 195
- templates, 198

cloud computing, 13, 16

- clusters, host
 - across physical hosts, 273
 - adding, 59, 172–173, 176–177, 206
 - advantages, 171, 173
 - application-level, 41
 - communication between hosts, 32
 - creating, 174–176, 206
 - described, 171
 - disk access, 70
 - Distributed Resource Scheduler, 178–179, 180
 - hardware compatibility issues, 319
 - High Availability, enabling, 41, 277–278
 - host failure, handling, 32–33
 - hot-add, 176
 - limits, 49
 - moving clone between, 196
 - moving standalone hosts to, 270
 - naming, 69, 137, 171–173
 - NFS datastore sharing, 42
 - at OS level, 272–273
 - path selection policy restrictions, 157
 - physical/virtual combined, 273
 - rules for, 34
 - on single physical host, 273
 - Transparent Page Sharing, effect on, 30
 - vMotion advantages, 180
 - vSphere 4.0 enhancements, 41
 - cmdlets (PowerShell), 303, 304
 - Command Line Interface (vSphere CLI), 239
 - communication between hosts, controlling
 - via VLANs, 35, 36–37, 44, 63, 67
 - communication problems, troubleshooting, 300
 - Communities, VMware, 315
 - compression, memory, 31, 48–49
 - computing, evolution, 17–18
 - concentrators, 48
 - configuration limits, 48
 - connection limits, network storage
 - device, 243
 - connectivity issues, troubleshooting, 291
 - Consolidated Backup, 280
 - consolidation of identical data, 30, 323
 - contention handling. *See* vMotion
 - Converged Network Adapters, 45
 - Converter, VMware, 55
 - copy tools, 306, 307
 - coscheduling, 184
 - CPU ready, 296–297
 - CPU resources
 - coscheduling, 184
 - detecting Windows, 299–300
 - ESX support for, 42
 - exceeding capacity, 54
 - hot-add, 34–35, 44
 - maximum number, 40
 - scheduling, 296–297
 - virtual, 56, 184
 - in virtual machine, 185
 - Custom Attributes, 212–214
 - Customization Specifications, 31, 202–203
- D •
- DABCC.com, 313–314
 - das.failedetectiontime parameter, 294
 - das.isolationaddress parameters, 294
 - data, migrating from one datastore to
 - another, 35, 41, 60, 63, 280
 - data compression, 31, 48–49
 - data consolidation, 30, 323
 - data recovery
 - backups, 43, 62
 - from disaster, 26
 - Distributed Resource Scheduler, 275
 - High Availability configuration, 278
 - storage, insufficient, 150
 - version/edition features, 43, 61, 62
 - of virtual disk metadata, 184
 - data storage. *See* storage, data
 - databases, 41, 91–92, 93, 95–97, 298
 - datacenter, creating initial, 113, 117–118
 - datastores. *See also* NFS datastores
 - access, testing, 165
 - access permissions, 46
 - creating VMFS, 164–166
 - described, 150
 - exceeding capacity, 54
 - folder structure, organizing, 211
 - growth, 210
 - limitations, 151
 - managing, 231–232

- path selection policy, 158
 - redundancy, 56–57, 153
 - sizing new virtual machine, 56–57, 210–211
 - utilization monitoring, 318
 - viewing, 208–209
 - vSphere features, impact on size, 54–55
 - DCAC (DynamicOps Cloud Automation Center), 305–306
 - deduplication, 59, 61, 62
 - deploy.cab file, 199
 - deployment, 9, 307, 323–328. *See also* rollout planning
 - desktops, transferring physical to virtual, 311–312
 - disaster recovery (DR), 26
 - disk space, 55, 58, 70, 295–297. *See also* thick provisioning; thin provisioning
 - disks, virtual. *See* virtual disks
 - disruptive technologies, 1
 - Distributed Power Management (DPM), 42, 63
 - Distributed Resource Scheduler (DRS)
 - automation, 177, 320
 - described, 34, 177
 - enabled clusters, vMotion in, 180
 - events by, 220
 - hardware failure recovery, 275
 - host clusters, 177, 178–179
 - online resources, 320
 - VM-VM affinity rules, 178
 - for vSphere Enterprise Edition, 63
 - Distributed Switch feature, 35, 36–37, 44, 63, 67
 - Domain Name Server (DNS), 81, 275, 321
 - downtime, 42–43, 271–272
 - DPM (Distributed Power Management), 42, 63
 - DR (disaster recovery), 26
 - DRS. *See* Distributed Resource Scheduler
 - duplex settings, 69
 - DVD drives, in virtual machine, 186, 187
 - dvPort, 67
 - dvSwitch (vNetwork Distributed Switches), 35, 36–37, 44, 63, 67
 - Dynamic Discovery, 162–164
 - DynamicOps Cloud Automation Center (DCAC), 305–306
- E •
- E1000 adapters in virtual machine, 186
 - eager zeroed thick, 194
 - editions, vSphere, 35–37, 60–63
 - Eggs in One Basket effect, 27
 - e-mail, 226–229
 - Enhanced vMotion Compatibility (EVC), 42
 - enterprise businesses, vSphere editions for, 61–63
 - Enterprise Edition, vSphere, 35–37, 63
 - Enterprise Plus Edition, vSphere, 36–37, 63
 - Epping, Duncan, 320
 - ESC (Service Console connection), 138–139
 - Essentials for Retail Edition, vSphere, 60
 - Essentials Plus for Retail Edition, vSphere, 60–61
 - EST (External Switch Tagging), 137
 - ESX/ESXi
 - characteristics, 12
 - CPU resource support, 42
 - data recovery, 43
 - diagram illustrating, 21–22
 - enhancements in, 42
 - evolution, 26
 - host installation, 81–82
 - host servers compared to physical servers, 65
 - improvements, 40
 - IP addresses, 77, 81
 - licensing, 79, 80
 - maintenance, 12
 - memory resource management, 48–49
 - memory resource support, 42
 - network traffic management, 49
 - performance monitoring, 40
 - resource needs, 12
 - service console, 42
 - snapshots, LUN, 45, 54–55, 90, 280, 324
 - SSL certificate, 87
 - storage management, 49
 - Tech Support Mode, 288–289
 - thin provisioning, lack of, 194
 - troubleshooting, 288–289
 - versions, 39
 - vSphere 4.1 features, 48–50

ESX/ESXi hosts. *See* host servers
 Ethernet adapter, in virtual machine, 186
 EVC (Enhanced vMotion Compatibility), 42
 event monitoring, 41, 219, 220, 222–223
 Explicit Failover Order load balancing, 134
 External Switch Tagging (EST), 137

● F ●

fabric. *See* storage area network
 Failback network option, 135, 157
 failure handling, 43, 135, 157. *See also*
 backups
 FastSCP, 306, 307
 fault tolerance, 274
 Fault Tolerance (FT), VMware
 application errors, 279
 configuration, 140
 costs, 280
 described, 35–36, 43, 279
 enabling, 280–282
 example, 57
 failure handling, 43
 High Availability combined, 274
 incompatible features, 280
 on multiple virtual machines, 282
 prerequisites, 279–280
 resource usage, 140
 thick provisioning requirement, 58
 for vSphere Advanced Edition, 62
 FC (Fibre Channel) SAN storage, 76, 154–
 157, 159, 160, 243
 FC HBA (Fibre Channel Host Bus Adapter),
 76, 160, 243
 FCoE (Fibre Channel over Ethernet), 45
 features, vSphere
 advanced, 33–35
 enterprise, 35–37, 63
 standard, 29–33
 variety, 9, 10
 Fibre Channel (FC) SAN storage, 76, 154–
 157, 159, 160, 243
 Fibre Channel Host Bus Adapter (FC HBA),
 76, 160, 243
 Fibre Channel over Ethernet (FCoE), 45
 file system for virtual machine storage. *See*
 Virtual Machine File System

firewall protection, 36
 Fixed Path Selection (VMW_PSP_FIXED),
 157, 159
 Flexible adapters, in virtual machine, 186
 floppy drives, in virtual machine, 187
 FT. *See* Fault Tolerance, VMware
 full virtualization, 18
 full-duplex network speed setting, 69

● G ●

gateway IP address, ESX 4 host, 77, 81
 golden images. *See* templates, virtual
 machine
 group/user access permissions, 46
 guest. *See* virtual machines
 guest customization errors, 297
 guestcust.log log file, 297

● H ●

HA (High Availability) clustering, 41,
 276–277
 HA configuration. *See* High Availability
 configuration
 HAL (Hardware Abstraction Layer), 299–
 300
 half-duplex network speed setting, 69
 hardware, 17, 27, 299
 Hardware Abstraction Layer (HAL), 299–
 300
 Hardware Compatibility Guide, PSP
 information, 72
 hardware virtualization, 16
 hardware-assisted virtualization, 18
 hardware-based initiators, 161
 HBA setup menu, 76
 HBAs (Host Bus Adapters), in FC SAN
 storage, 76, 160
 high availability, 273–274
 High Availability (HA) configuration
 admission control, 43
 admittance errors, 293
 blade chassis failure, 294
 on clusters, 41, 276–278
 configuring, 26, 293
 described, 32–33, 62, 274–275

- evolution, 274
 - failure recovery process, 278
 - Fault Tolerance combined, 274
 - host failure, handling, 283–284
 - maintenance mode feature, 43
 - management network connection, 138
 - online resources, 320
 - preparing for, 276
 - prerequisites, 275
 - prioritizing virtual machine startup, 275
 - system design, 59
 - troubleshooting, 293–294
 - vCenter Server, 90
 - virtual machine monitoring, 284–285
 - for vSphere Essentials Plus for Retail Edition, 61
 - for vSphere Standard Edition, 62
 - Host Bus Adapters (HBAs), in FC SAN storage, 76, 160
 - Host Failures Cluster Tolerates admission control option, 284
 - host farms, creating new, 37
 - Host Network Isolation, 276
 - host profiles
 - administrator password, changing, 251–255
 - advantages, 37, 241–242
 - applying, 247–250
 - configuring, 255–258
 - creating, 244–245
 - described, 35, 46, 63, 241
 - Fibre Channel SAN storage for, 243
 - hosts, attaching to, 246–247
 - prerequisites, 242–243
 - vSphere 4.1 version, 47
 - for vSphere Enterprise Plus Edition, 63
 - host servers. *See also* host profiles; vMotion
 - accessing via name/IP address, 97
 - adding, 59
 - addresses, 77
 - administrator passwords, 47
 - clusters, adding to, 176–177
 - configuring, 42, 68, 206
 - confirming, 87–88
 - connecting to network, 65
 - described, 24, 66
 - DNS address, 81
 - enabling vSphere Web Access, 109–110
 - failure detection/handling, 276
 - features, vSphere edition, 60, 61, 62, 63
 - installation, 75–78, 82–88
 - inventory, 88
 - isolated, 276–277, 294
 - licensing, 118, 123–124
 - limits, 49
 - maintenance mode, 247–248, 285
 - managing, 138–139
 - names, 81, 327
 - network connections, checking, 77
 - NFS datastores, 173
 - oversubscribed, 55, 58, 70, 295–297
 - path selection policy, 158
 - physical servers compared, 65
 - power-saving features, 42
 - standalone, 153, 261, 270
 - subnet mask, 77, 81
 - time synchronization, 124–127, 244
 - troubleshooting, 123, 291
 - Host Update Utility, 46
 - hot-add of resources, 34–35, 44, 62, 176, 185
 - hot-extend feature, 44
 - hot-plug feature, 44
 - hypervisor abstraction layer, 16
 - hypervisors
 - bare-metal, 24, 26, 90, 288
 - described, 24, 25
 - full virtualization using, 18
 - installing different, 28
 - on physical server compared to on OS, 20
 - process scheduling on, 18
- 1 ●
- IBM DB2 9.5 database, vCenter Server support, 96–97
 - icons in text, 5
 - IDE (Integrated Drive Electronics) hard disk adapter, 40
 - IDE (Integrated Drive Electronics) hard disk, in virtual machine, 185
 - initiators, 155, 161, 164
 - Internet SCSI (iSCSI) storage, 42, 67, 154, 160–164

IP address, ESX 4 host, 77, 81
 IPv6 support in vSphere, 44
 IQN (iSCSI Qualified Names), 160, 161
 iSCSI (Internet SCSI) storage, 42, 67, 154, 160–164
 iSCSI initiators, 161–162
 .iso files, 232
 isolated hosts, 276–277, 294
 isolation addresses, 294

• J •

Jumbo Frame support for network-based storage, 42

• K •

Knowledgebase, VMware, 314

• L •

Land, vSphere, 315
 Laverick, Mike, 314
 LBT (Load-Based Network Teaming), 49
 licensing

- centralized, managing from vCenter Server, 41
- cloning, issues with, 203
- ESX/ESXi, 79, 80
- host servers, 118, 123–124
- restrictions, 28
- vCenter Server, 113, 114–116
- vSphere, 29, 118–122

 limits, 264, 266, 267, 268
 Link Status Only network failure detection, 134
 Linked Clones, incompatibility with Fault Tolerance, 280
 Linked Mode in vCenter Server, 43
 Liquidware Labs Stratusphere UX, 311–312
 Load Balancing, 133, 134–135
 Load-Based Network Teaming (LBT), 49
 local storage, 153–154
 log files, 290–292, 297, 298
 Logical Unit Number (LUN)

- attaching to hosts, 155–156, 159
- described, 155
- masking, 71, 160
- snapshots, 45, 54–55, 90, 280, 318

LSI Logic Parallel SCSI controllers, 185
 LSI Logic SAS SCSI controllers, 185
 LSI SAS hard disk adapter option, 40
 LSI SCSI hard disk adapter option, 40
 LUN. *See* Logical Unit Number
 LUN-based SAN storage, 164–168

• M •

MAC (Media Access Control) address, 66, 300
 mainframe computers, 17–18, 34
 maintenance, ESX, 12
 maintenance mode, 43, 247–248, 285
 management connectivity,

- troubleshooting, 291

 management features, vSphere, 46–47
 management network connection, 138–139
 maps, 234–235
 MD5 (Message-Digest 5) checksum, 76
 Media Access Control (MAC) address, 66, 300
 memory compression, 31, 48–49
 memory management, contention handling, 30–31
 memory overcommit, 30–31
 memory resources

- ESX support for, 42
- exceeding capacity, 54
- hot-add, 34–35, 44, 185
- management features, 48–49
- maximum amount, 40
- optimization, 30, 323
- in virtual machine, 185

 memory swapping, 48
 Message-Digest 5 (MD5) checksum, 76
 Microsoft Active Directory. *See* Active Directory
 Microsoft Cluster Services (MSCS), 41, 272–273
 Microsoft SQL Server 2005 database, vCenter Server support, 96
 Microsoft SQL Server 2005 Express database, 92, 93, 95, 96, 298
 Microsoft SQL Server 2008 database, vCenter Server support, 96
 Microsoft Windows Remote Desktop, 310, 319–320

- mid-size businesses, vSphere editions for, 61–63
 - migration, host server. *See* vMotion
 - Mitchell Web site, 5
 - monitoring. *See also* Distributed Resource Scheduler
 - applications, 285
 - datastore utilization, 324
 - event, 41, 219, 220, 222–223
 - network, 147
 - performance, 40, 41, 235–237
 - storage, 45
 - virtual machine availability, 284–285
 - Moore, Gordon, 18
 - Moore’s Law, 18
 - Most Recently Used Path Selection (VMW_PSP_MRU), 156–157
 - MSCS (Microsoft Cluster Services), 41, 272–273
 - multimedia applications, virtualization limitations, 28
- **N** •
- (N)+1 plan for system reliability, 275
 - NAS (Network Attached Storage), 42, 152, 154, 168–170, 173
 - NAS gateways, 154
 - NetIOC (network I/O control), 35, 49, 63, 142, 145–146
 - network adapters
 - physical, 47, 173, 242–243
 - virtual, 17, 40, 136, 186, 187
 - Network Attached Storage (NAS), 42, 152, 154, 168–170, 173
 - network connections, 69, 76
 - Network Failover Detection, 134–135
 - network interface cards (NICs)
 - connecting vSwitches to, 131, 132–133, 147
 - described, 66
 - failure handling, 134–135
 - MAC address, 66
 - teaming, 67, 68, 133–135
 - virtual, 172
 - network interfaces, considerations for sizing new virtual machine, 56
 - Network I/O Control (NetIOC), 35, 49, 63, 142, 145–146
 - network resources, 11–12
 - network settings, at host installation, 81–82
 - network switching. *See* switching, network
 - Network Time Protocol (NTP) server, 124–127, 244
 - networks
 - access permissions, 46
 - connecting to multiple, 56
 - design, importance, 129
 - exceeding capacity, 54
 - IPv6 support, 44
 - name consistency, 172
 - resources for, 11–12
 - testing, 147
 - traffic management features, 49
 - troubleshooting, 147, 291, 300
 - viewing, 209–210
 - virtualization, influence on, 27
 - vSphere 4.0 features, 44
 - NFS Clients, 168
 - NFS datastores, 42, 152, 154, 168–170, 173
 - NFS Servers, 168
 - NIC teaming, 67, 68, 133–135
 - NICs. *See* network interface cards
 - Nikitin, Alex, 155
 - non-pass-through RDMS, 153. *See also* Raw Device Mapping
 - notifications, event. *See also* alarms
 - alarm triggering, 224
 - contact types, 226
 - described, 219
 - identifying, 220–221
 - of scheduled tasks, 239
 - sending, 226, 227–230
 - setting up, 226–227
 - tracking recent, 219–220
 - vSphere 4.0 enhancements, 41
 - vSphere Mini Monitor, 306, 307
 - Notify Switches network option, 135
 - NTP (Network Time Protocol) server, 124–127, 244
 - NTP Daemon (ntpd) Options dialog, 126, 127
 - NTPRO.NL, 314–315
- **O** •
- online learning resources, 313–321
 - Onyx, 304–305
 - Open Virtualization Format (OVF)
 - standard, support, 46

Openfiler, 311
 operating systems (OSs), 17, 28, 40–41,
 55–56, 307
 Oracle databases, vCenter Server support,
 96
 organization of book, 1–4
 over-allocation of virtual disks, 194
 oversubscribed storage, 55, 58, 70, 295–297
 OVF (Open Virtualization Format)
 standard, support, 46

• P •

P2V (physical-to-virtual) migration, 55, 299,
 314
 pagefiles, virtual memory, 194
 pages (term), 30
 parallel ports, in virtual machine, 187
 paravirtualized hardware, 187
 Paravirtualized SCSI (PVSCSI) adapters, 45,
 185, 187
 passive failover, NIC teaming for, 67, 134
 pass-through RDMs, 153. *See also* Raw
 Device Mapping
 passwords, 47, 84–85, 200–201, 251–255, 298
 patches, VMware software, 12
 path selection plugins (PSPs), 72, 156–157
 Path Selection Policy, 156–159
 paths, 76, 156–157
 PCI (Peripheral Component Interconnect),
 68, 188
 Percentage of Cluster Resources Reserved
 Failover Spare Capacity admission
 control option, 284
 performance
 monitoring, 40, 41, 235–237
 resource pool effects, 207
 settings, 261
 troubleshooting, 295–297
 Perilli, Alessandro, 314
 Peripheral Component Interconnect (PCI),
 68, 188
 permissions, 46, 47, 98, 214–215, 232–233
 Petri, Daniel, 314
 Petri IT Knowledgebase, 314
 physical compatibility mode RDMs, 153.
See also Raw Device Mapping
 physical computers, virtual machines
 compared, 16

physical network, 66
 physical network switches, 66–67
 physical servers
 disk ownership, 70
 host servers compared, 65
 hypervisors on, 20
 managing, 48
 networking configurations, 67–68
 rack-mounted, 68
 in virtualization model, 24
 physical-to-virtual (P2V) migration, 55, 299,
 314
 ping command (ESX), 139
 planning, rollout. *See* rollout planning
 Poelker, Christopher, 155
 pool.ntp.org NTP server, 127
 port groups, 66, 69, 136–137, 145, 172
 port-mapper service, 170
 power management, 46. *See also*
 Distributed Power Management
 PowerCLI, 239, 303–304
 PowerShell (cmdlets), 303, 304
 primary DNS IP address, ESX 4 host, 81
 primary hosts, HA cluster, 276
 primary virtual machine, 279
 Private VLANs, 37, 44
 privileges, user, 233. *See also* access
 control
 production support, 64
 profiles, host. *See* host profiles
 PSPs (path selection plugins), 72, 156–157
 Purple Screen of Death (PSOD), 289–290
 PVSCSI (Paravirtualized SCSI) adapters, 45,
 185, 187

• Q •

Quiesce File System option for scheduling,
 238
 quorum, 272

• R •

rack-mounted physical servers, networking
 configurations, 68
 RAID (Redundant Array of Inexpensive
 Disks), 56–57, 153

- Raw Device Mapping (RDM), 17, 71–72, 153, 273
- Recent Tasks pane, vSphere Client, 219, 220
- recovery, data. *See* data recovery
- Recovery Point Objective (RPO), 272
- Recovery Time Objective (RTO), 272
- redeployment. *See* cloned virtual machines
- redundancy
- to avoid downtime, 272
 - disk storage, 56–57, 153
 - example implementation, 57
 - host selection, 34
 - network interface card, 67, 68, 133–135
 - virtual machines, 177–178
- Redundant Array of Inexpensive Disks (RAID), 56–57, 153
- reference hosts, 244
- releases, vSphere, 39
- remember icon, 5
- Remote Console browser plug-in, 110
- Remote Desktop, Microsoft Windows, 310, 325–326
- Remote Procedure Call service, 170
- repetitive tasks, performing. *See* automation
- rescanning SANs, 292
- reservations, resource, 264–268, 270, 293, 296
- reservations, SCSI, 151, 292–293
- resource pools. *See also* Distributed Resource Scheduler
- adding to, 262, 268
 - advantages, 267
 - allocating resources to, 267–268
 - creating, 206, 262
 - for critical virtual machines, 268
 - described, 189, 261
 - mapping, 177
 - merging, 270
 - modifying, 268–269
 - nested, 269
 - performance, effect on, 207
 - root, 261
 - on standalone hosts, 261
- resources, online learning, 313–316
- resources, system. *See also* CPU resources; datastores; memory resources; reservations, resource; shares
- adequate, importance, 11
 - contention for, 262–263
 - exceeding capacity, 54
 - growth, keeping up with, 12
 - limits, 264, 266, 267, 268
 - network, 11–12
 - organizing, importance, 205
 - prioritizing, 263
 - processors, 16
 - server hardware, 11
 - storage, 11–12
- restart priority, virtual machine, 275
- risk mitigation. *See* backups; redundancy
- roles, 233
- rollout planning
- design considerations, 58–60
 - importance, 10–11, 53
 - infrastructure, determining size, 53–58
- root access, configuring, 168
- Round Robin Path Selection (VMW_PSP_RR), 157, 159
- Route Based on IP Hash load balancing, 134
- Route Based on Originating Port ID load balancing, 134
- Route Based on Source MAC Hash load balancing, 134–135
- RPO (Recovery Point Objective), 272
- RTFM Education site, 314
- RTO (Recovery Time Objective), 272
- S •
- SAN. *See* storage area network
- SAN-based VMFS snapshots, 45
- SATA disk support, 45
- scheduling tasks, 237–240. *See also* automation
- scripting actions to be scheduled, 239
- SCSI (Small Computer System Interface)
- reservation, 151, 292–293
- SCSI controllers, 45, 185, 187, 188
- SDelete utility, Microsoft Sysinternals, 195

- SDK (Software Development Kit) for application development, 285
- secondary DNS IP address, ESX 4 host, 81
- secondary hosts, HA cluster, 276
- secondary virtual machine, 279, 281–282
- Secure Shell (SSH), Linux, 319–320
- Secure Socket Layer (SSL) certificate, 87
- security, 36, 45–46, 287. *See also* access control; passwords
- Security ID (SID), for virtual machines, 201
- Seibert, Eric, 318
- serial ports, in virtual machine, 187
- server hardware, 16
- servers, physical, 22–23, 24, 48, 65, 272
- servers, virtual. *See* host servers
- service console, 26, 42
- Service Console connection (ESC), 138–139
- Service Console log, 291
- service console ports, 67
- Services Properties window, 289
- Setup for Failover Clustering and Microsoft Cluster Service, 273
- shares, 263–264, 266, 267, 268
- SID (Security ID), for virtual machines, 201
- Simple Mail Transport Protocol (SMTP) server, setting up, 226–227
- Simple Network Management Protocol (SNMP), 229–230
- SIOC (storage I/O control), 35, 49, 63, 167–168
- slice (term), 18
- Sloof, Eric, 314
- small businesses, vSphere editions for, 60–61
- Small Computer System Interface (SCSI) reservation, 151, 292–293
- SMTP (Simple Mail Transport Protocol) server, setting up, 226–227
- snapshots, LUN, 45, 54–55, 90, 280, 318
- SNMP (Simple Network Management Protocol), 229–230
- SnS (Support and Subscription), 64
- Software Development Kit (SDK) for application development, 285
- software on virtualized platforms, support restrictions, 28
- software-based initiators, 161
- SP (Storage Processor), on SAN storage, 76
- Spanning Tree Protocol (STP), 136
- Specify a Failover Host admission control policy, 284
- SSH (Secure Shell), Linux, 319–320
- SSL (Secure Socket Layer) certificate, 87
- standalone servers, 68, 153, 261, 270
- Standard Edition, vSphere, 61–62
- Standby network adapter selection, 136
- star rating for migration recommendations, 34
- storage, data. *See also* Access Control List; NFS datastores; thin provisioning; Virtual Machine Disk; Virtual Machine File System
 - access control, 46, 71, 92–93, 214–215
 - advanced configurations, 71–72
 - connection path, choosing, 72
 - ESX 4.0 improvements, 42
 - growth needed, 12
 - local, 69
 - management features, 49
 - mapping, 46
 - migrating from one technology to another, 153
 - monitoring, 45
 - naming devices, 150
 - Openfiler appliance, 311
 - overallocation, 55, 58, 70, 295–297
 - protocols, 153–154
 - recovery, lack of, 150
 - remote, 69, 70
 - resources for, 11–12
 - shared, 70–71, 149
 - thick provisioning, 55, 58, 194, 318
 - types, 58–59, 150
 - virtualization, influence on, 27
 - vSphere, described, 45, 149
- storage area network (SAN)
 - booting virtual machines from, 41
 - described, 12, 154
 - disk sharing using, 71
 - Fibre Channel SAN storage, 76, 154–157, 159, 160, 243
 - LUN-based, 164–168

- paths on, 76
- rescanning, 292
- setting up, 155
- Storage Processor on, 76
- traffic, 71
- troubleshooting, 292–293
- volumes, controlling access to, 71
- vSphere 4.0 support, 45
- Storage Area Networks For Dummies* (Poelker & Nikitin), 155
- storage array-based de-duplication, 59, 61, 62
- Storage Awareness, 46
- storage I/O control (SIOC), 35, 49, 63, 167–168
- storage oversubscription, 55, 58, 70, 295–297
- Storage Processor (SP), on SAN storage, 76
- Storage vMotion, 35, 41, 60, 63, 280
- STP (Spanning Tree Protocol), 136
- Stratusphere UX, 311–312
- structure, book, 1–4
- sub-block allocation, 151
- subnet mask, ESX 4 host, 77, 81
- subscription feature, 64
- supervisor, 18
- Support and Subscription (SnS), 64
- support options, 64
- swapfiles, 194
- switch ports, 69, 242–243
- switches, 66–67
- switching, network, 68–69, 77. *See also* physical network switches; virtual network switches; vNetwork Distributed Switches
- symbols in text, 5
- Sysprep customization utility, 200, 201–202
- Sysprep.exe Microsoft tool, 199
- T •**
- targets, 155, 164
- Tasks & Events tab, vSphere Client, 220–221
- Tech Support Mode (TSM), 288–289
- technical stuff icon, 5
- technical support, VMware, 288–289, 291
- telco adapter cards, virtualization limitations, 28
- telephone applications, virtualization limitations, 28
- templates, virtual machine. *See also* cloned virtual machines
 - advantages, 37, 318
 - conversion errors, 297
 - creating, 198, 319
 - deploying from, 198
 - described, 31–32, 198
 - organizing, 207–208
 - using thin provisioning, 32
- thick provisioning, 55, 58, 194, 324
- thin provisioning
 - advantages, 70
 - described, 32, 45, 58, 70, 194
 - disadvantages, 194
 - disk space needed, 55
 - of existing disk, 195
 - growth, 70
 - monitoring usage, 318
 - risks, 58
 - SCSI reservations, 151, 293
 - shrinking, 70
 - virtual machine creation, 190
 - for vSphere editions, 60, 61
- time slicing, 18
- time synchronization, host, 124–127, 244
- tip icon, 5
- training, 27, 76, 230, 313–321
- Transparent Page Sharing (TPS), 30, 323
- triggers, alarm, 223. *See also* alarms
- troubleshooting
 - automation, 288
 - communication problems, 123, 300
 - connectivity issues, 291
 - ESX/ESXi, 288–289
 - Fibre Channel SAN storage, 160
 - general approach, 287–288
 - hardware, missing, 299
 - High Availability configuration, 293–294
 - hosts, 291
 - Internet SCSI storage, 164
 - log files, 290–292, 297, 298
 - management connectivity, 291

troubleshooting (*continued*)

- Media Access Control address, 300
- need for, over time, 287
- networking, 147, 291, 300
- NFS datastores, 170
- oversubscribed hosts, 295–297
- performance, 295–297
- Purple Screen of Death, 289–290
- reservations, 293, 296
- storage area network connections, 292–293
- vCenter Server, 297–298
- Virtual LAN's, 300
- virtual machines, 291, 298–300
- virtual network switches, 136
- vMotion, 300
- trunks, 69, 77
- TSM (Tech Support Mode), 288–289

• U •

- Ultimate Deployment Appliance (UDA), 307
- Ultimate P2V conversion tool, 314
- Universal Serial Bus (USB) devices, in
 - virtual machine, 188
- Update Manager, 60, 61, 94
- updates, VMware software, 12, 287
- upgrades, vSphere version, 46
- uplinking, 131, 132–133, 147. *See also* NIC
 - teaming
- uptime, improvements for, 42–43
- USB (Universal Serial Bus) devices, in
 - virtual machine, 188
- user/group access permissions, 46

• V •

- VAAI (vStorage API for Array Integration), 151
- vApps, 46, 206–207, 215–217
- vCenter Orchestrator, 46, 47
- vCenter Server
 - access to, user, 325–326
 - account permissions, 98
 - Active Directory requirement, 93, 95
 - attributes, custom, 212–214
 - component installation, 113
 - database, 91–92, 93, 95–97
 - datacenter, 113, 117–118
 - deployment, 13
 - described, 12–13, 89, 113
 - enabling vSphere Web Access, 108–109
 - events raised by, 220
 - hardware requirements, 94–95
 - Home Inventory window, 114
 - hosts, adding, 122–124
 - installation, 98–102
 - licensing, 113, 114–116
 - Linked Mode, 43, 101
 - multiple instances, 92–93
 - network requirements, 97
 - OS requirements, 93–94
 - outage, effects of, 89
 - plugins, 103
 - selecting location, 89–90
 - server capacity, 90–91
 - space requirements, 91–92
 - troubleshooting, 297–298
 - vApps, importing/exporting, 46
 - in virtual machine, benefits, 90
 - vSphere version/edition features, 41, 47–48, 61
 - Windows Authentication, 98
 - vCenter Server Agent, 60, 61, 291
 - vCPUs (Virtual CPUs), 56, 184. *See also*
 - CPU resources
 - vDS (vNetwork Distributed Switches), 44, 49, 63, 129, 141–146
 - Veeam FastSCP, 306, 307
 - versions, vSphere, 39
 - VGC (VMware Virtual Guest Console), 309
 - VGT (Virtual Guest Tagging), 137
 - VI3 (Virtual Infrastructure 3.5),
 - improvements, 39–41, 42
 - video card resource, in virtual machine, 185
 - virtual (term), 15
 - virtual compatibility mode RDMs, 17, 71–72, 153, 273
 - Virtual CPUs (vCPUs), 56, 184. *See also*
 - CPU resources
 - virtual disks. *See also* thin provisioning
 - configuration files, 184
 - formats, 41
 - hot-plug features, 44
 - importing, 194

- making larger, 44
- metadata recovery, 184
- over-allocation, 194
- thick provisioning, 55, 58, 194, 324
- thinning out, 195
- types, 40, 152–153
 - in virtual machine, 185, 186, 194
- Virtual Guest Console (VGC), 309
- Virtual Guest Tagging (VGT), 137
- virtual hardware, 44, 185–189, 295
- Virtual Infrastructure 3.5 (VI3),
 - improvements, 39–41, 42
- Virtual LANs (VLANs)
 - access to multiple, 69
 - correcting settings, 80
 - described, 36–37, 67
 - identifier, 137, 172
 - installation, 80
 - mapping to virtual networks, 69
 - for network organization, 136
 - numbers, 69
 - policy definition, 66
 - port groups, associating with, 137
 - private, 37, 44
 - tagged ports, 69, 77
 - tagged/untagged traffic, combining, 77
 - troubleshooting, 300
 - in vDS, 145
- Virtual Machine Communication Interface (VMCI), 185
- Virtual Machine Disk (VMDK), 26, 151–153, 184, 299
- Virtual Machine File System (VMFS)
 - advantages, 150
 - block size, 151
 - described, 26, 150, 151
 - formatting as, 156
 - host capacity, 150
 - identifier, 172
 - locks, 151, 292–293
 - snapshots, 45
 - troubleshooting, 299
 - volumes, 151, 164–166
- Virtual Machine Hardware (Version 7), 40–41
- virtual machines. *See also* Fault Tolerance, VMware; resources; vMotion
 - access permissions, 214–215
 - adding existing, 270
 - adding to resource pools, 262
 - affinity rules, 178
 - Boot-from-SAN, 41
 - building from scratch, 188–191
 - communication issues, troubleshooting, 300
 - configuration, 183–184, 187
 - crashes, 298–300
 - creating, 208
 - datastore, selecting for, 210–211
 - described, 25, 183, 194
 - drivers for, 26
 - hardware support, 17
 - host selection, 34
 - managing, 46–47
 - monitoring in High Availability, 284–285
 - moving, 232
 - naming, 189, 196, 200
 - optimized drivers for vSphere-specific virtual hardware, 17
 - optimizing, 58–59, 295
 - organizing, 207–208
 - orphaned, 299
 - ownership, assigning, 212–214
 - performance counters, 40
 - performance monitoring, 235–236
 - physical devices, mapping to, 187–188
 - physical machines compared, 16
 - physical resources, connecting to, 17
 - prioritizing startup following failure, 275
 - redundancy, 177–178
 - relocating, 172
 - renaming, 184
 - with resource settings, importing, 270
 - secondary, 279, 281–282
 - sizing new, 55–57
 - startup/shutdown process, 325
 - storage protocols, 153–154
 - template, converting to, 198
 - troubleshooting, 291
 - user tools, 325–326
 - virtual disks, using, 185, 186, 194
 - virtual hardware, 185–189, 295
 - in virtualization model, 25
- virtual network interfaces (vNICs), port group association, 172
- virtual network switches (vSwitch). *See also* vNetwork Distributed Switches
 - connection, confirming, 136
 - creating, 130–131

- virtual network switches (*continued*)
 - described, 66, 129
 - distributed third-party, 44
 - internal, 131, 132
 - migration to vDS, 144
 - naming, 69
 - physical network, connecting to, 66, 131, 132–133, 147
 - physical network switches compared, 66–67
 - third-party distributed, 44
 - troubleshooting, 136
 - types, 129
- virtual networks, 66, 69
- Virtual Serial Port Concentrator, for vSphere Advanced Edition, 62
- Virtual Serial Port features, 48
- virtual servers. *See* host servers
- Virtual Switch Tagging (VST), 137, 172
- VirtualCenter. *See* vCenter Server
- virtualization
 - advantages, 25–26
 - car pool example, 19–21
 - cloud computing compared, 16
 - defined, 15–16
 - described, 25
 - diagram, illustrative, 21–22
 - disadvantages, 27
 - evolution, 25
 - full, 18
 - hardware, 16
 - hardware-assisted, 18
 - history, 17–18
 - inappropriate environments, 28
 - overhead, 20
 - risks, 27
- Virtualization Knowledge Portal, 320
- virtualization layer, 24
- virtualization.info, 317
- Vlance adapters, in virtual machine, 186
- VLANs. *See* Virtual LANs
- vLockstep Technology, for virtual machine backup, 36, 279
- vm template config (.vmtx) file, 297
- VM Tools, 191, 192–193, 295, 319, 321
- vMA (vSphere Management Assistant), 239
- VMCI (Virtual Machine Communication Interface), 185
- VMClient tool, 314
- VMDirectPath feature, 45
- VMDK (Virtual Machine Disk), 26, 151–153, 184, 299
 - *.vmdk file, 184
 - *.vmdk-flat file, 184
- VMFS. *See* Virtual Machine File System
- VM-Host affinity, 178
- VMkernel, 42, 291
- VMkernel port, 67, 139–140, 141
- VMkernel Summary, 291
- VMkernel Warnings log, 291
- vmkping command, 141
- VMM (vSphere Mini Monitor), 306, 307
- vMotion. *See also* Distributed Resource Scheduler
 - described, 33, 62, 67
 - in DRS-enabled clusters, 180
 - enabling, 140
 - host clusters, advantages for, 180
 - resource usage, 140
 - system design, 60
 - troubleshooting, 300
 - uses, 33
 - in vDS, 44
 - for vSphere Standard Edition, 62
- vMotion sickness, 320
- VMsafe, VMware, 46
- vm-support command, 291
- .vmtx (vm template config) file, 297
- VM-VM affinity rules, 178
- VMW_PSP_FIXED (Fixed Path Selection), 157, 159
- VMW_PSP_MRU (Most Recently Used Path Selection), 156–157
- VMW_PSP_RR (Round Robin Path Selection), 157, 159
- VMware balloon driver, 30–31
- VMware Communities, 315
- VMware Consolidated Backup, 280
- VMware Converter, 55
- VMware ESX. *See* ESX/ESXi
- VMware Knowledgebase (KB), 315
- VMware Paravirtual SCSI controllers, 45, 185, 187
- VMware Project Onyx, 304–305
- VMware technical support, 288–289, 291
- VMware Tools, 191, 192–193, 295, 319, 321

- VMware Virtual Guest Console (VGC), 309
 - VMware VirtualCenter Management
 - Webservices service, 109
 - VMware VMsafe, 46
 - vmware.log, 291
 - .vmx configuration files, 183–184, 232
 - VMXNET virtual network adapter, 17, 40, 186, 187
 - vNetwork Distributed Switches (vDS), 44, 49, 63, 129, 141–146
 - vNetwork Distributed Virtual Switches (dvSwitch), 35, 36–37, 44, 63, 67
 - vNetwork Standard Switches (vSS), 129, 130–131, 132–133, 147
 - vNICs (virtual network interfaces), port group association, 172
 - voice communications, virtualization
 - limitations, 28
 - vShield feature, 36
 - vShield Manager, 45
 - vShield Zones, 45, 62
 - vSphere
 - editions, 35–37, 60–63
 - first impressions, 1
 - licensing, 118–122
 - version 4.0 features, 39, 40–41, 43–47
 - version 4.1 features, 47–48
 - versions, 271
 - vSphere Advanced Edition, 62
 - vSphere CLI (Command Line Interface), 239
 - vSphere Client
 - alarms settings, 222–223
 - confirming ESX 4 host via, 87–88
 - connecting vSwitches to physical network, 131, 132–133, 147
 - datacenter creation, 113, 117–118
 - Datastore Browser window, 231–232
 - Datstores view, 208–209
 - described, 103
 - downloading, 104
 - event tracking, 219, 220
 - Hosts and Clusters view, 206–207
 - installing, 104–108
 - licensing vSphere, 118–122
 - monitoring network with, 147
 - Networking view, 209–210
 - object management features, 205–206
 - performance monitoring, 235–236
 - prerequisites, 103–104
 - Recent Tasks pane, 219, 220
 - Remote Desktop, integrating, 310
 - Tasks & Events tab, 220–221
 - vApps, managing, 216–217
 - VMs and Templates view, 207–208
 - vSS switches, creating, 130–131
 - xtravirt vSphere Client RDP Plug-In, 310, 315
 - vSphere Enterprise Edition, 35–37, 63
 - vSphere Enterprise Plus Edition, 36–37, 63
 - vSphere Essentials for Retail Edition, 60
 - vSphere Essentials Plus for Retail Edition, 60–61
 - vSphere Land, 315
 - vSphere Management Assistant (vMA), 239
 - vSphere Mini Monitor (VMM), 306, 307
 - vSphere PowerCLI, 239, 303–304
 - vSphere Standard Edition, 61–62
 - vSphere Storage Awareness, 46
 - vSphere vApps, 46, 206–207, 215–217
 - vSphere Web Access, 108–109, 110
 - vSS (vNetwork Standard Switches), 129, 130–131, 132–133, 147
 - VST (Virtual Switch Tagging), 137, 172
 - vStorage API for Array Integration (VAAI), 151
 - vswif (ESX) Service Console virtual Ethernet adapter, 139, 143
 - vSwitches. *See* virtual network switches
- **W** ●
- warning events, 221
 - warning! icon, 5
 - Web Access, vSphere, 108–109, 110
 - Web browser, confirming ESX 4 host via, 86–87
 - Web sites
 - author, 5
 - vSphere learning, 313–316
 - Windows Authentication, use by vCenter Server, 98
 - Windows Hardware Abstraction Layer, 299–300
 - Windows Server 2008 OS, 40, 97
 - World Wide Name (WWN) hardware address, 155

• X •

x86 processors, 16

x86 server hardware virtualization
(term), 16

xtravirt vSphere Client RDP Plug-In,
310, 315

xtravirt.com, 315

• Y •

Yellow Bricks, 316

• Z •

zero downtime, 272

zeroing empty disk space, 194, 195

zoning, 155, 160