
Index

A

acquisition stage (agent-based model), 210–11
action plans, based on combined modeling approach, 97–100
adaptation structure, 15
Adjali, I., 206–8, 210, 212–14
agent-based modeling, 206–14
articulation point, 265
artificial neural networks
 combined modeling approach, 95, 98
 SNA comparison, 102
 traditional predictive models based on, 92–94
association measure, 228–29
authority measure, 263, 269

B

Baxter, N., 206–8, 210, 212–14
betweenness centrality measure
 about, 78–79
 OPTGRAPH support, 263, 268, 270
binary scale of measurement, 59
binding structure, 15–16
boundary specification, selecting nodes/links, 7, 49–51
bundle diffusion
 analyzing over time, 187–94
 customer influence and, 172–77

C

CDR (Call Detail Record)
 computing measures, 122–26
 data extraction process, 116–19
 data preparation process, 120–22
 %ds2const macro example, 259
 transactional data and, 246
%_centrality macro
 about, 125, 241

 requirements for, 229
centrality measures
 betweenness centrality, 78–79, 263, 268, 270
 closeness centrality, 75–76, 263
 eigenvector metric, 76–78, 263
 first-order centrality, 109–15, 128–29, 248, 263
 link analysis and, 247–50
 measuring by, 70–75, 125–26
 OPTGRAPH support, 263, 267–70
 second-order centrality, 109–15, 128–29, 248, 263
 weighting, 248–49, 263
chain processes
 analyzing event performance in, 178–87
 examples of, 88
 modeling approaches and, 95
 triggering events in, 91
challenges in telecommunication, 86–90
chi-square measure, 228–29
churn, customer influence and, 166–72
circle networks, 69–71
class variables, 249–50
closeness centrality measure, 75–76, 263
cluster coefficient measure, 263, 269–70
clustering analysis, 233–35, 237–39
Collings, D., 206–8, 210, 212–14
COLORS procedure, 197
combined modeling approach
 about, 94–97
 action plans based on, 97–100
 benefits from, 101–4
communities
 analyzing, 14–15, 17–18
 defined, 9

- communities (*Continued*)
 - establishing boundaries, 49
 - graph theory and, 21–22
 - levels of connection, 50
 - OPTGRAPH support, 266–67
 - relationships and, 53–54
 - in telecommunications market, 87
 - competition in telecommunications market, 89–90, 95, 97–98
 - confirmation stage (agent-based model), 210–11
 - connectors, xii–xiv
 - Constellation applet, 258–59
 - CRM (Customer Relationship Management), 213–14
 - customer-influence-factor modeling
 - about, 108–17, 166
 - adjusting based on past events, 132–36
 - analyzing bundle diffusion process, 187–94
 - assessing due to events, 140–55
 - centrality measures and, 109–15, 128–29
 - chain process perspective, 178–87
 - computing measures, 122, 126–32
 - correlation with bundle diffusion, 172–77
 - correlation with churn, 166–72
 - distance for customers based on similarity, 157–63
 - enhanced data analysis visualization, 194–99
 - future considerations, 215
 - geographical visualization analysis, 199–203
 - initiating diffusion process, 209–10
 - product and service choice, 206–14
 - customer loyalty program, 90, 93, 98–99
 - Customer Relationship Management (CRM), 213–14
- D**
- data considerations
 - correlating nodes, 52–58
 - enhanced data analysis visualization, 194–99
 - identifying nodes/links, 48–50
 - for link analysis node, 243
 - modality and levels of analysis, 50–52
 - scales of measurement, 58–63
 - for social-network-analysis modeling, 116–22
 - type of data for SNA, 42–48
 - data mining process, 242
 - data warehouse, Teradata technology and, 119
 - decision stage (agent-based model), 210–11
 - degrees of separation
 - influential behavior and, 12–15
 - Small World Problem, 10–12
 - descriptive analysis
 - FREQ procedure, 124, 226–29
 - SORT procedure, 123, 223–26
 - UNIVARIATE procedure, 230–32
 - directed links
 - about, 39
 - in graphs, 36–37
 - DISTANCE procedure, 235
 - EM_MAX_TRAIN_LEVELS macro
 - variable, 250
 - %ds2const macro
 - about, 155–56, 258–61
 - limitations, 178
- E**
- egocentric networks, 54–56
 - eigenvector metric
 - about, 76–78
 - OPTGRAPH support, 263, 267
 - Euler, Leonard, 19–21
 - events
 - adjusting influence factor based on, 132–36
 - assessing influence factor due to, 140–55
 - boundary specification based on, 7, 9
 - chain process perspective using, 178–87
 - correlation between influence and bundle diffusion, 172–77
 - correlation between influence and churn, 166–72
 - data considerations, 43–44
 - influence factor and, 65–66, 166–72

- performance in chain process, 178–87
- in telecommunications market, 87, 91–93, 95
- exclusion structure, 15–16
- exploratory analysis, 242

F

- %_final macro
 - about, 126, 241
 - requirements for, 229
- first-order centrality
 - customer-influence-factor modeling and, 109–15, 128–29
 - link analysis node and, 248
 - OPTGRAPH support, 263, 268
 - weighting, 248–49
- FREQ procedure, 124, 226–29

G

- geodesic distances, 268
- geographical data analysis, 199–203
- GMAP procedure, 195–97
- Google Maps, 200
- GOPTIONS procedure, 196
- GPLOT procedure, 162
- graph analysis, 250–51
- graphs
 - analyzing relationships, 31–34
 - Constellation applet support, 258–59
 - directed links in, 36–37
 - %ds2const macro support, 259–61
 - NV Workshop tool and, 257–58
 - OPTGRAPH program, 263–71
 - undirected links in, 36–37
- graph theory
 - about, 18–22
 - binary measures of relations, 59
 - directed/undirected links, 36–37
 - measure of power, 66
 - simple/multiple relations, 37–38
 - social network analysis and, 29–34
- groups
 - defined, 9
 - recognizing inside networks, 264–67
 - relationships and, 53–54
 - splitting outcomes into, 51

H

- Hanneman, Robert A.
 - on formal methods, 30
 - on graphs/matrices, 32
 - on links, 53
 - on population boundaries, 49
 - on relations, 57–58
- Hewson Consultancy Group, 213
- histograms, 250–51
- hub measure, 263, 269

I

- implementation stage (agent-based model), 210–11
- in-degree measure, 45, 263, 267
- influence. *see* power and influence
- informational relationships, 57–58
- interval scale of measurement, 62–63

K

- k-means technique, 238

L

- least squares criterion, 238
- legend command, 197
- line networks, 69, 71
- link analysis node (SAS Enterprise Miner)
 - about, 242–43
 - calculating network measures, 246–47
 - defining nodes and links, 243–46
 - macros supported, 229, 241
 - output from, 252
 - procedures supporting, 123–25
 - result analysis, 250–53
 - training methods provided, 243
- links
 - analyses approach, 16–18
 - boundary specification, 7–9, 49
 - data considerations, 43
 - defined, 4, 243
 - defining role of, 6–7
 - defining via link analysis node, 243–46
 - directed/undirected, 19, 36–37
 - examples of, 5–6
 - graph theory and, 18–19
 - identifying in networks, 48–50
 - link-analysis procedures, 123–25
 - OPTGRAPH support, 264
 - relationships and, 53–54

- links (*Continued*)
 - simple/multiple relations, 37–38
 - Small World Problem, 10–12
- log information, 251–52
- M**
- %maclabel macro, 197
- macros. *see* specific macros
- macro variables, 250
- Marin, Alexandra, 4–5
- material relationships, 57–58
- matrix data, 243, 247
- mavens, xiv–xv
- MDS procedure, 161, 178, 235–37
- MEANS procedure, 128
- measurement. *see also* centrality
 - measures
 - of association, 228–29
 - authority, 263, 269
 - by betweenness centrality, 78–79
 - binary, 59
 - by closeness centrality, 75–76
 - cluster coefficient, 263, 269–70
 - by customer-influence-factor, 122, 126–36
 - by degree of centrality, 70–75, 125–26
 - eigenvector metric, 76–78, 267
 - hub, 263, 269
 - in-degree, 45, 263, 267
 - interval scales of, 62–63
 - levels for relationships, 34–36
 - link analysis procedures, 123–25, 246–50
 - nominal, 60–61
 - ordinal, 61–62
 - out-degree, 263, 267
 - pagerank, 263, 269
 - of power and influence, 65–81
 - by social-network-analysis, 122–26
- Milgram, Stanley, 10–12
- MODECLUS procedure, 162, 234, 238–39
- modeling approaches. *see* specific modeling approaches
- multidimensional scaling, 47, 235–37
- multiple relations, 37–38, 56–58
- N**
- network analysis. *see* social network analysis (SNA)
- network members, defined, 4
- network structures, 15–16, 257–58
- nodes
 - analyses approach, 16–18
 - boundary specification, 7–9, 49
 - correlating within network, 52–58
 - data considerations, 43
 - defined, 4, 243
 - defining role of, 6–7
 - defining via link analysis node, 243–46
 - examples of, 5–6
 - identifying in networks, 48–50
 - OPTGRAPH support, 264
 - simple/multiple relations, 37–38
 - Small World Problem, 10–12
- nominal scale of measurement, 60–61
- NV Workshop tool, 256–58
- O**
- OLAP (On-Line Analytical Processing), 242
- OPTGRAPH program
 - about, 263–64
 - bi-connected components, 265–66
 - connected components, 265
 - network measures, 267–70
 - recognizing groups within social networks, 264–67
- optimization models, 134–35
- ordinal scale of measurement, 61–62
- out-degree measure, 263, 267
- P**
- pagerank measure, 263, 269
- %plotit macro, 162
- position
 - boundary specification based on, 7–8
 - multiple relations and, 57
- power and influence. *see also* customer-influence-factor modeling
 - defined, 65–66
 - degrees of separation and, 12–15
 - eigenvector metric, 76–78
 - measuring by betweenness centrality, 78–79
 - measuring by closeness centrality, 75–76

- measuring by degree of
 - centrality, 70–75
 - in telecommunications market, 88–89, 96–97, 99
 - types of networks, 67–70
 - predictive modeling
 - agent-based modeling and, 210–11
 - based on artificial neural networks, 92–94
 - combined modeling approach, 94–104
 - influence factor based on events, 133
 - %_prefix macro
 - about, 126, 241
 - requirements for, 229
 - product and service considerations, 206–14
- R**
- raw data, 243–44
 - %_rawlinks macro
 - about, 125, 241
 - requirements for, 229
 - %_rawmerge macro
 - about, 125, 241
 - requirements for, 229
 - %_rawnodes macro
 - about, 124–25, 241
 - requirements for, 229
 - %_rawstats macro
 - about, 125, 241
 - requirements for, 229
 - relationships
 - agent-based modeling and, 208
 - analyzing with graphs, 33–34
 - binary measures of, 59
 - boundary specification based on, 7–9, 50–51
 - cycles of stages for agents, 210–11
 - establishing values based on, 88
 - graphing, 31–33
 - grouping based on similarities, 233–39
 - informational, 57–58
 - interval measures of, 62–63
 - levels of measurement, 34–36
 - links and, 53–54
 - material, 57–58
 - multiple, 37–38, 56–58
 - nominal measures of, 60–61
 - ordinal measures of, 61–62
 - simple, 37–38
 - social-network-analysis modeling and, 122
 - studying effects of, 14
 - telecommunications market and, 90–92, 111
 - result analysis, 250–53, 255
 - roster, defined, 12
- S**
- sampling, identifying nodes/links, 48–49
 - SAS Enterprise Guide
 - data preparation and, 120–21
 - link analysis node, 229
 - SAS Enterprise Miner. *see* link analysis node (SAS Enterprise Miner)
 - SAS Network Visualization Workshop tool
 - about, 256–57
 - network graphs, 257–58
 - second-order centrality
 - customer-influence-factor modeling and, 109–15, 128–29
 - link analysis node and, 248
 - OPTGRAPH support, 263, 268
 - weighting, 248–49
 - SEMMA methodology
 - data extraction process, 116
 - data mining process, 242
 - data preparation process, 120
 - separation, degrees of
 - influential behavior and, 12–15
 - Small World Problem, 10–12
 - Seven Bridges of Königsberg problem, 19–21
 - Simmel, Georg, 13–14
 - Small World Problem, 10–12
 - social network analysis (SNA)
 - approaches for, 16–18
 - artificial neural networks comparison, 102
 - chain process using events, 178–87
 - computing measures, 122–26
 - customers based on similarity, 157–63
 - data considerations, 42–48
 - data extraction process, 116–19
 - data preparation process, 120–22
 - egocentric networks, 54–56

social network analysis (SNA)

(Continued)

- evolution of, 3–10
- graph theory and, 18–22, 29–34
- on influential behavior, 12–15
- modality and levels of, 50–52
- multiple relations, 56–58
- Small World Problem, 10–12
- statistics and, 22–24
- on structures, 15–16
- types of networks, 67–70
- visualization tools, 155–57
- social networks
 - analysis approaches, 16–18
 - composition of, 5
 - correlating nodes within, 52–58
 - egocentric, 54–56
 - identifying nodes/links, 48–50
 - measure of power and influence, 67–69
 - multiple relations, 56–58
 - recognizing groups within, 264–67
 - structure of, 15–16
 - in telecommunications environment, 5, 90–92
 - types of, 67–70
- social relationships. *see* relationships
- SORT procedure, 123, 223–26
- SQL procedure
 - establishing average revenue, 148–49
 - evaluating customer information, 145–48
 - extracting customer information, 118–19, 144–45, 150–54
 - selecting based on influence factor, 126–27, 158–59
- star networks, 68, 70
- statistical analysis
 - data considerations, 44–46
 - descriptive analysis, 223–32
 - grouping based on similarities, 233–39
 - social network analysis and, 22–24
- Structured Query Language (SQL). *see* SQL procedure
- structures, network, 15–16, 257–58

T

- target persons, 12
- telecommunications environment
 - action plan for, 97–100
 - challenges in, 86–90
 - combined modeling approach, 94–97, 101–4
 - competition in, 89–90, 95, 97–98
 - future considerations, 214–17
 - products and service choice, 206–14
 - social networks in, 5, 90–92
 - traditional predictive models, 92–94
- Teradata technology, 119
- transactional data, 243–46
- transmission structure, 15
- TRANSPPOSE procedure, 160
- Travers, Jeffrey, 11–12

U

- undirected links
 - about, 18–19
 - in graphs, 36–37
- univariate analysis, 230–32
- UNIVARIATE procedure, 230–32

V

- variables
 - class, 249–50
 - macro, 250
- visualization
 - about, 155–57, 178
 - %ds2const macro, 258–61
 - enhanced data analysis, 194–99
 - geographical data analysis, 199–203
 - importance of, 255–56
 - network graphs, 257–58
 - NV Workshop tool, 256–58

W

- weighting centrality measures, 248–49, 263
- Wellman, Barry, 4–5
- What-If approach, 206
- word-of-mouth referrals, 213–14