

Index

A

- Absolute return, 51
- Accumulated average volume (AAV), 42
- Accumulated volume (AV), 42
- Advanced trading methods
 - anticipation of trading position, 303–304
 - ATM Trade Velocity, 305
 - emotion control, 306
 - entries, 295–299
 - exits, difficulty with, 306–307
 - futures market example, 307–308
 - Goldman Sachs example, 309–310
 - opportunity background, 288–294
 - progression to, 283–287
 - risk management, time as part of, 304–305
 - tools for, 310–311
 - trade location, 301–302
 - trading by gut feeling, 287–288
 - trading examples, 307–310
 - trading with the odds, 299–300
 - trend, fighting with, 300–301
 - volatility, adjustment to, 302–303
- Alcoa, Inc., bullish and bearish RSI
 - Divergence and multiple overbought and oversold levels, 22
- American Express
 - optimized seasonal cycle, 91
 - standard seasonal cycle, 90
- Analysis combinations, 57
- Anticipation of trading position, 303–304
- Apple, 125
- Arithmetic chart, 10
- Arithmetic vs. log scale charts, 9
- Asset allocation, 51
- Asset allocation choice, 53, 297
- Asset allocation decision tree, 56
- ATM Add On Alert, 291, 297, 301
- ATM Divergence Alert, 291
- ATM Diversion Alert, 298–299
- ATM Elliott Wave, 294
- ATM Exhaustion Alert, 291, 297–298, 298, 301, 307
- ATM Exhaustion Divergence, 299
- ATM First Alert, 296, 296
- ATM FT (Fast Trigger), 289, 295, 304
- ATM Pullback Alert, 291, 297, 298, 301
- ATM ST (Slow Trigger), 289, 295
- ATM ST (Slow Trigger) Alert, 292

- ATM Targets, 302, 303
ATM Trade Velocity, 304, 305
 applied to the US 10-year future,
 305
 risk/reward myth, 305
ATM Trend, 302
ATM Trend Bars, 288, 289, 290,
 293, 293, 300, 307
ATM Trend Lines, 288, 289, 291,
 293, 300, 307
ATM Trigger, 289–293, 292
ATM Trigger FT, 303–304
ATM Trigger Line-TSB, 300
ATM Trigger Line-TSB line,
 307
ATM Trigger TSB (Trend Strength
 Bar) line, 288, 289
 summary of signals from, 291
ATM Trigger-FT Line, 299, 300
ATM TSB, 301
ATM X Alert, 295, 296
ATM X Signal, 291–292, 295
Auction Market Theory, 217
Automated strategy trading vs.
 discretionary trading,
 221–222
Average directional movement
 (ADX), 15, 31
Average net heat, 101
Average net seasonal heat, 103
- B**
Balance vs. imbalance, 222–224
Balanced markets, 222, 275
Bandwidth, 26
Bar charts, 6, 11
Base line, 31
Bearish cross, 36
Bearish divergence, 29
Bearish engulfing pattern, 29, 37,
 40
Beta, 101
 described, 119
 as important filter, 119
Bias, 97, 111
 for intraday trades, 127
Bias determination, 101, 111–112
Bias indicators, 101, 112
 DMA channel as, 113
 ENS as, 138
 Erlanger Nantucket Sleighride
 (ENS) as, 138
 Erlanger Rate-of-Change
 (EROC) as, 135, 135, 151
 EROC as, 135, 151
Big B, 119, 121
Big-picture bias, 115
 DMA channel as, 114
Dow Industrials component
 issues: all Dow stocks versus
 high beta Dow stocks (from
 2000 to November 5, 2010),
 123
Dow Industrials component
 issues (from 2000 to
 November 5, 2010),
 118–119
Dow Industrials component
 issues with beta of 1 or higher
 (from 2000 to November 5,
 2010), 122
 performance metrics for major
 indices (from 2000 to
 November 5, 2010), 116
Bloomberg Professional Service, 1,
 5, 10, 18, 27
Bloomberg system, 105
Bloomberg terminals, 75

- Bollinger Bands (BOLL), 25–27,
188
generally accepted rules for, 44
Microsoft Corporation, 28
preference for, 15
- Breakout higher, reversal to balance
area and then breakout below
with retest of lower balance
extreme, 271
- Breakouts, 129
- Brinson, Hood and Beebower
(1986), 51
- Bullish divergence, 20, 29
- Buy triggers, 136, 152
- C**
- Calculable, 174
- Candle charts, 6
- Candle pattern analysis, 31
- Candlestick Charting, 283,
286–287
- Chart type preferences, 13
from 2005 to 2010, 12
of each region, 13
historical and intraday, 12
- Chart types
defined, 5–10
line, bar, and candle, 7
popularity evidence, 10–14
- Charting packages, live, 155, 156
- Chicago Board of Trade (CBOT),
283–284
- Chicago Tribune*, 51
- Cloud, 31, 33, 36
- Cognitive biases, 219
- Color code system, 206, 289
- Comparative relative strength,
51–64
- Computing evolution, 155
- Confirmation, 19
- Confirmed entries, 203, 205–206
- Conservative entries, 203, 204–205
- Conservative methodology, 206
- Convergence, 177
- Conversion line, 31
- Correction state, 143
- Correlation statistics, 87
- Cotton Daily Continuation
bullish divergence on stochastic
and momentum, 181
- DevStops, 170
- KasePO PeakOur Signals vs.
Stochastic OBOS, 191
- KaseRevAmounts to assess risk,
174
- KaseSwing entries with swings as
stops, 168
- Crude Oil, CLF08 daily
KaseSwing 1 with and without
inside bar logic, 164
- KaseSwing 12 and 3 and
superficial wave count, 160
- KaseSwing with Fibonacci price
projections, 162
- Crude Oil, CLK10 30-Min
KaseSwing 3 with “extreme” rule,
165
- KaseSwing to enter and exit
trades, 167
- Crude Oil Continuation
filtering with weekly stochastic,
200
- Kase Permission stochastic and
screen, 202
- Kase vs. Traditional Indicators,
196
- Crude Oil Distribution of TRD,
173

- Current and divergence
 comparison, 178–180
- CVX Daily
 KEES and KaseSwing for entry signals, 208
 KEES and StatWare, 210
 stochastic entry and filtering system, 205
- Cycle lengths, 189
- Cycle-R, 86, 89
- Cycle-R screening, 103–104
- Cycles as strategy, 94–101
- D**
- Daily DMA (displaced moving average) channel signals
 in the direction of seasonal zones for the Dow 30 stocks during 2010, 98–99
 in the direction of seasonal zones for the Dow 30 stocks with valid Cycle-R and beta of 1 or more during 2010, 102, 103
 in the direction of seasonal zones for the Dow 30 stocks with valid Cycle-R during 2010, 100
 for the Dow 30 stocks during 2010, 96–97
- Daily DMA (displaced moving average) triggers, GE during negative bias period, January 31, 2008 to September 30, 2009, 124–125
- Daily S&P 500 Index, 194
- De Kempnaer, Julius, 23
- Defaults long or short, 169
- Demand imbalance, 241
- DeMark, Tom, 287, 311
- DeMark Indicators, 283, 287
- DevStop Hit-Hit Table, 175
- Dewey, Edward R., 86
- Directional movement index (DMI), 15
- Directional movement indicator (DMI), 29–31, 32
 generally accepted rules for, 44
 preference for, 15
- Disciplined strategies
 bias determination, 111–112
 position monitoring, 112–113
 setup identification, 112
 trigger use, 112
- Discretionary trading vs. automated strategy trading, 221–222
- Displaced moving average channel, 113–126
- Divergence, 20, 177
- Divergence bias, 20
- DMA (displaced moving average) Channel. *See also* Daily DMA (displaced moving average) Channel Signals; Monthly DMA (displaced moving average) Channel
 as bias indicator, 113
 as big-picture bias, 114
 indicator, 116
 as price trigger action, 97, 99
 as setup measure, 122
 slope of, 125
 as trigger after a seasonal setup, 95
 as trigger indicator, 113
- Doji, long legged, 29
- Doji candles, 29
- Double Fibonacci indicator, 206
- Dow 30 Industrial Stocks
 DMA Channel Factors, 147
 Erlanger Value Line Factors, 148

- Erlanger Value Line Factors
 during trading session, 149
tracking a combination of
 Erlanger Studies, 153
tracking the Erlanger Nantucket
 Sleighride signals, 151
tracking the EROC Trigger and
 Setup signals, 152
tracking the opening ranges,
 150
- Dow Industrials component issues
 “Big B,” 120–121
- Downtrend advice, 219
- Downtrend market segments, 226
- Downtrend state, 143
- DuPont, 107
- E**
- Early stage balance trades, 274–275
- Early stage horizontal development,
 259
- Early stage vertical development,
 259
- Early stage vertical development
trades, 273–274
- Early warning signal, 60, 62
- Efficient price development, 240
- Elliott, Ralph Nelson, 157
- Elliott waves, 293–294. *See also*
 ATM Elliott Wave
- Elliott waves vs. swing, 157
- EMA (exponential moving
 average). *See* exponential
 moving average (EMA)
- Emotion control, 306
- Ending-phase clues, 227
- ENS (Erlanger Nantucket
 Sleighride). *See* Erlanger
 Nantucket Sleighride (ENS)
- Entering trades, 201–206
- Entries
- ATM Add On Alert, 297
- ATM Diversion Alert, 298–299
- ATM Exhaustion Alert, 297–298
- ATM First Alert, 296
- ATM Pullback Alert, 297
- ATM X Alert, 295
- Entry signals, 295
- Equal TrueRange Bar Chart,
 211–215
- Erlanger Chart Room program, 89,
 94, 145
- Erlanger Crossover (EC)
 and crossover spread, 138–140
 with signal line, 139
- Erlanger Crossover (EC)
 momentum, 140
- Erlanger Crossover (EC) spread,
 140
- Erlanger Nantucket Sleighride
 (ENS), 136–138
 as bias indicator, 138
 highlights trend, 137
 setups and triggers on an
 intraday basis, 138
- Erlanger Option rank, 145
- Erlanger Option ratios, 143
- Erlanger Options patterns, 144
- Erlanger Put/Call Ratio, 141–145,
 143–145
- Erlanger Rate-of-Change (EROC),
 133–136
 as bias indicator, 135, 135, 151
 on five-minute basis, 136
 meaty trends, 135
 negative divergences, 134
- Erlanger Seasonally Strong Ideas
 Report, 105, 109
- Erlanger Seasonally Weak Ideas
 Report, 105, 110

- Erlanger Studies
disciplined strategies, 111–113
Erlanger Crossover (EC) and
Crossover Spread, 138–140
Erlanger Nantucket Sleighride,
136–138
Erlanger Put/Call Ratio,
141–145
Erlanger Rate-of-Change,
133–136
Erlanger Studies Volume Swing
(EVS), 140–141
Erlanger Trend Direction (ETD),
143–145, 145
Erlanger Value Lines (EVL),
126–133, 127
monitoring, 145–153
and seasonability, 85–153
squeeze play, 108–153
study descriptions, 113–133
Erlanger Studies Volume Swing
(EVS), 140–141
Erlanger Tech Ranks, 106, 107
Erlanger Trend Direction (ETD),
143–145, 145
Erlanger Value Lines (EVL),
126–133, 127
Erlanger Volume Swing, 142
Erlanger Volume Swing index, 141
EROC (Erlanger Rate-of-Change).
See Erlanger Rate-of-Change
(EROC)
Euro STOXX 50 Index with RS
Line against Bund Future, 55
European retail sector
with JdK RS-Ratio and JdK
RS-Momentum lines versus
STOXX index, 69
with JdK RS-Ratio line versus
STOXX index, 67
with JdK RS-Ratio line versus
STOXX index and
trigger-line, 68
European sectors ranked by JdK
RS-Ratio value, 66
European travel and leisure sector
with RS Line against STOXX
600 index, 64
European utilities sector with RS
line against STOXX 600
index, 64
Exits, 185–186, 306, 306–307
Exogenous data, 87
Exogenous factors, 38
Exponential moving average
(EMA), 15, 23
- F**
Fairly and unfairly priced value
determination, 236
Fast stochastic, 180
Fibonacci extensions, 159
Fibonacci indicator, double,
206
Fibonacci price projections,
KaseSwing with, 162
Fibonacci sequence and phi for
forecasting, 159
First-hour high support and
resistance levels, 131
First-hour low support and
resistance levels, 131
Flash crash day, 130
Flash crash followed move below
support value line, 131
Forecasting
KaseSwing for, 161–168
phi and Fibonacci sequence for,
159
Four steps concept, 235

Fundamental analysis vs. technical analysis, 108
Future price estimation, 161
Futures (magazine), 287
Futures Commission Merchant (FCM), 286
Futures market example, 307–308

G

GOC (ichimoku). *See* ichimoku (GOC)
Goldman Sachs example, 309–310
Goldman Sachs Group, Inc
 daily chart of, 310
 monthly chart of, 309
 weekly chart of, 310
GOOG \$2.58 Kase Bar chart with average TrueRange and RSI, 214
GOOG 30-minute chart with average TrueRange and RSI, 213
Google with weekly DMA channel slope as setups, 126

H

Hammer pattern, 186
Hanging man, 36
Harami star, 180
Heat map format, 247
High and low levels, 180–182
Highest probability single event, 220
High-volume area (HVA), 259
Historical volume at time, 37–42
“History repeats itself” principle, 4, 50
Holding period, 303
Holes, 241, 242, 243, 245, 252, 276

Horizontal development, early stage, 259
Horizontal market segments, 224–225
Horizontal markets, 222
Horizontal vs. vertical markets, 238
Human factors, 220

I

IBM, 108
Ichimoku (GOC), 31–36
 generally accepted rules for, 44–45
 indicator on Japanese yen, 34
 preference for, 15
Imbalance vs. balance, 222–224
Imbalanced markets, 222, 275
Indicators. *See also* technical indicators
 bias indicators, 101, 112, 113, 135, 135, 138, 151
 complex chart of S&P 500 Index with, 54
 DeMark indicators, 283, 287
 directional movement indicator (DMI), 15, 29–31, 32, 44
 DMA channel as, 113, 116
 on Japanese yen, 34
 JdK RS-Momentum indicator, 68–69, 71
 Kase indicators, 156, 192
 Kase momentum indicators, 157
 Kase vs. traditional, 196
 momentum indicators, 19, 133, 141, 157, 177
 monitoring indicators, 113
 most preferred, 15
 regional indicator preferences, 16
 rule of thumb for, 23

Indicators (*Continued*)

rules for popular indicators, 44–45
setup indicators, 94, 99, 122
shorter-period rate-of-change indicators, 133, 134
TAS PRO Indicator Suite, 225, 246
trend direction indicators, 144
trend exhaustion indicators, 306
trigger indicators, 97, 113
triggers as, 112
velocity indicators, 185
Inefficient price, 241
Information, rules-based, 222
Inside bars, 163
Intraday chart, 10
Intraday price action, 126
Intraday trades, bias for, 127
Intraday volume at time, 42–43
Inverted V-pivots, 239

J

JdK RS-Momentum, 72, 73
JdK RS-Momentum indicator, 68–69, 71
JdK RS-Ratio, 71, 72, 73

K

Kase, Cynthia, 29
Kase Bar Chart, 209–211
Kase DevStops, 166, 169–177
 calculable, 174
 defaults long or short, 169
 as forecasting tool, 176
 predictability of, 172–175
 scaling, 177
 slew, 172
 “stopped out” probability, 175–177
 trailing signs, 169

 variability, 171–172
 volatility, 169, 171
Kase Easy Entry System
 about, 206–209
 confirmed entries, 203, 205–206
 conservative entries, 203, 204–205
 entering trades, 201–206
 long-only portfolio management with, 211
 multiple basic signals, 201, 204
 traditional entry use, 203–204
Kase indicators, 156, 192
Kase Momentum Divergence Algorithm (KaseMDA), 177–182
 current and divergence comparison, 178–180
 difference between peaks, 185
 for exits, 185–186
 high and low, 180–182
 momentum peak filtering, 183–185
 null divergence, 183
 overbought/oversold (OBOS) signals, 186–188
 tolerance and plateaus, 182–183
Kase momentum indicators, 157
Kase PeakOscillator (Kase PO), 189–190
Kase PeakOscillator (Kase PO) and KaseCD
 studies, 189
 trendline measurement, 188
 variable cycle lengths, 189
Kase PeakOscillator (Kase PO) and KaseCD benefits
 OBOS signal usability, 192
 peaks, display of, 190–191
 peaks, precision of, 189–190

- performance of, 192–195
 - signal size, 193
 - turns capture, 193–195
 - turns prediction, 195–199
 - Kase Permission Stochastic, 206
 - Kase Permission Stochastic and Screen, 199–201
 - Kase Serial Dependency Index (KSDI), 188
 - Kase Stabilized Stochastic, 206
 - Kase StatWare, 156
 - Kase StatWare and Studies
 - about, 155–157
 - equal TrueRange bar chart, 211–215
 - introduction to, 157–168
 - Kase Bar chart, 209–211
 - Kase DevStops, 169–177
 - Kase Easy Entry System, 201–209
 - Kase Momentum Divergence Algorithm (KaseMDA), 177–188
 - Kase PeakOscillator and KaseCD, 188–189
 - Kase PeakOscillator (Kase PO) and KaseCD benefits, 189–199
 - Kase Permission Stochastic and Screen, 199–201
 - KaseSwing for forecasting, 161–168
 - phi and Fibonacci sequence for forecasting, 159
 - trading with, 209–211
 - summary, 215
 - Kase StatWare Candlesticks, 180
 - KaseCD, 189–190
 - KaseRevAmounts, 174
 - KaseSwing for forecasting, 161–168
 - KaseSwing One, 158
 - KaseSwing Two, 158
 - KCDpeaks, 190
 - KSDI down, 189
 - KSDI up, 189
- L**
- Lagging line, 31, 33
 - Leading span 1, 31, 33
 - Leading span 2, 31, 33
 - Line chart, 6
 - Liquidity constraints, 224
 - Log scale charts vs. arithmetic, 9
 - Logarithmic (log) chart, 7, 10
 - Long stops, 169
 - Long zones, 91
 - Long-legged doji, 36
 - Long-only portfolio management, 211
 - Look-back period, 58, 88
- M**
- MACD (moving average convergence divergence). *See* Moving average convergence/divergence (MACD)
 - Market action, 2, 3
 - Market activity
 - distinguishing phases, 222–224
 - Four Steps of, 235
 - phases of, 223
 - Market building-block
 - components, 239–240
 - Market components, 228
 - Market development phases, 258
 - Market gaps, 212
 - Market movement, 218, 234–236
 - Market participants, 228–231, 229
 - Market phases, 218
 - Market Profile, 217, 231, 243, 246, 283, 287

- Market Profile graphics, evolution
of, 233
- Market Profile simplification,
245–247
- Market Profile tool, 231–234
- Market Profile trading concept, 286
- Market segments
downtrend, 226
horizontal, 224–225
relative balance and imbalance,
226–228
uptrend, 225–226
- Market structure, 236–238
- Market volatility, 26
- Market Wizard* (book series), 286
- Markets moves
horizontally through time or
vertically through price, 223
slow-to-fast and fast-to-slow, 244
- Markets trade fast through holes
between areas of horizontal
development, 242
- Mather, Tim, 286, 287
- Matrix of relationships to be
analyzed, 56
- Mature balance area, 258
- Mature balance trade, 271–273
- Mature vertical development, 262
- Mean reversion trade, 26
- “Minus development,” 240–245
- Momentum
deterioration of, 67
improvement of, 68
- Momentum comparison, 178–180
- Momentum divergence, 177, 178
- Momentum divergence signal, 192
- Momentum histogram, 255
- Momentum indicators, 19, 133,
141, 157, 177
- Momentum loss, 62
- Momentum peak filtering,
183–185
- Momentum study, 27, 178
- Money management rule, 305
- Monitoring, 97, 145–153
- Monitoring indicators, 113
- Monitoring positions, 113
- Monthly DMA (displaced moving
average) Channel
as the big-picture bias, 114
General Electric, 116
performance metrics for, 115,
117
WorldCom, 117
- Monthly DMA (displaced moving
average) channel signals, in the
direction of seasonal zones,
103
- Morning star pattern, 186
- Most aggressive part of cycle,
91–92
- Most popular technical indicators,
1–48
- Moving average
convergence/divergence
(MACD), 15, 21–25, 60
Boeing Company, 24
generally accepted rules for, 44
histogram, 186
preference for, 15
- Moving average crossovers, 169
- Moving averages on RS graphs, 58
- “Moving with biases” trades, 114
- Multiple basic signals, 201, 204
- N**
- Natural Gas, NGN10 Daily,
KasePO vs. RSI, 197
- Natural Gas, NGQ04, 184
- Negative bias, 127

- Negative bias with test of Pivot
Value Line, 130
- Neutral trend, 60
- New Concepts in Technical Analysis*
(Wilder), 216
- Nison, Steve, 286
- Nontrending markets, 224, 225
- Null divergence, 183
- O**
- OBOS signal usability, 192
- Opening range as bias
first-hour, 132
five-minute, 131
- Opening range tactics, 126
- Opening ranges, 131, 132, 132,
133, 149
- Opportunity background
about, 288
ATM Elliott wave, 294
ATM trend bars, 289, 293
ATM trend lines, 289, 293
ATM trigger, 289–293
Elliott waves, 293–294
- Optimizing for greater validity,
88–91
- Oscillators. *See* momentum
indicators
- Overall trend, 39
- Overbought markets, 25
- Overbought/oversold (OBOS) bias,
20
- Overbought/oversold (OBOS)
signals, 186–188
- Oversold markets, 25
- Overweighted positions, 77, 79
- P**
- Pair-trades, 78
- Peak filtering, 183
- Peaks
difference between, 185
display, 190–191
precision, 189–190
- Perceived value, 236
- Perceptual blindness, 219, 220
- Performance, 192–195
- Performance evaluation, 70–71
- Performance metrics for monthly
DMA Channel
on General Electric since 2000,
117
on S&P 500 since 2000, 115
- Performance of seasonality strategy
steps for the Dow 30 Stocks
during 2010, 104
- Phi and Fibonacci sequence for
forecasting, 159
- Phil Erlanger Research*, 86, 108
- Pivot levels, 130
- Pivot lines, 126
- “Planned Economy or Planned
Destruction?” (*Chicago
Tribune* Cartoon), 52
- Point of control (POC), 234, 259
- Point of control (POC) lines, 267
- Pork bellies, PBG04 with
momentum comparisons, 179
- Position monitoring, 112–113
- Positive bias, 113
- Positive recovery action, 128
- Predictability, 172–175
- Price action and sentiment, 111
- Price and volume scenarios, 38
- Price move in trends (principle), 4
- Price pivots, 226
- Price trigger action, DMA channel
as, 97, 99
- Probe and pullback, 267, 269, 273,
274

Profiles (graphical format), 231
Profiling format, 232
Progression to advanced trading
methods, 283–287

Q

Quote sheets, 153

R

Rally state, 143
Real data, 212
Real risk, 212
Regional chart type preference vs.
world preference, 14
Regional indicator preferences
vs. all indicator preferences, 16
compared to total indicator
preference, 16
Relative balance and relative
imbalance, 226–228, 227
Relative performance, 59
Relative return, 51
Relative Rotation Graphs (RRGs),
74, 75–82
of 10 economic sectors (GICS
Level I) of S&P 500 Index,
75
asset classes against cash index,
82
of energy and utilities with a
17-week trail, 78
of financials and telecom services
with a 14-week trail, 80
of S&P Energy Sector on daily
basis showing rotation in
positive territory, 76
type of analysis and idea
generation, 81
use of, 83

Relative strength index (RSI),
19–21, 53, 185
application of, 83
generally accepted rules for, 44
indicator use in terms of, 18
vs. Natural Gas, NGN10 Daily,
KasePO, 197
preference for, 15
in trending market, 20
Relative strength (RS), 53, 54
Relative strength (RS) graphs, 58
Relative strength (RS) lines, 55
bar charts of energy and utilities
with, 79
bar charts of financials and
telecom services with, 81
Resistance lines, 126
Resistance Value Line, 128, 129
Return per trade, 97, 99, 101
Reversal and retest, 267, 269, 273,
274
Reward-to-risk considerations,
275
Reward-to-risk measurement,
255
Reward-to-risk ratio, 281
Risk, volume vs. time, 174
Risk management, time as part of,
304–305
Risk/reward myth, 305
RRGs (Relative Rotation Graphs).
See Relative Rotation Graphs
(RRGs)
RSI (relative strength index). *See*
relative strength (RS)
RS-MACD diagram, 62
RS-Ratio line, 71
Rules for popular indicators, 44–45
Rules-based trading, 221–222

- Rules-based trading and market analysis
about, 217–218
automated strategy trading vs. discretionary trading, 221–222
balance vs. imbalance, 222–224
conclusion, 280–282
market activity, distinguishing phases of, 222–224
market building-block components, 239–240
market movement, 234–236
market participants, 228–231
market profile simplification, 245–247
market profile tool, 231–234
market segments, 224–228
market structure, 236–238
“minus development,” 240–245
rules-based trading, 221–222
with simplified market profile, 269
TAS PRO Dynamic VAP, 249–251
TAS PRO Dynamic VAP applications, 252
TAS PRO Dynamic VAP, refining market analysis and trading using, 265–267
TAS PRO Navigator, 253
TAS PRO Navigator application examples, 257–280
TAS PRO Navigator applications, 253–255
TAS PRO Navigator rules-based trading and analysis, 255–257
TAS PRO VAP Map, 247–255
TAS PRO VAP Map applications, 249
technical analysis difficulty level, 218–221
trading applications, 275–280
trading plan for trade locations, entries, stops, and targets, 267–275
vertical development, 240–245
- S**
S&P 500 Daily Continuation, 187
S&P 500 Financials Index with RS Line against S&P 500 Index, 58
S&P 500 Index
complex chart of indicators, 54
historical comparison of a line, bar, and candle chart, 8
simple bar chart of, 53
S&P Energy Index with RS Line and RS-MACD against S&P 500 Index, 63
against the S&P 500 Index, 59
against S&P 500 Index, close-up view, 61
Salton, Ed, 306
Scaling, 177
Scatterplot (x,y), 72
Schematic overview of rotation inside the scatter plot, 74
Seasonability
cycles as strategy, 94–101
and Erlanger Studies, 85–153
seasonal data monitoring, 101–108
Seasonal cycles, 85, 87
component years of, 86
defined, 85

- Seasonal cycles (*Continued*)
 optimized vs. standard, 91
 strongest and weakest portion of, 91
 testing for validity of, 86–94, 88
Seasonal data monitoring, 101–108
Seasonal heat, 93, 93
Seasonality as setup indicator, 94
Seasonality strategy statistics
 for Dow 30 stocks in alphabetical order, 105
 for Dow 30 stocks sorted by average net seasonal heat, 106
Sector tails, 75
Sector-rotation, 74
Sell short trigger, 152
Semiautomation, 157
Sentiment and price action, 111
Setup identification, 112
Setup indicators, 94, 99, 122
Setup situations, 94, 112
Setup strategies, 134, 141
Setups, 97
Short selling intensity ranks, 106, 107
Short zones, 91
Shorter-period rate-of-change indicators, 133, 134
Sideways, nontrending market segment, 224
Signal confirmation, 199
Signal size, 193
Simple moving average (SMA), 15
Skewed distribution, 172, 175
Slew, 172
Slope histograms, low versus normal, 185
Slow stochastic, 180
SMA (simple moving average), 15
Soybeans, JSM10 Daily KaseCD vs. MACD, 198
Spike in volume, 40
Squeeze play, 108–153
Squeeze play concept, 111
Squeeze play factors, 146
Standard deviation, 172
Standard deviation in Black formula, 188
Starbucks seasonal cycle, 89
Steidlmayer, Pete, 231, 234, 235, 241, 286
Stochastics (TAS), 27–29
 defined, 180
 generally accepted rules for, 44
 preference for, 15
 on S&P 500, 30
Stock price, US GDP, and P/E ratio, line chart, 6
“Stopped out” probability, 175–177
STOXX Sectors, 73
Strengthening yen and the weakening US\$ Lead to a trend change of the popular cross in 2007, 35
Strong and weak seasonal zones, 92
Strong seasonal heat, 93, 94
Study descriptions, 113–133
 displaced moving average channel, 113–126
 Erlanger Value Lines (EVL), 126–133
Supply imbalance, 239, 240, 241
Support and resistance levels
 first-hour high, 131
 first-hour low, 131
Support lines, 126
Support value line, 127, 128, 128, 130, 131, 133

- Swing bars, for wave analysis and forecasting, 161
- Swing settings, 158, 159
- Swing stops, variability of, 166
- Swings
 - defined, 157, 163
 - vs. Elliot waves, 157
 - for exits, 166
- T**
- TAS (stochastics). *See* stochastics (TAS)
- TAS PRO Dynamic VAP, 249–251
 - applications, 252
 - on daily US 10-year T-Note futures, 251
 - features of, 250
 - on multiple time frames, 266, 268
 - and Navigator on daily chart of Intel Corp suggesting that a range-bound market is developing, 264
 - refining market analysis and trading using, 265–267
- TAS PRO Indicator Suite, 225, 246
- TAS PRO Navigator, 253
 - application example, 257–280
 - applications, 253–255
 - color coding orients traders to rules-based trading, 256
 - on daily chart of silver (SLV) identifying bearish divergence, 263
 - on daily copper illuminating directional bias and momentum indications, 255
 - on daily US 10-year T-Note futures, 254
 - and Dynamic VAP on intraday NASDAQ E-Mini Futures, 258
 - rules-based trading and analysis, 255–257
 - on weekly S&P 500 E-Mini Futures counter trend strategy, 257
- TAS PRO VAP Map, 247–255
 - applications, 249
 - on crude oil reversing breakout higher by testing lower extreme and HVN and then breaking to the downside, 272
 - on daily chart of US bonds highlights a strong breakaway from point of control, 261
 - on daily gold chart, 260
 - features of, 247, 249
 - on Russell E-Mini breaking away from and pulling back to balance area, 270
 - and TAS PRO Dynamic VAP illustrating hole in profile, 277
 - and TAS PRO Dynamic VAP on daily chart of E-Mini, 279
 - Volume-At-Price distribution areas and “holes,” 248
- Technical analysis
 - defined, 2–5
 - definition of, 3
 - difficulty level, 218–221
 - vs. fundamental analysis, 108
 - methods/theories used in the application of, 5
 - principles of, 3–4, 4
- Technical indicators
 - application of, 18–19
 - Bollinger Bands, 25–27

- Technical indicators (*Continued*)
 chart types, defined, 5–10
 chart types, popularity evidence, 10–14
 conclusion, 45–48
 development of, 155
 directional movement indicator (DMI), 29–31
 generally accepted rules for
 popular indicators, 44–45
 ichimoku, 31–36
 most popular, 1–48
 moving average
 convergence/divergence (MACD), 21–25
 objectives of, 15
 popularity adjusted for user growth, 17
 popularity evidence, 14–18
 relative strength indicator (RSI), 19–21
 stochastics (TAS), 27–29
 technical analysis, defined, 2–5
 technical indicators, popularity evidence, 14–18
 types of, 15
 usage growth, 17
 volume at time (VAT), 36–43
Testing for consistent cycle, 92–94
Testing for validity of seasonal cycle
 about, 86–87
 most aggressive part of cycle, 91–92
 optimizing for greater validity, 88–91
 testing for consistent cycle, 92–94
Thin seasonal cycle, 87
“This time is different” belief, 50–51
Time frame for trading, 302
Time Price Opportunities (TPO), 232
Time-sensitive average, 42
Tolerance and plateaus, 182–183
Tools for advanced trading
 methods, 310–311
Tracking Options Ratios, 141
Trade location, 300
 about, 301
 ATM Targets, 302
Trading, 209–211
 examples of, 307–310
 by gut feeling, 287–288
 obstacles for humans vs.
 automated trading, 221
 with the odds, 299–300
 risks and costs of, 218
 time frame selection for, 302
Trading applications, 275–280
Trading plan for trade locations,
 entries, stops, and targets, 267–275
 early stage balance trades, 274–275
 early stage vertical development trades, 273–274
 mature balance trade, 271–273
 reward-to-risk considerations, 275
Trading rules, 280–281
Traditional entry use, 203–204
Trailing signs, 169
Trailing stops, 169, 171
Transcendental numbers, 159
Trend
 determining with DMI, TAS, and VAT combined, 47
 determining with RSI and MACD combined, 46

- fighting with, 300–301
- trades against, 199
- Trend direction indicator, 144
- Trend exhaustion, 300
- Trend exhaustion indicators, 306
- Trend line analysis, arithmetic vs. log scale charts, 9
- Trending study, 29
- Trendline measurement, 188
- Trigger indicators, 97, 113
- Trigger strategies, 134, 138
- Trigger use, 112
- Trigger-line, 67, 68
- Triggers. *See also under* ATM
 - Trigger; DMA (displaced moving average) channel buy triggers, 136, 152
 - as indicators, 112
 - price trigger action, 97, 99
- TrueRange, 188
 - as proxy for volatility, 169
 - and TrueRange Double, 171
- TrueRange Double (TRD), 171, 172
- Turns, large vs. small, 192
- Turns capture, 193–195
- Turns prediction, 195–199
- 2010 R (correlation statistic), 88
- U**
 - Unconstrained liquidity market, 226
 - Underperformers, 71
 - Uptrend
 - advice for, 219
 - defined, 225
 - market segments, 225–226
 - Uptrend state, 143
- US 10-year future
 - daily chart of, 309
 - monthly chart of, 308
- V**
 - Value area, 236, 237
 - Value determination, 236
 - Value Lines
 - clusters and significance, 133
 - recovery with move through pivot line, 129
 - Variability, 171–172
 - Variable cycle lengths, 189
 - VAT (volume at time). *See* volume at time (VAT)
 - Velocity indicator, 185
 - Vertical, downtrending market segment, 226
 - Vertical, uptrending market segment, 225
 - Vertical development, 240–245
 - early stage, 259
 - mature, 262
 - Vertical markets, 222
 - Vertical price movements, 241
 - Volatility, 169, 171
 - adjustment, 302–303
 - linear measure of, 188
 - TrueRange as proxy for, 169
 - Volatility analysis, 217
 - Volume, 217
 - Volume analysis, 20
 - Volume at time (VAT), 15, 36–43
 - historical volume at time, 37–42
 - intraday volume at time, 42–43
 - preference for, 15
 - vs. volume average, 41
 - Volume average vs. volume at time (VAT), intraday chart comparison, 43

Volume confirmation, generally
accepted rules for, 44–45
Volume spikes, Interpreting, 40
V-pivots, 239

W

Warning line stop, 177
Wave analysis and forecasting,
161

Wave count, 161
Waves, 157
Weak seasonal heat, 93
Weekly DMA (displaced moving
average) channel slope as
setups, 126
Wilder, Wells, 216
Williams, Larry, 189
Win/loss ratio, 97, 99, 101

<http://www.pbookshop.com>