



# Index

---

- Adjusted r-squared 401
- Association 320
- Auto-correlation 331
- Auto-regression 453
- Automatic model selection 429
- Average 14
  
- Backwards elimination 430
- Bayes concept 80
- Bayes algorithm 81
- Binary traits 414
- Binomial distribution 122
  
- Coefficient of variation
  - prob dist 115
  - sample 17
- Combining performance measures 41
- Combining normal variables 149
- Comparing normal variables 152
- Conditional probability 61
- Conditional mean 114
- Confidence interval
  - for mean 230
  - for mean difference 247
  - for proportions 279
  - for slope 355
  - for trend mean 370, 405
  
- Correlation 303, 320
  - auto 331
  - meaning 328
  - moving 327
  - ordinary/marginal 334
  - partial 335
  - test 330
- Cumulative distribution function 152
- Cumulative risk profile 177
  
- Data distribution 8
- Data generating mechanism 199
- Data types 5
- Decision trees
  - basic 171
  - multistage 181
- Delayed effects 448
- Dependence 67
  - rules 70-71
- Deseasoning time series 446
- Detection power of test 235
- Difference of proportions 281
- Difference of means 246
- Diagnostic probabilities 64
- Diversification of risk 308

- Dummy variables
  - for seasonality 441
  - for segment 426
  - for yes-no features 415
- Estimated RMSE 354, 393
- Estimating trend mean 370, 405
- Exact methods 286
- Excel
  - BINOMDIST 125
  - CORREL 303, 320
  - COUNTIF 11
  - dragging a formula 12
  - Goalseek 157
  - grouping in pivotables 33
  - INTERCEPT 349
  - NORMDIST 145
  - NORMINV 160
  - NORMSDIST 155
  - Pivotables 31
  - POISSON 133
  - SLOPE 349
  - Solver 309
  - SUMPRODUCT 14, 104, 405
  - VLOOKUP 49, 239
  - \$-symbol 12
- Expected value
  - of perfect information 188
  - of sample information 186
- Fitted values 375
- Forward selection 430
- Feed-through in decision tree 173
- Finite population correction 214
- Goalseek 157
- Growth 295, 439
- Growth nonconstant 443
- Hedging of risk 308
- Hidden variables 325
- Hypothesis testing 226
- Incremental effect in quadratic 424
- Independence 69
- Interactions 463
- Intercept of a line 343
- Interquartile range 16
- Kurtosis 22
- Lagged variables 451
- Law of large numbers 200
- Least squares formulas 348
- Least squares line 346
- Linear relationships 342
- Log-normal distribution 162
- Log returns 297
- Log-transformation 470
- Marginal correlation 334
- Marginal probability 58
- Matched pairs 261
- Mean
  - of binomial 125
  - of negative binomial 130
  - of log-normal 162
  - of Poisson 134
  - of probability distribution 103
  - sample 14
  - weighted 45
- Mean value
  - of perfect information 188
  - of sample information 186
- Median 15
- Mode 15
- Model checking 400
- Model error 357, 393
- Model selection 430
- Moving correlation 327
- Multimodality 22
- Multiple regression 393
  - model assumptions 393
  - model selection 430
- Multiple r-squared 336
- Multistage decision trees 181
- Multivariable relationships 390
- Negative binomial distribution 128
- Normal distribution 142
- Normal limit theorem 208
- One-sided tests 232
- One sample confidence interval 230
- One sample P-value 226
- One sample T-test 226
- Optimum of quadratic 419

- Ordinary returns 295
- Outcome nodes 171
- Outliers 401
  
- Paired T-test 262
- Partial correlation 335
- Percentiles of normal distribution 144
- Perfect information 188
- Pivotables 31
- Poisson distribution 132
- Population mean 212
- Portfolio of two shares 305
- Portfolio variance 306
- Power of test 235
- Prediction error 374, 406
- Prediction intervals 373
- Probability of detection 235
- Probability distribution 98
  - chart 100
- Probability tables 58
- Probability trees 72
- Proportional variation 471
- P-values, one-sample 226, 237
  
- Quadratic optimum 419
- Quadratic regression 421
- Quadratic relationships 417
  
- Regression
  - model selection 430
  - quadratic 421
- Regression model
  - assumptions 351
  - multiple 393
- Residual plots 376, 400
- Residuals
  - raw 375
  - standardized 375, 401
- Returns
  - log 297
  - ordinary 295
  - of portfolio 306
- Risk
  - of investment 298
  - portfolio 306
- Root mean square error 346
  - estimate 354
  
- R-squared
  - adjusted 401
  - multiple 336
  
- Sample information 186
- Sample mean 14
- Sample size required 259
- Sampling without replacement 213
- Seasonal indices and adjustment 445
- Segmenting
  - with dummy variables 425
  - by numeric variable 33
- Sensitivity analysis 179
- Set operations 53
- Sharp ratio 311
- Significance levels 227, 237
- Skewness 21
- Slope
  - of a line 343
  - standard error of 355
- Solver 309
- Stacked data 28
- Standard deviation
  - of binomial 125
  - of negative binomial 130
  - of Poisson 134
  - of portfolio 306
  - of probability distribution 109
  - sample 16
  - tests of 260
- Standard error
  - correlation 246
  - of mean 205
  - of prediction 373, 406
  - of proportion 274
  - of slope 355
  - of trend 371, 405
  - two samples 330
- Standardized residuals 375, 401
- Standard normal distribution 153
- Standardizing data 36
- StatproGo
  - correlation 306
  - dummy variables 426
  - lagged variables 332,451
  - model selection 431
  - multiple regression 395
  - one sample tests 232
  - regression diagnostics 378

- StatproGo (*cont'd*)
  - simple linear regression 356
  - two sample tests 255
  - unstacked data 28
- Stepwise procedure 430
- Terminal nodes 173
- Tipping points 180
- Time series 331, 438, 478
- Treasury bonds, use of in portfolio 312
- T-statistic
  - one sample 224
  - slope 358, 396
  - two sample 247
- Test
  - classical T-test 258
  - correlation 330
  - matched pairs 261
  - one sample T-test 226
  - of proportions 277
  - of slope 358, 396
  - two sample T-test 247
- Two sample confidence interval 247
- Two sample T-test 247
- Two-sided tests 232
- Type 1 error 228
- Type 2 error 228, 235
- Unstacked data 28
- Value
  - of decision option 186
  - of perfect information 188
  - of sample information 186
- Variance 109
- Variation explained 328
- Vertical intercept of a line 343
- Weighted mean 45
- Z-scores 36
- Z-values 154