

Index

- ABS function, 324, 326, 327
- Add Constraint window 12, 32, 36, 52, 215
- Add objective, 12, 32
- Add-ins tab, 10
- Additivity, 21, 23
- Algebraic formulations, 3
- Algebraic models, 2, 4
- Algebraic solutions, 4
- Algebraic solvers, 9, 10
- Algorithms
 - evolutionary solver, 337, 339–346
 - Standard GRG Nonlinear Engine 13, 297, 304–306, 320, 326
 - See also* Nonlinear solver
 - for integer programming, 217, 237–242
 - reliable algorithm, 306, 307, 319, 320, 328
 - simplex algorithm, 383, 385–393
- All-different constraint, 343, 360–361
- Allocation models, 21, 27–36, 39, 40, 154–155, 175, 184, 211, 218
 - investment allocation model, 152–154
 - product mix problem, 35–39
 - sensitivity analysis, 127–135, 138–140, 154–155
- Allocation problem, 29
- Allowable Increase/Decrease columns, 136–144, 148–150, 152, 155, 158
- Alternative optima, 141–144
- Analyst, 7
- Arcs, 72, 86–90, 91–92, 98–99, 102
- Artificial variables, 391
- Assignment models, 77–81
 - in the traveling salesperson problem, 276
- Assignment problem, 77, 80
- Assume Non-Negative option, 13, 32, 54, 75, 344, 353
- Automatic Scaling option, 307
- Auxiliary variables, 324, 326
- Balance equations, 84–85
 - funds flow model, 97
 - general-network models with transformed flow, 98–101
 - network models with, 86–90
- Base case, 7
- Basic feasible solution, 386, 389
- Basic variables, 386, 387–388
- Binary choice, 212
- Binary choice models, 211–237
 - capital budgeting problem, 218, 252–254
 - matching problem, 227
 - playoff scheduling problem, 231
 - set-covering problem, 221–224
 - set-packing problem, 224–227
 - set-partitioning problem, 227–229
- Binary variables, 212–213, 215, 217–237, 251–283
 - and the IF function, 255
- Binding constraints, 28, 35, 76, 77, 79, 186, 313, 315–316
- Blending models, 21, 45–50, 57
- Blending problem, 49
- Bounding, 242
- Branch and bound, 217, 242
- Branching, 239, 242

408 Index

- Canonical equations, 388, 389
- Canonical form, 386, 387, 390
- Capacitated facility location
 - problem, 263–267
- Capacity constraints, 76
- Capital budgeting problem, 218, 252–254
- Case studies
 - allocation problem, 29, 127, 138, 154
 - assignment problem, 77
 - blending problem, 49
 - capacitated facility location
 - problem, 264
 - capital budgeting problem, 218
 - data envelopment analysis (DEA)
 - problem, 176, 178, 190
 - fixed cost problems, 257
 - funds flow problem, 93, 152
 - general-network problem with yield losses, 91
 - general-network problem with yield gains, 93, 152
 - general-network problem with transformed flows, 98, 155
 - group assignment problem, 359
 - integer programming problem, 213, 217, 221, 224, 227, 230, 234
 - linearizing the absolute value
 - problem, 324
 - linearizing the maximum problem, 321
 - machine-sequencing problem, 270, 346
 - matching problem, 227
 - nonlinear programming problem, 300, 302, 307, 310, 315, 317
 - one-variable nonlinear programming
 - problem, 300, 302
 - playoff scheduling problem, 230
 - portfolio optimization problem, 317
 - price, demand and profit problem, 3
 - pricing problem, 313
 - set-covering problem, 221
 - set-packing problem, 224
 - set-partitioning problem, 227, 230
 - staff-scheduling problem, 44, 213
 - transportation problem, 72, 91, 120, 135, 141, 145
 - transshipment problem, 81
 - traveling salesperson problem, 270, 349
 - two-dimensional location problem,
 - 310, 352
 - two-variable nonlinear programming
 - problem, 307, 310
 - yield loss problem, 91
- CEILING function, 337
- Cell Edit function, 56
- Cell Reference box, 12
- Cell references, 12, 14
- Change Constraint window, 36, 56
- Change Objective window, 15
- Chemical compounds, blending models, 53
- CHOOSE function, 338
- Client, 7
- Coffee blending, blending model, 49–53
- College planning, funds flow model, 93–98
- Composite product, blending models, 52
- Computational scheme, 145
- Concave functions, 304–305
- Conservation law, 84–85
- Constraint box, 12
- Constraint constants, 119, 138–141, 148, 154, 360
- Constraints, 2, 16, 26, 39
 - all-different constraint, 348, 351, 360
 - counting, 251, 253, 255
 - disjunctive constraints, 271, 274
 - graphical analysis, 377–383
 - inconsistency in, 53–54
 - inequality constraints, 103
 - infeasible constraints, 53–54
 - linear constraints, 24–28
 - linearizing the maximum, 321
 - linking constraints, 255–260, 260–261, 261–270
 - logical constraints, 251–283
 - lower-bound constraints, 42
 - modeling errors, 53–54
 - nonlinear models with constraints,
 - 312–320
 - for nonlinear programming, 305–307
 - qualitative constraints, 213
 - subtour elimination constraints, 277–282
 - tight (binding) constraints, 28, 35
 - tour and subset constraints, 274–282
 - upper-bound constraints, 42
- Contingency relationship, 213, 253–255
- Convergence message, 15, 301, 326, 328, 343
- Convex feasible region, 305
- Convex functions, 304

- COVAR function, 318
- Covering models, 22, 36–45, 57
- Covering problem, 39
 diet problem, 43
 staff-scheduling problem, 42–47
- Cross-efficiency, 195
- Crossover method, 341–343, 345
- Curve fitting, 307–310, 339
- Cycle time, 354–358
- Data envelopment analysis (DEA), 175–196
 algebraic perspective on, 181–183
 assumptions and limitations of, 193–196
 criticisms of, 194–195
 graphical perspective on, 177–181
 hypothetical comparison units (HCUs), 179, 190–193
 indexing, 188–190
 reference sets, 190–193
 spreadsheet model for, 183–188
- Data Table tool, 119, 129, 135
- Debugging, Linear programming formulations, 52–54
- Decision-making units (DMUs), 175–196
- Decision model, 1
- Decision variables, 3, 4, 8, 11, 13, 23–28, 40
 funds-flow models, 95
 general-network models for transformation processes, 99–100, 102
 initial values, 15, 300, 307
 linear programming model, 21–22, 25, 26, 53, 56
 optimal values of, 28
 set to zero, 55
 special-network models, 84–86
- Degeneracy, 140–144
- Degenerate solution, 141
- Demand, spreadsheet model, 5
- Demand constraints, 74, 76, 79
- Diet problem, 43
- Diminishing marginal returns, 127, 132
- Disjunctive constraints, 270–274
- Disjunctive pair, 272
- Displaying formulas, 52–53
- Divisibility, 21, 23, 55, 86, 211
- Efficiency, 21, 26, 90, 176–187, 193–195
- Efficient frontier, 319
- Elementary row operations, 387–389
- Engine
 Standard LP/Quadratic, 32, 75
 Standard GRG Nonlinear, 13, 297, 304–306, 320, 326
 Standard Evolutionary, 343
- Entering variables, 387, 388–391
- Equal-to (EQ) constraints, 24, 26, 40, 52, 84, 88, 92, 391–392
- Euclidean distance, 311, 352
- Evolutionary solver, 337–361
 features of, 338–339
 group assignment problem, 358–361
 line balancing problem, 354–358
 machine-sequencing problem, 346–349
 nonlinear regressions, 339–346
 traveling salesperson problem, 349–351
 two-dimensional location, 352–354
- Exam-scheduling problem, 227
- Excel
 ABS function, 324, 326, 327
 CEILING function, 337
 Cell Edit function, 56
 CHOOSE function, 338
 COVAR function, 318
 Data Table tool, 119, 120, 135
 FLOOR function, 337
 Formula Auditing tools, 55–56
 IF function, 255, 303, 328, 337
 INDEX function, 187
 INT function, 337
 LOOKUP function, 338
 MAX function, 321–323
 MIN function, 337
 range names, 2, 16
 ROUND function, 337
 Solver. *See* Solver
 SUMIF function, 357
 SUMPRODUCT function, 23, 27
 SUMSQ function, 309
- Facility location model, 262
 capacitated version, 263–267
 uncapacitated version, 267–270
- Fathomed, 240
- Feasibility, 7, 26, 346, 356–357, 391
- Feasible region, 379, 380–382

410 Index

- Feasible solution, 7, 26
- Fitness criterion, 338, 341–343, 345
- Fixed-cost problem, 255–260
- FLOOR function, 337
- Flow
 - conservation law, 72
 - general-network models with
 - transformed flows, 98–102
 - general-network models with expanding flows, 93–98
 - network models, 71–72, 85–90, 91–102
 - transshipment model, 81–85
- Flow diagrams, 71
 - assignment models, 77–81
 - general-network models with expanding flows, 97
 - general-network models with
 - transformed flows, 98–100
 - investment model, 152–154
 - network models, 71–72, 85–90, 94–95, 98–100
 - transportation models, 72–73
 - transshipment model, 82
- Formula Auditing tools, 55–56
- Formulas tab, 55
- From/To structure
 - network models, with balance equations, 86, 90
 - special-network models, 85–86, 90
 - transportation models, 72, 86, 90
- Funds flow model, 93–98, 152–154
- Gap, 297
- Gasoline blends, blending models, 53
- General-network models
 - with transformed flows, 98–103
 - with yield gains, 93–98
 - with yield losses, 91–93
- General network problems, 71, 91–103
- Global optima, 299–306, 310, 312, 321, 326
- Graphical methods
 - generalities, 382
 - linear programming, 377–383
- Greater-than (GT) constraints, 24, 26, 39, 54, 85, 382, 391–392
- GRG algorithm. *See* Standard GRG Nonlinear Engine
- Group assignment, 358–361
- GT constraints. *See*
 - Greater-than constraints
- Heuristic procedure, 338
- Hypothetical comparison units (HCUs), 179–182, 190–193
- IF function, 255, 303, 328, 337
- INDEX function, 186–187
- Indexing, data envelopment analysis (DEA), 188–190
- Inequality constraints, 48, 49, 75, 90
- Infeasible constraints, 53–54
- Inner product, 23
- Input parameters 5, 6
- INT function, 337
- Integer programming 211–243, 251–283
 - algorithm for, 237–242
 - binary choice, 217–237
 - disjunctive constraints, 270–274
 - facility location model, 261–270
 - fixed-cost problem, 255–260
 - integer variables, 211–212, 215–216
 - linking constraints, 255–270
 - machine-sequencing problem, 270–274
 - matching problem, 227–229
 - models with logical constraints, 251–282
 - qualitative constraints, 213
 - set-covering problem, 221–224
 - set-packing problem, 224–227
 - set-partitioning problem, 227–229
 - Solver with, 213–217
 - threshold-level problem, 260–261
 - traveling salesperson problem, 274–282
- Integer variables, 211–212, 215–216
- Investment allocation model, 93–98, 152–154
 - See also* Portfolio optimization model
- Investment portfolios, 316–320
 - blending models, 53
 - funds flow problems, 93–98, 152–154
 - optimization model, 316–320
 - portfolio variance, 318
 - sensitivity analysis, 152–154
- Iso-value line, 382

- Kink, 297
- Lagrange multiplier, 315–316
- Left-hand-side (LHS), 24, 25, 27, 28, 55, 137, 315, 348
- Less-than (LT) constraints, 24, 26, 54, 85, 382, 391–393
- Line balancing, 354–358
- Linear, 21
- Linear constraints, 24–25
- Linear function, 21, 22, 24
- Linear programming, 22–28, 34, 86, 175
 graphical methods, 377–383
 modeling errors in, 53–55
 sensitivity analysis, 104–144
- Linear programming formulations, 21–57
 allocation models, 22, 27–36, 57, 154–155, 186
 alternative optima, 141–144
 blending models, 22, 45–50, 57
 covering models, 22, 36–45, 57
 data envelopment analysis (DEA), 183–187
 degeneracy, 140–144
 design and setup, 25–26
 layout, 26–28
 linear constraints, 24–25
 modeling errors in, 53–55
 network models, 22, 71–103
 optimization results, 28
 patterns in, 144–159
 product mix problem, 35
 staff-scheduling problem, 41–45, 213–217
- Linear solver, 22, 33, 34, 56, 255, 297–298, 299, 307, 320–327
 See also Standard LP/Quadratic Engine
- Linearity, 21, 27, 57, 86
- Linearizations, 320–327
 linearizing the absolute value, 324–327
 linearizing the maximum, 320–324
- Linking constraints, 255–270
 facility location problem, 261–270
 fixed-cost problem, 255–260
 threshold-level problem, 260–261
- Local optima, 299–304, 306, 310
- Log Level, 15
- Logical constraint models, 251–282
 fixed-cost problem, 255–260
 machine-sequencing problem, 270–274
 threshold-level problem, 260–261
 traveling salesperson problem, 274–282
- LOOKUP function, 338
- Lower bounds, 132, 195, 306, 319, 344
- Lower-bound constraints, 42
- LT constraints. *See* Less-than constraints.
- Machine-sequencing problem, 270–274, 346–349
- Marginal value, 126–127, 132, 151
- Matching problem, 227–229
- Mathematical models, 1, 2
- Mathematical programming problems, 21
- Max Feasible Solutions parameter, 344
- MAX function, 321–323, 348
- Max Subproblems parameter, 344
- Max Time parameter, 343, 344–345
- Max Time without Improvement parameter, 344–345
- Maximization problems, 312, 389, 390–391
- MIN function, 337
- Minimization problems, 312, 321, 390–391
- Modeling errors in linear programming, 53–55
 debugging, 52–54
 infeasible constraints, 53–54
 logic, 54–55
 unbounded objective function, 54–55
- Models, 1, 2–4
- Modularity, 27
- Multiple optima, 141–144
- Mutations, 338, 341–345, 354
- Network flow diagrams. *See* Flow diagrams
- Network models, 22, 71–103
 assignment models, 77
 general-network models, 91–103
 special-network models, 71–90, 93, 186
 transportation model, 72–77
 transshipment models, 81–86
 with balance equations, 86–90
- Nodes, 72, 84–90
- Nonbasic variables, 386, 387
- Nonconvex regions, 305
- Nondegenerate solution, 141, 143–144

412 Index

- Nonlinear models with constraints, 312–320
- Nonlinear programming, 21, 244–278
 - linearizations, 320–327
 - local optima, 299–304, 306, 310
 - one-variable models, 298–304
 - portfolio optimization model, 316–320
 - sensitivity analysis for, 315–316
 - two-variable models, 307–310
 - with constraints, 312–320
- Nonlinear regression, 339–346
- Nonlinear solver, 10, 13, 15, 297, 299, 304, 306, 320–327
- Nonprofit industries, 177
- Nonsmooth functions, 297, 303, 322, 324, 326, 328, 337, 338
- Non-Smooth Model Transformation option, 12–13, 255, 320, 323, 327, 328, 344
- Normalizing conditions, 184
- Normalizing constraints, 184, 191, 195

- Objective, 4, 26
- Objective function coefficients, 23
 - sensitivity analysis, 119, 138–140, 141–144
- Objective functions, 4, 15, 21–28, 43, 47, 216, 255, 337–338
 - concave functions, 304–306
 - convex functions, 304–306
 - funds-flow models, 96
 - general-network models for
 - transformation processes, 101–102
 - general-network models with transformed flow, 101–102
 - linear programming model, 25, 26, 55
 - optimal values of, 28
 - special-network models, 86, 92
 - unbounded, 53, 54–55, 391
- Offspring solution, 338, 341–342
- Oil refining, 98
- One-dimensional problem, 312
- One-input, one-output case, 176
- One-stage decision with uncertainty, 395–399
- One-variable nonlinear models
 - order-quantity example, 300–302
 - quantity-discount example, 302–304
- Optimality message, 15, 34, 56, 301
- Optimization, 1–2, 4, 8

- Optimization models, 2
- Order-quantity example, 300–302
- Output tab, 13, 15

- Parameters, 3, 24
- Parent solutions, 338, 341
- Part-time shifts, staff scheduling problem, 47
- Patterns, 119, 144–159
 - allocation model, 154–155
 - investment model, 152–154
 - in linear programming formulations, 144–159, 127–141
 - product portfolio model, 149–152
 - refinery model, 155–159
 - transportation model, 145–148
- Pivot equation, 387, 388–389
- Pivot value, 388, 389
- Planning and scheduling problem, 377
- Playoff scheduling problem, 229–234
- Population, Report, 354
- Population Size parameter, 344
- Portfolio, 316
- Portfolio optimization model, 316–320
- Portfolio variance, 318
- Price, demand and profit problem, 3
- Pricing example, two-variable model, 313–315
- Probability distribution, 396, 402–403
- Product mix problem, 35–39
 - sensitivity analysis, 127–135
- Proportionality, 21, 23, 57
- Prototype, 7

- Qualitative constraints, 213
- Quantity-discount example, 302–304

- Range names, 2, 16
- Reduced Cost column, 137, 145
- Reference sets, 179, 190–193
- Refinery model, 98–103, 138–141
- Relaxed problem, 238
- Reliable algorithm, 306–307, 319
- Return, 317
- Return performance, portfolio, 317
- Right-hand-side (RHS), 24, 109, 114, 121, 122, 127
- Risk, 317
- Risk Solver Platform

- Add Constraint window, 12, 32, 36, 52, 215
- Assume Non-Negative option, 13, 32, 75, 344, 353
- Automatic Scaling option, 307
- Automatically Select Engine box, 13
- Cell Reference box, 12, 36
- Change Constraint window, 36, 56
- Change Objective window, 15
- Constraint box, 12, 36
- Engine tab, 13, 32, 40, 75, 216, 283, 306, 324, 327, 343
- Integer Tolerance option, 216
- Model tab, 15, 32, 33, 36, 42, 56, 75
- Model window, 11
- MultiStart option, 306, 337
- Non-Smooth Model Transformation option, 255, 320, 323, 327, 344
- Output tab, 13, 15, 33, 34, 301
- Output window, 345
- Platform tab, 12, 15, 320, 323, 327, 344
- Require Bounds option, 344
- task pane, 11, 16, 32, 40, 42, 54, 55, 322, 326, 343
- Vary Parameters Independently box, 134
- Risk Solver Platform tab, 10, 11
- ROUND function, 337

- Scalar product, 23
- Selection, 338
- Sensitivity analysis, 8, 119–159
 - allocation example, 127–135, 138–140
 - investment model, 135–137
 - for nonlinear programming, 264–269
 - product mix problem, 127–135, 138–140
 - transportation example, 120–127, 135–138, 145–148
- Sensitivity Report, 135–140
 - allocation example, 138–140
 - for nonlinear programming, 315–316
 - transportation example, 135–138
- Sequencing problems, 270–274, 346–349
- Set Cell, 55
- Set-covering problem, 221–224
- Set-packing problem, 224–227
- Set-partitioning problem, 227–229
- Shadow price, 127, 137–139, 141–142, 148, 152

- Simplex tableau, 390
- Slack variables, 385, 386
- Smooth functions, 8–10, 299, 306
- Software, 2, 7, 16
- Solver (Excel), 8, 9–14
 - branch-and-bound procedure, 217, 242
 - debugging, 52–54
 - evolutionary solver, 10, 337–361
 - infeasibility message, 54
 - integer linear solver, 10, 213–218
 - linear solver, 10, 21–57
 - nonlinear models, 297–320
 - nonlinear solver, 10, 12, 297–320
 - Population Report, 354
 - Risk Solver Platform (RSP), 10, 320, 375–376
 - range names with, 16
 - unbounded objective function, 54–55
 - using, 9–14, 402–405
 - See also* Sensitivity Report
- Solver specification, 11–13
 - allocation problem, 32–33, 277
 - assignment problem, 80–81, 216
 - blending problem, 52
 - capacitated facility location problem, 265–266
 - capital budgeting problem, 218, 254
 - covering problem, 40
 - curve-fitting problem, 309, 345
 - data envelopment analysis (DEA), 184
 - debugging, 55–56
 - evolutionary solver, 345, 351, 352, 357, 360
 - fixed cost problem, 260
 - funds flow problem, 96
 - general-network models, 92, 96, 102
 - group assignment problem, 360
 - infeasibility message, 54
 - integer variables, 214–217
 - line balancing problem, 357
 - linearizing the absolute value, 327
 - linearizing the maximum, 323
 - machine-sequencing problem, 211, 348
 - MultiStart option, 306
 - order quantity problem, 300
 - payoff scheduling problem, 231
 - portfolio optimization problem, 319
 - product portfolio problem, 149
 - product mix problem, 36–38

414 Index

- Solver specification (*Continued*)
qualitative constraints, 254
quantity-discount problem, 303
set-covering problem, 223
set-partitioning problem, 229
set-packing problem, 226
special network models, 85
staff-scheduling problem, 45, 214–215
stochastic programming, 402–405
transportation problem, 75, 89
transshipment problem, 84
traveling salesperson
 problem, 276–282, 351
two-dimensional location
 problem, 311, 352
two-variable problems, 309, 311, 314
uncapacitated facility location
 problem, 269
 infeasibility message, 54
 unbounded message, 54–55
- Solver results message, 15
- Spreadsheet-based optimization, 9, 16–17
- Spreadsheet models, 2, 4–7
allocation model, 31, 127, 276
assignment model, 79
blending model, 48, 51
capacitated facility location model,
 264, 266
capital budgeting model, 218, 252–254
covering model, 40
curve fitting model, 308, 340
data envelopment analysis (DEA) model,
 183–188
fixed-cost model, 259
funds flow model, 95, 152
general-network models, 92, 95, 101, 156
group assignment model, 360
line-balancing model, 356
linearizing the absolute value, 325
linearizing the maximum, 322
machine-sequencing model, 272, 347
one-stage decision model with
 uncertainty, 398
one-variable nonlinear models, 300, 302
order quantity model, 300
portfolio optimization model, 317–319
playoff scheduling model, 231
product portfolio model, 149
product mix model, 36
quantity-discount model, 302
set-covering model, 223
set-partitioning model, 228
set-packing model, 225
staff-scheduling model, 44, 214
transportation model, 73, 89
transshipment model, 83, 120
traveling salesperson model,
 276–282, 350
two-dimensional location model, 311, 352
two-stage decision model with
 uncertainty, 401
two-variable models, 308, 314
uncapacitated facility location model,
 267, 269
- Spreadsheets, 1
advantages and disadvantages of, 9–10
conciseness, 5
flexibility, 4–10
form and content, 4
input parameters, 6
- Staff-scheduling problem, 41–45, 213–217
- Standard LP/Quadratic Engine, 32, 75
- Standard GRG Nonlinear Engine, 13, 297,
 304–306, 320, 326
- Standard Evolutionary Engine, 343
- Steepest ascent method, 299
- Stochastic programming, 57, 339–346
one-stage decision with uncertainty,
 395–399
two-stage decision with uncertainty,
 399–402
- Stochastic programming with recourse,
 399–402
- Strategic information, 28
- Structural scheme, 145
- Subtours, 277
- Subtour elimination constraints, 278
- SUM formula, 27, 75, 80, 85
- SUMIF function, 357
- SUMPRODUCT function, 23
assignment models, 80
allocation model, 31
covering models, 40, 42
data envelopment analysis
 (DEA), 183–184
linear programming models, 23–27
network models with balance
 equations, 86

- transportation models, 74–75, 87–90
- transshipment models, 83
- SUMSQ function, 309
- Tactical information, 28
- Tardiness, 270–271, 346–347
- Task pane, 11, 16, 32, 40, 42, 54, 55, 322, 326, 343
- Threshold-level problem, 260–261
- Tight constraints, 28
- Tour, 274, 350
- Tour constraints, 274–282
- Trace Precedents icon, 55–56
- Transformed flows, 98–103
- Transportation models, 72–81, 105–112
- Transportation problem, 73
 - sensitivity analysis, 120–127, 135–138, 145–148
- Transshipment models, 81–85
- Transshipment points, 82
- Transshipment problem, 81
- Traveling salesperson problem, 274, 349–351
- Tree diagram, 239
- Two-dimensional location, 310–312, 352–354
- Two-stage decision model with uncertainty, 399–402
- Two-variable nonlinear models, 307–312
 - curve fitting, 307–310, 339
 - pricing example, 313–315
 - two-dimensional location, 310–312, 352–354
- Two-way tables, 134–136, 139
- Unbounded objective
 - function, 54–55, 391
- Uncapacitated facility location problem, 267–270
- Uncertainty, stochastic programming, 57, 395–405
- Unique optimum, 142
- Upper bounds, 238, 306
- Upper-bound constraints, 42
- Use Automatic Scaling box, 12
- Variables, 3
 - artificial variables, 391
 - auxiliary variables, 324
 - basic variables, 386, 387–388
 - binary variables, 212–213, 217–219, 222, 226, 230, 235
 - entering variables, 387, 388, 391
 - integer variables, 211–212, 215–216
 - in linear functions, 22–24
 - nonbasic variables, 386, 387
 - slack variables, 385, 386
 - See also* Decision variables
- Virtual input, 194
- Virtual output, 194
- Weighted-average blending, 50, 52–53
- What-if questions, 7, 119, 139, 144
- Yield gains, 93–98
- Yield losses, 91–93

<http://www.pbookshop.com>