

- Abstraction. *See* Structured abstraction
- Adaptors. *See* Cognitive style
- Additive processes, 309
- Adjacency, 8
- Affinity diagram. *See* KJ method
- AlliedMindStorm.com, 159
- Alternative use of resources, 294
- Altshuller, Genrich, 115, 119, 165, 168
- Analysis:
- conjoint (*see* Conjoint analysis)
 - functional (*see* Functional analysis)
 - paired comparison (*see* Paired comparison analysis)
 - substance field (*see* Substance field analysis [SFA])
- Anti-solutions, 192
- Apollo, 106
- Apple:
- iPod, 6
 - Newton device, 88
- Aravind eye clinic, 158
- Arrangement of workstations. *See* Work cell design
- Arrival rate per floor, 303
- Assembly processes, 319
- Assumptions/assumption categories:
- common, 87
 - initial, documentation of, 92–93
- ATM, 13
- Attribute data, 264, 361
- Attribute MSA. *See also* Measurement systems analysis (MSA), Variable MSA
- appraisers, 343
 - data type, 340–341
 - measurement study, 343
 - measurement systems, review of, 341–342
 - operational definitions, 342
 - samples, selection of, 342–343
 - scenario, 341
 - summarization of results, 343–345
- Automotive Industry Action Group, 289
- Axiomatic design:
- background, 223–225
 - generally, 223
 - independence axiom (*see* Independence axiom)
 - information axiom (*see* Information axiom)
 - resources, 230
 - zigzagging, 224–225, 230
- Backward from perfect, 29–30
- Backward ideation, 131
- Belski, Iouri, 120, 181
- Benyus, J., 190, 194
- Bettencourt, L. A., 14
- Biomimicry: Innovation Inspired by Nature* (Benyus), 190
- Biomimicry:
- changing your perspective, 190
 - documentation, 193
 - example, additional, 194
 - exploring existing knowledge, 190–191
 - field trip, 191
 - generally, 189
 - observing/learning, 191–192
 - resources, 194
- Black & Decker, 34
- Blockbuster, 32, 33
- Body Shop, 7
- Brain, triune, 6–7
- Brainstorming. *See* Imaginary brainstorming
- Brainwriting 6–3–5:
- generally, 137
 - idea generation continuation, 139
 - idea generation rounds, 138–139
 - participant selection, 138
 - scenario, 137
- Bridger, 80, 81
- Brown, Mark, 194
- Business case, 85
- Business model innovation, 275
- Business trends, 119

- C&E. *See* Cause & effect (C&E) diagrams
- Capability. *See* Process capability
- Capacity, 303
- Cause & effect (C&E) diagrams:
 asking "Why?," 370
 cause categories, 368, 369
 generally, 367
 identification of inputs, 368, 369
 root cause determination, 370
 scenario, 368
 statement of effect, 368
- Cause & effect (C&E) matrix:
 cumulative effect, calculation of, 373
 generally, 371
 process inputs, ranking of, 373
 process outputs, identification/ranking, 372
 process steps/inputs, identification of, 372, 373
 scenario, 371–372
- C-chart, 361, 362, 365
- Champion for innovation, 83
- Charter. *See* Project charter
- Checklists, 296
- Christensen, Clayton, 21
- Citigroup, 36
- Cognitive style:
 background, 74–76
 distribution curve, 77
 of each team member, 76–78
 generally, 74
 insights (*see* Cognitive style insights)
 resources, 81
 scenario, 76
 team member identification, 76
- Cognitive style insights:
 adaptors, 79
 bridger, 80, 81
 general, 78–79
 innovators, 80
 teamwork and collaboration, 80–81
- Common cause variation, 362
- Comparison analysis. *See* Paired comparison analysis
- Complete Idiot's Guide to Lean Six Sigma, The*, 337
- Component scorecard, 274
- Computational Swarm Intelligence, 191
- Computer aided design (CAD), 308, 311
- Concept tree:
 agreement on JTBD, 144–145
 alternative ideas, 145
 continuation of process, 145
 generally, 144
 generation of concepts, 145
 listing ideas, 145, 146
 scenario, 144
- Conditional stop, 295
- Confirmation of existence, 294
- Conflict parameters, 166
- Conjoint analysis:
 attribute list, formulation of, 355
 data collection, 357
 generally, 354
 importance scores, calculation of, 358–359
 products/solutions, defining, 355–356
 resource, 359
 scenario, 354–355
 utilities, calculation of, 357–358
- Continuous indicators, 275
- Contradiction matrix, 164, 169–170
- Control charts, 360
- Controlled convergence, 257
- Control plan:
 control method, 378
 generally, 374
 input, 375, 377
 measurement system, 377
 output, 375
 process capability, 377
 process steps, 375, 376
 reaction plan/how, 378–379
 scenario, 374–375
 specification limit, 377
 transition plan, 379
 when and where, 378
 who, 378
- Coping behavior, 75
- Core growth, 7
- Creative challenge:
 alternatives, compiling, 129
 assumptions, identifying, 127
 background, 125
 current solution and, 126–127
 E/R/A, application of, 128–129
 generally, 125
 focus topic selection, 126
 matrix, 128
 scenario, 126
- Credit cards. *See* Creative challenge
- Crest Whitestrips, 8
- CT. *See* Cycle time (CT)
- Cultural archetype research, 9
- Customer attributes, 223, 225
- Customer demand, 245
- Customer job map, 15
- Cycle time (CT), 248, 303

- D4 methodology, 83, 98
 deBono, Edward, 144, 158, 206, 213
 Decreased human involvement, 115
 Defects, 299
 Define techniques, 43
 Demand Farming, 63
 Demand rate (DR), 249
 Descartes, René, 181
 DES. *See* Discrete event simulation (DES)
 Design:
 Axiomatic (*see* Axiomatic design)
 constraints, 229
 of experiments (*see* Design of experiments (DOE))
 robust (*see* Robust design)
 scorecards (*see* Design scorecards)
 work cell (*see* Work cell design)
 Design Expert, 353
 Design failure mode and effects analysis (DFMEA). *See also* Failure mode and effects analysis (FMEA)
 administrative information, 286, 287
 corrective actions for high RPNs, 291–292
 design controls, 289
 detection rating for design controls, 290
 failure modes/failure effects/potential causes, 288
 generally, 286–287
 items/functions identification, 286, 288
 resources, 292
 Risk Priority Numbers for failure modes, 290–291
 scenario, 286
 severity/rate of occurrence, 288–289
 Design FMEA. *See* Design failure mode and effects analysis (DFMEA)
 Design of experiments (DOE):
 analysis of results, 352–353
 data collection method, 351
 determining response variables, 348–349
 experiment design, 350
 experiment sequence, 351
 factor assignment/design array, 350–351
 factor levels, 349–350
 factors, identification of, 349
 generally, 348
 resource, 353
 results verification, 353
 running experiment, 352
 sample size, 350
 scenario, 348
 screening designs, 350
 Design parameters (DPs), 223
 Design scorecards:
 background, 274
 generally, 273–274
 interpretation of, 282, 284
 for overall/individual components, 278–279, 280, 281
 for overall/individual processes, 279, 280, 282, 283
 performance indicators, prediction of, 278
 process scorecards, 278–279, 283
 scenario, 274–275
 target/specification limits, 277–278
 Detect-and fix mode, 274
 Dewulf, Simon, 167
 DFMEA. *See* Define failure mode and effects analysis
 Disc brake system. *See* Design scorecards
 Discovery tools, 43
 Discrete event simulation (DES):
 advantages of, 307
 generally, 301
 process attributes, assignment of, 303
 process entities/attributes, 304
 process flow development, 302
 resources, 307
 resources/attributes, determination of, 303
 results verification, 305
 scenario, 302
 simulations, actual, 305, 306
 simulations, trial, 304–305
 software selection, 302
 Discrete indicators, 275
 Disruption, low-end, 31
 Disruptive growth, 8
 DPs. *See* Design parameters (DPs)
 DR. *See* Demand rate (DR)
 Drug development process. *See* SIPOC map
 Dynamization, 119
 Dyson Airblade, 162
 Edison, Thomas, 79
 Einstein, Albert, 79, 109
 Eliminate, replace, or alternate, 295
 Engelbrecht, A., 191
 ENIAC computer, 119
 E/R/A. *See* Creative challenge
 Ethnography:
 artifacts, collection of, 38–39
 data analysis, 38–39
 documentation, 39
 generally, 34
 hypothesis verification, 39
 participants, identification of, 36

- Ethnography: (*continued*)
 participants, interviewing, 38
 participants, observing, 36–37
 planning a study, 35
 resources, 40
 Euro Disney, 90
- Failure mode and effects analysis (FMEA), 378.
See also Design failure mode and effects analysis (DFMEA)
- Field energy, sources of, 182
- Field resources, 102
- Financial management. *See* Innovation financial management
- Financial projections, 88
- Fishbone diagram, 368
- 5S (Sort, Store, Shine, Standardize, and Sustain), 251–252, 295
- FMEA. *See* Failure mode and effects analysis (FMEA)
- Focus groups, 35, 86
- Focus market, 7–8
- Forced association:
 abstraction of core function, 160–161
 analogous solutions, 162–163
 example, additional, 163
 function database, 161
 generally, 159
 problem identification, 160
 scenario, 160
- Formative techniques, 309
- Free association. *See* Random stimulus
- FRs. *See* Functional requirements (FRs)
- Full factorial experiment design, 350
- Functional analysis:
 background, 108–109
 function diagram, 110–111, 112, 114
 generally, 108
 information gathering/problem definition, 109–110
 performance of, 111–114
 scenario, 109
- Functional requirements (FRs):
 alignment of expectations, 221
 background, 218
 expectations classified by type, 221
 expectations, gathering of, 220–221
 expectations into design parameters, 222
 generally, 217
 identification of customers, 219
 JTBD review/outcome expectations, 219
 scenario, 219
- Function audit, 319–320
- Function diagram, 109, 110–111, 112, 114
- Function resources, 102
- Function structure:
 design problem clarification, 231–232
 generally, 231
 inputs/outputs for function, 232
 overall function/subfunctions, 232–233
 resources, 235
 scenario, 231
 subfunctions/possible solutions, 233–235
- Fundamentals of Computational Swarm Intelligence* (Engelbrecht), 191
- Future-state process map. *See* Process maps
- General Electric, 107
- Genzuck, M., 38
- Geometric evolution of linear construction, 121, 122, 123
- Go/No go, 295
- GPS jacket. *See* Conjoint analysis
- Green, Paul, 354
- Growth. *See* Organic growth strategies
- HALT. *See* Highly Accelerated Life Testing (HALT)
- Hands-On Systematic Innovation* (Mann), 120
- Harvard Business Review*, 14
- HASS. *See* Highly Accelerated Stress Screening (HASS)
- Heuristic Ideation Technique. *See* HIT matrix
- Heuristic redefinition:
 elements for innovation, 52–55
 example, additional, 56
 generally, 49
 labeling system elements, 50–52
 problem statement prioritization matrix, 54–55
 problem statements, 52–53
 resources, 56
 scenario, 49
 visualization of system, 49–50
- Highlighting, 296
- Highly Accelerated Life Testing (HALT), 321
- Highly Accelerated Stress Screening (HASS), 321
- Hiring criteria, 21
- HIT matrix:
 characteristics, listing of, 131
 existing items, selection of, 130–131
 generally, 130
 ideas, qualifying, 132
 idea selection, 132
 populating, 131–132
 scenario, 130
- Home Town Farms, 63

- Human capital readiness, 319
- Human involvement, decreased, 115
- Hydro-organics, 63
- Hydroponics, 63
- IBM, 119
- Ideal final result, 30
- Ideal innovation, 29
- Ideal Solution Elements (ISEs). *See* TILMAG
- Idea refinement:
 - idea constraints, 201
 - generally, 199
 - operationalizing the idea, 203, 205
 - reinforcing/strengthening idea, 204, 205
 - scenario, 201
- Idea sorting:
 - data yield, 201, 202
 - existing ideas, categorization of, 200–201
 - generally, 199
 - scenario, 199
- Idea sorting and refinement:
 - generally, 199
 - steps—refinement (*see* Idea refinement)
 - steps—sorting (*see* Idea sorting)
- iGrafx, 336
- Imaginary brainstorming:
 - brainstorming imaginary elements, 141
 - generally, 140
 - imaginary ideas, application of, 143
 - problem element identification, 141, 142
 - problem statement, 141
 - scenario, 140–141
 - solving imaginary problem, 143
- Independence axiom:
 - background, 223–224
 - coupled design, 225–226
 - decoupled design, 226–227
 - uncoupled design, 227
- Information:
 - resources, 102
 - transfer, 296
- Information axiom:
 - background, 223–224
 - design parameters mapped to process variables, 230
 - FRs into DPs, 229
 - generally, 228
 - JTBD/outcome expectations, 229
 - OEs into FRs, 229
- InnoCentive, 159
- Innovation financial management:
 - background, 90–91, 92
 - critical assumptions, 95–96
 - generally, 90
 - initial assumptions, documentation, 92–93
 - link assumptions to milestones, 96, 97
 - operations specs, 94–95
 - reverse income statement, 93–94
 - revisiting financials, 98
 - scenario, 91
 - test/validate assumptions, 96–97
 - update income statement, 95
- Innovators. *See* Cognitive style
- Input constraints, 229
- Interviews, ethnography, 38
- Intuit, 34
- Inventive principles, 166, 170–171
- ISEs. *See* TILMAG
- Ishikawa, Kaoru, 368
- I-type workstations, 247
- Jenbacher engines, 167
- JMP, 353, 362, 365
- Job mapping:
 - background, 14
 - generally, 13
 - innovation opportunities, 19
 - resources, 19
 - scenario, 14
 - steps, 14–18
- Job scoping:
 - framing current focus, 65
 - generally, 64
 - higher purpose identification, 66–67
 - job steps identification, 66
 - project focus determination, 67
 - scenario, 64–65
 - underlying outcome expectations, 66
- Job statement, 10, 52, 85
- Jobs to be done (JTBD):
 - background, 3–4
 - breakdown, 4–6
 - categorization, 9–10
 - cognitive portion of, 15–16
 - determining, 14–15
 - enablers for achieving, 16
 - execution of, 17
 - focus market identification, 7–9
 - generally, 3
 - identification of, 9
 - job statement, 10
 - new solutions/old jobs, 5–6
 - power of, 3
 - preparations for, 16–17
 - prioritization of opportunities, 10–12
 - resources, 12

- Jobs to be done (JTBD): (*continued*)
 scoped, 52
 triune brain, 6–7
 Jones, Daniel, 334
 JTBD. *See* Job to be done (JTBD)
- KAI. *See* Kirton Adaption-Innovation (KAI)
 Inventory
- Kaiser Permanente, 36
 Kanban, 295
 Kawakita, Jiro, 195
 Key Performance Indicators (KPIs), 222, 264. *See also* Performance indicators
 Kim, T. G., 301
 Kirton, Michael, 77
 Kirton Adaption-Innovation (KAI) Inventory, 77–78
 Kitting, 295
 KJ method:
 categories, labeling of, 196–197
 categorization of ideas, 196
 generally, 195
 preparation of ideas, 196
 scenario, 195
 voting on ideas, 197–198
 KPIs. *See* Key Performance Indicators (KPIs)
- Lateral Thinking: Creativity Step by Step* (de Bono), 144
 Layout and arrangement, 294
 LCL. *See* Lower control limits (LCL)
 Lead time, 248
 Lean, 245, 334
Lean Thinking (Womack and Jones), 334
 Level, 74, 78
 Leverage matrix, 73
 Likert Scale, 11, 24
 Lilley, Geoffrey, 318
 Low-end disruption, 31
 Lower control limits (LCL), 361, 364
 Lower specification limit (LSL), 264, 266, 277–278
 LSL. *See* Lower specification limit (LSL)
 L-type workstations, 247–248
- Machine That Changed the World, The* (Womack and Jones), 334
 Macro scale, 119
 Management:
 innovation financial (*see* Innovation financial management)
 stakeholder (*see* Stakeholder management)
- Mann, Darrell, 115, 118, 119, 120, 165, 167
 Manufacturing processes, 319
 Maps/mapping. *See* Process maps
 Market focus, 7–8
 Mascarenhas, O. A., 131
 Material resources, 102
 Matrix. *See also* HIT matrix; Pugh matrix
 cause & effect (*see* Cause & effect [C&E] matrix)
 contradiction, 164, 170
 creative challenge, 128
 morphological (*see* Morphological matrix)
 paired comparison, 255
 problem statement prioritization, 54–55
 stakeholder management leverage, 73
 TILMAG, adding ISEs, 243
Matrix 2003: Updating the TRIZ Contradiction Matrix, 164, 172
Matrix 2010, 167, 172
 Measurement statistics, 303
 Measurement systems analysis (MSA):
 accuracy, 341, 347
 attribute MSA (*see* Attribute MSA)
 background, 340–341
 consequences of poor measurement, 346
 generally, 340
 precision, 341
 repeatability, 341, 343, 347
 reproducibility, 341, 343, 347
 resources, 347
 stability, 347
 variable (*see* Variable MSA)
- Microsoft Visio, 336
 Milestones, 88
 Minitab, 347, 353, 362, 365
 Mistake proofing:
 generally, 293
 potential mistakes, identification of, 297–298
 potential mistakes, prioritization of, 298
 principles (*see* Mistake proofing principles)
 root cause determination, 298–299
 strategy selection, 299
 testing of solution, 300
 Mistake proofing principles:
 5S (Sort, Store, Shine, Standardize, and Sustain), 251–252, 295
 alternative use of resources, 294
 checklists, 296
 conditional stop, 295
 confirmation of existence, 294
 eliminate, replace, or alternate, 295
 go/no go, 295
 highlight, 296

- information transfer, 296
- kanban, 295
- kitting, 295
- layout and arrangement, 294
- parcel out, 294
- positive stop, 294
- space separation, 294
- templates, 295
- time separation, 295
- trend prediction, 296
- visual management, 294–295
- Monte Carlo method, 304
- Morphological matrix:
 - design concepts, feasibility of, 238–240
 - design concepts, generation of, 237, 238, 239
 - design options per subfunction, 237
 - example, additional, 240
 - generally, 236
 - resources, 240
 - scenario, 236–237
 - subfunctions, determination of, 237
- Motivation, 74, 78
- Motorola, 88
- MSA. *See* Measurement systems analysis (MSA)
- Multiple Listing System, 110
- Nano scale, 119
- National Institute of Standards and Technology (NIST), 366
- Nature. *See* Biomimicry
- NDA. *See* New drug application (NDA)
- Netflix, 32–33
- New drug application (NDA), 329–330
- New job growth, 8
- NineSigma, 159
- Nine windows:
 - architecture, 58
 - center box/present system, 58
 - examples, additional, 61, 63
 - generally, 57
 - grid completion, 60
 - grid preparation, 58
 - opportunity reassessment, 60
 - past/future determination, 59–60
 - scenario, 57
 - solution ideas, generation of, 60–61, 62
 - supersystem/subsystem identification, 59
- NIST. *See* National Institute of Standards and Technology
- Noise sensitivity, 318
- Noise variables. *See* Robust design
- Nonconsumption, 8
- Non-value-added activity, 333
- NR. *See* Number of resources (NR)
- Number of resources (NR), 249
- Observing people. *See* Ethnography
- OEs. *See* Outcome expectations (OEs)
- Opportunities, identification of, 19
- Optimization:
 - process, 274
 - resources (*see* Resource optimization)
 - workstation design, 249–250
- Organic growth strategies:
 - core growth, 7, 9
 - disruptive growth, 8–9
 - job growth, new, 8
 - job growth, related, 7–8
- Outcome expectations (OEs):
 - background, 20–21
 - for cleaning clothes, 21
 - generally, 20
 - identification of job, 22
 - listing JTBD's related, 22
 - outcome statements, 23–24
 - priority, determination of, 24–25
 - resources, 26
- Outcome statements, 23–24
- Overall performance scorecard, 276
- Paired comparison analysis:
 - alternative ideas, 254–255
 - comparison matrix, 255
 - consolidation of results, 256
 - generally, 253
 - operational definition, 254
 - resource, 256
 - scenario, 253–254
- Parameter design, 263, 271
- Parceling out, 294
- Patents, 116, 170
- PDA's. *See* Personal digital assistants (PDAs)
- Performance indicators. *See also* Key
 - Performance Indicators (KPIs)
 - performance scorecard, 275
 - prediction of, 278
- Performance metrics/terms, 277. *See also* Key
 - Performance Indicators (KPIs)
- Performance scorecard, 274, 276
- Personal digital assistants (PDAs), 42
- Physical contradictions, 109
- Piloting:
 - analysis of results, 326–327
 - designing the pilot, 323, 325
 - generally, 322

- Piloting: (*continued*)
 pilot charter, 323, 324
 planning for, 323
 resources, designation of, 325
 running the pilot, 326
 scenario, 322
- Pizza box, evolution of, 121–124
- Poka-yoke device, 300
- Positive stop, 294
- PosJacket. *See* Conjoint analysis
- Power and influence map, 69, 71
- Praehofer, H., 301
- Problem parameters, 165, 166
- Problem statement:
 creation of, 52–53
 prioritization matrix, 54–55
- Process behavior charts:
 attribute data, 361
 C-chart, 361, 362, 365
 chart interpretation, 362–363, 365–366
 control limits, calculation of, 361–362, 364–365
 gathering/plotting data, 361, 363–364
 generally, 360
 resources, 366
 rule violations, 362–363, 365–366
 scenario, 361
 variable data, 363
 X-bar/R chart, 363, 364, 365
- Process capability:
 background, 262–263
 capability metrics calculation, 265–266
 data collection, 264
 design/process improvement, 266–267
 generally, 262
 resources, 267
 scenario, 263
 specifications/performance criteria, 263–264
- Process FMEA, 286, 289, 291
- Process maps:
 background, 334
 finalizing future-state map, 336–337
 generally, 333
 job maps, 14–18
 map boundaries, definition of, 335
 mapping future-state process, 335–336
 order-to-invoice process, 336
 resources, 339
 scenario, 335
- Process optimization techniques, 274
- Process scorecard, 274
- Process variables (PVs), 223
- Procter & Gamble, 8
- Production tooling issues, 319
- Product pilot, 322
- Profit, 93
- Profitability, 88. *See also* Innovation financial management
- Pro forma operations specs, 94
- Project:
 investments, 88
 leader, 83
- Project charter:
 administrative information, 83
 business case, 85
 competing solutions, 86
 customer, 86
 financial impact, 88
 generally, 82
 job statement, 85
 key assumptions, 87
 milestones/time lines, 88
 project investments, 88
 scenario, 83
 team, 89
 unmet outcome expectations, 86
- Prototyping. *See also* Rapid prototyping
 building of prototype, 319
 evaluation design, 318
 evaluation for robustness, 321
 evaluations, additional, 321
 function audit, 319–320
 generally, 317
 repetition of process, 321
 scenario, 318
- Provocation and movement:
 focus topic selection, 154
 generally, 153
 idea review, 157
 movement, ideas from, 155, 157
 provocation, development of, 154–155
 reality statement creation, 154
 real life example, 157–158
 resources, 158
 scenario, 153–154
- Provocative Thought (PT) statements, 154–157
- Psychological inertia, 153
- PT. *See* Provocative Thought (PT) statements
- Pugh, Stuart, 257
- Pugh matrix:
 baseline (datum) determination, 257, 258
 concept refinement, 260–261
 concepts, evaluation of, 259–260
 concepts to be evaluated, 258, 259
 evaluation criteria, 258, 259
 generally, 257

- resource, 261
- scenario, 258
- PVs. *See* Process variables (PVs)
- Qualitative data, 264
- Quantitative data, 264
- Queue capacity, 303
- Quicken software, 34
- Radar charts, 120–121
- Random stimulus:
 - brainstorming associations, 149–150
 - generally, 147
 - idea generation, 151–152
 - JTBD identification/outcome expectations, 148
 - review of ideas, 152
 - scenario, 147
 - selection of, 148–149
- Rapid prototyping. *See also* Prototyping
 - advantages of, 310
 - background, 309–310
 - CAD data input, 311
 - cleaning/finishing prototype, 312–313
 - creating rapid prototype, 312
 - exporting data into STL files, 311
 - generally, 308
 - material selection/process specification, 311–312
 - resources, 313
 - scenario, 310
- Rate of occurrence (ROC), 288–289
- Real estate transaction system, 109–114
- Refinement of ideas. *See* Idea refinement
- Related job growth, 7–8
- Resistance to change, 72
- Resource(s):
 - alternative use of, 294
 - capacity, 303
 - cognitive style and, 74
 - information, 102
- Resource optimization:
 - analysis of resources, 104, 106
 - background, 101–102
 - examples, additional, 106–107
 - generally, 101
 - list of resources, 104, 105
 - problem formulation, 103–104
 - scenario, 103
- Reverse income statement, 93–94
- Risk Priority Number (RPN), 290
- Robust design:
 - conceptual design, 270
 - control factors/noise variables, 270–271
 - customer expectations, 269
 - design tolerances, 272
 - deterioration, identification of potential, 271
 - generally, 268–269
 - optimum design, 271–272
 - resource, 272
 - scenario, 269
- Root cause determination, 298–299. *See also* Cause & effect (C&E) diagrams
- RPN. *See* Risk Priority Number (RPN)
- Sampling techniques:
 - baseline and, 342
 - Likert Scale and, 11, 24
 - sample size, 343
- Sanyo, 32
- SAS, 359
- Sawtooth, 359
- SCAMPERR technique, 134
- SCAMPER technique:
 - application of, 134
 - generally, 133
 - guidelines/example, 135
 - job definition, 134
 - resources, 136
 - review of ideas, 136
 - scenario, 133–134
- Scenario planning:
 - action plan, 46–48
 - constructing scenarios, 45–46
 - driving forces and, 42–43
 - evaluation of implications, 46–48
 - generally, 41
 - project proposal, 42
 - ranking of factors, 43–45
 - resources, 48
 - scenario, 42
- Schlicksupp, Helmut, 56, 241
- Scope. *See* Job scoping
- Scoped JTBD, 52
- S-curves, 116–117, 118
- Selenium disposal, 107
- Separation heuristics, 174–175
- Separation principles:
 - example, additional, 177–178
 - example - electroplating, 176–177
 - generally, 173
 - identification of physical contradiction, 173–174
 - resolving physical contradiction, 176
 - resources, 178
 - separation heuristics and, 174–175
- Service pilot, 322

- 76 *Standard Solutions*, 179, 188
- Severity (SEV), 288–289
- SFA. *See* Substance field analysis (SFA)
- Shadow board, 252
- Shell Corporation, 41
- Shingo, Shigeo, 300
- Sigma level, 263, 266. *See also* Six Sigma
- Sigma XL, 347, 353, 362, 365
- SIPOC map:
- customers of outputs, identification of, 330–331, 332
 - generally, 328
 - high-level map, 329
 - inputs, identification of, 331, 332
 - process outputs, identification of, 329–330, 332
 - scenario, 328
 - suppliers of inputs, identification of, 331–332
- Six Sigma. *See also* Sigma level
- KPIs, 222
 - performance, 262–263
- Six thinking modes:
- background, 206–207
 - black mode, 212
 - blue mode, 213
 - designation/sequence of, 209–210
 - facilitator/ground rules, 207–209
 - generally, 206
 - green mode, 212–213
 - red mode, 213
 - resource, 213
 - scenario, 207
 - scribe, assignment of, 209
 - session implementation, 210
 - white mode, 211
 - yellow mode, 211
- Skyscraper simulation. *See* Discrete event simulation (DES)
- Sloan Management Review*, 3
- Software packages, 347, 353, 359
- SOP. *See* Standard operating procedures (SOP)
- Sorting ideas. *See* Idea sorting
- Sources of field energy, 182
- Space:
- resources, 102
 - separation, 294
- Special cause variation, 362
- SPSS, 359
- Stakeholder management:
- documentation, 73
 - generally, 68
 - key stakeholders, 69
 - leverage matrix, 73
 - power and influence map, 69, 71
 - resistance to change, 72
 - resources, 73
 - scenario, 68
 - stakeholder diagnostic, 69, 70, 71
 - stakeholder power/influence, 69, 71
- Standard deviation, 365
- Standard operating procedures (SOP), 250
- Standard Solutions. *See* 76 *Standard Solutions*
- Standard work, 250
- Starbucks, 8
- Statistical signals, 361
- Statistical software, 362, 365
- Stereolithography (STL), 309, 310, 311
- STL. *See* Stereolithography (STL)
- Streaming movies/video, 33
- Structured abstraction:
- abstraction of problem, 168–169
 - application of inventive principles, 172
 - background, 165
 - contradiction matrix, 169–170
 - convergence on inventive principles, 169–170
 - customization of, 167
 - generally, 164
 - identification of contradiction, 168
 - inventive principles, 166, 170–171
 - origin of TRIZ, 165–166
 - problem-solving process, 166
 - recent developments, 166–168
 - resources, 172
- Substance field analysis (SFA):
- background, 179–182
 - field energy, sources of, 182
 - generally, 179
 - problem analysis, 182–183
 - resources, 188
 - solution strategy 1, 183–185
 - solution strategy 2, 185–186
 - solution strategy 3, 186
 - solution strategy 4, 186, 187
 - solution strategy 5, 187–188
 - su-field energy transfer options, 181
 - su-field model, initial, 183
 - su-field model, insufficient system, 181
 - well-functioning triad, 180
- Subtractive processes, 309
- Su-field. *See* Substance field analysis (SFA)
- Suh, Nam Pyo, 224
- Surface segmentation, 121, 122, 123
- System:
- constraints, 229
 - design, 269
 - operator. *See* Nine windows
- Systematic innovation paradigm, 115

- TAKT time, 246, 248, 249
- Tangential thinking, 80
- Tauber, Edward M., 130
- Team/teamwork:
 - cognitive style, 76–78
 - collaboration, 80–81
 - project charter, 89
- Technical contradictions, 109
- Technology trends, 115, 118
- Templates, 295
- Tesco, 61, 63
- Theory of Inventive Problem Solving (TRIZ).
 - See also* Structured abstraction
 - 76 Standard Solutions*, 179, 188
 - experts on, 172
 - founder of, 115
 - ideal innovation concept, 30
 - origin of, 165–166
 - structured abstraction, 164
- Theory of Modeling and Simulation: Integrating Discrete Event and Continuous Complex Dynamic Systems* (Zeigler, Praehofer and Kim), 301
- Thinking modes. *See* Six thinking modes
- 3D Systems' Viper Pro SLA, 309
- TILMAG:
 - adding ISEs to matrix, 243
 - background, 241–242
 - design concept generation, 244
 - developing ISEs, 242
 - elimination of duplicates, 243
 - generally, 241
 - pairing ISEs, 243
 - scenario, 242
- Time:
 - resources, 102
 - separation, 295
- Time lines, 88
- Titanic*, 103–104, 105, 106
- Tolerance design, 263, 272
- Transition plan, 379
- Transportation time, 303
- Trend prediction:
 - background, 115–118
 - evolutionary gaps, closing, 121
 - evolutionary potential, determination of, 120–121
 - example, 121–124
 - generally, 115
 - mistake proofing, 296
 - technology trends, familiarity with, 119
- Trimming, 109, 114
- Trimming worksheet, 112, 113
- Triune brain, 6–7
- TRIZ. *See* Theory of Inventive Problem Solving (TRIZ)
- TRIZ Journal, 178
- T-type workstations, 246–247
- UCL. *See* Upper control limits (UCL)
- Ulwick, A. W., 14
- Universal technology trends, 115
- Upper control limits (UCL), 361, 362, 364
- Upper specification limit (USL), 264, 266, 277–278
- USL. *See* Upper specification limit (USL)
- U-type workstations, 246
- Value:
 - continuum, 28
 - graph, 29
 - specification of, 333
 - transformation, 110
- Value-added activity, 333
- Value gaps:
 - closing, 32
 - identification of, 31–32
- Value Quotient:
 - agree upon/document, 28
 - desired/undesired outcomes, 28
 - example, additional, 32–33
 - generally, 27
 - ideal innovation, plotting, 29–30
 - scenario, 27–28
 - solutions, plotting of, 30–31
 - value analysis, 29
 - value continuum, 28
 - value gaps, closing, 32
 - value gaps, identifying, 31–32
- Value stream, 334
- Value stream maps:
 - background, 334
 - generally, 333
 - resources, 339
 - scenario, 335
 - steps involved, 337–339
- Variable data, 264, 361, 363
- Variable MSA. *See also* Attribute MSA; Measurement systems analysis (MSA)
 - data type, 341
 - measurement study, 347
 - operational definitions, 346
 - review of measurement system, 346
 - samples, selection of, 347

- Variable MSA. *See also* Attribute MSA;
Measurement systems analysis (MSA)
(*continued*)
 scenario, 346
 summarization of results, 347
- Venkataswamy, G., 157–158
- Visual management, 294–295
- Voice-of-the-customer concepts, 218
- VOIP (Voice Over Internet Protocol), 219, 220,
221
- Walt Disney Company, 90
- Waste identification, 333
- Wired.co.uk, 194
- Womack, James, 334
- Work cell design:
 5S application, 251–252
 background, 245–248
 calculation of resources, 249
 common, 246–248
- gathering data, 248–249
 generally, 245
 process flow optimization, 249–250
 resource, 252
 scenario, 248
 standard work, 250
 test run of design, 252
 workstation arrangement, 250–251
- World Innovation Forum, 21
- X-bar/R chart, 363, 364, 365
- X-type workstations, 247
- Yield, 262
- Zeigler, B., 301
- Zlotin, Boris, 167
- Zusman, Alla, 167
- Zwicky, Fritz, 240

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>