

Index

Note: Illustrations are indicated by *italic page numbers*, tables by **emboldened numbers**

- academic qualifications [of expert], 302
- accidental death, 195, 196, 289, 290
- accidental discharges, 195, 196, 198–2
 - testing for, 203–4
- accreditation of experts, 297, 302
- AccuTec ammunition, 96
- ACP *see* Automatic Colt Pistol
- additives [in nitro propellants], 104, **105**, 106
- AEGs *see* automatic electric guns
- AFTE *see* Association of Firearms and Toolmark Examiners
- air gun darts, 25, 29, 30
- air gun pellets, 28–9
 - penetration of glass
 - by, 217–18
 - converting, 44–5
 - injuries, 30–1
 - legislation, 30, 45, 361–6
 - penetration potential of ammunition, 30
 - types, 25–7
- airsoft guns, 27, 364
- AIT *see* average incapacitation time
- AK47 assault rifle, 16, 278
- Alcohol, Tobacco and Firearms (ATF) Bureau, 43, 158, 159
- ammunition
 - abbreviations for configurations, 317–21
 - bar-coded, 286–7
 - base configurations, 85
 - bullet types, 81–6
 - calibres, 71–2, 73
 - cartridge cases, 48, 67, 68, 70–3
 - colour coding, 68, 69, 90–1
 - components, 67–79
 - dating of, 107
 - gunshot residues, 267–8
 - handguns, 72–3, 355–5
 - headstamps, 87–90
 - historical development, 63–6
 - home-made, 48–50
 - identification from GSR
 - composition, 2665–6
 - lubrication, 85–6
 - nomenclature, 71–3
 - non-toxic, 93–6, 97–100, 321
 - penetration potential, 30, 76, **99**, 137–9
 - primer caps, 65, 67, 69–70
 - propellants, 49, 63, 67, 68, 101–8
 - rifles, 72–3, 357–61
 - shotguns, 68, 73–9
 - types, 68–9
 - see also* bullets; cartridges; shot; shotgun slugs
- antimony, detection of, 237, 258, 259
- antimony compounds, **268**
- antimony sulphide, 111, 112, **268**
- ‘antique’ weapons, 4, 10, 51–4
- anvils [in centre fire ammunition], 69, 70
- assault rifles, 16
- Association of Firearms and Toolmark Examiners (AFTE)
 - identification criteria, 162, 183, 185–6
 - qualifications, 302
 - Theory of Identification, 177, 185, 187
- Astra designs, 9, 12
- ATF *see* Alcohol, Tobacco and Firearms
- atomic absorption spectroscopy, 259
- Australia
 - home-made weapons, 47
 - legislation, 53, 361
- automated ballistics identification systems, 158–9
- Automatic Colt Pistol (ACP)
 - ammunition, 7, 12, 23, 72, **148**, **212**, **221**, 317
- automatic electric guns (AEGs), 27, 28
- automatic pistols, 9
- average incapacitation time (AIT), 148
- ball burnishing, 39
- ballistic gelatine, 146
- ballistic inserts [in body armour], 151
- ballistic nylon, 150

- BallisticClean ammunition, 95
ballistics, 115–52
 cross-examination questions, 303
 external, 115–16, 123–35, 303
 internal, 115, 117–21, 303
 terminal, 115, 116, 137–52, 303
Balthazard, Victor, 154–5
bar codes [serial numbers], 285, 286–7
barium, detection of, 236, 237, 258, 259
barium compounds, **268**
barium nitrate, 110, 111, **268**
barrel(s)
 bar codes inside, 286
 choke, 75, 243–5
 length, 226, 228, 245–6
 lift, 117, 119–20
 pressure, 120, **121**
 shortened [sawn off], 118–19, 138, 163–4, 242, 245
base configurations, 85
baton rounds, 79
battery cup primers, 70
bean bag ammunition, 79
Beaumont designs, 6
Belgian proof marks, 59
belted case cartridges, 71
bent-and-sear mechanisms, 20–2, 198–9
Berdan primers, 65, 69
Bergmann pistols, 7
binocular comparison
 microscopes, 156
black powder propellants, 5, 37, 41, 63, 72, 101, 102–3
 compared with nitro
 propellants, 106–7
 modern alternatives, 103
blackening [in range-of-firing
 estimations], 230
blank ammunition, 68, 83
blank-firing guns, conversion of, 45, 231–2
blood lead levels, 93
bloodstained clothing, range-of-
 firing estimations, 225, 226, 237–8
Blount ammunition, 94, 95
blow forward action [in self-loading
 rifles], 14
blowback action, 12, 15, 23
boat-tailed bullets, 85, 317
body armour, 149–2
bolt action rifles, 13
Borchadt designs, 7
bore size, 73
bottle-necked cartridges, 70, 71
Boxer primers, 65, 69, 70
Brazil, air weapon legislation, 361
breaching ammunition, 78
breech face markings, 155, 165, 297
Brenneke shotgun slugs, 74, 75
British Forensic Science Society,
 qualifications, 302
British proof marks, 57–8
broach rifling, 39–40
Brocock Air Cartridge System,
 44–5
Browning ammunition, 23
Browning designs, 7, 12, 18
Brunswick rifles, 35
BRV *see* bullet-resistant jackets/vests
buckshot, penetration potential,
 76–7
bullet-resistant glass, 216
 penetration of, 218
bullet-resistant jackets/vests
 (BRV), 149–2
 standards, 151–2
bullet(s)
 abbreviations, 317–21
 ballistic coefficients, 125–6
 base configurations, 85
 definition, 67, 68
 deflection by glass, 221–3
 drop, 125, 132
 flight noise, 18
 lubrication, 85–6
 materials, 81–3, 93–6, 168–9
 maximum altitudes, 130–1
 maximum range, 126, **127**
 penetration capabilities, 138–9
 penetration of glass, 217–20
 performance tests, 145–9
 precession, 144
 progression, 179
 recovery methods, 178–80
 sectional densities, 125
 shape factors, 147
 terminal velocity, 131–2
 type determined from entry hole,
 207–8
 types, 81–6
 wipe marks, 205–6, 231–3
 yaw, 133–4, 141, 144, 179
 see also entry holes; exit holes
button rifling, 40
calibre
 ammunition, 71–2, 73
 determination from entry
 hole, 205–8, 218, 220
 determination from X-ray
 photography, 250–4
Canada, legislation, 52–3, 361–2
carbon dioxide (CO₂) powered
 guns, 27
cartridge cases, 48, 67, 68, 70–3
 class characteristics, 165
 individual characteristics, 165–6,
 167
 types, 70–1
cartridges
 calibre nomenclature, 71–2
 case capacity, 118
 handguns [listed], 355–6
 introduction dates [by
 calibre], 341–3
 rifles [listed], 357–8
 types, 68–9
caseless ammunition, 5, 68
centre fire ammunition, 5, 6, 65, 68,
 69, 266
centre fire system, 5
certification tests, 278, 297, 298
chain of custody, 309–11
chamber throats, 167, 168
chemical tests, range-of-firing
 estimations, 235–7
Chinese ammunition, 96, 168, 270,
 272
 identifying features, 89, 90
Chinese assault rifles, 16, 17
choke [of shotgun barrel], 75,
 243–5
CIP *see* Permanent International
 Commission
clandestine ammunition, 89–90
class characteristics, 37–8, 161, 162
clay pigeon shooting cartridges, 74
Clean-Fire ammunition, 95
CMS *see* consecutive matching stria
 cock [in flintlock], 1
colour coding [of ammunition], 68,
 69, 90–1

- Colt designs, 6, 7, 10, 11, 12, 279, 280
commercial ammunition,
 headstamps, 88
comparison microscopy
 basic concepts, 173–81
 binocular, 156
 control samples, 177–8
 cross-examination questions,
 180–1, 303–6
 early use, 155–6
 illumination, 157, 175–7
 magnification, 304
 photography, 157
consecutive matching stria (CMS),
 162, 175, 177, 183–6
 mathematical proof, 189–91
contact wounds, 141–2, 227–8, 229
control samples
 comparison microscopy, 177–8,
 180–1
 gunshot residues, 235, 262, 297,
 306, 307
conversion tables, 349–50
copper-coated ammunition, 82, 100
Cordite, 104, **107**
Corning gunpowder, 102
cotton wool earplugs, 354
critical angles
 barrel elevation [for maximum
 range], 126
 ricochet, 210
Crocell, 180
cross-examination questions
 background questions, 303
 comparison microscopy, 180–1,
 303–6
 gun handling tests/Ferrozine
 test, 283, 308
 gunshot residues, 306–7
crowning [of muzzles], 167, 168
cupfire ammunition, 64
custody chain, 309–11
cylinder stop, 22, 23
cylinder stop notch, 22, 23
Cyprus, air weapon legislation, 362
Czech Republic, air weapon
 legislation, 362–3

Danao City manufacture, 47
Dando, Jill, 271–2
darkfield microscopy, 177
dating of ammunition, 107

Daubert standard, 173–4, 313–15
 admissibility of new scientific
 techniques, 174, 314
 legal challenges based on, 174,
 298–9, 313–14
Daws centre fire system, 5
DDNP *see* diazodinitrophenol
Dean-Adams designs, 6
death rates, **291–2**
deceased person
 Ferrozine test, 280
 gunshot residues, 263
decibels, 352
definitive proof, 56
delayed blowback action, 12, 15
delayed incapacitation, 292
Delta Frangible Ammunition (DFA),
 95
denier [of fibres], 150
Denmark, air weapon legislation, 363
dermal nitrate test, 237, 258
DFA *see* Delta Frangible
 Ammunition
‘Diablo type ammunition, 28, 363
diazodinitrophenol (DDNP),
 95, 111
dilatant (shear thickening)
 materials, 150
disconnecter [in self-loading pistol],
 12
Disintegrator bullets, 95
double action revolvers, 10, 20,
 21–2
double barrelled shotguns, 14, 15
 wounds caused by, 142
double based propellants, 104, 230
double-blind tests, 298
double set triggers, 198
‘dragon’s breath’, 79
Dreys designs, 12
Dreyse needle fire rifles, 4–5,
 64, 110
drift [of bullets], 133, 145
Drilling [shotgun/rifle combination],
 15
‘dry firing’, 69, 295
dum dum bullets, 84
dummy cartridges, 69
dust shot, 73, 243

earmuffs, 353
earplugs, 353

EDX *see* energy dispersive X-ray
 analyser
electric ignition mechanism, 198
electrochemical machining
 [for rifling], 41
electronic triggers, 198
electroplated ammunition, 82
empirical testing, 173–4,
 313
energy dispersive X-ray (EDX)
 analyser, 109, 111, 235, 255,
 259–60
Enfield designs, 6
entry holes
 ballistics, 139, 140, 141, 142
 forensic firearms examination,
 205–8, 227
environmental contaminants
 firing ranges, 82, 93, 111
 in gunshot residues, 255, 258, 259,
 267, 272–3, 306
 see also lead contamination
exit holes/wounds, 139, 140, 141,
 142
expandable foam plugs, 353
 admissibility of testimony, 173,
 298–9, 313
 qualifying, 1, 33, 302
 role in court, 193
exploding bullets, 83
Express cartridges, 72, 318
external ballistics, 115–16,
 123–35
 ballistic coefficients, 125–6
 bullet drop, 125, 132
 critical angle of barrel elevation,
 126
cross-examination questions, 303

fabrics, bullet holes in, 206
falsification of evidence, 260, 273,
 289, 296
FBI *see* Federal Bureau of
 Investigation
FDR (firearms discharge residues)
 see gunshot residues
Federal Bureau of Investigation
 (FBI), 158, 159
Federal Cartridge Company
 ammunition, 95, **99**, 111, 317,
 318, 319
ferret [tear gas] rounds, 79

- Ferrozine test, 278
 cross-examination questions, 283, 308
 interfering metals, 278, 308
 methodology of use, 279–3
- fibreglass wool earplugs, 353–4
- Finland, legislation, 53, 363
- firearms
 definition, 25, 30, 137
 history, 1–8, 335–9
- firearms discharge residues (FDR), 225, 256
see also gunshot residues
- firing pin marks, 160, 161, 165
- firing pins, 161, 165
 breakage of, 203
 in home-made weapons, 44
 serial numbers on, 285–6
- flameless atomic absorption spectroscopy, 259
- flamethrower, 79
- flare cartridges, 69
- flash hiders, 18–19
- flash pans, 1, 2
- flat-nosed bullets, 83, 84
- flechettes, 84
- flinching, 120
- flintlock ignition system, 1–3
- Flobert designs, 4, 10, 94
- fluorescent strip lights, 176
- flyers (in shotgun patterns), 241, 244, 245
- forensic firearms identification
 binocular comparison microscopy, 156
 breech face markings, 155
 comparison microscopy, 155–6
 historical development, 153–60
 photomicrography, 154–5
- Forensic Technology Inc. (FTI),
 ballistics identification system, 158–9
- form factors, 125, 126
- Forsyth Scent Bottle priming system, 3, 110
- Foster shotgun slugs, 74, 75–6, 77
- frangible ammunition, 78, 94–6, 318
- free recoil velocity, 18
- frequency [of sound], 351–2
- frizzen [in flintlock], 1
- FTI *see* Forensic Technology Inc.
- fuel components [in primers], 112
- gain twist rifling, 37
- gas checks, 82, 169
- gas chromatography, 258
- gas spring weapons, 26
- gelatine tests, 76, 99, 146, 148
- German ammunition,
 headstamps, 89
- Germany, air weapon
 legislation, 363
- glass
 deflection of bullets, 221–3
 deviation of missiles after penetration, 217
 penetration of, 217–22
 types and substitutes, 215–17
- Glazer ammunition, 94, 317
- Glock designs, 9
- 'golden bullets', 82
- Greener ammunition, 35
- Greenhill formula, 36
- Greiss test, 237, 258
- grenade dischargers, 19
- grenade launcher cartridges, 69
- grooves (rifling), 32, 34
- gun handling tests, 277–83
 cross-examination questions, 283, 308
 historical development, 278
 methodology, 279–83
- gun marks, 345–7
- gunshot residues (GSR)
 ammunition identification, 265–6
 components, 256, 257–9
 conservation of particles, 263–4
 contaminants, 255, 258, 259, 267, 272–3, 307
 cross-examination questions, 306–7
 distribution of particles, 256–7, 264, 274
 extending period for particle recovery, 269
 faking of results, 260, 273, 289
 formation of, 256
 identification, 257–9
 indicative particles, 236, 264, 265, 272, 274, 307
- inorganic/metallic components, 258–9
- interpretation of results, 264–6, 272–3, 274
- minimum requirements for positive result, 265, 271–2, 307
- organic components, 257–8
- precautions when sampling, 263, 306, 307
- reasons for collection and analysis, 274
- retention of particles, 263, 269
- sample collection, 260–2, 269, 307
- SEM-EDX analysis, 109, 111, 235, 255, 259–60
- size of particles, 255, 256, 260, 263, 273, 296
- spherical particles, 256, 260, 273, 296
- storage of samples, 273–4
- gutter wounds, 35, 36
- Gyrojets [bullets], 5
- 'hair trigger', 21, 198
- half cock safety position, 2, 21, 200–1
- hammer block safety mechanism, 22–3
- hammer rifling, 40
- hand-and-ratchet mechanism, 22, 23
- handcuffs, GSR contamination by, 262, 307
- handguns
 ammunition, 70–3, 355–6
see also pistols; revolvers
- Harrison and Gillroy reagent/test, 237, 258
- Hatton rounds, 78
- headstamps [on ammunition], 87–90
- hearing loss, 351–4
- hearing protectors, 353–4
 for extreme conditions, 354
- heavy machine guns, 16
- heeled bullets, 85
- high-pressure liquid chromatography, 258
- high-velocity missiles, 72, 82, 84, 96
- ballistics, 140
- ricochet analysis, 210, 211, 213
- hinged frame revolvers, 6, 11

- history
 air weapons, 25
 ammunition, 63–6
 firearms, 1–8, 335–9
 forensic firearms identification, 153–60
 gun handling tests, 278
 rifling, 34–5
- Holland & Holland ammunition, 318
- hollow point bullets, 84
 penetration of glass by, 218, 219, 220
 ricochet analysis, 211, **212**
 wounds caused by, 140–1, 206
- home-made ammunition, 48–50
- home-made sub-machine guns, 47–8
- home-made weapons, 46–8, 270, 271
- homicide rates, **291–2**
- Hong Kong, air weapon legislation, 363
- hook cutter rifling, 39
- Hornady designs, 320, 321
- Hunter's formula, 147
- 8-hydroxyquinoline reagent, 278
- IBIS *see* Integrated Ballistic Identification System
- identification, AFTE definition, 162, 185
- improvised firearms, 43–4, 47–8
- inadvertent discharge, 197, 201
- incapacitation, 292
see also average incapacitation time
- inconclusive result, AFTE definition, 162, 186
- indicative GSR particles, 236, 264, 265, 272, 274, 307
- individual characteristics, 161–2, 163, 165–6
 eradication of, 163–4
- infrared (IR) photography, 225, 226, 237–8
- initiator explosives, 111
- injuries, air weapons, 30–1
- inside lubricated bullets, 85
- instant incapacitation, 292
- Integrated Ballistic Identification System (IBIS), 159
- internal ballistics, 115, 117–21
 barrel/muzzle lift, 117, 119–20
 barrel pressure, 120, **121**
 cartridge case capacity, 118
 cross-examination questions, 303
 internal pressure, 118
 muzzle velocity, **121**, 127–8
 recoil, 119–20
- IR *see* infrared
- Israel, air weapon legislation, 364
- Israeli ammunition, colour coding, 90
- Italy, air weapon legislation, 363–4
- jacketed bullets, 81–2, 85
- Japan, air weapon legislation, 364
- Japanese ammunition, headstamps, 88
- Japanese proof marks, 61
- joules, 135
- Journee's formula, 126
- judges, as 'gatekeepers' of scientific evidence, 173, 174, 313
 'junk science', 314
- Kalashnikov assault rifle, 16
- Kevlar fibres, 150
- kinetic energy, 143, **144**
 'King Arthur's Round Table', 251–3
- Krupp designs, 41
- KTW ammunition, 96, 168, **169**
- La Garde/Thompson [bullet performance] tests, 146
- Laboratory Information Management System (LIMS), 310
- laminated glass, 216
 deflection of bullets, 221–3
 penetration of, 218
- Lancaster designs, 35, 42
- lands (rifling), 33, 34
- laser-etched serial numbers, 285–7
- lead, detection of, 236, 237, 258, 259
- lead alloys, 267
- lead ammunition, 25, 28–9, 30, 73, 81–2, 97
 alternative materials, 73, 83, 97–100
- lead compounds, **267–8**
- lead contamination
 firing ranges, 82, 93, 111
see also environmental contamination
- lead-free primers, 94, 95, 111–12
- lead lapping, 38–9
- lead poisoning, 93, 111
- lead styphnate, 110, 111
- leade [chamber throat], 167, 168
- LED light sources for comparison microscopes, 176
- legal challenges to forensic firearms evidence, 174, 298–9, 313–14
- legislation
 air weapons, 30, 45, 361–6
 antique weapons, 51, 52–4
 imitation firearms, 43
- length units, conversion table, 349
- Lesmok ammunition, 106, **107**
- light sources [for comparison microscopy], 157, 175–7
- LIMS *see* Laboratory Information Management System
- lipfire ammunition, 64
- lock mechanisms, 197
 faulty, 198–9
- locked breech mechanism [in self-loading weapons], 12, 13, 23–4
- long recoil rifles, 13
- Longbow frangible bullets, 95
- lublalloy ammunition, 82
- lubrication, ammunition, 85–6
- Luger designs, 7, 12
- Lunge reagent, 237, 258
- machine guns, 16
- magazines [in self-loading pistols], 7, 12, 23
 removal from exhibits, 295
- magnesium smoking, 169–71
- Magnum ammunition, **36**, 72, 96, **127**, **130**, 139, **148**, **149**, **212**, 266, 319
- Magnum weapons, 48, 78, 107, 111, 207, 211
- Makarov designs, 72
- Malta, air weapon legislation, 364
- manufacturing marks on ammunition, 171, 178
- Marshal test, 237, 258
- Marshall list of one stop shots, 149
- Mausers designs, 7, 9, 72
- maximum altitudes of bullets, 130–1
- maximum range of missiles, 126–30
- mechanical noise, 18
- mechanisms [of weapons], 19–24
- mercury fulminate, 3, 80
- metal, bullet holes in, 207

- metal fouling, 106
micro grooved barrels, 37
micro stria, 37
military ammunition, 83
 headstamps, 88–9
Minie ammunition, 35
miquelets, 2
moderators [in nitro propellants],
 104, **105**
momentum, 135, 143, **144**
multi-stroke pneumatic air guns,
 26–7
multiple-shot suicides, 290, 292–3
muzzle attachments, 16–19
muzzle brakes/compensators, 18
muzzle counter weights, 19, 362
muzzle crowns, 167, 168
muzzle energy, 134–5
 air weapons, 362, 363, 365
muzzle lift, 117, 119–20
muzzle velocities, **121**, 127–8
 air weapons, 26, 27, 361, 362
- Nagant revolvers, 38
nail-driving cartridges, 69
NanoTag markings, 285–6
National Integrated Ballistic
 Identification Network
 (NIBIN), 159
NATO ammunition
 colour coding, 91
 standards, 113
NCNM primers *see* non-corrosive
 non-mercuric primers
needle fire rifles, 4–5, 64, 110
negligent discharges, 195, 196, 203
Netherlands, air weapon
 legislation, 364–5
neutron activation analysis, 259–60
New Zealand, air weapon
 legislation, 365
Newton's Third Law of Motion, 119,
 143
NIBIN *see* National Integrated
 Ballistic Identification Network
nipple [in percussion system], 3
nitrites, detection of, 236–7
nitrocellulose-based propellants, 67,
 68, 101, 104–7
 burning rates, 107
 compared with black
 powder, 106–7
 detection of, 236–7
 moderation of, 104–6
 noise levels, 352
 reference levels, **353**
 various firearms, **352**
non-corrosive non-mercuric
 (NCNM) primers, 110–11
non-lead primers, 95, 111–13
 range-of-firing estimations, 238–9
non-toxic bullets, 93–6, 321
 forensic firearms examination,
 168–71
non-toxic shot, 97–100
North Western Frontier weapons, 47
Norway, legislation, 53
nutiation [of bullets], 144
Nyclad ammunition, 82, 168, **169**
- obturation, 4, 5, 70
OCI *see* Outstanding Crime Index
'of proof', meaning of term, 55
Olympic .380 blank firing revolver,
 45
one-shot stops, Marshall list of, 149
one-way [bullet-resistant] glass, 217
optical fibre cables [light
 sources], 176
outside lubricated bullets, 85, 86
Outstanding Crime Index (OCI),
 158, 159
oval-bored rifling, 42
oxidisers, 95, 111
P14 rifles, 120
paintball guns, 27
Paltek guns, 47
paper bullets, 83
Parabellum ammunition, 7, 23, 72,
 96, 113, **130**, 139, 146, **148**, **149**,
 220, **221**, 266, 319
paradox rifling, 33
Paradox weapons, 75
paraffin test, 237, 258
'Parkerised' weapons, 279
PDT *see* Ferrozine reagent
peening [of shotgun barrel bore], 97
pellets, 68
 size, 73–4
penetration potential, 137–9
 air weapon ammunition, 30
 shotgun ammunition, 76, **76–7**, **99**
percussion priming, 3, 110
- Permanent International Commission
 for Firearms Testing (CIP),
 55–6
permanent [wound] cavities, 140
Philippines, air weapon
 legislation, 365
Philippines-made weapons, 47
photography
 gun handling tests, 279, 281–2
 striation matching, 33, 157,
 166–7, 180, 297, 298
 X-ray examinations, 249–4
photomicrographs, 154–5, 297, 298,
 303
pinfire system, 3–4, 64–5
pin-head method [for visualisation of
 propellant particles], 238
pistols, 9–10, 11–12
 ammunition, 70–3
 historical development, 6–8
 noise data, **352**
 range-of-firing estimations,
 227–30
 revolving *see* revolvers
 self-loading, 6–8, 9, 11–12
 single shot, 9–10
plasma asher, 269
plastic bullets, 79, 83
plumbata slugs, 78
pneumatic air guns, 26–7
Poland, legislation, 53, 365
polycarbonates, 216, 217
polygonal rifling, 42, 167
polymethylmethacrylate, 217
potassium chlorate, 110
powdered glass [in primers], 111
power tool cartridges, 69
pre-charged pneumatic guns, 27
precession [of bullets], 144
pre-moulded earplugs, 353
pressure waves, 17–18
primer caps, 65, 67, 69–70
primers, 67
 accidental discharge, 113–14
 chemical composition, 110–12,
 112–13, 266–7
 historical development, 110–13
 ignition in fires, 114
 lead-free and non-toxic, 95,
 111–13
 manufacture, 113
 sensitivity, 113

- priming compounds, 3, 110–13
 definition, 49, 67, 110
 priming pans, 1, 2
 professional qualifications, 302
 proficiency tests, 278, 297, 298, 299
 progressive rifling, 37
 proof marks, 55–61
 propellants, 49, 63, 67, 68
 historical development, 101–8
 see also black powder;
 nitrocellulose
 provisional proof, 56
 pump action rifles, 14
 Purdy designs, 72
 Pyrodex propellant, 103
- QBZ-95-1 assault rifle, 16, 17
 qualifying of expert, 1, 33, 302
- range-of-firing estimations
 blackening, 230
 on bloodstained clothing, 225,
 226, 237–8
 bullet wipe marks, 231–3
 chemical tests for, 235–7
 on decomposed bodies, 231–2
 extended range, 230
 partially burnt/unburnt propellant
 particles, 230
 for pistols and rifles, 227–30
 scorching, 229–30
 for shotguns, 241–7
 rapid incapacitation, 292
 ratchet-and-pawl mechanism, 6, 22,
 23
 Reagan, Ronald [US President], 83
 rebated cartridges, 71
 recoil, 119–20
 recoil boosters, 19
 recoil compensators/reducers, 18
 recovery methods [for fired
 bullets], 178–80
 regulated sights, 119
 relative incapacitation index (RII),
 147–8
 relative stopping power (RSP), 147
 relevancy of expert's testimony, 173,
 174, 313
 reliability of expert's testimony, 173,
 174, 313
 Remington ammunition, 95, 98, 99,
 317, 318, 319, 321
- replica guns, conversion of, 46
 reproduction weapon, 51–2
 reproof, 56
 returning velocities of missiles, 128
 revolvers, 9, 10–11
 classification, 10–11
 double action, 10–11
 GSR particle distribution, 256–7
 hinged frame, 6, 11
 historical development, 4, 5–6
 safety mechanisms, 22–3
 shotgun cartridges in, 246–7
 single action, 10
 skid marks on bullets, 37–8
 solid frame, 6, 11
 ricochet analysis, 209–13
 rifled slugs, 84
 rifles, 13–14
 ammunition, 70–3, 357–9
 bolt action, 13
 GSR particle distribution, 257
 historical development, 3–5
 noise data, 352
 pump action [slide action], 14
 range-of-firing estimations,
 227–30
 self-loading, 13–14, 257
 single shot, 13
 rifling, 33–42
 class characteristics, 37–8
 forms/profiles, 41–2
 historical development, 34–5
 methods, 39–41
 process, 38–9
 rate of twist/spin imparted by,
 35–7, 145
 RII *see* relative incapacitation
 index
 rimfire ammunition, 63, 65, 67, 68,
 69
 rimfire systems, 4, 65
 rimless cartridges, 71
 rimmed cartridges, 71
 ring light sources, 176–7
 rocket-propelled bullets, 5
 rolled-up paper earplugs, 354
 round of ammunition, 67
 round-nosed bullets, 82, 83, 84
 RSP *see* relative stopping power
 rubber bullets, 79
 Russian ammunition, identifying
 features, 89, 91
- Russian proof marks, 60
 RWS ammunition, 110, 112, 113,
 321
- sabot slugs, 75, 76, 77
 saboted ammunition, 75, 84, 169
 safety glass, 216
 safety mechanisms
 failure of, 199–2
 in revolvers, 22–3
 safety precautions [when presenting
 exhibits], 295–6
 sawn-off shotguns, 118–19, 138,
 163–4, 242, 245
 scanning electron microscopy
 (SEM), 259
 anti-contamination
 measures, 306, 307
 carbon coating procedures,
 261–2
 with energy dispersive X-ray
 (EDX) analyser, 109, 111, 235,
 255, 259–60
 Schönberger designs, 7
 scientific knowledge/methodology,
 174
 see also Daubert standard
 scorching [in range-of-firing
 estimations], 229–30
 scrape cutter rifling, 39
 sear, 20, 198
 see also bent-and-sear mechanisms
 security laminates, 216
 self-cocking revolvers, 11
 self-loading pistols, 6–8, 9, 11–12,
 23–4, 38
 ammunition, 7, 12, 23, 72
 GSR particle distribution, 256
 magazines, 7, 12, 23
 self-loading rifles, 13–14, 257
 SEM *see* scanning electron
 microscopy
 semi-automatic pistols, 9, 19, 72
 semi-jacketed bullets, 84
 semi-rimmed cartridges, 71
 serial numbers
 bar codes, 285, 286–7
 detection by Ferrozine test, 282
 laser-etched, 285–7
 set triggers, 198
 shape factors of bullets, 147
 shear-thickening materials, 150

- Sheridan air gun pellets, 28–9
short-barrelled weapons, 207
short recoil weapons, 13, 19
shot, 68, 73–4
 maximum range, 126–30
 non-toxic, 97–100
 penetration potential, **76–7**
shot dispersion, factors
 affecting, 242–6
shotgun cartridges
 missiles in, 68, 73–4
 in revolvers, 246–7
shotgun pellets, 68
 maximum range, 126–9
 size, 73–4
shotgun slugs, 74–7
shotgun/rifle combinations, 15
shotguns
 ammunition, 68, 70, 73–9, 74–7,
 242–3
 barrel choke, 75, 243–5
 barrel length, 226, 228, 245–6
 bore size, 73
 GSR particle distribution, 257
 noise data, **352**
 operation, 14–15
 range-of-firing estimations, 241–7
 sawn-off, 118–19, 138, 163–4,
 242, 245
 shot dispersion, 242–6
Siacci/Mayevski G1 drag model, 126
Sierra bullets, 319, 320
silencers *see* sound suppressors
single action revolvers, 10, 20–1
single base propellants, 104, 230
single set triggers, 198
single shot pistols, 9–10
single shot rifles, 13
single stroke pneumatic air guns, 27
sinter fire ammunition, 96
sintered iron bullets, **169**
sintered tungsten bullets, **169**
skid marks, 37–8
skidding effect, 37
skin, bullet holes in, 206
slide action rifles, 14
Smith & Wesson ammunition, 218,
318, 320
Smith & Wesson revolvers, 4, 6, 11,
41
snap caps, 69, 295
snaphaunces, 2
sodium rhodizonate test, 236, 258
soft body armour, 149–52
soft-point bullets, 84
solid frame revolvers, 6, 11
sound suppressors, 17–18
Spain, legislation, 53, 365
spalling of glass, 216, 217, 220
Spanish proof marks, 58
Spectra fibres, 150
Speer ammunition, 94–5, 111,
318
spherical GSR particles, 256, 273
spin rates, 145
 see also twist rates
spinel ceramics, 217
Spitzer bullets, 72, 83, 320
splash back effects, 111, 140, 207,
222
spring air weapons, 25–6
spring-powered weapons, 28
Starr & Savage designs, 6
steel balls (BBs), 25, 29, 30, 31
 penetration of glass by, 217
steel-jacketed bullets, **169**
steel shot, 73, 97–8, **169**
steel slugs, 78
stellate tearing, 141, 142, 227–8
Sten sub-machine gun, 15
straight cased cartridges, 70, 71
Strasbourg tests, 148
streamlined bullets, 85, 126
stria, 155, 161
stria comparisons
 arguments for and against, 186–7
 chance of accidentally matching
 lines, 174, 192
 class characteristics, 162
 comparison microscopy, 155–60
 consecutively matching stria
 (CMS), 162, 175, 177, 183–6
 control samples, 177–80
 cross-examination
 questions, 180–1, 303–6
 formation of stria, 166–7
 individual characteristics, 161–2,
 163, 165–6
 life expectancy of stria, 164
 manufacturing marks on
 ammunition, 171, 178
 mathematical proof, 189–1
 methodology, 174–5
 photomicrography, 155
 problematical areas, 167–71
 purposeful eradication, 163–4
 recovery methods for fired
 bullets, 178–80
 weapon types, 164–5
stria individuality, statistical
 model, 190–1
striation matching
 basic concepts, 161–72
 see also stria comparisons
striking velocities, 128
stud gun cartridges, 69
sub-machine guns, 15–16
 home-made, 47–8
suicide cases, 280–1, 282, 289–3
supersonic crack, 18
swage rifling, 40
swaged bullets, 81
Sweden, legislation, 53, 365
swing-out cylinders, 11
Switzerland, legislation, 53
tapered case cartridges, 70, 71
target shooting
 air weapons, 25, 28, 29
 ammunition, 29, 83
 propellant loads, 107
 ‘tuned’ triggers, 198
‘tattooing’ [by propellant
particles], 230
tear gas ammunition, 68–9, 79
teatfire ammunition, 64
tempered glass, 216
 penetration of, 219, 220
temporary accidental characteristics,
162
temporary [wound] cavities, 139–40
terminal ballistics, 115, 116,
137–52
 bullet performance tests, 145–9
 cross-examination questions, 303
 kinetic energy/momentum/
 velocity relationship, 143–4
 penetration potential, 137–9
 wound ballistics, 139–4
 wounding capabilities, 139–7
terminal velocities of missiles,
131–2
tetrazine, 111, 112
Tewari test, 237, 258
Theoben air rifles, 26
thin layer chromatography, 258

- THV *see* Très Haute Vitesse
- tinnitus, 351
- tissue quake, 140
- TMD *see* trace metal detection
- total metal jacket (TMJ) bullets, 94, 95, 169, 321
- toughened glass, 216
penetration of, 219
- toy guns, conversion of, 45
- trace metal detection (TMD) tests, 277, 278
faking of results, 290
- tracer bullets, 83, 318
- trade names, 323–34
- trademarks, 345–7
- trajectories, factors affecting, 124–5
- transfer bar safety mechanism, 22
- transparent armour, 216, 217
- Très Haute Vitesse (THV)
bullets, 96, 320–1
- trigger backlash, 120, 198
- trigger mechanisms, 197–198
tuning of, 198, 199
- trigger pressures, 198, 199
- trigger pull test methods, 203–4
- trigger snatch, 120
- true flintlocks, 2–3
- tumbling, 133–4, 145
- tungsten bulb light sources, 176
- twist rates, 35–7
see also spin rates
- UK ammunition, colour coding, 91
- UK Firearms Act, 43, 51, 52, 137
- ultraviolet (UV) light [in gun handling test], 278, 279
- Union Metallic Cartridge
ammunition, 88, 95
- United States Federal Gun Control
Act, 51, 52
- unjacketed bullets, 81
- USA
colour coding of ammunition, 91
inspector's marks, 61
legislation, 51, 52, 365–6
- USSR *see* Russia
- Uzi sub-machine gun, 15–16
- vehicle tyres – penetration of, 78, 139, 207
- Velo-Dog revolvers, 72
- velocity, relationship with
momentum and kinetic
energy, 143–4
- video recording of striation
matches, 33, 157, 180, 297, 304
- wadcutter bullets, 78, 83, 84, 125, 126, 147, 148, 206, 317–21
- Walker test, 256–7, 257–8
- Walther pistols, 7
- Warsaw Pact countries,
ammunition, 91, 266, 272
- water tanks [for bullet recovery], 178–80
- weapon types, 9–24
- Webley designs, 6, 7, 11
- Webley & Scott revolvers, 11
- weight units, conversion table, 349–50
- Weihrauch air rifles, 26
- Whitworth designs, 35, 42
- Winchester ammunition, 95, 99, 106, 111, 251, 254, 265, 317, 318, 319, 320, 321
- WinClean ammunition, 95, 321
- wind effect on bullets, 128, 132–3
- window glass, 215
penetration of, 217–18
- wood, bullet holes in, 206
- wooden bullets, 83
- wound ballistics, 137, 139–4
- wounding capabilities, 139–3
factors affecting, 143–7
- X-ray photography, 249–4
calibre estimation, 250–4
- yaw [of missiles], 133–4, 141, 144, 179
- 'zip guns', 44
- Zwilling [shotgun/rifle combination], 15

<http://www.pbookshop.com>