
Index

A

Accuracy measures, 216–217

Activity-based measures,
207–208

Activity management, 166–167,
235–236

Advanced analytics, 6, 8, 313

Aggregation, 19–20, 313

Agile development, 42, 313

Algorithms, 131, 313

Aligning teams:

actions to avoid taking, 141–142

case study cheat sheet, 137, 296

outcomes of ignoring problems,
140–141

problem background, 137–140

recommended solutions for,
142–144

Allocating responsibilities:

actions to avoid taking, 148–149

case study cheat sheet, 144,
296–297

outcomes of ignoring problems,
147–148

problem background, 144–147

recommended solutions for,
149–151

Analytical platform, 9, 313

Analytics:

case study cheat sheet, 264,
308–309

described, 8, 313

differing from business
analytics, xiii, 8

linking to value, 264–269

Assessments, xiii–xiv, 171

Asset management:

auditing assets, 213

creating assets, 47–63

described, 9, 191, 313

designing platforms for
use, 47–51

external change and, 107–108

knowing value of assets, 54–57

making alternative plans,
52–54

measuring effort, 220–229

measuring performance,
210–219

measuring value, 202–210

migrating assets, 196–198

minimizing custom
development, 60–63

minimizing transaction
costs of, 24

monitoring considerations,
108–109

moving to operational analytics,
192–202

optimizing monitoring

processes, 106–113

owning intellectual property,
57–59

reducing time to

recommendation, 273–277

spreadsheets and, 168

stability and value

considerations, 107

tool reuse and, 176–179

Attrition models, 117

- Auditing:
 assets, 213
 automated tasks, 172
 spreadsheets, 164–166
- Augmenting operational systems:
 actions to avoid taking, 92–94
 case study cheat sheet, 88,
 291–292
 improving results through,
 117–118
 outcomes of ignoring problems,
 91–92
 problem background, 88–91
 recommended solutions for,
 94–98
- Automation:
 building tools around, 172–173
 in decision-making, 134–136
 of manual processes, 196
 in monitoring processes, 111–113
 of non-value-added processes,
 38–40
 operational analytics on,
 194–195
 spreadsheets and, 166–167
- B**
- Backup plans, 52–54
- Big data:
 bottlenecks and, 43
 decision-making and, 275
 described, 314
 enterprise cloud and, 187
 information management
 and, 233
 innovation and, 114
- Big data analytics, 43, 314
- Bottlenecks:
 actions to avoid taking, 102–103
 case study cheat sheet,
 98–99, 292
 eliminating, 43–45, 199, 292
 measuring effort for, 221–229
 outcomes of ignoring, 102
 problem background, 99–101
 recommendations solutions for,
 103–106
 teams as, 99–101
- Bounded rationality, 25–27, 314
- Burst processing, 18, 52
- Business analytics:
 advantages of, 14–23, 26
 best practices, 1–3
 challenges of, 23–27
 described, 5–8, 314
 differing from analytics, xiii, 8
 establishing best practices, 27
 spreadsheets and, 163–165
- Business intelligence, 6, 314
- Business rules. *See also*
 Management principles
 actions to avoid taking, 288
 behavioral changes versus, 82–83
 case study cheat sheet, 284, 311
 developing, 25–26
 modeling dynamic, not the static,
 79–83
 outcomes of ignoring problems,
 286–288
 problem background, 285–286
 recommended solutions for,
 288–289
- C**
- Capturing data. *See* Data capture
- Categorical data, 258
- Champion/challenger process,
 120, 314
- Churn:
 described, 314
 predicting, 60, 117–118, 260
 reducing, 32
- Clarke, Arthur C., xi
- Client/server model:
 connectivity and, 180–183
 discovery environment and, 270

- enterprise cloud and, 188
 - moving to common platform, 178–179
 - Community detection, 50, 315
 - Competencies and skills:
 - actions to avoid taking, 156
 - case study cheat sheet, 151, 297–298
 - for data analysis, 258–259
 - described, 9, 315
 - developing, 20–21
 - management principles for, 34–35
 - opening platform for, 151–157
 - outcomes of ignoring problems, 155–156
 - problem background, 151–154
 - recommended solutions for, 156–157
 - value creation and, 31–35
 - Competitive advantage:
 - automating non-valued-added functions, 38–40
 - described, 315
 - designing platforms for use, 47–51
 - driving outcomes instead of insight, 37–38
 - eliminating bottlenecks for, 43–45
 - flexibility and structure in, 40–42
 - focusing on competencies, 31–35
 - intellectual property and, 57–59, 151–154
 - inventions and, 62
 - key factors in, 16
 - knowing value of assets, 54–57
 - making alternative plans, 52–54
 - manufacturing process
 - byproducts and, 19
 - minimizing custom development, 60–63
 - from reusing skills, 35
 - success drivers of, 13, 29–30
 - sustaining, xiii
 - Computational architectures:
 - building around automation, 172
 - described, 161
 - moving beyond spreadsheets, 162–172
 - platform upgrades, 183–190
 - scaling past PCs, 173–179
 - staying mobile and connected, 180–183
 - Conceptual-data architecture, 239, 315
 - Constraints of sunk costs, 270–272, 274–275
 - Contagious churn, 315, 326
 - Continuous improvement:
 - allocating responsibilities, 144–151
 - best practices, xiii–xiv
 - described, 315
 - driving granularity via, 118
 - encouraging innovation, 113–124
 - incremental value from, 33–34
 - measuring, 23
 - separating disruption from, 121–124
 - Cross-sectional modeling, 315
 - Cross-sell, 21, 315
 - Cruft, defined, 315
 - Custom development, minimizing, 60–63
- D**
- Data, defined, 9
 - Data and decision-making
 - solutions:
 - automating, 134–136
 - blending rules with models, 284–289
 - capturing right data, 256–262

- Data and decision-making
 - solutions: (*continued*)
 - coping with information overload, 128–136
 - creating data-management processes, 249–256
 - data value chain in, 242–249
 - decision-making structures, 263–269
 - described, xiv, 231
 - enabling real-time scoring, 277–284
 - information management, 233–262
 - linking analytics to value, 264–269
 - prioritization in, 130–131
 - reducing time to recommendation, 269–277
- Data architecture:
 - actions to avoid taking, 236–238
 - case study cheat sheet, 234, 305
 - outcomes of ignoring problems, 236
 - problem background, 234–236
 - recommended solutions for, 238–242
- Data capture:
 - actions to avoid taking, 260
 - case study cheat sheet, 256, 308
 - management principles for, 72–73
 - outcomes of ignoring problems, 259–260
 - problem background, 257–259
 - recommended solutions for, 261–262
- Data cleansing, 254, 316
- Data dictionary, 316
- Data governance, 243–249
- Data management:
 - actions to avoid taking, 253
 - best practices in, 68–69
 - case study cheat sheet, 249–250, 307
 - creating data architecture for, 234–242
 - described, 316
 - minimizing transaction costs in, 24
 - outcomes of ignoring problems, 252–253
 - problem background, 250–252
 - recommended solutions for, 253–256
 - simplifying, 248–249
- Datamarts, 238–242, 316
- Data quality:
 - data accuracy and, 66–68
 - described, 316
 - improving, 22–23
 - in spreadsheets, 162–169
- Data validity, 67–68
- Data value chains:
 - actions to avoid taking, 245
 - case study cheat sheet, 242, 306
 - as outcome drivers, 145–147
 - outcomes of ignoring problems, 243–245
 - problem background, 242–243
 - recommended solutions for, 245–249
- Data warehouses:
 - constraints of, 274–277
 - data quality in, 68, 70
 - described, 104, 316
 - historical data in, 71
 - real-time scoring and, 281–283
 - retention strategies for, 72
- Decision-making:
 - appropriate amount of data for, 69–73
 - automating, 134–136
 - best practices for, 76–77
 - blending rules with models, 284–289

- bounded rationality in, 27
- capturing right data, 256–262
- coping with information overload, 128–136
- creating data architecture, 234–242
- creating data-management processes, 249–256
- data value chain in, 242–249
- dealing with abnormal and unknown in, 81–83
- described, 263–264
- diminishing returns in, 134
- dynamic nature of data and, 79–80
- enabling real-time scoring, 277–284
- function dictating form in, 77–79
- improving, 26–27
- linking analytics to value, 264–269
- prioritization in, 130–131
- reducing time to recommendation, 269–277
- return on investment in, 203–204
- simplicity in, 74–77
- understanding data, 65–69
- Decision trees, 6, 316
- Derived variables, 247, 254–255, 316
- Desktop processing, 175, 178, 182
- Development effort measures, 225, 227–228
- Development environment, 196–197, 199. *See also* Discovery environment
- Deviation measures, 216, 218–219
- Differentiation, competitive. *See* Competitive advantage
- Discounted value, 316
- Discovery environment:
 - client/server model and, 270
 - described, 9, 198–199, 316
 - investment in, 50–51
 - planning for redundancy, 49
 - reducing time to recommendations, 270–271
- Disruptive innovation:
 - allocating responsibilities, 144–151
 - challenge of, 119
 - recommended solutions for, 121–124
- E**
- Economies of scale:
 - bottlenecks and, 44
 - data management and, 234–236
 - described, 17, 316
 - granularity of data and, 135–136, 278–279
 - maximizing, 17–19
 - minimizing transaction costs, 24
 - operational analytics and, 194–195
 - reusing tools, 173–179, 299–300
 - sunk costs and, 270–272
- Economies of scope:
 - described, 19, 317
 - effort measurement and, 221
 - maximizing, 19–21
 - for reusing skills, 35
 - reusing tools, 173–179, 299–300
- Effort measurement:
 - actions to avoid taking, 224
 - case study cheat sheet, 220, 304–305
 - outcomes of ignoring problems, 223–224
 - problem background, 220–223
 - recommended solutions for, 224–229
 - when eliminating bottlenecks, 45
- Enabling initiatives, 222, 317

- Enterprise platform:
 actions to avoid taking, 188
 case study cheat sheet, 183–184,
 301–302
 described, 317
 outcomes of ignoring
 problems, 187
 problem background, 184–187
 recommended solutions for,
 188–190
- Enterprise resource planning
 (ERP), 88–98, 291–292, 317
- Ethernet, 226, 317
- External resources, opening
 platform for:
 actions to avoid taking, 156
 case study cheat sheet, 151,
 297–298
 outcomes of ignoring problems,
 155–156
 problem background,
 151–154
 recommended solutions for,
 156–157
- External value, 8–9
- F**
- False negative error, 216, 328
 False positive error, 216–217, 328
 Fiber channel, 226, 317
 Financial measures, 207–208
 Fire-fighting cultures, 132–133
 Firm processes, 283, 317
 Function dictating form, 77–79
- G**
- Gains chart, 317
 Gradient boosting, 6
 Granularity of data:
 continuous improvement
 and, 118
 economies of scale and, 135–136,
 278–279
 in historical data, 71
 logical-data architecture and, 239
 relevancy and, 278
- Grouping model, 317
 Growth initiative, 318
- H**
- Hard process, 283, 318
 Hax and Wilde's delta model,
 11, 318
 Hedonic pricing analysis, 34, 318
 Heuristics, 25–26, 318
 Historical data, 71
 Hot desking, 181, 318
 Hoteling, 181, 318
- I**
- Ideation, 318
 Improvement measures,
 216–218
 Inpute process, 246, 318
 In-database processing, 199,
 274–276, 319
 Independent variables, 319
 Infonomics, 54, 319
 Information management:
 appropriate amount of data
 for, 69–73
 benchmarking, 14
 capturing right data, 256–262
 creating data architecture,
 234–242
 creating data-management
 processes, 249–256
 data value chain in, 242–249
 dealing with abnormal and
 unknown in, 81–83
 described, 233
 dynamic nature of data and,
 79–80
 enabling real-time scoring,
 277–284
 function dictating form in, 77–79

- information reuse, 170, 179
- simplicity in, 74–77
- understanding data, 65–69
- Information overload:
 - actions to avoid taking, 133–135
 - case study cheat sheet, 128, 295
 - outcomes of ignoring problems, 132–133
 - problem background, 128–131
 - recommended solutions for, 135–136
- Information paralysis, 129–130
- Information theory, 319
- Innovation:
 - actions to avoid taking, 120–121
 - case study cheat sheet, 113–114, 294
 - described, 90, 319
 - disruptive, 119, 121–124, 144–151
 - management model for, 123
 - operational integration for, 122–123
 - outcomes of ignoring problems, 117–119
 - problem background, 114–117
 - recommended solutions, 121–124
 - types of, 114
- Intangible value, 9, 314, 319
- Intellectual property, 57–59, 151–154
- Internal value, 8–9

- J**
- Join process, 135, 320

- K**
- Kryder's law, 73, 319

- L**
- Lift measure, 217, 319
- Linear programming, 319

- Load balancing, 50
- Logical-data architecture, 239–240, 320

- M**
- Management principles:
 - automating non-value-added processes, 39–40
 - for capturing data, 72–73
 - for competencies, 34–35
 - for data management, 68–69
 - for decision-making, 76–77
 - for designing measures, 78–79
 - designing platforms for use, 48–51
 - driving outcomes, not insight, 36–37
 - on dynamic versus static measures, 82–83
 - eliminating bottlenecks, 44–45
 - for flexibility and structure, 41–42
 - for measuring asset quality, 56–57
 - for measuring value, 56
 - minimizing custom development, 61–63
 - owning intellectual property, 59
 - planning ahead, 53–54
- Market failure, 19, 320
- Measurement:
 - best practices, xiii–xiv
 - for data quality, 66–68
 - designing, 78–79
 - dynamic versus static, 79–83
 - for effort, 45, 220–229
 - for performance, 210–219
 - for quality in processes, 22, 56–57, 215–219
 - for value, 202–210
- Merge process, 135, 320

- Microdecisions:
 - described, 193, 229, 320
 - information overload and, 132–134
 - Microsegmentation modeling, 320
 - Migrating:
 - assets, 196–198
 - platforms, 185–187
 - Milestones, managing by, 42
 - Missed opportunities, 102
 - Mobile resources:
 - actions to avoid taking, 182
 - case study cheat sheet, 180, 300–301
 - outcomes of ignoring problems, 182
 - problem background, 180–182
 - recommended solutions for, 182–183
 - Model deployment:
 - described, 7, 320
 - to enterprise cloud, 185–187
 - operational analytics and, 196–198
 - Model development:
 - described, 7, 47–48, 320
 - opportunity costs in, 216
 - simplicity in, 75–76
 - Models and modeling:
 - attrition, 117
 - blending rules with, 284–289
 - cross-sectional, 315
 - described, 320
 - grouping, 317
 - microsegmentation, 320
 - optimization, 106–113, 322
 - propensity, 21, 323
 - relational, 324
 - simulation, 326
 - Wilde and Hax's delta model, 11, 318
 - Monitoring processes, optimizing:
 - actions to avoid taking, 110–111
 - automating, 111–113
 - case study cheat sheet, 106, 293
 - outcomes of ignoring problems, 109–110
 - problem background, 106–109
 - recommended actions, 111–113
 - value creation and passage of time, 106–109
 - Monte Carlo sampling, 165, 321
 - Moore's law, 185, 321
 - Multivariate analysis, 6, 321
- N**
- Net present value, 208, 321
 - Network attached storage, 321
 - Neural networks, 272, 321
 - Nonparametric statistics, 6, 321
- O**
- Operational activities:
 - asset quality and, 56–57
 - described, 321
 - ERP systems and, 94
 - measuring, 225, 228
 - operational analytics for, 193–195
 - Operational analytics:
 - actions to avoid taking, 196–198
 - case study cheat sheet, 192, 302
 - described, xiii, 321
 - outcomes of ignoring problems, 195–196
 - problem background, 192–195
 - recommended solutions for, 198–202
 - Operational effort measures, 225, 228
 - Operational environment:
 - actions to avoid taking, 92–94
 - augmenting operational systems, 117–118, 291–292
 - breaking bottlenecks, 43–45, 98–106, 292

- case study cheat sheet, 88, 291–292
 - challenges in, 87
 - described, 9–10, 198–199, 322
 - encouraging innovation, 113–124, 294
 - investment in, 50–51
 - optimizing monitoring processes, 106–113, 293
 - outcomes of ignoring problems, 91–92
 - planning for redundancy, 49
 - problem background, 88–91
 - recommended solutions for, 94–98
 - Operations research, 6, 322
 - Opportunity costs:
 - bad assets and, 110
 - described, 24, 322
 - factoring in, 62, 108
 - measuring effort of improvements, 45
 - model development and, 216
 - Optimization model, 106–113, 322
 - Optimizing monitoring processes:
 - actions to avoid taking, 110–111
 - automating monitoring, 111–113
 - case study cheat sheet, 106, 293
 - outcomes of ignoring problems, 109–110
 - problem background, 106–109
 - recommended actions, 111–113
 - Organizational planning, 322
 - Outsourcing intellectual property, 151–154
- P**
- Parallel processing, 50, 121–122, 244–245
 - Parametric statistics, 6, 322
 - Payback measure, 322
 - People, defined, 9
 - People and process solutions:
 - aligning teams, 137–144
 - allocating responsibilities, 144–151
 - analytical process management, 127–157
 - augmenting operational systems, 88–98, 117–118, 291–292
 - characteristics of good teams, xi–xii
 - coping with information overload, 128–136
 - delays and credibility of teams, 99–100
 - described, xiv, 85
 - driving operational outcomes, 87–126
 - eliminating bottlenecks, 43–45, 98–106, 292
 - encouraging innovation, 113–124
 - listening to, 79
 - opening platform to external resources, 151–157
 - optimizing monitoring processes, 106–113
 - team turnover, 102
 - Performance management, 6, 322
 - Performance measurement:
 - actions to avoid taking, 214–215
 - case study cheat sheet, 210, 303–304
 - described, 6
 - outcomes of ignoring problems, 213–214
 - problem background, 210–213
 - recommended solutions for, 215–219
 - Petabyte, 187, 322
 - Physical-data architecture, 240–241, 323
 - Planning ahead, 48–49, 52–54

- Platforms:
- designing for use, 47–51
 - moving to common, 178–179
 - moving to enterprise cloud, 183–190
 - opening for external resources, 151–157
 - upgrade considerations, 183–190
- PMML (Predictive Markup Modeling Language), 276
- Porter's five forces, 11, 323
- Predictive Markup Modeling Language (PMML), 276
- Predictive modeling:
- benchmarking, 14
 - for customer churn, 60, 117–118, 260
 - decision-making and, 70–72
 - described, 5–6, 323
 - historical data and, 71–72
 - improvement measures and, 217
 - information management and, 70–72
- Pricing analytics, 200–201, 323
- Prioritization:
- in capturing data, 259
 - in decision-making, 130–131
- Processes and process management. *See also* Operational analytics
- activity management versus, 166–167
 - allocating responsibilities, 144–151
 - augmenting operational systems, 88–98, 117–118, 291–292
 - automating manual, 196
 - automating non-value-added, 38–40
 - building around automation, 172–173
 - coping with information overload, 128–136
 - for data management, 249–256
 - described, 9, 127
 - desktop processing, 175, 178, 182
 - eliminating bottlenecks in, 43–45, 98–106, 292
 - flexibility and structure in, 40–42
 - keeping everyone aligned, 137–144
 - mobile resources and, 180–183
 - moving to enterprise cloud, 183–190
 - moving to operational analytics, 192–202
 - opening platform to external resources, 151–157
 - optimizing monitoring, 106–113
 - quality in, 21–23, 33, 56–57, 215–219, 323
 - refactoring, 147–149, 215, 324
 - simplicity in, 75–76
 - transparency in, 147, 175–176, 245–246
- Production environment, 196–197. *See also* Operational environment
- Propensity model, 21, 323
- Q**
- Quality in processes:
- described, 323
 - improving, 21–23, 33
 - measuring, 22, 56–57, 215–219
- Quality of data:
- described, 316
 - improving, 22–23
 - measuring, 66–68
 - in spreadsheets, 162–169
- R**
- RAID technology, 226, 324
- Real-time scoring:
- actions to avoid taking, 281–282

- case study cheat sheet, 277, 310
 - outcomes of ignoring problems, 280–281
 - problem background, 277–280
 - recommended solutions for, 282–284
 - Recommendation, reducing
 - time to:
 - actions to avoid taking, 273
 - case study cheat sheet, 269–270, 309–310
 - outcomes of ignoring problems, 272–273
 - problem background, 270–272
 - recommended solutions for, 273–277
 - Redundancy, planning for, 48–50
 - Refactoring processes, 147–149, 215, 324
 - Reference-technology architecture, 14
 - Referential integrity in spreadsheets, 170
 - Relational models, 324
 - Renewable energy, 19
 - Repeatability, standardization and, 115–117
 - Reporting process:
 - described, 5, 324
 - differing from, advanced analytics, 6
 - opportunity costs and, 110
 - Research initiative, 324
 - Responsibility allocation:
 - actions to avoid taking, 148–149
 - case study cheat sheet, 144, 296–297
 - outcomes of ignoring problems, 147–148
 - problem background, 144–147
 - recommended solutions for, 149–151
 - Return on investment:
 - decision-making based on, 203–204
 - described, 9, 324
 - regular expression, 43–44
 - renewable sources of, 33
 - Reusability:
 - of data, 250–252, 255–256
 - of skills and competencies, 35
 - of tools and technology, 173–179
 - Roadmaps, 10, 37, 238, 324
 - Rules. *See* Business rules
- S**
- Sandpit. *See* Discovery environment
 - Satisfice process, 130, 325
 - Scale, economies of. *See* Economies of scale
 - Scope, economies of. *See* Economies of scope
 - Scoring processes:
 - described, 325
 - establishing, 268–269
 - validating, 199
 - Scoring table, 282, 325
 - Segmentation process, 5, 74–75, 325
 - Segmentation strategy, 325
 - Semistructured data, 258, 261, 325
 - Sensitivity analysis, 325
 - Simulation modeling, 193, 326
 - Simulation process, 325
 - Single View of Customer (SVoC), 326
 - Skills. *See* Competencies and skills
 - Skunk Works, 125
 - SKUs (stock keeping units), 200–201
 - Social network analysis, 50–52, 139, 326
 - Soft process, 283, 326
 - Specialization, sunk costs and, 31
 - Spreadmarts, xv, xviii, 326

- Spreadsheets, moving beyond:
 - actions to avoid taking, 168–169
 - case study cheat sheet, 162, 298–299
 - outcomes of ignoring problems, 167–168
 - problem background, 162–167
 - recommendations solutions for, 169–172
 - Standardization:
 - in effort measurement, 224–229
 - flexibility and, 88–92
 - innovation and, 115–116
 - in quality measurement, 215–219
 - repeatability and, 115–117
 - reusing tools, 173–179
 - for transformations, 243
 - in value measurement, 206–210
 - Stock keeping units (SKUs), 200–201
 - Stop-gap measures, 53–54
 - Stress testing, 243, 326
 - Strongly defined processes, 9, 91, 326
 - Sunk costs:
 - constraints of, 270–272, 274–275
 - economies of scale and, 17–18
 - economies of scope and, 20
 - specialization and, 31
 - Supply-chain optimization, 322, 326
 - SVoC (Single View of Customer), 326
 - SWOT analysis, 11, 327
 - Systems and assets solutions:
 - asset management, 191–229
 - building tools around
 - automation, 172
 - computational architectures, 161–190
 - described, xiv, 159
 - measuring effort, 220–229
 - measuring performance, 210–219
 - measuring value, 202–210
 - moving beyond spreadsheets, 162–172
 - moving to enterprise cloud, 183–190
 - moving to operational analytics, 192–202
 - reusing tools, 173–179
 - staying mobile and connected, 180–183
 - Systems-based workflows, 142–144
- T**
- Tactical revolution, 327
 - Tangible value, 9, 269, 327
 - Teams:
 - aligning, 137–144
 - blending rules with models, 287–289
 - breaking bottlenecks in, 98–106, 199
 - characteristics of good, xi–xii
 - delays and credibility of, 99–100
 - linking analytics to value, 264–269
 - measuring effort for, 221–229
 - mobile resources and
 - connections, 180–183
 - opening to external resources, 151–157
 - reducing time to
 - recommendation, 269–277
 - reusing tools, 173–179
 - turnover on, 102
 - typical roles, 142
 - using scalable tools, 171–172
 - Technology. *See* Tools and technology
 - Technology effort measures, 225–227

- Telecommunications examples, 60, 94, 108, 117
 - Terabyte, 275, 327
 - Test environment, 196–197
 - Time factor in value, 55
 - Time-series analysis, 327
 - Time to recommendation,
 - reducing:
 - actions to avoid taking, 273
 - case study cheat sheet, 269–270, 309–310
 - outcomes of ignoring problems, 272–273
 - problem background, 270–272
 - recommended solutions for, 273–277
 - Tools and technology:
 - actions to avoid taking, 176–178
 - automating non-value-added processes, 38–40
 - best practices, 14
 - building around automation, 172–173
 - burst processing pattern, 18
 - case study cheat sheet, 173, 299–300
 - data management and, 237–238
 - described, 7, 9, 327
 - managing innovation with, 120–124
 - minimizing custom development, 60–63
 - moving beyond spreadsheets, 162–172
 - moving to enterprise cloud, 183–190
 - opening platform to external resources, 151–157
 - outcomes of ignoring problems, 175–176
 - planning for redundancy in, 48–49
 - problem background, 173–175
 - quality improvement and, 22–23
 - recommended solutions for, 178–179
 - using scalable tools, 171–172
 - Total cost of ownership, 327
 - Training table, 327
 - Transaction costs, 24–25, 327
 - Transformations:
 - described, 328
 - measuring value and, 203–206
 - milestones of, 246–248
 - standardizing, 243
 - Transparency in processes, 147, 175–176, 245–246
 - Trending process, 5, 328
 - Turing-complete system, 190
 - Type I error, 216–217, 328
 - Type II error, 216, 328
- U**
- Univariate analysis, 328
 - Unstructured data, 258–261, 328
 - Up-sell process, 328
- V**
- Validating:
 - data, 67–68
 - scoring processes, 199
 - Value and value creation:
 - asset management and, 54–57
 - automating non-valued-added functions, 38–40
 - case study cheat sheet, 264, 308–309
 - derivation of, 76
 - described, 8–9, 328
 - description, 207
 - driving outcomes instead of insight, 37–38
 - eliminating bottlenecks for, 43–45
 - flexibility and structure in, 40–42
 - focusing on competencies, 31–35
 - key factors in, xiii, 7

- Value and value creation:
(continued)
 linking analytics to, 264–269
 management principles for, 35
 passage of time and, 106–109
- Value chains. *See* Data value chains
- Value measurement:
 actions to avoid taking, 205–206
 case study cheat sheet,
 202–203, 303
 outcomes of ignoring problems,
 204–205
 problem background, 203–204
 recommended solutions for,
 206–210
- Variables:
 derived, 247, 254–255, 316
 independent, 319
- Viral churn, 118, 315
- Viral marketing, 52, 328
- Virtual private networks (VPNs),
 181–182
- VisiCalc spreadsheet program, 172
- VPNs (virtual private networks),
 181–182
- VRIN resources, 329
- W**
- Weakly defined processes,
 9, 329
- Wilde and Hax's delta model,
 11, 318
- Workbench. *See* Discovery
 environment
- Workflows, systems-based,
 142–144

<http://www.pbookshop.com>